

June 13, 2011

**MTA - NEW YORK CITY TRANSIT  
2 BROADWAY  
NEW YORK, N.Y. 10004  
BID RECEPTION DESK**

**MTA - New York City Transit is hereby giving notice to vendors the list of items on the aforementioned Omnibus Sole Source Approval. This list of items consist of goods and/or service purchased by New York City Transit available only from a single manufacturer.**

**MTA OMNIBUS SOLE SOURCE APPROVAL**

**ANSALDO STS USA, INC.  
(FORMERLY UNION SWITCH & SIGNAL)**

**SWITCH AND SIGNAL EQUIPMENT AND RELATED PRODUCTS**

**PROCUREMENT UNIT: 300**

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0001 | 02-01-0900 | ARMATURE, FOR DC IND MAG 130 OHM UW 14   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                 |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      69310            |     |     |     |     |     |     |     |
| 0002 | 02-01-1105 | ARRESTOR, LOW VOLTAGE, WITH AAR                      TERMINAL BLOCK AND HARDWARE | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                 |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      X451552-0301     |     |     |     |     |     |     |     |
| 0003 | 02-01-1520 | BAND, FOR CONTACT ROLLER, USED WITH                      INTLKG                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                 |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      37094            |     |     |     |     |     |     |     |
| 0004 | 02-01-1525 | SPRING, FOR CONTACT ROLLER, UW INTLG.  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                 |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM 37096         |     |     |     |     |     |     |     |
| 0005 | 02-01-1530 | BAND, FOR CONTACT, USE WITH INTLKG   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                 |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM37098          |     |     |     |     |     |     |     |
| 0006 | 02-01-1540 | SPRING, FOR CONTACT ROLLER, USE WITH                      INTLKG                 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                 |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM37101          |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0007 | 02-01-1560 | SPRING, FOR CONTACT ROLLER, USE WITH INTLKG       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      PC-40097  |     |     |     |     |     |     |     |
| 0008 | 02-01-1620 | BAND, FOR QUICK SW, IND EP INTLKG                 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      PC 85550  |     |     |     |     |     |     |     |
| 0009 | 02-01-4505 | BOX, LIGHT COMPLETE W/RED AND CLEAR FILTERS.      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN382202  |     |     |     |     |     |     |     |
| 0010 | 02-01-4510 | BOX, LIGHT, COMPLETE WITH RED AND YELLOW FILTERS. | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-382203 |     |     |     |     |     |     |     |
| 0011 | 02-01-4515 | BOX, LIGHT, COMPLETE, WITH RED & CLEAR FILTERS.   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-382206 |     |     |     |     |     |     |     |
| 0012 | 02-01-4516 | BOX, LIGHT, COMPLETE, WITH RED & GREEN FILTERS.   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N382207   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0013 | 02-01-4517 | BOX, LIGHT, COMPLETE WITH RED AND GREEN FILTERS WITH ARROW.               | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN 398968 |     |     |     |     |     |     |     |
| 0014 | 02-01-4518 | BOX, LIGHT, COMPLETE WITH RED AND GREEN FILTERS.                          | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN 398969 |     |     |     |     |     |     |     |
| 0015 | 02-01-5540 | BUTTON  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-222605 |     |     |     |     |     |     |     |
| 0016 | 02-01-5820 | CAP, LAMP, OPTICAL GLASS, TRANSLUCENT.                                    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      070392    |     |     |     |     |     |     |     |
| 0017 | 02-01-5835 | CAP, LAMP, RED.   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM-436579 |     |     |     |     |     |     |     |
| 0018 | 02-01-5836 | CAP, LAMP, AMBER.   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UJ-701485 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE            | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|----------------|-----|-----|-----|-----|-----|
| 0019 | 02-01-5837 | CAP, LAMP, GREEN.   | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UJ-701486      |     |     |     |     |     |
| 0020 | 02-01-7000 | CONTACT ASSEMBLY, HEAVY DUTY HEEL, FOR RELAY.                                 | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | 79215081       |     |     |     |     |     |
| 0021 | 02-01-7010 | CONTACT ASSEMBLY, FRONT, FOR RELAY.   | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | 79215147       |     |     |     |     |     |
| 0022 | 02-01-7020 | CONTACT ASSEMBLY, MBO FRONT, FOR RELAY  | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | 79275114       |     |     |     |     |     |
| 0023 | 02-01-7030 | CONTACT ASSEMBLY, MBO HEEL, FOR RELAY   | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | 79275103       |     |     |     |     |     |
| 0024 | 02-01-8625 | CONTROLLER, LEVER CIRCUIT #UN-237698 WITH PLATE #UJ-790149 & STUD #UM-302116. | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UO-452037-0038 |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT  
 -----

| REC#  | STOCK NO   | LONG DESCRIPTION   | U/M | USE   | PY2   | USE   | PY1   | USE   | YTD   |
|-------|------------|--|-----|-------|-------|-------|-------|-------|-------|
| ----  | -----      | -----  | --- | ----- | ----- | ----- | ----- | ----- | ----- |
| 0025  | 02-01-8630 | CONTROLLER, LEVER CIRCUIT #UN-252493 WITH PLATE #UJ-790149 & STUD #UM-302116.  | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----   |     |       |       |       |       |       |       |
|       |            | N          P      ANSALDO STS USA, INC                      UO-452037-0039   |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |
| 0026  | 02-01-8800 | CONTROLLER, PUSH BUTTON, GROUP, P, FOR UR, MOD-BD.   | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----   |     |       |       |       |       |       |       |
|       |            | N          P      ANSALDO STS USA, INC                      104286   |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |
| 0027  | 02-01-8860 | CONTROLLER, PUSH BUTTON CIRCUIT.   | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----   |     |       |       |       |       |       |       |
|       |            | N          P      ANSALDO STS USA, INC                      UN-250422  |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |
| 0028  | 02-01-8870 | CONTROLLER, PUSH BUTTON, GROUP Q, FOR UR MOD-BD.   | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----   |     |       |       |       |       |       |       |
|       |            | N          P      ANSALDO STS USA, INC                      UN-275924  |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |
| 0029  | 02-01-8880 | CONTROLLER, PUSH BUTTON, COMPLETE, WITH WP COVERING NORMALLY CLOSED CONTACT, ROUTE INDICATOR SELECTORS, ROCKAWAY LINE. | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----   |     |       |       |       |       |       |       |
|       |            | N          P      ANSALDO STS USA, INC                      N-337734   |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                   | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|-----|---------------|-----|-----|-----|-----|
| 0030 | 02-01-8890 | CONTROLLER, PUSH, TURN MARKED "T".                 | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | 347878        |     |     |     |     |
| 0031 | 02-01-8895 | CONTROLLER.  | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | N-347937      |     |     |     |     |
| 0032 | 02-01-8905 | CONTROLLER, SIGNAL, PUSH-PULL, TURN RIGHT.         | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | 347949        |     |     |     |     |
| 0033 | 02-01-8906 | CONTROLLER, SIGNAL, PUSH-PULL, TURN LEFT COMPLETE. | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | 347950        |     |     |     |     |
| 0034 | 02-01-8915 | CONTROLLER.  | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UN-348021     |     |     |     |     |
| 0035 | 02-01-8925 | CONTROLLER, UR MACHINE.                            | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UN398967      |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0036 | 02-01-9000 | CONTROLLER, CIRCUIT - UR.   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          N451115-01-01   |     |     |     |     |     |     |     |
| 0037 | 02-02-7750 | KIT, M3 SW CONTACTOR COIL KIT ASSEMBLY TO INCLUDE (2) CONTACTOR COILS<br>#J709599-008, (1)INTERLOCK HARDWARE #J709599-009 AND (4)JUMPER CONNECTOR<br>WIRE #J709599-5802 | KT  |     | 07  |     | 21  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          X41000010   |     |     |     |     |     |     |     |
| 0038 | 02-03-8570 | RECEPTACLE, LAMP, SH. 48  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          N101564   |     |     |     |     |     |     |     |
| 0039 | 02-03-8580 | RETAINER, CLIP PUSHER, FOR RELAY  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          29255477  |     |     |     |     |     |     |     |
| 0040 | 02-03-8655 | BOX, LIGHT, GR. M, UW UR, MOD BD  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UN188500  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0041 | 02-03-8800 | RECEPTACLE, LAMP  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN308332        |     |     |     |     |     |     |     |
| 0042 | 02-04-9900 | SCREW, 12-32, FILISTER HEAD, 3F4 HOLDS BRACKET TO                               | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      PL 0806, FIG 39 |     |     |     |     |     |     |     |
| 0043 | 02-05-6480 | SPRING, CONTACT FOR BANDS   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM31498         |     |     |     |     |     |     |     |
| 0044 | 02-05-6485 | SPRING, CONTACT, FOR BANDS OLD NO 12, USED WITH INTLKG                          | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      PC 31500        |     |     |     |     |     |     |     |
| 0045 | 02-05-6526 | SPRING, CONTACT, FOR BANDS, OLD NO 14, USED WITH INTLKG                         | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      PC 32177        |     |     |     |     |     |     |     |
| 0046 | 02-05-6580 | SPRING, CONTACT, FOR BANDS, OLD NO. 18, USED WITH INTLKG                        | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      33608           |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0047 | 02-05-6600 | SPRING, CONTACT, FOR BANDS, OLD NO. 15, USED WITH INTLKG                    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      43836       |     |     |     |     |     |     |     |
| 0048 | 02-05-6605 | SPRING, CONTACT, FOR BANDS, OLD NO. 17, USED WITH INTLKG                    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      10913-4     |     |     |     |     |     |     |     |
| 0049 | 02-05-6625 | SPRING, CONTACT, F BANDS, OLD NO. 20, USED WITH INTLKG                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      44098       |     |     |     |     |     |     |     |
| 0050 | 02-05-6745 | SPRING, CONTACT, F BANDS, OLD NO. 13, USED WITH EP INTLKG                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      176783      |     |     |     |     |     |     |     |
| 0051 | 02-05-6765 | SPRING, CONTACT, F BANDS, OLD NO. 19, USED WITH EP INTLKG                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      196435      |     |     |     |     |     |     |     |
| 0052 | 02-08-2000 | RELAY, DC BIASED LINE, PN250B, CONTACTS ARE 8FB-4F-2B ARRANGEMENT           | EA  |     | 03  |     | 00  |     | 06  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      N322554-802 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0053 | 02-08-2549 | RELAY, TRACK, PV 250, 110 VOLT, 60 CAPACITOR TYPE TRACK CIRCUITS.  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC UN-342555-809   |     |     |     |     |     |     |     |
| 0054 | 02-08-2550 | RELAY, TRACK, PV-250, 2F28, 60 HZ., FOR WABCO CAPACITOR TYPE TRACK CIRCUIT, CONTRACT S-141, TA JOB 9402, | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UN-342555-811   |     |     |     |     |     |     |     |
| 0055 | 02-08-2555 | RELAY, PC-250TR  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC 322556-818  |     |     |     |     |     |     |     |
| 0056 | 02-08-5000 | RELAY, VITAL TIME ELEMENT, EVT MICROPROCESSOR BASED, PN-150  | EA  |     | 14  |     | 20  |     | 18  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC N40101001   |     |     |     |     |     |     |     |
| 0057 | 02-08-5075 | RELAY  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UN-273823   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0058 | 02-08-5500 | RELAY, FN 27   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                             |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N280688                              |     |     |     |     |     |     |     |
| 0059 | 02-08-5550 | RELAY, "G", DC 2 POSITION, 4F-2B, SIZE B, FOR USE WITH TRAIN CONTROL SYSTEMS | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                             |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN348809                             |     |     |     |     |     |     |     |
| 0060 | 02-08-6190 | RELAY  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                             |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-276049                            |     |     |     |     |     |     |     |
| 0061 | 02-08-6200 | RELAY  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                             |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-280754                            |     |     |     |     |     |     |     |
| 0062 | 02-08-6275 | RELAY, LP-70, 175 OHM, 4F-4B-2FB, WITH #311292 BASE.                         | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                             |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-326960                            |     |     |     |     |     |     |     |
| 0063 | 02-08-6300 | RELAY, LP 100, 3 WAY   | EA  |     | 112 |     | 100 |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                             |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      N451085-0217                         |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0064 | 02-08-7030 | RELAY, PC-56A, 75 CODE, 16 VOLT                                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UN-289912-001 |     |     |     |     |     |     |     |
| 0065 | 02-08-7230 | RELAY, D.C., PCD.   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UN-289912-001 |     |     |     |     |     |     |     |
| 0066 | 02-08-7250 | RELAY, D.C. PCD.  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UN-335859     |     |     |     |     |     |     |     |
| 0067 | 02-08-7500 | RELAY, DC, 50B-4FB-4F-2B-1300 OHMS, 16 VOLT, LINE NEUTRAL         | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UN-276175-001 |     |     |     |     |     |     |     |
| 0068 | 02-08-7540 | RELAY, PN 152-S0, SWITCH OVERLOAD                                 | EA  |     | 10  |     | 31  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          N322522-001   |     |     |     |     |     |     |     |
| 0069 | 02-08-7550 | RELAY, PN-150 BM, 240 OHMS, 2 F MAG. HEAD WITH BASE NO. UN376047. | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UN-322517-001 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0070 | 02-08-7555 | RELAY, PN-150B, 4FB-2F-1B  | EA  |     | 200 |     | 04  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                       |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N322500807                     |     |     |     |     |     |     |     |
| 0071 | 02-08-7560 | RELAY, PN-150 BM, 2F-2B MAGNETIC HEAVY DUTY                            | EA  |     | 06  |     | 06  |     | 04  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                       |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      N322524001                     |     |     |     |     |     |     |     |
| 0072 | 02-08-7565 | RELAY, PN-150 EVT, WITH STANDARD BASE                                  | EA  |     | 210 |     | 204 |     | 24  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                       |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N40102501                      |     |     |     |     |     |     |     |
| 0073 | 02-08-7570 | RELAY, PN 152SO  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                       |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN 322522-802                  |     |     |     |     |     |     |     |
| 0074 | 02-08-7580 | RELAY, ONLY, PN-150 ELECTRONIC VITAL STANDARD US&S RELAY PLUGBOARD AND | EA  |     | 00  |     | 00  |     | 00  |
|      |            | TIMER MICROPROCESSOR BASED RELAY, HARDWARE ARE NOT REQUIRED.           |     |     |     |     |     |     |     |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                       |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N40101701                      |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT  
 -----

| REC#  | STOCK NO   | LONG DESCRIPTION  | U/M | USE   | PY2   | USE   | PY1   | USE   | YTD   |
|-------|------------|---|-----|-------|-------|-------|-------|-------|-------|
| ----  | -----      | -----   | --- | ----- | ----- | ----- | ----- | ----- | ----- |
| 0075  | 02-08-7850 | RELAY, PP-64D, MAIN 30,000 OHMS, BIASED 12.600 OHMS, IF-18, W/UN398706 BASE   | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL            CODE        MFG - NAME                            MFG - PART-NO  |     |       |       |       |       |       |       |
|       |            | ----            ----        -----                            -----  |     |       |       |       |       |       |       |
|       |            | N                P            ANSALDO STS USA, INC                UN 398707-001   |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0076  | 02-08-7860 | RELAY, TRACK, PTV-42, 115 VOLT, 60        CYCLE 2F-2B, W/BASE NO. UN386013,<br>W.A.B., S & C DIV. PC. NO. 385888-001,    DWG. C-16820, SH. 2A | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL            CODE        MFG - NAME                            MFG - PART-NO  |     |       |       |       |       |       |       |
|       |            | ----            ----        -----                            -----  |     |       |       |       |       |       |       |
|       |            | N                P            ANSALDO STS USA, INC                UN-385888-001   |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0077  | 02-08-8010 | RELAY, DC, RD 8N 8R 30/30 OHMS, FINIAL STICK IND.   | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL            CODE        MFG - NAME                            MFG - PART-NO  |     |       |       |       |       |       |       |
|       |            | ----            ----        -----                            -----  |     |       |       |       |       |       |       |
|       |            | N                P            ANSALDO STS USA, INC                UN308000  |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0078  | 02-08-8012 | RELAY, RD. 50/50 OHMS, 4F-4FB POLAR        BIASED.  | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL            CODE        MFG - NAME                            MFG - PART-NO  |     |       |       |       |       |       |       |
|       |            | ----            ----        -----                            -----  |     |       |       |       |       |       |       |
|       |            | N                P            ANSALDO STS USA, INC                UN-308001   |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0079  | 02-08-8014 | RELAY, RD 1880/1880 OHMS, 4F-4FB POLAR    BIASED,   | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL            CODE        MFG - NAME                            MFG - PART-NO  |     |       |       |       |       |       |       |
|       |            | ----            ----        -----                            -----  |     |       |       |       |       |       |       |
|       |            | N                P            ANSALDO STS USA, INC                UN-308002   |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0080  | 02-08-8015 | RELAY   | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL            CODE        MFG - NAME                            MFG - PART-NO  |     |       |       |       |       |       |       |
|       |            | ----            ----        -----                            -----  |     |       |       |       |       |       |       |
|       |            | N                P            ANSALDO STS USA, INC                UN-386450   |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0081 | 02-08-8016 | RELAY, RD TYPE, 8N-8R CONTACTS, 286/286 OHMS, POLAR STICK                 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN308003  |     |     |     |     |     |     |     |
| 0082 | 02-08-8030 | RELAY   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-315538 |     |     |     |     |     |     |     |
| 0083 | 02-08-8040 | RELAY, RD 30/30 OHM, 4F-4FB POLAR                      BIASED,            | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-318614 |     |     |     |     |     |     |     |
| 0084 | 02-08-8050 | RELAY, LPA-58, 70/35 VOLT, 60/25 CYCLE.                                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      390533    |     |     |     |     |     |     |     |
| 0085 | 02-10-0565 | ARM, OPERATING, U/W PV 250 RELAYS.  | EA  |     | 72  |     | 00  |     | 30  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      N390324   |     |     |     |     |     |     |     |
| 0086 | 02-10-0594 | ARM, BEARING, COMPLETE, FOR PC 56-75                      CODER           | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN276078  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|---------------|-----|-----|-----|-----|-----|
| 0087 | 02-10-0900 | VANE, MODEL 15 RELAY   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN-70538      |     |     |     |     |     |
| 0088 | 02-10-1130 | ARMATURE   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | Y          | P  | ANSALDO STS USA, INC | N234255       |     |     |     |     |     |
| 0089 | 02-10-1370 | VANE ASSEMBLY, "DO NOT DRILL OR MOUNT COUNTER WEIGHT SCREW AND NUT."       | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | 395068        |     |     |     |     |     |
| 0090 | 02-10-1375 | VANE, FOR PV250 RELAYS   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | Y          | P  | ANSALDO STS USA, INC | N434594       |     |     |     |     |     |
| 0091 | 02-10-3515 | BLOCK, TRACK COIL CONTROL, FOR PV-250 RELAY                                | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | Y          | P  | ANSALDO STS USA, INC | M433457       |     |     |     |     |     |
| 0092 | 02-10-3885 | BLOCK, CONTACT, COMP. 3F-3H, SILVER IMP CARBON, USED WITH TIME RELAY PT55. | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN233130-0001 |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0093 | 02-10-3890 | BLOCK, WABCO, S & C DIV. NO. N233131  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN233131                                |     |     |     |     |     |     |     |
| 0094 | 02-10-3910 | BLOCK, CONTACT, COMPLETE WITH SPRINGS   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-276310-0001                          |     |     |     |     |     |     |     |
| 0095 | 02-10-3915 | BLOCK, CONTACT, RELAY ITSELF  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      N2763110001                             |     |     |     |     |     |     |     |
| 0096 | 02-10-3930 | BLOCK, CONTACT, COMPLETE FOR PTV 42      RELAY 2F 2B                            | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N265744-0001                            |     |     |     |     |     |     |     |
| 0097 | 02-10-3935 | BLOCK, CONTACT, COMPLETE FOR PTV42      RELAY 2F 2B                             | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N265745-0001                            |     |     |     |     |     |     |     |
| 0098 | 02-10-3940 | BLOCK, CONTACT, COMPLETE WITH SPRINGS, SILVER HEAD TIPS, USED WITH RELAY PIV-42 | EA  |     | 00  |     | 00  |     | 00  |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
|      |            | BLOCK, CONTACT, COMPLETE WITH SPRINGS, SILVER HEAD TIPS, USED WITH RELAY PIV-42                           |     |         |         |         |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC N2778320001  |     |         |         |         |
| 0099 | 02-10-3945 | BLOCK, CONTACT #3 FOR PTV 42 RELAY W/SPRINGS  | EA  | 12      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC N2778350001  |     |         |         |         |
| 0100 | 02-10-3970 | BLOCK, CONTACT, FOR RELAY #150 BM   | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC N2997040001  |     |         |         |         |
| 0101 | 02-10-3975 | BLOCK, CONTACT FOR EVT TIMER RELAY. 3F-1B, ALL SILVER-IMPREGNATED CARBON, RATED 4 AMPS AT 30VDC OR 175VAC | EA  | 00      | 18      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC N40100601  |     |         |         |         |
| 0102 | 02-10-4681 | POST, TERMINAL, MODEL 15 IND RELAY  | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC N072667  |     |         |         |         |
| 0103 | 02-10-4720 | BRACKET, FOR UPPER-ROLLER, USED WITH S.L.V. 13 RELAY  | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC M090714  |     |         |         |         |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0104 | 02-10-5645 | CAP, FOR RED LAMP   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          AN-070443   |     |     |     |     |     |     |     |
| 0105 | 02-10-5650 | CAP, GREEN LAMP, USED WITH P.D. 63 A.C. GRD-DET. RELAY-   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UJ-070445   |     |     |     |     |     |     |     |
| 0106 | 02-10-6000 | KIT, REBUILT, PN-150EVT TIMER RELAY TO INCLUDE: 1 CONTACT BLOCK, #N40100601; 1 COVER, #M432996001; 1 PLATE COVER, #M40100901, 2 SCREWS, #J5001240045; 1 LABEL, #M40118401, AND 1 GASKET, #J047081 | KT  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          X40100011   |     |     |     |     |     |     |     |
| 0107 | 02-10-7350 | COIL, FOR 286 OHM RD RELAY  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          316733  |     |     |     |     |     |     |     |
| 0108 | 02-10-7455 | COIL, 1300 OHMS, FOR PN 50-B RELAY.   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          8133-501  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|---------------|-----|-----|-----|-----|-----|
| 0109 | 02-10-8765 | CONTACT, STATIONARY, USED WITH PN50B RELAY      | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | 102176        |     |     |     |     |     |
| 0110 | 02-10-9522 | BLOCK, CONTGACT, FOR PV250 RELAY                | EA                   |               | 00  |     | 12  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | Y          | P   | ANSALDO STS USA, INC | N4334820001   |     |     |     |     |     |
| 0111 | 02-11-0680 | COVER, MOULDED, CLEAR LEXAN, FOR PTV-42 RELAY   | EA                   |               | 48  |     | 160 |     | 75  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | Y          | P   | ANSALDO STS USA, INC | J780017       |     |     |     |     |     |
| 0112 | 02-11-0721 | COVER, GLASS                                    | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UJ-530100     |     |     |     |     |     |
| 0113 | 02-11-0743 | COVER, PT 55 RELAY, TIMER, W/PLUG HOLE, PLASTIC | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | M 438944      |     |     |     |     |     |
| 0114 | 02-11-0745 | COVER, FOR PN150 B RELAY.                       | EA                   |               | 36  |     | 36  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | J776596       |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0115 | 02-11-0850 | COVER, FRONT, PLASTIC, FOR RD RELAY                     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC      M344744 |     |     |     |     |     |     |     |
| 0116 | 02-11-0855 | COVER, TOP, FOR PV250 RELAY                             | EA  |     | 48  |     | 36  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC      J776598 |     |     |     |     |     |     |     |
| 0117 | 02-11-0856 | COVER, BOTTOM, FOR PV250 RELAYS                         | EA  |     | 36  |     | 36  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC      J776597 |     |     |     |     |     |     |     |
| 0118 | 02-11-3670 | GASKET, FOR PV250 RELAYS                                | EA  |     | 540 |     | 120 |     | 30  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC      J047081 |     |     |     |     |     |     |     |
| 0119 | 02-11-3850 | GASKET, CORK, FOR USE WITH PN-50B RELAY                 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      47378   |     |     |     |     |     |     |     |
| 0120 | 02-11-3900 | GASKET  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      47428   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE               | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|-------------------|-----|-----|-----|-----|-----|
| 0121 | 02-11-4320 | GEAR.   | EA                   |                   | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO     |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UN-25-227877-0001 |     |     |     |     |     |
| 0122 | 02-11-4340 | GEAR, PLANETARY TRAIN, COMPLETE, 10 TO 120  | EA                   |                   | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO     |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | 25-231647         |     |     |     |     |     |
| 0123 | 02-11-4640 | HANDLE  | EA                   |                   | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO     |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UN-104612         |     |     |     |     |     |
| 0124 | 02-11-4950 | TERMINAL, POST, COMPLETE WITH GRAPHITE CONTACT  | EA                   |                   | 12  |     | 36  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO     |     |     |     |     |     |
|      | Y          | P   | ANSALDO STS USA, INC | N112419           |     |     |     |     |     |
| 0125 | 02-11-7700 | KIT, PV250 RELAY REBUILT TO INCLUDE THE FOLLOWING: 2 RUBBER GASKETS #J047081, 1 MOLDED COVER #J7763040001, 1 MOLDED #M069693, 4 INSULATIONS #M283459, 2 LOCK NUTS #N124889, 1 SHAFT (1/4') 1 TERMINAL BLOCK #N433482001 | EA                   |                   | 60  |     | 200 |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO     |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | X40700003         |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0126 | 02-11-7800 | KIT, REBUILT, PTV42, (6F/4B) TO INCLUDE THE FOLLOWING: 2 ROLLER #M069693, 1 GASKET RUBBER #J047445, 1 COVER MOLDED TRUNNION #N124889, 1 PIN #M381128, 1 #N390324001, 2 CONTACT BLOCK #N277832-0001 AND CONTACT BLOCK | EA  | 17      | 76      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO<br>N P ANSALDO STS USA, INC X40700005  |     |         |         |         |
| 0127 | 02-11-7802 | KIT, REBUILT, PTV42, (2F/2B) TO INCLUDE THE FOLLOWING; 2 ROLLER #M069693, 1 GASKET RUBBER #J047445, 1 COVER MOLDED TRUNNION #N124889, 2 PIN/SHORT OPERATING #N390324001, 1 CONTACT BLOCK #N389537-0001               | EA  | 03      | 12      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO<br>N P ANSALDO STS USA, INC X40700006  |     |         |         |         |
| 0128 | 02-11-7810 | LINK, DF 2 POSITION RELAY, 1/4" RADIUS   | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO<br>N P ANSALDO STS USA, INC 071785   |     |         |         |         |
| 0129 | 02-11-8730 | CONTACT, SEMI RIDGID, FIXED FOR ALL RD   | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO<br>N P ANSALDO STS USA, INC UH-307993  |     |         |         |         |
| 0130 | 02-11-8750 | MOUNTING, RUBBER   | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO<br>N P ANSALDO STS USA, INC UM-336009  |     |         |         |         |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0131 | 02-11-9910 | NUT, SPANNER, 14-24, 7 FIG W 3F16 THICK F-15                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          8109-383   |     |     |     |     |     |     |     |
| 0132 | 02-12-1940 | PAWL, USED WITH P.T. 55 RELAY                                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          108505     |     |     |     |     |     |     |     |
| 0133 | 02-12-2000 | ARM, PUSHER, FOR PTV42 RELAY                                   | EA  |     | 196 |     | 360 |     | 259 |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          N390324001 |     |     |     |     |     |     |     |
| 0134 | 02-12-2005 | PIN, LONG, FOR PTV 42 RELAY                                    | EA  |     | 120 |     | 320 |     | 59  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          M381128    |     |     |     |     |     |     |     |
| 0135 | 02-12-2300 | PIN, D-SHORT, PTV-42, USED WITH SV-20 RELAY.                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UM61151    |     |     |     |     |     |     |     |
| 0136 | 02-12-2700 | PIN, SHORT, PTV-42, USED WITH SV-20 RELAY                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UM 61151   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                       | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|-----|---------------|-----|-----|-----|-----|
| 0137 | 02-12-2705 | PIN, 1/16" LONG, FOR PV250 RELAY.                      | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | J049813       |     |     |     |     |
| 0138 | 02-12-2710 | PIN, SHORT, FOR PV250 RELAY ARM                        | EA                   |     | 860           |     | 600 |     | 200 |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | M381129       |     |     |     |     |
| 0139 | 02-12-2720 | PIN, FOR UPPER END OF REF. 12, USED WITH SV-12 RELAY.  | EA                   |     | 179           |     | 400 |     | 55  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | 62223         |     |     |     |     |
| 0140 | 02-12-2780 | PIN, FOR LOWER END OF REF 22B USED WITH MODEL 15 RELAY | EA                   |     | 24            |     | 180 |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | MO94338       |     |     |     |     |
| 0141 | 02-12-2820 | PIN, FOR LATCH, USED WITH P.T. 55-RELAY                | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UM-102135     |     |     |     |     |
| 0142 | 02-12-2940 | PIN, ONLY  | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | 232763        |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0143 | 02-12-3260 | PINION, FOR 10 TO 120 SECONDS AND 0.  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC      M160844                                       |     |     |     |     |     |     |     |
| 0144 | 02-12-3280 | PINION, FOR 2.5 TO 25 SECONDS TIME RANGE  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC      M162000                                       |     |     |     |     |     |     |     |
| 0145 | 02-12-4000 | PLATE, COVER, USED WITH P.C. 57 CODE RELAY  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC      J0774971                                      |     |     |     |     |     |     |     |
| 0146 | 02-12-4825 | PLATE, TOP, COMPLETE, FOR RELAY 6F AND 6B NON-INDEPENDENT CONTACTS USED WITH SV-12-RELAY. | EA  |     | 00  |     | 10  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC      UN76151                                       |     |     |     |     |     |     |     |
| 0147 | 02-12-5151 | PLATE, RIVETING, USED WITH RELAY PT 55  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC      UM253977                                      |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1   | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-------|-----|-----|
| 0148 | 02-12-5700 | POST, SILVER PLATE CONTACT, USED WITH PDC CODE                          | EA  |     | 00  |     | 00    |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                        |     |     |     |     |       |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ71963                         |     |     |     |     |       |     |     |
| 0149 | 02-12-7035 | RATCHET, ONLY, USED WITH P.T. 55 RELAY SIGNAL & COMMUNICATION DIVISION  | EA  |     | 00  |     | 00    |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                        |     |     |     |     |       |     |     |
|      |            | N      P      ANSALDO STS USA, INC      M160738                         |     |     |     |     |       |     |     |
| 0150 | 02-12-7135 | RECEPTACLE, LAMP, W LAMP, USED WITH P.D. 63 AC RELAY.                   | EA  |     | 00  |     | 00    |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                        |     |     |     |     |       |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-254213                       |     |     |     |     |       |     |     |
| 0151 | 02-12-7710 | RIVET, COPPER, 1/16" X 13/16", USED WITH SV-20 RELAY                    | EA  |     | 00  |     | 00    |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                        |     |     |     |     |       |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-49819                        |     |     |     |     |       |     |     |
| 0152 | 02-12-8050 | ROD, OPERATING, USED WITH P.T. 55 RELAY SIGNAL & COMMUNICATION DIVISION | EA  |     | 00  |     | 00    |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                        |     |     |     |     |       |     |     |
|      |            | N      P      ANSALDO STS USA, INC      M227884                         |     |     |     |     |       |     |     |
| 0153 | 02-12-8350 | ROLLER, STOP, USED WITH MODEL-15-RELAY                                  | EA  |     | 600 |     | 1,000 |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                        |     |     |     |     |       |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      M069693                         |     |     |     |     |       |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0154 | 02-13-4090 | SCREW, 14-24, HEX HEAD, 3F8 WITH HOLE IN HEAD              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-244330 PL E5426 |     |     |     |     |     |     |     |
| 0155 | 02-13-7410 | SHAFT, RELAY VANE, FOR PV250 RELAY.                        | EA  |     | 180 |     | 200 |     | 350 |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      M380676            |     |     |     |     |     |     |     |
| 0156 | 02-13-7415 | SHAFT, ONLY, FOR MODEL 15 RELAY VANE                       | EA  |     | 48  |     | 240 |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N 075586           |     |     |     |     |     |     |     |
| 0157 | 02-13-7440 | SHAFT, FOR ALL TIME RANGES, EXCEPT 1 TO 11                 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-256639 PL-E5426 |     |     |     |     |     |     |     |
| 0158 | 02-13-9000 | SHIELD   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-53435           |     |     |     |     |     |     |     |
| 0159 | 02-13-9040 | SHIELD, GLASS, COMPLETE, WITH REF-6, USED WITH MODEL-15    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      94596              |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2   | USE | PY1 | USE | YTD   |
|------|------------|---|-----|-----|-------|-----|-----|-----|-------|
| 0160 | 02-13-9650 | SPRING, DRIVE ONLY, USED WITH PT-55 RELAY   | EA  |     | 00    |     | 00  |     | 00    |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |       |     |     |     |       |
|      |            | N          P          ANSALDO STS USA, INC          UM108502                                  |     |     |       |     |     |     |       |
| 0161 | 02-13-9880 | SPRING, COMPLETE, REMOVABLE TYPE, FOR LAMP RECEPTACLE, USED WITH P.T. 55 RELAY                | EA  |     | 1,290 |     | 500 |     | 1,000 |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |       |     |     |     |       |
|      |            | N          P          ANSALDO STS USA, INC          N272403                                   |     |     |       |     |     |     |       |
| 0162 | 02-13-9885 | SPRING, RECEPTACLE, COMPLETE FOR PV 250 AND PV 150 RELAY BASES, SHORT VERSION FOR #14-16 WIRE | EA  |     | 00    |     | 00  |     | 00    |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |       |     |     |     |       |
|      |            | N          P          ANSALDO STS USA, INC          M451 142-2702                             |     |     |       |     |     |     |       |
| 0163 | 02-13-9950 | SPRING, BIASING, FOR RD RELAY   | EA  |     | 00    |     | 00  |     | 00    |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |       |     |     |     |       |
|      |            | N          P          ANSALDO STS USA, INC          UM317482                                  |     |     |       |     |     |     |       |
| 0164 | 02-14-0100 | SPRING, CONTACT   | EA  |     | 00    |     | 00  |     | 00    |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |       |     |     |     |       |
|      |            | N          P          ANSALDO STS USA, INC          UN-69708-0001                             |     |     |       |     |     |     |       |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0165 | 02-14-0105 | SPRING, CONTACT   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UM-69709                  |     |     |     |     |     |     |     |
| 0166 | 02-14-0150 | SPRING, CONTACT, COMPLETE   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      70629                     |     |     |     |     |     |     |     |
| 0167 | 02-14-0260 | SPRING, CONTACT, IND-BACK GRAPHITE U/W                                    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      78658                     |     |     |     |     |     |     |     |
| 0168 | 02-14-0330 | SPRING, CONTACT, INDICATION FRONT PART SILVER-TIP, USED WITH SLV-13-RELAY | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      110664                    |     |     |     |     |     |     |     |
| 0169 | 02-14-0350 | SPRING, CONTACT, IND BACK PT SILVER TIP, USED WITH SLV-13-RELAY.          | EA  |     | 00  |     | 60  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      PC-112738                 |     |     |     |     |     |     |     |
| 0170 | 02-14-0520 | SPRING, CONTACT, 6F-LV IND, 2B-LV IND                                     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      163485                    |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC#  | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0171  | 02-14-0660 | SPRING, CONTACT, COMPLETE, FOR PC 56 PC 57 CODERS.                         | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO           |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---             |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UN-224184      |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0172  | 02-14-0670 | SPRING, CONTACT, HEEL, SINGLE, USED      WITH RD RELAY PARTS               | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO           |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---             |     |     |     |     |     |     |     |
|       |            | Y          P      ANSALDO STS USA, INC                      N307873        |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0173  | 02-14-0671 | SPRING, HEEL CONTACT, DOUBLE   | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO           |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---             |     |     |     |     |     |     |     |
|       |            | Y          P      ANSALDO STS USA, INC                      N307995        |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0174  | 02-14-3243 | TAG, MARKED 4B   | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO           |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---             |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UJ-075510-0199 |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0175  | 02-14-3244 | TAG, TERMINAL, WHITE CELLULOID, BLACK      LETTERS, MARKED 5B              | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO           |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---             |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UJ-75510-0216  |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0176  | 02-14-3245 | TAG, TERMINAL, WHITE CELLULOID, BLACK      LETTERS, MARKED 6B.             | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO           |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---             |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UJ-075510-0227 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0177 | 02-14-3246 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARK 7B     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-075510-0237     |     |     |     |     |     |     |     |
| 0178 | 02-14-3247 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 8B   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-75510-0246      |     |     |     |     |     |     |     |
| 0179 | 02-14-3248 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 9B   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-75510-0254      |     |     |     |     |     |     |     |
| 0180 | 02-14-3249 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 10B  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ75510-0259       |     |     |     |     |     |     |     |
| 0181 | 02-14-3250 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 11B  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      142777             |     |     |     |     |     |     |     |
| 0182 | 02-14-3251 | TAG, MARKED-12-B U/W DP-17 POLAR RLY                       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      142777 PL E-5165 R |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0183 | 02-14-3265 | TAG, 1F TERMINAL, WHITE CELLULOID, BLACK LETTERS                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          J075510-0133   |     |     |     |     |     |     |     |
| 0184 | 02-14-3266 | TAG, TERMINAL, WHITE CELLULOID BLACK LETTERS, MARK 2F              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UJ-75510-0159  |     |     |     |     |     |     |     |
| 0185 | 02-14-3267 | TAG, MARKED 3-F  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UJ-75510-0184  |     |     |     |     |     |     |     |
| 0186 | 02-14-3268 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 4F           | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UJ-075510-0201 |     |     |     |     |     |     |     |
| 0187 | 02-14-3269 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARK 5F             | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UJ-075510-0217 |     |     |     |     |     |     |     |
| 0188 | 02-14-3270 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 6F           | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UJ-075510-0228 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0189 | 02-14-3271 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 7F                           | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UJ-75510-0238      |     |     |     |     |     |     |     |
| 0190 | 02-14-3272 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS MARKED 8F                            | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UJ-75510-0247      |     |     |     |     |     |     |     |
| 0191 | 02-14-3273 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 9F.                          | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      142777             |     |     |     |     |     |     |     |
| 0192 | 02-14-3274 | TAG, MARKED-10-F U/W DP 17 POLAR RLY   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      142777 PL E-5165 R |     |     |     |     |     |     |     |
| 0193 | 02-14-3275 | TAG, TERMINAL WHITE CELLULOID, BLACK LETTERS, MARKED 11F.                          | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      142777             |     |     |     |     |     |     |     |
| 0194 | 02-14-3390 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 1H                           | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UJ-75510-0135      |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0195 | 02-14-3391 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 2H | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-075510-0161   |     |     |     |     |     |     |     |
| 0196 | 02-14-3392 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 3H | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-075510-0185   |     |     |     |     |     |     |     |
| 0197 | 02-14-3393 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 4H | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-075510-0202   |     |     |     |     |     |     |     |
| 0198 | 02-14-3394 | TAG, TERMINAL WHITE CELLULOID, BLACK LETTERS, MARKED 5H  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-75510-0218    |     |     |     |     |     |     |     |
| 0199 | 02-14-3395 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 6H | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-075510-0229   |     |     |     |     |     |     |     |
| 0200 | 02-14-3396 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 7H | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ075510-0239    |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0201 | 02-14-3397 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 8H   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-075510-0248     |     |     |     |     |     |     |     |
| 0202 | 02-14-3398 | TAG, TERMINAL, MARKED, 9-H, USED WITH D.P.-17 POLAR RELAY. | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-075510-0256     |     |     |     |     |     |     |     |
| 0203 | 02-14-3399 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 10H  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-075510-0261     |     |     |     |     |     |     |     |
| 0204 | 02-14-4000 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED 11H  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      J-075510-0266      |     |     |     |     |     |     |     |
| 0205 | 02-14-4001 | TAG, MARKED, 12-H USED WITH D.P. 17 POLAR RELAY.           | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      J075510-0271       |     |     |     |     |     |     |     |
| 0206 | 02-14-4060 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED NEG. | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-75510-0951      |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0207 | 02-14-4070 | TAG, TERMINAL, WHITE CELLULOID, BLACK LETTERS, MARKED POS. | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-75510-0427      |     |     |     |     |     |     |     |
| 0208 | 02-14-4500 | RECEPTACLE, CONTACT  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      J680165            |     |     |     |     |     |     |     |
| 0209 | 02-14-4750 | TIP, PAWL  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-108504          |     |     |     |     |     |     |     |
| 0210 | 02-14-5050 | TRUNNION, SCREW, USED WITH SV-12-4-15 MODEL RELAY          | EA  |     | 215 |     | 240 |     | 100 |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      MO51924            |     |     |     |     |     |     |     |
| 0211 | 02-14-5090 | TRUNNION, SCREW  | EA  |     | 200 |     | 39  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      N094597            |     |     |     |     |     |     |     |
| 0212 | 02-14-5091 | TRUNNION, SCREW, WITH NUT, LONG, USED IN MODEL 15          | EA  |     | 156 |     | 155 |     | 92  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N094597001         |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2    | USE | PY1    | USE | YTD |
|------|------------|--|-----|-----|--------|-----|--------|-----|-----|
| 0213 | 02-14-5130 | TRUNNION, WITH NUT STEEL BEARING FOR PV250 RELAYS.   | EA  |     | 240    |     | 500    |     | 270 |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |     |        |     |        |     |     |
|      |            | Y          P          ANSALDO STS USA, INC                      N124889  |     |     |        |     |        |     |     |
| 0214 | 02-14-5900 | VANE, ARMATURE-COMPLETE WITH-1/4"RADIUS-CRANK AND SHAFT-(2-POSITION-RELAY) UW MODEL 15 RELAY                                   | EA  |     | 00     |     | 00     |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |     |        |     |        |     |     |
|      |            | Y          P          ANSALDO STS USA, INC                      N071775  |     |     |        |     |        |     |     |
| 0215 | 02-14-7045 | WASHER, .562 (9/16") OUTSIDE DIA., .250 (1/4") INSIDE DIA., MADE OF COPPER, CHROME PLATED AND CHAMFERED ON BOTH OUTSIDE EDGES. | EA  |     | 52,000 |     | 16,000 |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |     |        |     |        |     |     |
|      |            | Y          P          ANSALDO STS USA, INC                      J047818  |     |     |        |     |        |     |     |
| 0216 | 02-14-8200 | WAX, SEALING   | EA  |     | 00     |     | 00     |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |     |        |     |        |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UJ-41179   |     |     |        |     |        |     |     |
| 0217 | 02-14-8820 | WHEEL, BRAKE, COMPLETE, 10 TO 220 SECONDS 0.5  | EA  |     | 00     |     | 00     |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |     |        |     |        |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      PC-181102  |     |     |        |     |        |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                      | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|---------------------------------------|----------------------|-----|---------------|-----|-----|-----|-----|
| 0218 | 02-17-0130 | ADAPTER, F-CP-SW VALVE CONNECTOR      | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE                                  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P                                     | ANSALDO STS USA, INC |     | 196211        |     |     |     |     |
| 0219 | 02-17-0370 | ARM, OPERATING.                       | EA                   |     | 10            |     | 20  |     | 28  |
|      | QPL        | CODE                                  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P                                     | ANSALDO STS USA, INC |     | UM-149673     |     |     |     |     |
| 0220 | 02-17-0390 | ARM, ROCKER                           | EA                   |     | 18            |     | 20  |     | 02  |
|      | QPL        | CODE                                  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | Y          | P                                     | ANSALDO STS USA, INC |     | M162408       |     |     |     |     |
| 0221 | 02-17-0735 | ARMATURE                              | EA                   |     | 80            |     | 50  |     | 50  |
|      | QPL        | CODE                                  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | Y          | P                                     | ANSALDO STS USA, INC |     | N073519       |     |     |     |     |
| 0222 | 02-17-1370 | BAR, SLIDE, UPPER OPERATING USED WITH | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE                                  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P                                     | ANSALDO STS USA, INC |     | UM-68691      |     |     |     |     |
| 0223 | 02-17-1371 | BAR, LOWER OPERATING, USED WITH       | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE                                  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P                                     | ANSALDO STS USA, INC |     | UM68692       |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0224 | 02-17-1501 | BAR, LOWER LOCK  | EA  |     | 60  |     | 55  |     | 05  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO       |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC                      N163680001 |     |     |     |     |     |     |     |
| 0225 | 02-17-1550 | BAR, TOP LOCKING LH  | EA  |     | 60  |     | 35  |     | 05  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO       |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC                      N215506    |     |     |     |     |     |     |     |
| 0226 | 02-17-2800 | BLOCK, CONTACT, IND WITH BOLTS                      WASHS-F-CC         | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO       |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                      UN-72584   |     |     |     |     |     |     |     |
| 0227 | 02-17-2900 | BLOCK, CONTACT SPRING, WITH CONTACT                      SPRINGS       | EA  |     | 40  |     | 40  |     | 35  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO       |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC                      N191894    |     |     |     |     |     |     |     |
| 0228 | 02-17-3265 | BOARD, TERMINAL, EP SWITCH VALVE                                       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO       |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                      N156345    |     |     |     |     |     |     |     |
| 0229 | 02-17-3367 | BOARD, TERM NUMBERED, 13 TO 18, FOR                      CO-A10 MV MT  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO       |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC                      M186284    |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT  
 -----

| REC#  | STOCK NO   | LONG DESCRIPTION  | U/M | USE   | PY2   | USE   | PY1   | USE   | YTD   |
|-------|------------|---|-----|-------|-------|-------|-------|-------|-------|
| ----  | -----      | -----   | --- | ----- | ----- | ----- | ----- | ----- | ----- |
| 0230  | 02-17-3385 | BOARD   | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                              |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----  |     |       |       |       |       |       |       |
|       |            | N          P          ANSALDO STS USA, INC                      UN-245971                     |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0231  | 02-17-5380 | BOLT  | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                              |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----  |     |       |       |       |       |       |       |
|       |            | N          P          ANSALDO STS USA, INC                      UM-234219                     |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0232  | 02-17-5400 | BOLT, 3/8-16, HEX HEAD, 7/8, USED WITH A10 MVMT   | EA  |       | 00    |       | 10    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                              |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----  |     |       |       |       |       |       |       |
|       |            | N          P          ANSALDO STS USA, INC                      UJ-50052                      |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0233  | 02-17-6180 | BOLT, 1F2-13, HEX HEAD, 4 3F4-W-BUSH WASH, USED WITH ESCUTCHEON PLA/O MVMT.                   | EA  |       | 36    |       | 05    |       | 03    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                              |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----  |     |       |       |       |       |       |       |
|       |            | N          P          ANSALDO STS USA, INC                      N163545                       |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0234  | 02-17-6665 | BOLT, 5/8"-11, HEX HEAD, 1-3/8", WITH WASHER, FOR LOCK ROD COVER, A10 MVMT, SIG. & COMM. DIV. | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                              |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----  |     |       |       |       |       |       |       |
|       |            | N          P          ANSALDO STS USA, INC                      X 452037-0001                 |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0235 | 02-17-6865 | BOLT, 5/8"-11, 4-1/4" LONG, SQUARE<br>MOVEMENT WITH WASHER #J047771 & NUT         | EA  | 00      | 00      | 00      |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                  |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC      X-452-037-0002                    |     |         |         |         |
| 0236 | 02-17-7300 | BOLT, SWITCH MOVEMENT, FOR ROCKER ARM<br>SWIVEL                                   | EA  | 35      | 25      | 12      |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                  |     |         |         |         |
|      |            | Y          P          ANSALDO STS USA, INC      M162414                           |     |         |         |         |
| 0237 | 02-17-7350 | BOLT, 3/4-10, X 1 3/4" LONG, SQUARE<br>DOWN CLAMPS, A10 MOVEMENT                  | EA  | 00      | 00      | 00      |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                  |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC      UO-452037-0058                    |     |         |         |         |
| 0238 | 02-17-8299 | BOLT, 7/8-9 X 5-1/4" LONG, HEX HEAD,<br>USED WITH A10 MOVEMENT                    | EA  | 00      | 00      | 00      |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                  |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC      UJ-46986                          |     |         |         |         |
| 0239 | 02-17-8300 | BOLT, 7/8"-9, X 5-1/4" LONG, HEX HEAD,<br>WITH LOCKWASHER, USED WITH A10 MOVEMENT | EA  | 00      | 00      | 00      |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                  |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC      J046986                           |     |         |         |         |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0240 | 02-17-8320 | BOLT, M/, "X 3-3/4" NO. UJ-46987, WITH LOCKWASHER UJ-47773                              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      452037-0010             |     |     |     |     |     |     |     |
| 0241 | 02-17-8725 | BOLT, 1" X 5-5/8", COMPLETE, WITH WASHER NO. UJ-47823, NUT UJ-48030 AND COTTER UJ-48634 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      U0-452037-0006          |     |     |     |     |     |     |     |
| 0242 | 02-18-0120 | BLOCK, INSULATING, USED WITH INSULATING BRACKET FOR MTG. A-10 SWITCH MACHINE TO TIES.   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UJ-776380               |     |     |     |     |     |     |     |
| 0243 | 02-18-0190 | BOX, COMPLETE, FOR HAND CRANK A10 MOVEMENT  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN166022                |     |     |     |     |     |     |     |
| 0244 | 02-18-0230 | BOX, CONTROLLER, U5-4 WAY   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      N-306760                |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M                  | USE            | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|----------------|-----|-----|-----|-----|-----|
| 0245 | 02-18-0250 | CONTROLLER, TYPE U5., COMPLETE, 4 WAY, FOR LEFT HAND TURNOUT, COMPLETE | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | X-306761       |     |     |     |     |     |
| 0246 | 02-18-0264 | BOX, JUNCTION, COMPLETE, FOR M-4 SWITCH LAYOUT.                        | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN-451102-0101 |     |     |     |     |     |
| 0247 | 02-18-0610 | BRACKET, SWITCH ADJUSTING, USED WITH A10 MOVEMENT                      | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM-147665      |     |     |     |     |     |
| 0248 | 02-18-0650 | BRACKET, DRIVING, FOR CC A10 MOVEMENT                                  | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | N162765        |     |     |     |     |     |
| 0249 | 02-18-0800 | BRACKET, MOUNTING, FOR 74 HOLD DOWN CLAMP                              | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | 397188         |     |     |     |     |     |
| 0250 | 02-18-1100 | BUSHING, INSULTES MAGNET TERM C SWITCH VALVE                           | EA                   |                | 200 |     | 200 |     | 10  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | J7800261001    |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|-----|---------------|-----|-----|-----|-----|
| 0251 | 02-18-1260 | INSULATION, BUSHING, FOR SWITCH FEET                            | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM-146830     |     |     |     |     |
| 0252 | 02-18-1340 | BUSHING, OILITE, BOTTOM BEARING FOR A-10 SWITCH MOVEMENT.       | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM222144      |     |     |     |     |
| 0253 | 02-18-1346 | BUSHING, FIBRE, USE WITH RIGID TYPE INSULATED SWITCH FRONT ROD. | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UN277478      |     |     |     |     |
| 0254 | 02-18-1360 | BUSHING, INSULATING, FOR INS SWIVEL FRONT RODS                  | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UN-341713     |     |     |     |     |
| 0255 | 02-18-1370 | BUSHING   | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UN-387577     |     |     |     |     |
| 0256 | 02-18-1680 | CAM, FOR CRANK SHAFT A10 MOVEMENT                               | EA                   |     | 08            |     | 04  |     | 03  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | Y          | P   | ANSALDO STS USA, INC |     | M155805       |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|---------------|-----|-----|-----|-----|-----|
| 0257 | 02-18-2020 | CAP, ONLY USED WITH A10 MOVEMENT   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | 155832        |     |     |     |     |     |
| 0258 | 02-18-2695 | CLAMP, FOR RETURN SPRING, U5 SWITCH BOX  | EA                   |               | 00  |     | 05  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM222144      |     |     |     |     |     |
| 0259 | 02-18-3940 | CONNECTOR, TERMINAL, COMPLETE, FOR CC, CP, SWITCH VALVE,                                     | EA                   |               | 30  |     | 40  |     | 30  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | Y          | P  | ANSALDO STS USA, INC | N167538       |     |     |     |     |     |
| 0260 | 02-18-3990 | CONNECTOR  | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN-197567     |     |     |     |     |     |
| 0261 | 02-18-4000 | CONNECTOR, TERMINAL, SHORT WITH CONTACT SPRINGS, TERMINAL POST SCREW NUTS, WASHERS AND LOCKS | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN197927      |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0262 | 02-18-4360 | CONTROLLER, CIRCUIT, COMPLETE A10 SEL MOVEMENT, REF. A. | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      UN-158422       |     |     |     |     |     |     |     |
| 0263 | 02-18-4905 | COVER   | EA  |     | 02  |     | 00  |     | 02  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      UN-158078       |     |     |     |     |     |     |     |
| 0264 | 02-18-4925 | COVER   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-158816       |     |     |     |     |     |     |     |
| 0265 | 02-18-4945 | COVER, CP VALVE   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-191274       |     |     |     |     |     |     |     |
| 0266 | 02-18-5005 | COVER, FOR CIRCUIT CONTROLLER                           | EA  |     | 02  |     | 00  |     | 02  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      N165903         |     |     |     |     |     |     |     |
| 0267 | 02-18-5025 | COVER, FOR LOCK-ROD A10 MOVEMENT                        | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-178774-001   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0268 | 02-18-5065 | COVER   | EA  |     | 18  |     | 00  |     | 02  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          N189818 |     |     |     |     |     |     |     |
| 0269 | 02-18-6025 | COVER, AND GUIDE, FOR LOCK ROD USED WITH A10 MOVEMENT.      | EA  |     | 16  |     | 24  |     | 02  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC          N437536 |     |     |     |     |     |     |     |
| 0270 | 02-18-6045 | COVER, FOR OPERATING BAR GUIDE, BRONZE                      | EA  |     | 20  |     | 06  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC          M263263 |     |     |     |     |     |     |     |
| 0271 | 02-18-6065 | COVER, FOR A10 OPERATION ROD                                | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC          R289285 |     |     |     |     |     |     |     |
| 0272 | 02-18-6510 | CRANK, CIRCUIT CONTROLLER SWITCH MACHINE.                   | EA  |     | 10  |     | 24  |     | 06  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC          N163055 |     |     |     |     |     |     |     |
| 0273 | 02-18-6530 | CRANK, HAND FOR A10 MOVEMENT                                | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC          N165246 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0274 | 02-18-6550 | CRANK, LEFT HAND, WITH ROLLER, SPRING, STUD AND ROLLER STUD                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-179508                             |     |     |     |     |     |     |     |
| 0275 | 02-18-6565 | CRANK, R.H. OPERATING, COMPLETE      W/ROLLER SPRING STUD AND RLLER STUD      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-179518                             |     |     |     |     |     |     |     |
| 0276 | 02-18-6575 | CRANK, ONLY OPERATING FOR U5 SWITCH BOX                                       | EA  |     | 00  |     | 10  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM198044                              |     |     |     |     |     |     |     |
| 0277 | 02-18-6585 | CRANK, SW-F-14-SW-LK MOVEMENT   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-042698                             |     |     |     |     |     |     |     |
| 0278 | 02-18-6700 | CRANKSHAFT, FOR A-10 MOVEMENT, WITH      4-5/8" THROW REVISED W-2-3 FI6 HOLES | EA  |     | 21  |     | 12  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N162103                               |     |     |     |     |     |     |     |
| 0279 | 02-18-7400 | DOG, LOCKING, FOR RACK A10 MOVEMENT   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      M-155996                              |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|-----|---------------|-----|-----|-----|-----|
| 0280 | 02-18-8160 | DUCT, WIRE USED WITH CP SWITCH VALVE                        | EA                   |     | 42            |     | 11  |     | 03  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | J075401       |     |     |     |     |
| 0281 | 02-18-8632 | SWITCH, FOOT, RIGHT HAND, M/T MOVEMENT                      | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM-68426      |     |     |     |     |
| 0282 | 02-18-8633 | SWITCH, FOOT, LEFT HAND, M/T SW MOVEMENT                    | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM-68427      |     |     |     |     |
| 0283 | 02-18-9375 | SWITCH, FOOT, LEFT HAND, FOR ELECTRIC PNEC. SWITCH MOVEMENT | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UN-163220     |     |     |     |     |
| 0284 | 02-18-9376 | SWITCH, FOOT, RIGHT HAND                                    | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UN-163221     |     |     |     |     |
| 0285 | 02-19-0160 | PACKING, UNION, FOR STUFFING BOX OF SWITCH VALVES           | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UJ-47012      |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0286 | 02-19-0180 | GASKET, FOR ED SW VALVE SEAT                              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      6233      |     |     |     |     |     |     |     |
| 0287 | 02-19-0220 | GASKET, FOR UNION EP SW VALVE                             | EA  |     | 00  |     | 10  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      6362      |     |     |     |     |     |     |     |
| 0288 | 02-19-0221 | GASKET, FOR HEAD OF-EP SW VALVE CHAMBER                   | EA  |     | 00  |     | 20  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UM6363    |     |     |     |     |     |     |     |
| 0289 | 02-19-0260 | GASKET, 1/8 LEATHER, FOR PISTON SEAT EP SW VALVE CHAMBER  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UJ-47022  |     |     |     |     |     |     |     |
| 0290 | 02-19-0280 | GASKET, FOR YARD TYPE SW CUT OFF VALVE                    | EA  |     | 00  |     | 10  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UM52391   |     |     |     |     |     |     |     |
| 0291 | 02-19-0281 | GASKET  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UM-052392 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|---------------|-----|-----|-----|-----|-----|
| 0292 | 02-19-0282 | GASKET, FOR SCREW PLUG, W/C-SWITCH VALVE        | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UM52393       |     |     |     |     |     |
| 0293 | 02-19-0360 | GASKET, CYLINDER                                | EA                   |               | 120 |     | 36  |     | 08  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | M069299       |     |     |     |     |     |
| 0294 | 02-19-0440 | GASKET, FOR PISTONS C SW VALVE PACKING          | EA                   |               | 24  |     | 85  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UJ-067000     |     |     |     |     |     |
| 0295 | 02-19-0460 | GASKET  | EA                   |               | 255 |     | 75  |     | 10  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | J047182       |     |     |     |     |     |
| 0296 | 02-19-0470 | GASKET, FOR CP EP SWITCH VALVE                  | EA                   |               | 200 |     | 200 |     | 05  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | M153492       |     |     |     |     |     |
| 0297 | 02-19-0490 | GASKET, COVER SWITCH MACHINE CIRCUIT CONTROLLER | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UM-158563     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0298 | 02-19-0500 | GASKET  | EA  |     | 22  |     | 12  |     | 06  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UN-178621 |     |     |     |     |     |     |     |
| 0299 | 02-19-0520 | GASKET, F-CLAMP, PL CP SW VALVE                           | EA  |     | 00  |     | 190 |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      J-047314  |     |     |     |     |     |     |     |
| 0300 | 02-19-0910 | GEAR, COMP-F CRANKSHAFT A10 MOVEMENT                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      N-158086  |     |     |     |     |     |     |     |
| 0301 | 02-19-1950 | GUIDE   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UN-182281 |     |     |     |     |     |     |     |
| 0302 | 02-19-1970 | GUIDE, FOR OPERATING BAR A10 MOVEMENT                     | EA  |     | 33  |     | 40  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC      M289282   |     |     |     |     |     |     |     |
| 0303 | 02-19-2280 | HASP, FOR HAND CRANK BOX A10 MOVEMENT                     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      137444    |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|---------------|-----|-----|-----|-----|-----|
| 0304 | 02-19-2310 | HASP   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM-434731     |     |     |     |     |     |
| 0305 | 02-19-2590 | HEAD, CYLINDER   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN-168225     |     |     |     |     |     |
| 0306 | 02-19-2945 | HOSE, CONNECTION, 3/4"   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UJ-75208      |     |     |     |     |     |
| 0307 | 02-19-2990 | HOSE, CONNECTION 1/2" X 26-1/4" LONG, FOR STANDARD 1/2" PIPE CONNECTIONS | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | J 075234      |     |     |     |     |     |
| 0308 | 02-19-3341 | INSULATION, F TERM BD CC A10 MOVEMENT                                    | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | 158103        |     |     |     |     |     |
| 0309 | 02-19-3349 | INSULATION, BENT FOR SW FEET   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM-163226     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                 | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|---------------|-----|-----|-----|-----|-----|
| 0310 | 02-19-3350 | INSULATION, FOR SWITCH FEET                      | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM-163227     |     |     |     |     |     |
| 0311 | 02-19-3420 | INSULATOR, FOR INS SWIVEL FRONT ROD              | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM-341715     |     |     |     |     |     |
| 0312 | 02-19-3421 | INSULATOR, FOR INS SWIVEL FRONT ROD              | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM-341716     |     |     |     |     |     |
| 0313 | 02-19-3760 | JAW, SCREW, 1-1/4 IN. X 7 IN.-ST SW.             | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM-22398      |     |     |     |     |     |
| 0314 | 02-19-3830 | JAW, SCREW, 3/4-4 1/2 LONG USE WITH MTM          | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM126746      |     |     |     |     |     |
| 0315 | 02-19-3835 | JAW, BETWEEN TOP-LOWER LOCKING BARS A10 MOVEMENT | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM-158134     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT  
 -----

| REC#  | STOCK NO   | LONG DESCRIPTION  | U/M | USE   | PY2   | USE   | PY1   | USE   | YTD   |
|-------|------------|---|-----|-------|-------|-------|-------|-------|-------|
| ----  | -----      | -----   | --- | ----- | ----- | ----- | ----- | ----- | ----- |
| 0316  | 02-19-4180 | KEY, ONLY FOR CYLINDER HEAD A10 MOVEMENT                              | EA  |       | 50    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |       |       |       |       |       |       |
|       |            | ---      ---      -----                      -----                    |     |       |       |       |       |       |       |
|       |            | N          P      ANSALDO STS USA, INC                      M158129   |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0317  | 02-19-4430 | LINK, ONLY CONNECTING PLUNGER, USE WITH A10 MOVEMENT                  | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |       |       |       |       |       |       |
|       |            | ---      ---      -----                      -----                    |     |       |       |       |       |       |       |
|       |            | N          P      ANSALDO STS USA, INC                      179458    |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0318  | 02-19-4445 | LINK, CONNECTING, COMPL. FOR A-10      SWITCH MOVEMENT.               | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |       |       |       |       |       |       |
|       |            | ---      ---      -----                      -----                    |     |       |       |       |       |       |       |
|       |            | N          P      ANSALDO STS USA, INC                      UN-180873 |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0319  | 02-19-4520 | NUT, LOCK, F-ADJUSTING PIECE BOLT, CC- A10 MVMT.                      | EA  |       | 20    |       | 20    |       | 05    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |       |       |       |       |       |       |
|       |            | ---      ---      -----                      -----                    |     |       |       |       |       |       |       |
|       |            | Y          P      ANSALDO STS USA, INC                      M095300   |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0320  | 02-19-4900 | LOCK, COMPLETE, AIR VALVE, WITH COVER, BOX SPRING AND LOCK            | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |       |       |       |       |       |       |
|       |            | ---      ---      -----                      -----                    |     |       |       |       |       |       |       |
|       |            | Y          P      ANSALDO STS USA, INC                      UN-300338 |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0321  | 02-19-4920 | LOCK, AIR VALVE   | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |       |       |       |       |       |       |
|       |            | ---      ---      -----                      -----                    |     |       |       |       |       |       |       |
|       |            | Y          P      ANSALDO STS USA, INC                      N300605   |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0322 | 02-19-6180 | LUG, LEFT HAND, FOR SWITCH POINT 100 LB B RAIL, USED WITH SWITCH | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                 |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM60987                  |     |     |     |     |     |     |     |
| 0323 | 02-19-6181 | LUG, RH FOR SW POINT 100 LB.-B RAIL UW SW LAYOUT                 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                 |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM60948                  |     |     |     |     |     |     |     |
|      |            | N      D      NYCTA      B119                                    |     |     |     |     |     |     |     |
| 0324 | 02-19-6200 | LUG, FOR SLIDE BAR, USED WITH MOVEMENT                           | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                 |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM69975                  |     |     |     |     |     |     |     |
| 0325 | 02-19-6210 | LUG, FRONT ROD HINGED  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                 |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-184795                |     |     |     |     |     |     |     |
| 0326 | 02-19-6820 | MAGNET, 130 OHM, WITH WIRE, FOR CP-SW VALVE                      | EA  |     | 00  |     | 30  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                 |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N073385                  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|---------------|-----|-----|-----|-----|-----|
| 0327 | 02-19-8935 | NUT, 3/8"-16, HEX, GRIP LOCK  | EA                   |               | 60  |     | 60  |     | 15  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | J048404       |     |     |     |     |     |
| 0328 | 02-19-8945 | NUT, 1-14, LH, USED IN A-10 SWITCH MACHINE, LEFT HAND THREAD            | EA                   |               | 12  |     | 12  |     | 03  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | J480288       |     |     |     |     |     |
| 0329 | 02-19-8980 | NUT, PISTON, SWITCH MACHINE   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UM-97304      |     |     |     |     |     |
| 0330 | 02-19-9400 | NUT, 5F8-18 CASTLE, FOR CIRCULAR CONTROLLER SHAFT, A-10 MOVEMENT, WABCO | EA                   |               | 60  |     | 60  |     | 15  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | J048065       |     |     |     |     |     |
| 0331 | 02-19-9566 | NUT, JAM, WITH 4", FOR A-10 MOVEMENT, WABCO                             | EA                   |               | 43  |     | 36  |     | 09  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | J048023       |     |     |     |     |     |
| 0332 | 02-19-9569 | NUT, 3F4-10 HEX.  | EA                   |               | 24  |     | 12  |     | 05  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | J048026       |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0333 | 02-19-9586 | NUT, 3F4-10 HEX, FOR CRANK SHAFT A10 MOVEMENT             | EA  |     | 24  |     | 24  |     | 03  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      M162303   |     |     |     |     |     |     |     |
| 0334 | 02-19-9599 | NUT, SPECIAL, FOR SWIVEL PIN                              | EA  |     | 50  |     | 12  |     | 05  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC      M162415   |     |     |     |     |     |     |     |
| 0335 | 02-19-9715 | NUT, ADJUSTABLE   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UM-158089 |     |     |     |     |     |     |     |
| 0336 | 02-19-9735 | NUT, 1"-8 HEX, FOR POINT DET CONNECTING ROD               | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UJ-48034  |     |     |     |     |     |     |     |
| 0337 | 02-19-9850 | NUT, 1"-14, HEX HEAD, ZINC PLATED                         | EA  |     | 60  |     | 12  |     | 05  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      J048079   |     |     |     |     |     |     |     |
| 0338 | 02-19-9900 | NUT, 1"-20 SPANNER, FAIR VALVE LK A10 MOVEMENT            | EA  |     | 00  |     | 02  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      179191    |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                         | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0339 | 02-20-0115 | NUT, 1-1, FOR 4-7 HEX, FOR STUD A10      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | MOVEMENT                                 |     |     |     |     |     |     |     |
|      |            | QPL CODE MFG - NAME MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UJ-048044       |     |     |     |     |     |     |     |
| 0340 | 02-20-0135 | NUT, 11F4-7, HEX, FOR LOWER LOCKING      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | BAR, A10 MOVEMENT                        |     |     |     |     |     |     |     |
|      |            | QPL CODE MFG - NAME MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC M163240         |     |     |     |     |     |     |     |
| 0341 | 02-20-0540 | NUT, LOCK, PISTON SWITCH MACHINE         | EA  |     | 00  |     | 20  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UM-158096       |     |     |     |     |     |     |     |
| 0342 | 02-20-0560 | LOCKNUT, USED WITH A10 MOVEMENT          | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UM-179273       |     |     |     |     |     |     |     |
| 0343 | 02-20-0580 | NUT, LOCK, FOR AIR VALVE LK A10 MOVEMENT | EA  |     | 00  |     | 06  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UM 179619       |     |     |     |     |     |     |     |
| 0344 | 02-20-0800 | NUT, STRAP, FOR TIE PLATE A10 MOVEMENT   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M163304         |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                       | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|-----|---------------|-----|-----|-----|-----|
| 0345 | 02-20-0820 | NUT, STRAP, 3F4-10 FOR CLAMP HOLDING A10SWITCH         | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UM-286734     |     |     |     |     |
| 0346 | 02-20-0825 | NUT, STRAP, FOR SLIP SWITCHES AT NEVINS ST             | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UM-395357     |     |     |     |     |
| 0347 | 02-20-2540 | PACKING, LEATHER FOR 5" PISTON EP SWITCH CYLINDER      | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | J047056       |     |     |     |     |
| 0348 | 02-20-2600 | PACKING, CYLINDER, SWITCH MACHINE                      | EA                   |     | 45            |     | 30  |     | 08  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | Y          | P  | ANSALDO STS USA, INC |     | M158097       |     |     |     |     |
| 0349 | 02-20-3160 | PIECE, ADJUSTING, FOR CIRCULAR CONTROLLER A10 MOVEMENT | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | Y          | P  | ANSALDO STS USA, INC |     | J26015        |     |     |     |     |
| 0350 | 02-20-3720 | PIECE, LOCKING, FOR SHAFT CP SWITCH VALVE              | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | Y          | P  | ANSALDO STS USA, INC |     | M153471       |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0351 | 02-20-4320 | PIN, 5F8 X 2", CHEESE HEAD, 1F8 HOLE<br>#UJ-48632                              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N            P      ANSALDO STS USA, INC                      X-452037-0007    |     |     |     |     |     |     |     |
| 0352 | 02-20-4340 | PIN, 7F8 X 2 1F4, FOR SLIDE BAR EP      SWITCH MOVEMENT, WITH COTTER #UJ-48634 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N            P      ANSALDO STS USA, INC                      X-452037-0008    |     |     |     |     |     |     |     |
| 0353 | 02-20-5590 | PISTON, COMP FOR SW CYLINDER WITH PIN      #UM-225894 AND COTTER UJ-48634      | EA  |     | 00  |     | 05  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N            P      ANSALDO STS USA, INC                      UO 452037-0043   |     |     |     |     |     |     |     |
| 0354 | 02-20-5600 | PISTON, COMP. FOR CP SWITCH VALVE  | EA  |     | 52  |     | 60  |     | 05  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | Y            P      ANSALDO STS USA, INC                      N156432          |     |     |     |     |     |     |     |
| 0355 | 02-20-6155 | PLATE, SHIFTER, WITH JAW STAMPED L,      USED WITH CC-A10 SWITCH MOVEMENT      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | Y            P      ANSALDO STS USA, INC                      N162697          |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0356 | 02-20-6165 | PLATE, BENT TIE, FOR S&L MOVEMENT<br>A10 SWITCH AND LOCK MOVEMENT.    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC                      N163277   |     |     |     |     |     |     |     |
| 0357 | 02-20-6175 | PLATE, ESCUTCHEON, USED WITH A10 SWITCH MOVEMENT                      | EA  |     | 03  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                      UM 163500 |     |     |     |     |     |     |     |
| 0358 | 02-20-6202 | PLATE, FOR SWITCH FEET, USED WITH A10 MOVEMENT                        | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                      UM 67605  |     |     |     |     |     |     |     |
| 0359 | 02-20-7415 | PLUG, FOR VENT A10 SWITCH MOVEMENT                                    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                      UM-158211 |     |     |     |     |     |     |     |
| 0360 | 02-20-7775 | PLUNGER, FOR CP SWITCH VALVE NEW STYLE                                | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                      UM-153473 |     |     |     |     |     |     |     |
| 0361 | 02-20-7815 | PLUNGER, ONLY, USED WITH AYO SWITCH MOVEMENT                          | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                      UN 179255 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE             | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|-----------------|-----|-----|-----|-----|-----|
| 0362 | 02-20-8155 | POST, TERMINAL, WITH NUTS, WASHER, USED WITH VD TYPE                | EA                   |                 | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO   |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | PC 131719       |     |     |     |     |     |
| 0363 | 02-20-8165 | POST, TERMINAL, 12-28 X 1F16 INSULATED HEAD                         | EA                   |                 | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO   |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UO-452037-0042  |     |     |     |     |     |
| 0364 | 02-20-8535 | RACK, WITH PISTON, DOG AND PIN, COMPLETE FOR A-10 SWITCH MOVEMENT   | EA                   |                 | 11  |     | 00  |     | 03  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO   |     |     |     |     |     |
|      | Y          | P   | ANSALDO STS USA, INC | N158128         |     |     |     |     |     |
| 0365 | 02-20-9595 | RIVET, BRASS, BIFURCATED, 9/64" X 5/8" FOR GASKET MTM INDICATED BOX | EA                   |                 | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO   |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UJ 49038        |     |     |     |     |     |
| 0366 | 02-20-9695 | RIVET, 1F2 X 17F8, BUTT HEAD, HOLDS COV TO                          | EA                   |                 | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO   |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | PL G135, FIG 59 |     |     |     |     |     |
| 0367 | 02-21-0210 | ROD, OPERATING IN A10 SWITCH MOVEMENT                               | EA                   |                 | 00  |     | 14  |     | 05  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO   |     |     |     |     |     |
|      | Y          | P   | ANSALDO STS USA, INC | M61052          |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0368 | 02-21-0230 | ROD, SWITCH OPERATING, UNIVERSAL, VERTICAL ABEX M-3 SWITCH MACHINE  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC                  N438680002  |     |     |     |     |     |     |     |
| 0369 | 02-21-0400 | ROD, CONNECTING, FOR SLIP SWITCH  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                  UN-376951   |     |     |     |     |     |     |     |
| 0370 | 02-21-0500 | ROD, POINT, DETECTING OPERATING, 4 HEX NUTS, A-10 S&L MOVEMENT, 22 IN. FROM GAUGE OF RAIL   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                  UN163264  |     |     |     |     |     |     |     |
| 0371 | 02-21-0520 | ROD, CONNECTING POINT DETECTOR, OPERATING COMPL. FOR SWITCH MACHINE, 4 FT 61F2 WITH NUTS, FOR A10 SWITCH MOVEMENT, LEFT HAND, 22" FROM GAUGE. | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                  UN18631   |     |     |     |     |     |     |     |
| 0372 | 02-21-0540 | ROD, CONNECTING POINT DETECTOR, 6' X 81F4   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                  UN 186318   |     |     |     |     |     |     |     |



MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                    | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0379 | 02-21-1361 | ROD, LOCK, 65 1F2, FOR A10 MOVEMENT                 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO    |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM 163219   |     |     |     |     |     |     |     |
| 0380 | 02-21-1460 | ROD, LOCK, 431N UN SWITCH LAYOUT                    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO    |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM 304563   |     |     |     |     |     |     |     |
| 0381 | 02-21-1700 | ROD, LOCK, USED WITH M4 ELECTRICAL                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO    |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-399774   |     |     |     |     |     |     |     |
| 0382 | 02-21-1750 | ROD, LOCK, USED WITH M4 ELECTRICAL                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO    |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-399869   |     |     |     |     |     |     |     |
| 0383 | 02-21-1785 | ROD, SWITCH OPERATING, 14-3/8" LONG.                | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO    |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-68681    |     |     |     |     |     |     |     |
| 0384 | 02-21-1880 | ROD, SWITCH OPERATING, 46-3/4"                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO    |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      N4514220101 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC#  | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0385  | 02-21-1881 | ROD, SWITCH OPERATING, 60-1F2, COMPLETE, FOR RIGHT HAND A10 MOVEMENT   | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---   |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UN163253   |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0386  | 02-21-1882 | ROD, SWITCH OPERATING, FOR A-10 LEFT HAND, S&L MOVEMENT, 22" FROM GAUGE OF RAIL  | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---   |     |     |     |     |     |     |     |
|       |            | Y          P      ANSALDO STS USA, INC                      N451422-0102   |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0387  | 02-21-1980 | ROD, SWITCH OPERATING, 46 3F4, COMPLETE, FOR LEFT HAND, A10 MOVEMENT, 22" TO GAUGE LAP SWITCH, SHOWN ON DWG. C9284-27A | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---   |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UN304579   |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0388  | 02-21-2090 | ROD, INSULATED SWITCH, FOR SLIP SWITCH   | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---   |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UN-397675  |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0389  | 02-21-2100 | ROD, SWITCH OPERATING, USE WITH M4 ELECTRIC SWITCH LAYOUT  | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---   |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UN-399772  |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |



MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE | PY2           | USE | PY1   | USE | YTD |
|------|------------|---|----------------------|-----|---------------|-----|-------|-----|-----|
| 0395 | 02-21-2580 | ROLLER, LOWER ONLY, FOR 3 POS UNIV SWITCH BOX   | EA                   |     | 00            |     | 00    |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |       |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | PC 37566      |     |       |     |     |
| 0396 | 02-21-2610 | ROLLER, 23F4 GUIDE, FOR LOCK ROD EP SWITCH MOVEMENT                                       | EA                   |     | 00            |     | 00    |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |       |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM 40344      |     |       |     |     |
| 0397 | 02-21-2650 | ROLLER, FOR CRANK SHAFT A10 MOVEMENT  | EA                   |     | 25            |     | 04    |     | 05  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |       |     |     |
|      | Y          | P   | ANSALDO STS USA, INC |     | M061066       |     |       |     |     |
| 0398 | 02-21-2684 | ROLLER  | EA                   |     | 00            |     | 00    |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |       |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM-69945      |     |       |     |     |
| 0399 | 02-21-2705 | ROLLER, FOR STUD A10 SWITCH MOVEMENT  | EA                   |     | 83            |     | 00    |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |       |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | 158117        |     |       |     |     |
| 0400 | 02-21-5702 | SCREW, 14-24, FILLISTER HEAD, WITH WASHER #UJ-47818 7F8 HOLDS CONT SPRING CP SWITCH VALVE | EA                   |     | 1,000         |     | 1,480 |     | 800 |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |       |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | X-452037-0012 |     |       |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0401 | 02-21-5709 | SCREW, MACHINE, 14-24 X 1", FILLISTER HEAD, #UJ51344, WITH LOCK WASHER #UJ-4751                  | EA  | 1,000   | 1,500   | 1,000   |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC X4520370023   |     |         |         |         |
| 0402 | 02-21-7280 | SCREW, 5/16-18 X 1-1/8" LONG, FILLISTER HEAD, WITH LOCK WASHER, FOR CIR. CONTR. ROD A10 MOVEMENT | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC M181135   |     |         |         |         |
| 0403 | 02-21-7900 | SCREW, CAP, 3F8-16, 11N, HEX HEAD, WITH LOCKWASHER   | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC 0452037-0061  |     |         |         |         |
| 0404 | 02-21-9300 | SCREW, ADJUSTABLE, FOR SWITCH MACHINE  | EA  | 100     | 06      | 05      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC M162411   |     |         |         |         |
| 0405 | 02-22-0800 | SHAFT, FOR A10 SWITCH MOVEMENT   | EA  | 18      | 02      | 03      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC M188098   |     |         |         |         |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0406 | 02-22-1120 | SHIFTER, A-10 SWITCH MOVEMENT                                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC      J078049            |     |     |     |     |     |     |     |
| 0407 | 02-22-1250 | SHIM, FOR CONTROL SPRING SHAFT CP      SWITCH VALVE            | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC      189801             |     |     |     |     |     |     |     |
| 0408 | 02-22-1600 | SOCKET, 1-5/8" LONG, FOR SPRING EP      SWITCH VALVE NEW STYLE | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC      UM-153474          |     |     |     |     |     |     |     |
| 0409 | 02-22-1800 | SPRING, PIN VALVE, USED WITH C CP      SWITCH VALVE.           | EA  |     | 360 |     | 360 |     | 40  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC      J068203            |     |     |     |     |     |     |     |
| 0410 | 02-22-1840 | SPRING, RELEASE, FOR MAGNET EP SWITCH      VALVE               | EA  |     | 200 |     | 200 |     | 50  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC      M064642            |     |     |     |     |     |     |     |
| 0411 | 02-22-1850 | SPRING, CRANK, SWITCH MACHINE                                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC      UJ-68536           |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0412 | 02-22-1940 | SPRING, F-PLUNGER-3F8-ID-UW-CP SW VALVE                                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      103882    |     |     |     |     |     |     |     |
| 0413 | 02-22-1980 | SPRING, FOR CP SWITCH VALVES  | EA  |     | 112 |     | 94  |     | 10  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      J068422   |     |     |     |     |     |     |     |
| 0414 | 02-22-2002 | SPRING, COIL ONLY, FOR CYL. HEAD A-10 MOVEMENT                            | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UJ-68537  |     |     |     |     |     |     |     |
| 0415 | 02-22-2020 | SPRING, FLAT ONLY, FOR CC COV. A10 MOVEMENT                               | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM-162219 |     |     |     |     |     |     |     |
| 0416 | 02-22-2040 | SPRING, FOR MOTION PLATE A10 SWITCH MOVEMENT                              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM-165288 |     |     |     |     |     |     |     |
| 0417 | 02-22-2042 | SPRING, FOR ESCUTCHEON PLATE A10 MOVEMENT                                 | EA  |     | 20  |     | 12  |     | 24  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      M165289   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT  
 -----

| REC#  | STOCK NO   | LONG DESCRIPTION  | U/M | USE   | PY2   | USE   | PY1   | USE   | YTD   |
|-------|------------|---|-----|-------|-------|-------|-------|-------|-------|
| ----  | -----      | -----   | --- | ----- | ----- | ----- | ----- | ----- | ----- |
| 0418  | 02-22-2860 | SPRING, CONTACT, USED WITH IND. CC. MTM                                       | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----                          |     |       |       |       |       |       |       |
|       |            | N          P          ANSALDO STS USA, INC              UM-69992              |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0419  | 02-22-2940 | SPRING, CONTACT, FOR C.P. SWITCH VALVE  | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----                          |     |       |       |       |       |       |       |
|       |            | N          P          ANSALDO STS USA, INC              UM-153495             |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0420  | 02-22-2961 | SPRING, CONTACT, LEFT HAND OR RIGHT      HAND, FOR BLOCK CP SWITCH VALVE      | EA  |       | 90    |       | 90    |       | 64    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----                          |     |       |       |       |       |       |       |
|       |            | Y          P          ANSALDO STS USA, INC              N156367               |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0421  | 02-22-2975 | SPRING, CONTACT, RIGHT HAND, COMPLETE,      USED WITH CP SWITCH VALVE         | EA  |       | 90    |       | 90    |       | 70    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----                          |     |       |       |       |       |       |       |
|       |            | Y          P          ANSALDO STS USA, INC              N156377               |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |
| 0422  | 02-22-2995 | CONTACT, SPRING, SHORT, WITH PRE-BENT      BACKSTOP FOR USE ON A10 SWITCH AND | EA  |       | 1,254 |       | 1,254 |       | 350   |
|       |            | SPRING STOP CIRCUIT CONTROLLERS   |     |       |       |       |       |       |       |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----                          |     |       |       |       |       |       |       |
|       |            | N          P          ANSALDO STS USA, INC              N179246001            |     |       |       |       |       |       |       |
| ----- |            |   |     |       |       |       |       |       |       |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                    | U/M                  | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|-----|-----|-----|-----|-----|-----|
| 0423 | 02-22-3015 | SPRING, CONTACT, FOR CIR CONTROLLER MTM             | EA                   |     | 00  |     | 50  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     |     |     |     |     |     |
|      |            |   | MFG - PART-NO        |     |     |     |     |     |     |
|      |            |   | UM182140             |     |     |     |     |     |     |
| 0424 | 02-22-3655 | STEM, EP SWITCH VALVE                               | EA                   |     | 70  |     | 80  |     | 30  |
|      | QPL        | CODE  | MFG - NAME           |     |     |     |     |     |     |
|      | Y          | P   | ANSALDO STS USA, INC |     |     |     |     |     |     |
|      |            |   | MFG - PART-NO        |     |     |     |     |     |     |
|      |            |   | N156363              |     |     |     |     |     |     |
| 0425 | 02-22-3995 | STOP, FOR SPRING CONTACT, CP SWITCH VALVE           | EA                   |     | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     |     |     |     |     |     |
|      |            |   | MFG - PART-NO        |     |     |     |     |     |     |
|      |            |   | UM157743             |     |     |     |     |     |     |
| 0426 | 02-22-4320 | STRAINER, COMPLETE, FOR CP SWITCH VALVE             | EA                   |     | 15  |     | 12  |     | 03  |
|      | QPL        | CODE  | MFG - NAME           |     |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     |     |     |     |     |     |
|      |            |   | MFG - PART-NO        |     |     |     |     |     |     |
|      |            |   | N155144              |     |     |     |     |     |     |
| 0427 | 02-22-5080 | STUD, ONLY, FOR RACK A10 MOVEMENT                   | EA                   |     | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     |     |     |     |     |     |
|      |            |   | MFG - PART-NO        |     |     |     |     |     |     |
|      |            |   | 158095               |     |     |     |     |     |     |
| 0428 | 02-22-5190 | STUD, FOR ROLLER HOLDS RACK, ON A10 SWITCH MOVEMENT | EA                   |     | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     |     |     |     |     |     |
|      |            |   | MFG - PART-NO        |     |     |     |     |     |     |
|      |            |   | UM-275121            |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0429 | 02-22-5900 | MACHINE, SWITCH ELECTRIC M3 LOW PROFILE L/H WITH 1.41 HP MOTOR, WITHOUT LAYOUT  | EA  |     | 04  |     | 00  |     | 04  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      N451160-2801  |     |     |     |     |     |     |     |
| 0430 | 02-22-5902 | MACHINE, SWITCH ELECTRIC M3 LOW PROFILE R/H WITH 1.41 HP MOTOR, WITHOUT LAYOUT  | EA  |     | 06  |     | 00  |     | 04  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      N451160-2901  |     |     |     |     |     |     |     |
| 0431 | 02-22-5964 | MACHINE, SWITCH, A-10, RIGHT HAND                      MECHANISM, WITHOUT LAYOUT  | EA  |     | 00  |     | 08  |     | 01  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC                      N159020   |     |     |     |     |     |     |     |
| 0432 | 02-22-5965 | SWITCH MOVEMENT, R.H. FOR A-10 SWITCH                      MOVEMENT, WITH 6"HIGH HOLD DOWN CLAMPS, LESS 1 BRACKET PC. #147665 & 1 ADJ.                      SLEEVE #21117 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      X395165   |     |     |     |     |     |     |     |
| 0433 | 02-22-5967 | LAYOUT, A-10 SWITCH, R.H. COMPLETE,                      LESS A-10 MOVEMENT, RODS SUPPLIED ARE TO BE FOR VERTICAL MOUNTED                      SWITCH RODS.               | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      X451504-4709  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0434 | 02-22-5969 | MACHINE, SWITCH, A-10, LEFT HAND, WITHOUT LAYOUT   | EA  | 07      | 08      | 01      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC N163419   |     |         |         |         |
| 0435 | 02-22-5970 | LAYOUT, A-10 SWITCH, L.H. COMPLETE, FOR SINGLE SWITCH LAYOUT. RODS SUPPLIED WITH EA LAYOUT ARE TO BE FOR HORIZONTAL MOUNTINGSWITCH RODS. |     | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC X395166   |     |         |         |         |
| 0436 | 02-22-5973 | SWITCH LAYOUT, A-10, L.H. COMPLETE, LESS A-10 MOVEMENT, RODS SUPPLIED ARE TO BE VERTICAL MOUNTED SWITCH RODS                             | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC X451504-4710  |     |         |         |         |
| 0437 | 02-22-5980 | SWITCH LAYOUT, ELECTRIC, L.H., STYLE M4, COMPLETE WITH ALL NECESSARY RODS, FITTINGS AND HARDWARE.  | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC X-392222-001  |     |         |         |         |
| 0438 | 02-22-5981 | SWITCH, LAYOUT, ELECTRIC, R.H., STYLE M4, COMPLETE WITH ALL NECESSARY RODS, FITTINGS AND HARDWARE  | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC X-392222  |     |         |         |         |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0439 | 02-22-5990 | LAYOUT, M-3 SWITCH MACHINE COMPLETE WITH LAYOUT R.H                                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UN-451160-0901   |     |     |     |     |     |     |     |
| 0440 | 02-22-6250 | SWIVEL, ROCKER ARM, FOR TYPE A-10 SWITCH & LOCK MOVEMENT                              | EA  |     | 20  |     | 28  |     | 02  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC M162412  |     |     |     |     |     |     |     |
| 0441 | 02-22-7880 | VALVE CUT OFF COMP UW-C-SW VALVE  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC 104504   |     |     |     |     |     |     |     |
| 0442 | 02-22-7960 | VALVE, CP-SW-COMP LESS VALVE-F, COLUMN MTG.   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC N162419  |     |     |     |     |     |     |     |
| 0443 | 02-22-8025 | VALVE, SWITCH, STYLE "CP", E.P., REF.2, W/FRAME, DOORS, & PANELS FOR SUBWAY MOUNTINGS | EA  |     | 00  |     | 01  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC X195944  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0444 | 02-22-8065 | VALVE 1/2 BRASS ANGLE-W-NIPPLE F-COLUMN MTD CP-SW VALVE                      | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC N438922   |     |         |         |         |
| 0445 | 02-22-8105 | VALVE, CP-SW-COMP F-ELEC VIB MTG   | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC X280702   |     |         |         |         |
| 0446 | 02-22-8200 | VALVE, SWITCH, ELECTRO-PNEUMATIC STYLE C-P, TO BE USED IN THE SIGNAL SYSTEM. | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC UN297368  |     |         |         |         |
| 0447 | 02-22-8400 | VALVE, 130 OHMS D.C. MAGNET FOR C.P. VALVES                                  | EA  | 20      | 16      | 10      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC N086251   |     |         |         |         |
| 0448 | 02-22-8745 | WASHER, ONLY, F/SHAFT A-10, MVMT   | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC M437021   |     |         |         |         |
| 0449 | 02-22-8870 | WASHER LOCK 1/4-1/16 X 1/16 UW CONTACT SCR CP SW VALVE                       | EA  | 00      | 25      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC J047521   |     |         |         |         |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                       | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0450 | 02-22-8950 | WASHER F-CRANK SHAFT A10 MVMT                          | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO       |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-67798       |     |     |     |     |     |     |     |
| 0451 | 02-22-9000 | WASHER NO.14 F OPER CRANK A10 MVMT                     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO       |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM164144       |     |     |     |     |     |     |     |
| 0452 | 02-22-9030 | WASHER F-CONTACT SPRING BLK CP SW VALVE                | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO       |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM187712       |     |     |     |     |     |     |     |
| 0453 | 02-22-9470 | YOKE F-VALVE A10 MVMT                                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO       |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      M179305        |     |     |     |     |     |     |     |
| 0454 | 02-23-0750 | BAFFLE, WIRE, FOR M-4 ELECTRIC SWITCH MACHINE          | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO       |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-451022-0201 |     |     |     |     |     |     |     |
| 0455 | 02-23-1010 | BAR, POINT DETECTOR, FOR STYLE M-4 ELEC.SWITCH MACHINE | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO       |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-387566      |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC#  | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0456  | 02-23-1020 | BAR, SLIDE, FOR STYLE M-4 ELECTRIC SWITCH MACHINE             | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|       |            | ---      ---      ---      ---                                |     |     |     |     |     |     |     |
|       |            | N      P      ANSALDO STS USA, INC      UN-399762             |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0457  | 02-23-1105 | BEARING, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|       |            | ---      ---      ---      ---                                |     |     |     |     |     |     |     |
|       |            | N      P      ANSALDO STS USA, INC      UJ-66256              |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0458  | 02-23-1120 | BEARING, FOR STYLE M-4 ELECTRIC SWITCH MACHINE MRC #211SZZ    | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|       |            | ---      ---      ---      ---                                |     |     |     |     |     |     |     |
|       |            | N      P      ANSALDO STS USA, INC      UJ-66262              |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0459  | 02-23-1135 | BEARING, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|       |            | ---      ---      ---      ---                                |     |     |     |     |     |     |     |
|       |            | N      P      ANSALDO STS USA, INC      UJ-66381              |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0460  | 02-23-1145 | BEARING, OPERATING BAR, FOR STYLE M-4 ELECTRIC SWITCH MACHINE | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|       |            | ---      ---      ---      ---                                |     |     |     |     |     |     |     |
|       |            | N      P      ANSALDO STS USA, INC      UM-393731             |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0461  | 02-23-1150 | BEARING, FOR STYLE M-4 ELECTRIC SWITCH                        | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|       |            | ---      ---      ---      ---                                |     |     |     |     |     |     |     |
|       |            | N      P      ANSALDO STS USA, INC      UR-394098             |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0462 | 02-23-1200 | BLOCK, CONTACT FOR STYLE M-4 ELECTRIC SWITCH MACHINE                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN392325                          |     |     |     |     |     |     |     |
| 0463 | 02-23-1225 | BLOCK, SPRING SUPPORT FOR STYLE M-4                                       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-436499                         |     |     |     |     |     |     |     |
| 0464 | 02-23-1230 | BLOCK, SPRING RETAINER, FOR STYLE M-4 ELECTRIC SWITCH MACHINE             | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM436500                          |     |     |     |     |     |     |     |
| 0465 | 02-23-1320 | BOARD, DIODE A40M (600 P.L.V. -20A) FOR STYLE M-4 ELECTRIC SWITCH MACHINE | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-726167                         |     |     |     |     |     |     |     |
| 0466 | 02-23-1325 | BOARD, TERMINAL, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM392311                          |     |     |     |     |     |     |     |
| 0467 | 02-23-1335 | BOARD, TERMINAL, COMPLETE FOR STYLE M-4 ELECTRIC SWITCH MACHINE           | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-451143-0401                    |     |     |     |     |     |     |     |

USER-ID : ROB  
 FILE-ID : ANSALD11  
 PROG-ID :

NEW YORK CITY TRANSIT AUTHORITY  
 C O M M O D I T Y M A N A G E M E N T S Y S T E M

PAGE : 83  
 DATE : 05/17/2011  
 VERSION : 1.01.00

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE PY2       | USE PY1 | USE YTD |
|------|------------|---|----------------------|---------------|---------|---------|
| 0468 | 02-23-1370 | BOLT, 1/2"-13X6", HEX HD, STEEL, FOR<br>STYLE M-4 ELECTRIC SWITCH MACHINE | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P   | ANSALDO STS USA, INC | UJ-463127     |         |         |
| 0469 | 02-23-1610 | BOX, GEAR, FOR STYLE M-4 ELECTRIC<br>SWITCH MACHINE                       | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P   | ANSALDO STS USA, INC | UN-393734     |         |         |
| 0470 | 02-23-1710 | BRACKET, WIRE STOP.   | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P   | ANSALDO STS USA, INC | UM399862      |         |         |
| 0471 | 02-23-1800 | BREAKER CIRCUIT FOR STYLE M-4 ELECTRIC                                    | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P   | ANSALDO STS USA, INC | UM-393746     |         |         |
| 0472 | 02-23-2205 | BUSHING, FOR STYLE M-4 ELECTRIC SWITCH<br>MACHINE                         | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P   | ANSALDO STS USA, INC | UM-296122     |         |         |
| 0473 | 02-23-2215 | BUSHING, FOR STYLE M-4 ELECTRIC SWITCH<br>MACHINE.                        | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P   | ANSALDO STS USA, INC | UM-393704     |         |         |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|---------------|-----|-----|-----|-----|-----|
| 0474 | 02-23-2220 | BUSHING, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM-399832     |     |     |     |     |     |
| 0475 | 02-23-2501 | CLAMP, CABLE, FOR STYLE M-4 ELECTRIC SWITCH MACHINE              | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UJ-700588     |     |     |     |     |     |
| 0476 | 02-23-2900 | CONTACT, BREAKER, FOR STYLE M-4 ELECTRICSWITCH MACHINE           | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN-436415     |     |     |     |     |     |
| 0477 | 02-23-2950 | CONTACTOR, BLADE, FOR STYLE M-4 ELECTRIC SWITCH MACHINE          | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM394094      |     |     |     |     |     |
| 0478 | 02-23-2955 | CONTACTOR, NARROW FOR STYLE M-4 ELECTRIC SWITCH MACHINE          | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM436417      |     |     |     |     |     |
| 0479 | 02-23-3005 | COVER, CIRCUIT CONTROLLER, FOR STYLE M-4 ELECTRIC SWITCH MACHINE | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN-393662     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0480 | 02-23-3010 | COVER, MOTOR COMPARTMENT, FOR STYLE M-4 ELECTRIC SWITCH MACHINE           | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-393667 |     |     |     |     |     |     |     |
| 0481 | 02-23-3015 | COVER, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-393669 |     |     |     |     |     |     |     |
| 0482 | 02-23-3020 | COVER, OPERATING BAR, FOR STYLE M-4 ELECTRIC SWITCH MACHINE               | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM-393671 |     |     |     |     |     |     |     |
| 0483 | 02-23-3025 | COVER, HAND CRANK, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-393737 |     |     |     |     |     |     |     |
| 0484 | 02-23-3030 | COVER, GEAR TRAIN, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-394705 |     |     |     |     |     |     |     |
| 0485 | 02-23-3035 | COVER, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UR-395270 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|-----|---------------|-----|-----|-----|-----|
| 0486 | 02-23-3040 | COVER, FOR STYLE M-4 ELECTRIC SWITCH                                      | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UR-436265     |     |     |     |     |
| 0487 | 02-23-3045 | COVER, CRANKSHAFT, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                  | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UN-436384     |     |     |     |     |
| 0488 | 02-23-3055 | CRANK, HANDLE, FOR M-4 SWITCH MACHINE, FOR MANUAL OPERATION OF M-4 SWITCH | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UR-393741     |     |     |     |     |
| 0489 | 02-23-3150 | CRANK L.H. DRIVE, FOR STYLE M-4 ELECTRICSWITCH MACHINE                    | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UN-393797     |     |     |     |     |
| 0490 | 02-23-3155 | CRANK R.H. DRIVE FOR STYLE M-4 ELECTRIC SWITCH MACHINE                    | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UN-393798     |     |     |     |     |
| 0491 | 02-23-3200 | DISC, FRICTION CLUTCH, FOR STYLE M-4 ELECTRIC SWITCH MACHINE              | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM-146650     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC#  | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0492  | 02-23-3700 | GASKET, LEATHER, FOR STYLE M-4 ELECTRIC SWITCH MACHINE       | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO             |     |     |     |     |     |     |     |
|       |            | ---      ---      ---      ---                               |     |     |     |     |     |     |     |
|       |            | N      P      ANSALDO STS USA, INC      UM-393707            |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0493  | 02-23-3705 | GEAR, WORM, FOR STYLE M-4 ELECTRIC SWITCH MACHINE            | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO             |     |     |     |     |     |     |     |
|       |            | ---      ---      ---      ---                               |     |     |     |     |     |     |     |
|       |            | N      P      ANSALDO STS USA, INC      UM-393681            |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0494  | 02-23-3706 | GEAR, CLUTCH ASSEMBLY, FOR STYLE M-4 ELECTRIC SWITCH MACHINE | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO             |     |     |     |     |     |     |     |
|       |            | ---      ---      ---      ---                               |     |     |     |     |     |     |     |
|       |            | N      P      ANSALDO STS USA, INC      UN-393708            |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0495  | 02-23-3707 | GEAR, MOTOR PINION, FOR STYLE M-4 ELECTRIC SWITCH MACHINE    | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO             |     |     |     |     |     |     |     |
|       |            | ---      ---      ---      ---                               |     |     |     |     |     |     |     |
|       |            | N      P      ANSALDO STS USA, INC      UM-393836            |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0496  | 02-23-3708 | GEAR, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                  | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO             |     |     |     |     |     |     |     |
|       |            | ---      ---      ---      ---                               |     |     |     |     |     |     |     |
|       |            | N      P      ANSALDO STS USA, INC      UM-436389            |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0497  | 02-23-3709 | GEAR, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                  | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO             |     |     |     |     |     |     |     |
|       |            | ---      ---      ---      ---                               |     |     |     |     |     |     |     |
|       |            | N      P      ANSALDO STS USA, INC      UN-436262            |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC#  | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0498  | 02-23-3711 | LUG, DROP DOWN, U/W POINT DETECTOR BAR FOR M-4 SWITCH LAYOUT.         | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UR-399795 |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0499  | 02-23-3712 | HASP, LUG, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                      | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UM-393738 |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0500  | 02-23-3713 | HINGE, LUG, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                     | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UN-394103 |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0501  | 02-23-3716 | HOUSING, BEARING, FOR STYLE M-4 ELECTRIC SWITCH MACHINE               | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UR-399809 |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0502  | 02-23-3721 | KEY, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                            | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UM-432498 |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0503  | 02-23-3790 | LOCK, FOR STYLE M-4 ELECTRIC SWITCH                                   | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UM-394090 |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|---------------|-----|-----|-----|-----|-----|
| 0504 | 02-23-4225 | MOTOR, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                       | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN-393715     |     |     |     |     |     |
| 0505 | 02-23-4259 | NUT, LOCK #7 F/STYLE M-4 ELECTRIC SWITCH MACHINE                   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UJ-48575      |     |     |     |     |     |
| 0506 | 02-23-4263 | NUT, LOCK FOR STYLE M-4 ELECTRIC SWITCH                            | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM-223351     |     |     |     |     |     |
| 0507 | 02-23-4264 | NUT, CLUTCH, F/STYLE M-4 ELECTRIC SWITCH MACHINE                   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM-286615     |     |     |     |     |     |
| 0508 | 02-23-4265 | NUT, HEX, 3/8"-24,L.H. FOR STYLE M-4 ELECTRIC SWITCH MACHINE       | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM-393740     |     |     |     |     |     |
| 0509 | 02-23-4266 | NUT, MOTOR RETAINER (WHITE), FOR STYLE M-4 ELECTRIC SWITCH MACHINE | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM-394719     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M                  | USE PY2       | USE PY1 | USE YTD |
|------|------------|--|----------------------|---------------|---------|---------|
| 0510 | 02-23-4465 | PIN, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                   | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P  | ANSALDO STS USA, INC | UM-209532     |         |         |
| 0511 | 02-23-4500 | PLATE, END, FOR STYLE M-4 ELECTRIC SWITCH MACHINE            | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P  | ANSALDO STS USA, INC | UM-146575-001 |         |         |
| 0512 | 02-23-4505 | PLATE, BEARING FOR STYLE M-4 ELECTRIC SWITCH MACHINE MACHINE | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P  | ANSALDO STS USA, INC | UR-393554     |         |         |
| 0513 | 02-23-4520 | PLATE, RETAINER FOR STYLE M-4 ELECTRIC                       | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P  | ANSALDO STS USA, INC | UR-393712     |         |         |
| 0514 | 02-23-4525 | PLATE, F/STYLE M-4 ELECTRIC SWITCH MACHINE                   | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P  | ANSALDO STS USA, INC | UM394717      |         |         |
| 0515 | 02-23-4530 | PLATE, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                 | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P  | ANSALDO STS USA, INC | UM-394718     |         |         |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0516 | 02-23-4670 | COVER, FOR STYLE M-4 ELECTRIC SWITCH MACHINE  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-67427  |     |     |     |     |     |     |     |
| 0517 | 02-23-4680 | RING, RETAINING FOR STYLE M-4 ELECTRIC  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-792122                                       |     |     |     |     |     |     |     |
| 0518 | 02-23-4750 | ROD, SWITCH OPERATING, LEFT HAND, WITH YIELD, COMPLETE WITH SLEEVE AND ADJUSTING NUTS.  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN 396295                                       |     |     |     |     |     |     |     |
| 0519 | 02-23-4755 | ROD, SWITCH OPERATING, RIGHT HAND, WITH YIELD, COMPLETE WITH SLEEVE AND ADJUSTING NUTS. | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN 392220                                       |     |     |     |     |     |     |     |
| 0520 | 02-23-4760 | ROD, CONNECTING, LEFT HAND, LOCK, COMPLETE.   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN 399774                                       |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT  
 -----

| REC#  | STOCK NO   | LONG DESCRIPTION  | U/M | USE   | PY2  | USE   | PY1  | USE   | YTD   |
|-------|------------|---|-----|-------|------|-------|------|-------|-------|
| ----  | -----      | -----   | --- | ----- | ---- | ----- | ---- | ----- | ----- |
| 0521  | 02-23-4765 | ROD, CONNECTING, RIGHT HAND, LOCK COMPLETE  | EA  |       | 00   |       | 00   |       | 00    |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                    |     |       |      |       |      |       |       |
|       |            | ---      ---      ---      ---  |     |       |      |       |      |       |       |
|       |            | N      P      ANSALDO STS USA, INC      UN 399869                                   |     |       |      |       |      |       |       |
| ----- |            |   |     |       |      |       |      |       |       |
| 0522  | 02-23-4775 | ROD, DRIVE FOR STYLE M-4 ELECTRIC SWITCH MACHINE                                    | EA  |       | 00   |       | 00   |       | 00    |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                    |     |       |      |       |      |       |       |
|       |            | ---      ---      ---      ---  |     |       |      |       |      |       |       |
|       |            | N      P      ANSALDO STS USA, INC      UM-393701                                   |     |       |      |       |      |       |       |
| ----- |            |   |     |       |      |       |      |       |       |
| 0523  | 02-23-4780 | ROD, DRIVE FOR STYLE M-4 ELECTRIC SWITCH MACHINE                                    | EA  |       | 00   |       | 00   |       | 00    |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                    |     |       |      |       |      |       |       |
|       |            | ---      ---      ---      ---  |     |       |      |       |      |       |       |
|       |            | N      P      ANSALDO STS USA, INC      UN-393810                                   |     |       |      |       |      |       |       |
| ----- |            |   |     |       |      |       |      |       |       |
| 0524  | 02-23-4785 | ROD L.H. ADJUSTING (LEFT HAND LAYOUT ONLY) FOR STYLE M-4 ELECTRIC SWITCH MACHINE    | EA  |       | 00   |       | 00   |       | 00    |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                    |     |       |      |       |      |       |       |
|       |            | ---      ---      ---      ---  |     |       |      |       |      |       |       |
|       |            | N      P      ANSALDO STS USA, INC      UN-399789                                   |     |       |      |       |      |       |       |
| ----- |            |   |     |       |      |       |      |       |       |
| 0525  | 02-23-4790 | ROD, R.H., ADJUSTING (RIGHT HAND LAYOUT ONLY) FOR STYLE M-4 ELECTRIC SWITCH MACHINE | EA  |       | 00   |       | 00   |       | 00    |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                    |     |       |      |       |      |       |       |
|       |            | ---      ---      ---      ---  |     |       |      |       |      |       |       |
|       |            | N      P      ANSALDO STS USA, INC      UN399867                                    |     |       |      |       |      |       |       |
| ----- |            |   |     |       |      |       |      |       |       |

MATERIAL STANDARDS USAGE REPORT  
 -----

| REC#  | STOCK NO   | LONG DESCRIPTION  | U/M | USE   | PY2  | USE   | PY1  | USE   | YTD   |
|-------|------------|---|-----|-------|------|-------|------|-------|-------|
| ----  | -----      | -----   | --- | ----- | ---- | ----- | ---- | ----- | ----- |
| 0526  | 02-23-4800 | ROLLER, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                 | EA  |       | 00   |       | 00   |       | 00    |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |       |      |       |      |       |       |
|       |            | ----      ----      -----      -----                          |     |       |      |       |      |       |       |
|       |            | N          P          ANSALDO STS USA, INC          UM392305  |     |       |      |       |      |       |       |
| ----- |            |   |     |       |      |       |      |       |       |
| 0527  | 02-23-4810 | ROLLER, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                 | EA  |       | 00   |       | 00   |       | 00    |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |       |      |       |      |       |       |
|       |            | ----      ----      -----      -----                          |     |       |      |       |      |       |       |
|       |            | N          P          ANSALDO STS USA, INC          UM-435373 |     |       |      |       |      |       |       |
| ----- |            |   |     |       |      |       |      |       |       |
| 0528  | 02-23-4815 | ROLLER, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                 | EA  |       | 00   |       | 00   |       | 00    |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |       |      |       |      |       |       |
|       |            | ----      ----      -----      -----                          |     |       |      |       |      |       |       |
|       |            | N          P          ANSALDO STS USA, INC          UM-435374 |     |       |      |       |      |       |       |
| ----- |            |   |     |       |      |       |      |       |       |
| 0529  | 02-23-5102 | SCREW, CAP, 1/4"-20 X 2-1/2" HEX HEAD, MACHINE                | EA  |       | 00   |       | 00   |       | 00    |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |       |      |       |      |       |       |
|       |            | ----      ----      -----      -----                          |     |       |      |       |      |       |       |
|       |            | N          P          ANSALDO STS USA, INC          UJ-50028  |     |       |      |       |      |       |       |
| ----- |            |   |     |       |      |       |      |       |       |
| 0530  | 02-23-5105 | SCREW, CAP, 1/2"-13 X 7/8" HEX HEAD, MACHINE                  | EA  |       | 00   |       | 00   |       | 00    |
|       |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |       |      |       |      |       |       |
|       |            | ----      ----      -----      -----                          |     |       |      |       |      |       |       |
|       |            | N          P          ANSALDO STS USA, INC          UJ-50087  |     |       |      |       |      |       |       |
| ----- |            |   |     |       |      |       |      |       |       |

MATERIAL STANDARDS USAGE REPORT

| REC#  | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0531  | 02-23-5106 | SCREW, CAP, 1/2"-13X1", HEX HEAD, STEEL FOR STYLE M-4 ELECTRIC SWITCH MACHINE      | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---                     |     |     |     |     |     |     |     |
|       |            | N          P          ANSALDO STS USA, INC                      UJ-50088           |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0532  | 02-23-5108 | SCREW, SET, 5/16" LONG, MOTOR FOR STYLE M-4 ELECTRIC SWITCH MACHINE.               | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---                     |     |     |     |     |     |     |     |
|       |            | N          P          ANSALDO STS USA, INC                      UJ-50760           |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0533  | 02-23-5109 | SCREW, SET, SHAFT 1/4"-20X1/2", SQ. HEAD, FOR STYLE M-4 ELECTRIC SWITCH            | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---                     |     |     |     |     |     |     |     |
|       |            | N          P          ANSALDO STS USA, INC                      UJ-50559           |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0534  | 02-23-5118 | SCREW, SET 1/4"-20X3/4", SQUARE HEAD, SHAFT, FOR STYLE M-4 ELECTRIC SWITCH MACHINE | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---                     |     |     |     |     |     |     |     |
|       |            | N          P          ANSALDO STS USA, INC                      UM-39998           |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0535  | 02-23-5121 | SCREW, 10-32 X 1/2", WING HEAD, U/W M-4 SWITCH MACHINE.                            | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---                     |     |     |     |     |     |     |     |
|       |            | N          P          ANSALDO STS USA, INC                      UJ-507279          |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                       | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|-----|---------------|-----|-----|-----|-----|
| 0536 | 02-23-5252 | SHAFT, FOR STYLE M-4 ELECTRIC SWITCH MACHINE           | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UM-393845     |     |     |     |     |
| 0537 | 02-23-5253 | SHAFT, CRANK, FOR STYLE M-4 ELECTRIC SWITCH MACHINE    | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UR-393846     |     |     |     |     |
| 0538 | 02-23-5254 | SHAFT, FOR STYLE M-4 ELECTRIC SWITCH MACHINE           | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UM-399807     |     |     |     |     |
| 0539 | 02-23-5255 | SHAFT, SLEEVE FOR STYLE M-4 ELECTRIC SWITCH MACHINE    | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UM-399810     |     |     |     |     |
| 0540 | 02-23-5256 | SHAFT, FOR STYLE M-4 ELECTRIC SWITCH MACHINE           | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UM399813      |     |     |     |     |
| 0541 | 02-23-5257 | SHAFT, ASSEMBLY, FOR STYLE M-4 ELECTRIC SWITCH MACHINE | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UN-399814     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE            | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|----------------|-----|-----|-----|-----|-----|
| 0542 | 02-23-5280 | SPACER, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                   | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UM-451022-0205 |     |     |     |     |     |
| 0543 | 02-23-5400 | SPRING, CLUTCH FOR STYLE M-4 ELECTRIC SWITCH MACHINE            | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UM-239322      |     |     |     |     |     |
| 0544 | 02-23-5415 | SPRING, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                   | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UM-328579      |     |     |     |     |     |
| 0545 | 02-23-5420 | SPRING, CONTACT, FOR STYLE M-4 ELECTRIC SWITCH MACHINE          | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UR-378352      |     |     |     |     |     |
| 0546 | 02-23-5430 | SPRING, BREAKER CONTRACT, FOR STYLE M-4 ELECTRIC SWITCH MACHINE | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UR-394062      |     |     |     |     |     |
| 0547 | 02-23-5435 | SPRING, CONTACT, FOR STYLE M-4 ELECTRIC SWITCH MACHINE          | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UR-396087      |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                  | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|-----|---------------|-----|-----|-----|-----|
| 0548 | 02-23-6015 | STUD FOR STYLE M-4 ELECTRIC SWITCH                | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM-394485     |     |     |     |     |
| 0549 | 02-23-6020 | STUD FOR STYLE M-4 ELECTRIC SWITCH                | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM399816      |     |     |     |     |
| 0550 | 02-23-6050 | SUPPORT, FOR STYLE M-4 ELECTRIC SWITCH MACHINE    | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM-393705     |     |     |     |     |
| 0551 | 02-23-6055 | SUPPORT, FOR STYLE M-4 ELECTRIC SWITCH MACHINE    | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM-393841     |     |     |     |     |
| 0552 | 02-23-6150 | TURNBUCKLE, FOR STYLE M-4 ELECTRIC SWITCH MACHINE | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM-393688     |     |     |     |     |
| 0553 | 02-23-6200 | VENTILATOR FOR STYLE M-4 ELECTRIC SWITCH          | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UJ-70109      |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|-----|---------------|-----|-----|-----|-----|
| 0554 | 02-23-6205 | VENTILATOR, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                    | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UN-185702     |     |     |     |     |
| 0555 | 02-23-6251 | WASHER, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                        | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UM-23793      |     |     |     |     |
| 0556 | 02-23-6252 | WASHER, FOR STYLE M-4 ELECTRIC SWITCH MACHINE                        | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UM-35209      |     |     |     |     |
| 0557 | 02-23-6255 | WASHER, 1/2" STL. PLATE, C.P., FOR STYLE M-4 ELECTRIC SWITCH MACHINE | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UJ-47503      |     |     |     |     |
| 0558 | 02-23-6261 | WASHER, LOCK #W0-7 F/STYLE M-4 ELECTRIC SWITCH MACHINE               | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UJ-47810      |     |     |     |     |
| 0559 | 02-23-6262 | WASHER LOCK #WD-8 FOR STYLE M-4 ELECTRIC SWITCH MACHINE              | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UJ-47821      |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0560 | 02-23-6263 | WASHER, FOR STYLE M-4 ELECTRIC SWITCH MACHINE               | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UM-52139    |     |     |     |     |     |     |     |
| 0561 | 02-23-6268 | WASHER FOR STYLE M-4 ELECTRIC SWITCH                        | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UM-393821   |     |     |     |     |     |     |     |
| 0562 | 02-23-6269 | WASHER, F/STYLE M-4 ELECTRIC SWITCH                         | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UM-393935   |     |     |     |     |     |     |     |
| 0563 | 02-24-1000 | BAR, POINT DETECTOR, FOR M-3 ELECTRIC SWITCH MACHINE        | EA  |     | 06  |     | 20  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC      N387566001  |     |     |     |     |     |     |     |
| 0564 | 02-24-1010 | BAR, LOCK, ROD BEARING, FOR M-3 ELECTRICSWITCH MACHINE      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC      M4511613607 |     |     |     |     |     |     |     |
| 0565 | 02-24-1020 | BAR, OPERATING, L/H FOR M-3 ELECTRIC SWITCH MACHINE         | EA  |     | 00  |     | 06  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC      M4511613001 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0566 | 02-24-1030 | BAR, OPERATING, R.H. FOR M3 ELECTRIC SWITCH MACHINE              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M4511613002                             |     |     |     |     |     |     |     |
| 0567 | 02-24-1040 | BAR, FOR M3 ELECTRIC SWITCH MACHINE                              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M4511600802                             |     |     |     |     |     |     |     |
| 0568 | 02-24-1050 | BEARING, TOP, GEAR BOX, ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE | EA  |     | 06  |     | 06  |     | 02  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N146606001                              |     |     |     |     |     |     |     |
| 0569 | 02-24-1060 | BEARING, BALL, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE | EA  |     | 06  |     | 06  |     | 02  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC JO66032                                 |     |     |     |     |     |     |     |
| 0570 | 02-24-1070 | BEARING, BALL, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC JO66246                                 |     |     |     |     |     |     |     |
| 0571 | 02-24-1080 | BOARD, TERMINAL, FOR M3 ELECTRIC SWITCH MACHINE                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N184425                                 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                       | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0572 | 02-24-1090 | BOLT, 7/8, 9 X 3 HEX HEAD FOR M3       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | ELECTRIC SWITCH MACHINE                |     |     |     |     |     |     |     |
|      |            | QPL CODE MFG - NAME MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC J460113       |     |     |     |     |     |     |     |
| 0573 | 02-24-1095 | BRACKET, WEARING FOR M3 SWITCH MACHINE | EA  |     | 00  |     | 00  |     | 00  |
|      |            | OPERATING BAR                          |     |     |     |     |     |     |     |
|      |            | QPL CODE MFG - NAME MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC M189024       |     |     |     |     |     |     |     |
| 0574 | 02-24-1100 | BRUSH, MOTOR, FOR M3 ELECTRIC SWITCH   | EA  |     | 58  |     | 65  |     | 20  |
|      |            | MACHINE                                |     |     |     |     |     |     |     |
|      |            | QPL CODE MFG - NAME MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC J0642050004   |     |     |     |     |     |     |     |
| 0575 | 02-24-1110 | BOX, LOCK, FOR M3 ELECTRIC SWITCH      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | MACHINE                                |     |     |     |     |     |     |     |
|      |            | QPL CODE MFG - NAME MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N178100       |     |     |     |     |     |     |     |
| 0576 | 02-24-1120 | BUNG, FOR M3 ELECTRIC SWITCH MACHINE   | EA  |     | 00  |     | 00  |     | 00  |
|      |            |  |     |     |     |     |     |     |     |
|      |            | QPL CODE MFG - NAME MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC J320015       |     |     |     |     |     |     |     |
| 0577 | 02-24-1130 | BUSHING, OILTITE, GEAR BOX ASSEMBLY,   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | M3 ELECTRIC SWITCH MACHINE             |     |     |     |     |     |     |     |
|      |            | QPL CODE MFG - NAME MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC J079694       |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0578 | 02-24-1140 | BUSHING, GEAR BOX ASSEMBLY, FOR M3                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC      J790007     |     |     |     |     |     |     |     |
| 0579 | 02-24-1150 | BUSHING, GEAR BOX ASSEMBLY, FOR M3                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC      J790004     |     |     |     |     |     |     |     |
| 0580 | 02-24-1160 | BUSHING, FOR CRANK, GEAR BOX ASSEMBLY                   | EA  |     | 06  |     | 12  |     | 03  |
|      |            | FOR M3 ELECTRIC SWITCH MACHINE                          |     |     |     |     |     |     |     |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC      M4513930501 |     |     |     |     |     |     |     |
| 0581 | 02-24-1170 | BUSHING, GEAR BOX ASSEMBLY, FOR M3                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC      J790291     |     |     |     |     |     |     |     |
| 0582 | 02-24-1180 | BUSHING, GEAR BOX ASSEMBLY, M3                          | EA  |     | 00  |     | 00  |     | 00  |
|      |            | ELECTRIC SWITCH MACHINE                                 |     |     |     |     |     |     |     |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC      J790290     |     |     |     |     |     |     |     |
| 0583 | 02-24-1190 | BUSHING, GEAR BOX ASSEMBLY, FOR M3                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC      J790328     |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0584 | 02-24-1200 | CAM, BAR, SLIDE, CAM FOR M3 ELECTRIC SWITCH MACHINE                         | EA  |     | 01  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                            |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      R146444                             |     |     |     |     |     |     |     |
| 0585 | 02-24-1210 | CAP, BEARING, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE             | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                            |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      M274596                             |     |     |     |     |     |     |     |
| 0586 | 02-24-1215 | COLLAR, FOR M3 SWITCH GEAR BOX ASSEMBLY                                     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                            |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      M-074741                            |     |     |     |     |     |     |     |
| 0587 | 02-24-1220 | CONTACTOR ASSEMBLY, USED W/ON MOTOR ASSEMBLY FOR M3 ELECTRIC SWITCH MACHINE | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                            |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N451161-5303                        |     |     |     |     |     |     |     |
| 0588 | 02-24-1222 | CONTACTOR ASSEMBLY, COMPLETE, FOR USE WITH LOW PROFILE M3 SWITCH MACHINE    | EA  |     | 12  |     | 14  |     | 03  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                            |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N41001101                           |     |     |     |     |     |     |     |
| 0589 | 02-24-1224 | CUTOOUT, M3-ASSEMBLY UNIT COMPLETE  | EA  |     | 04  |     | 05  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                            |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N451161-9801                        |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0590 | 02-24-1230 | CONTROLLER, INDICATION, CIRCUIT, WITH SWITCH COMPLETE FOR M3 ELECTRIC SWITCH | EA  |     | 05  |     | 03  |     | 00  |
|      |            | SELECTIVE POINT DETECTOR FOR SINGLE MACHINE                                  |     |     |     |     |     |     |     |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N4511612801   |     |     |     |     |     |     |     |
| 0591 | 02-24-1240 | COVER, CIRCUIT, CONTROLLER, COMPARTMENT FOR M3 ELECTRIC SWITCH MACHINE       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N4511612701   |     |     |     |     |     |     |     |
| 0592 | 02-24-1250 | COVER, GEAR BOX, FOR M3 ELECTRIC SWITCH MACHINE                              | EA  |     | 00  |     | 00  |     | 03  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N4511612402   |     |     |     |     |     |     |     |
| 0593 | 02-24-1260 | COVER, MOTOR, COMPARTMENT FOR M3 ELECTRIC MACHINE                            | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N4511613801   |     |     |     |     |     |     |     |
| 0594 | 02-24-1270 | CONTROLLER, INDICATION, CIRCUIT, R.H. ELECTRIC SWITCH MACHINE                | EA  |     | 03  |     | 00  |     | 00  |
|      |            | CRANK (INCLUDES ROLLER & PIN) FOR M3   |     |     |     |     |     |     |     |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N284649   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0595 | 02-24-1280 | CRANK, L.H., CONTROLLER, INDICATION CIRCUIT, (INCLUDES ROLLER & PIN) | EA  |     | 06  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N284650                                     |     |     |     |     |     |     |     |
| 0596 | 02-24-1290 | CRANK, OPERATING, FOR M3 ELECTRIC SWITCH MACHINE                     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M071158                                     |     |     |     |     |     |     |     |
| 0597 | 02-24-1295 | CRANK, HANDLE FOR M3 SWITCH MACHINE                                  | EA  |     | 12  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC R438852001                                  |     |     |     |     |     |     |     |
| 0598 | 02-24-1300 | OUTLET, CONDUIT, COMPLETE, FOR M3 ELECTRIC SWITCH MACHINE            | EA  |     | 07  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N238223                                     |     |     |     |     |     |     |     |
| 0599 | 02-24-1310 | DISK, CLUTCH, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE      | EA  |     | 10  |     | 10  |     | 04  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M146650                                     |     |     |     |     |     |     |     |
| 0600 | 02-24-1320 | GASKET, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE            | EA  |     | 276 |     | 06  |     | 04  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M245192                                     |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0601 | 02-24-1325 | GASKET, GEAR BOX COVER COMPARTMENT, FOR M3 SWITCH MACHINE                   | EA  |     | 200 |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      J0472860001 |     |     |     |     |     |     |     |
| 0602 | 02-24-1330 | GASKET, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE                   | EA  |     | 150 |     | 56  |     | 04  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC                      M147410     |     |     |     |     |     |     |     |
| 0603 | 02-24-1335 | GASKET, CRANK COVER, FOR M3 SWITCH MACHINE                                  | EA  |     | 410 |     | 100 |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      J6909510016 |     |     |     |     |     |     |     |
| 0604 | 02-24-1340 | GEAR BOX ASSEMBLY, COMPLETE WITH CLUTCH FOR M3 ELECTRIC SWITCH MACHINE      | EA  |     | 00  |     | 04  |     | 03  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC                      N4511617701 |     |     |     |     |     |     |     |
| 0605 | 02-24-1350 | GEAR, WORM, FOR M3 ELECTRIC SWITCH MACHINE                                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC                      M074805     |     |     |     |     |     |     |     |
| 0606 | 02-24-1360 | GEAR, MOTOR ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE                        | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC                      M4511611601 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0607 | 02-24-1370 | GEAR, FIRST REDUCTION, GEAR BOX ASSEMBLY FOR M3 ELECTRIC SWITCH MACHINE                                     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC                      M286576                                     |     |     |     |     |     |     |     |
| 0608 | 02-24-1380 | GEAR, BEVEL, HAND CRANK, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE                                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC                      M286995                                     |     |     |     |     |     |     |     |
| 0609 | 02-24-1390 | GEAR, CLUTCH, COMPLETE, GEAR BOX ASSEMBLY (INCLUDES BUSHING, REF 51 FIG A-3) FOR M3 ELECTRIC SWITCH MACHINE | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC                      N286583                                     |     |     |     |     |     |     |     |
| 0610 | 02-24-1400 | HOUSING, CLUTCH, GEAR BOX ASSEMBLY FOR M3 ELECTRIC SWITCH MACHINE   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC                      N172752                                     |     |     |     |     |     |     |     |
| 0611 | 02-24-1410 | KEY PIECE, MOTOR, ASSEMBLY, FOR M3 M3 ELECTRIC SWITCH MACHINE   | EA  |     | 12  |     | 100 |     | 06  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC                      M4511611305                                 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0612 | 02-24-1411 | KEY, WOODRUFF, SIZE #9, FOR USE IN<br>MODEL 3 SWITCH MACHINE  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N          P      ANSALDO STS USA, INC              J048755      |     |     |     |     |     |     |     |
| 0613 | 02-24-1415 | KIT, RETORFIT LATCHOUT FOR M3 SWITCH<br>MACHINE   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N          P      ANSALDO STS USA, INC              N451161-4901 |     |     |     |     |     |     |     |
| 0614 | 02-24-1417 | LUG, R/H OPERATING BAR FOR M3 SWITCH<br>THE RIGHT FOR CONNECTING THROW ROD  | EA  |     | 00  |     | 13  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N          P      ANSALDO STS USA, INC              M4511619901  |     |     |     |     |     |     |     |
| 0615 | 02-24-1418 | LUG, L/H OPERATING BAR FOR M3 SWITCH<br>THE LEFT FOR CONNECTING THROW ROD   | EA  |     | 00  |     | 13  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N          P      ANSALDO STS USA, INC              M4511619902  |     |     |     |     |     |     |     |
| 0616 | 02-24-1420 | MOTOR, ASSEMBLY (W/O CONTACTOR ASSEMBLY N451161-5303) FOR M3 ELECTRIC SWITCH<br>MACHINE   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>Y          P      ANSALDO STS USA, INC              N4511611706  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0617 | 02-24-1422 | MOTOR, ASSEMBLY WITH 1.4 HP (W/O CONTACTOR ASSEMBLY) FOR LOW PROFILE M3 SWITCH MACHINE | EA  |     | 00  |     | 15  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                       |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          N4511611707                        |     |     |     |     |     |     |     |
| 0618 | 02-24-1430 | MOTOR, FOR M3 ELECTRIC SWITCH MACHINE  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                       |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC          M4511615701                        |     |     |     |     |     |     |     |
| 0619 | 02-24-1440 | NUT, CLUTCH ADJUSTING, GEAR BOX ASSEMBLYFOR M3 ELECTRIC SWITCH MACHINE                 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                       |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC          N286615                            |     |     |     |     |     |     |     |
| 0620 | 02-24-1450 | NUT, 3/8-16 UNC-2B, JAM, FOR M3 ELECTRICSWITCH MACHINE                                 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                       |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC          J048010                            |     |     |     |     |     |     |     |
| 0621 | 02-24-1460 | NUT, 7/8-9 UNC 2B HYV M3 ELECTRIC SWITCH MACHINE                                       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                                       |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC          J048136                            |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|-----|---------------|-----|-----|-----|-----|
| 0622 | 02-24-1470 | BEARING, BALL, LOCK NUT, FOR USED IN MODEL 3 SWITCH MACHINE           | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | JO48575       |     |     |     |     |
| 0623 | 02-24-1480 | PINION, HAND CRANK, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | Y          | P   | ANSALDO STS USA, INC |     | M146377001    |     |     |     |     |
| 0624 | 02-24-1490 | PLATE, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE              | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | Y          | P   | ANSALDO STS USA, INC |     | M147400       |     |     |     |     |
| 0625 | 02-24-1500 | PLATE, CLUTCH, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE      | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | Y          | P   | ANSALDO STS USA, INC |     | M146573       |     |     |     |     |
| 0626 | 02-24-1510 | PLATE, CLUTCH, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE      | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | Y          | P   | ANSALDO STS USA, INC |     | M146574       |     |     |     |     |
| 0627 | 02-24-1520 | PLATE, CLUTCH END, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE  | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | Y          | P   | ANSALDO STS USA, INC |     | M146575       |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT  
 -----

| REC#  | STOCK NO   | LONG DESCRIPTION  | U/M | USE   | PY2  | USE   | PY1   | USE   | YTD   |
|-------|------------|---|-----|-------|------|-------|-------|-------|-------|
| ----  | -----      | -----   | --- | ----- | ---- | ----- | ----- | ----- | ----- |
| 0628  | 02-24-1530 | RING, RING SNAP EXT., MOTOR ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE      | EA  |       | 15   |       | 168   |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |       |      |       |       |       |       |
|       |            | ---      ---      ---                                      ---            |     |       |      |       |       |       |       |
|       |            | Y            P      ANSALDO STS USA, INC                      J792852     |     |       |      |       |       |       |       |
| ----- |            |   |     |       |      |       |       |       |       |
| 0629  | 02-24-1540 | ROLLER FOR M3 ELECTRIC SWITCH MACHINE                                     | EA  |       | 74   |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |       |      |       |       |       |       |
|       |            | ---      ---      ---                                      ---            |     |       |      |       |       |       |       |
|       |            | Y            P      ANSALDO STS USA, INC                      M108315     |     |       |      |       |       |       |       |
| ----- |            |   |     |       |      |       |       |       |       |
| 0630  | 02-24-1560 | ROD, LOCK, LEFT HAND SET FOR M3 ELECTRIC SWITCH MACHINE                   | EA  |       | 03   |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |       |      |       |       |       |       |
|       |            | ---      ---      ---                                      ---            |     |       |      |       |       |       |       |
|       |            | Y            P      ANSALDO STS USA, INC                      N4514191403 |     |       |      |       |       |       |       |
| ----- |            |   |     |       |      |       |       |       |       |
| 0631  | 02-24-1570 | ROD, LOCK, RIGHT HAND SET FOR M3 ELECTRIC SWITCH MACHINE                  | EA  |       | 03   |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |       |      |       |       |       |       |
|       |            | ---      ---      ---                                      ---            |     |       |      |       |       |       |       |
|       |            | Y            P      ANSALDO STS USA, INC                      N4514191303 |     |       |      |       |       |       |       |
| ----- |            |   |     |       |      |       |       |       |       |
| 0632  | 02-24-1575 | ROD, PUSH, COMPLETE M3 SWITCH CIRCUIT CONTROLLER                          | EA  |       | 00   |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |       |      |       |       |       |       |
|       |            | ---      ---      ---                                      ---            |     |       |      |       |       |       |       |
|       |            | N            P      ANSALDO STS USA, INC                      M180861     |     |       |      |       |       |       |       |
| ----- |            |   |     |       |      |       |       |       |       |
| 0633  | 02-24-1578 | BOLT, EYE, 5/16-24" X 2-1/8", DROP FORGED FOR M3 CIRCUIT CONTROLLER PUSH  | EA  |       | 60   |       | 00    |       | 00    |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
|      |            | ROD   |     |         |         |         |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC M164921  |     |         |         |         |
| 0634 | 02-24-1580 | ROLLER, FOR M3 ELECTRIC SWITCH MACHINE  | EA  | 86      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC M074737  |     |         |         |         |
| 0635 | 02-24-1590 | ROLLER, FOR M3 ELECTRIC SWITCH MACHINE  | EA  | 90      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC M061066  |     |         |         |         |
| 0636 | 02-24-1600 | SCREW, 10-32 X 1/4", ALLEN HEAD, MOTOR ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE | EA  | 200     | 200     | 50      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC J507363  |     |         |         |         |
| 0637 | 02-24-1610 | SCREW, 5/16-18 X 1/2", HEX HEAD, FOR M3 ELECTRIC SWITCH MACHINE                 | EA  | 130     | 130     | 30      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC J050014  |     |         |         |         |
| 0638 | 02-24-1620 | SCREW, 5/16-18 X 1, HEX HEAD, FOR ELECTRIC SWITCH MACHINE                       | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC J050038  |     |         |         |         |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0639 | 02-24-1630 | SCREW, 3/8-16 X 1, HEX HEAD, FOR ME                             | EA  | 50      | 150     | 60      |
|      |            | ELECTRIC SWITCH MACHINE   |     |         |         |         |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                               |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC J050053                                |     |         |         |         |
| 0640 | 02-24-1640 | SCREW, 3/8-16 X 8, HEX HEAD, FOR M3                             | EA  | 00      | 00      | 00      |
|      |            | ELECTRIC SWITCH MACHINE   |     |         |         |         |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                               |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC J507369                                |     |         |         |         |
| 0641 | 02-24-1650 | SCREW 1/2-13 X 1, HEX HEAD, FOR ME                              | EA  | 18      | 124     | 00      |
|      |            | ELECTRIC SWITCH MACHINE   |     |         |         |         |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                               |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC J050088                                |     |         |         |         |
| 0642 | 02-24-1660 | SCREW, 1/2 X 1-1/2, SCH FOR M3 ELECTRIC SWITCH MACHINE          | EA  | 00      | 00      | 00      |
|      |            | ELECTRIC SWITCH MACHINE   |     |         |         |         |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                               |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC J050236                                |     |         |         |         |
| 0643 | 02-24-1670 | SCREW, 1/2-13 X 1-1/2, HEX HEAD, FOR M3 ELECTRIC SWITCH MACHINE | EA  | 18      | 18      | 05      |
|      |            | ELECTRIC SWITCH MACHINE   |     |         |         |         |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                               |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC JO50092                                |     |         |         |         |
| 0644 | 02-24-1680 | SCREW, 1/2 13 X 2, HEX HEAD, FOR M3                             | EA  | 20      | 20      | 05      |
|      |            | ELECTRIC SWITCH MACHINE   |     |         |         |         |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                               |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC J050098                                |     |         |         |         |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0645 | 02-24-1690 | SEAL, OIL, GEAR BOX ASSEMBLY, FOR M3                                 | EA  | 06      | 06      | 05      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC J790261                                     |     |         |         |         |
| 0646 | 02-24-1700 | SHAFT, GEAR BOX ASSEMBLY, FOR M3                                     | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC M292426                                     |     |         |         |         |
| 0647 | 02-24-1710 | SPRING, STOP, CKT. CONT., FOR M3                                     | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC M25194001                                   |     |         |         |         |
| 0648 | 02-24-1715 | SPRING, COIL, LEVER LATCH, FOR USE WITH M3 SWITCH CIRCUIT CONTROLLER | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC M142167                                     |     |         |         |         |
| 0649 | 02-24-1720 | SPRING, CLUTCH, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE    | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC M239322                                     |     |         |         |         |
| 0650 | 02-24-1730 | SPRING, FOR M3 ELECTRIC SWITCH MACHINE                               | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |         |         |         |
|      |            | Y P ANSALDO STS USA, INC M181001                                     |     |         |         |         |

MATERIAL STANDARDS USAGE REPORT  
 -----

| REC#  | STOCK NO   | LONG DESCRIPTION   | U/M | USE   | PY2   | USE   | PY1   | USE   | YTD   |
|-------|------------|--|-----|-------|-------|-------|-------|-------|-------|
| ----  | -----      | -----  | --- | ----- | ----- | ----- | ----- | ----- | ----- |
| 0651  | 02-24-1735 | SPRING, FOR M3 SWITCH MACHINE CIRCUIT CLEANER                          | EA  |       | 35    |       | 96    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO       |     |       |       |       |       |       |       |
|       |            | ---      ---      -----                      -----                     |     |       |       |       |       |       |       |
|       |            | N          P      ANSALDO STS USA, INC                      J068952    |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |
| 0652  | 02-24-1740 | WIRE, #12, C, SPRING STEEL, FOR M3 ELECTRIC SWITCH MACHINE             | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO       |     |       |       |       |       |       |       |
|       |            | ---      ---      -----                      -----                     |     |       |       |       |       |       |       |
|       |            | Y          P      ANSALDO STS USA, INC                      J680204    |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |
| 0653  | 02-24-1750 | SPRING, CONTACT, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE            | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO       |     |       |       |       |       |       |       |
|       |            | ---      ---      -----                      -----                     |     |       |       |       |       |       |       |
|       |            | Y          P      ANSALDO STS USA, INC                      M17238001  |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |
| 0654  | 02-24-1760 | SPRING, CONTACT, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE            | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO       |     |       |       |       |       |       |       |
|       |            | ---      ---      -----                      -----                     |     |       |       |       |       |       |       |
|       |            | Y          P      ANSALDO STS USA, INC                      M074783001 |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |
| 0655  | 02-24-1770 | SPRING, CONTACT, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE            | EA  |       | 00    |       | 50    |       | 10    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO       |     |       |       |       |       |       |       |
|       |            | ---      ---      -----                      -----                     |     |       |       |       |       |       |       |
|       |            | Y          P      ANSALDO STS USA, INC                      M138718001 |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |
| 0656  | 02-24-1790 | SPRING, CONTRACT, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE           | EA  |       | 00    |       | 50    |       | 20    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO       |     |       |       |       |       |       |       |
|       |            | ---      ---      -----                      -----                     |     |       |       |       |       |       |       |
|       |            | Y          P      ANSALDO STS USA, INC                      M251938001 |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |

USER-ID : ROB  
 FILE-ID : ANSALD11  
 PROG-ID :

NEW YORK CITY TRANSIT AUTHORITY  
 C O M M O D I T Y M A N A G E M E N T S Y S T E M

PAGE : 116  
 DATE : 05/17/2011  
 VERSION : 1.01.00

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0657 | 02-24-1800 | SPRING, CONTACT, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE                                    | EA  |     | 00  |     | 24  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N284721001  |     |     |     |     |     |     |     |
| 0658 | 02-24-1810 | SPRING, BRUSH HOLDING, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE                              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC J680206   |     |     |     |     |     |     |     |
| 0659 | 02-24-1815 | SPRING, RECEPTACLE, COMPLETE FOR PV250 AND PV150 RELAY BASES, SHORT VERSION, FOR #18, #20 WIRE | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC M4511422701   |     |     |     |     |     |     |     |
| 0660 | 02-24-1820 | SPRING, REINFORCING, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE                                | EA  |     | 60  |     | 76  |     | 20  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M045269   |     |     |     |     |     |     |     |
| 0661 | 02-24-1830 | SPRING, REINFORCING, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE                                | EA  |     | 60  |     | 60  |     | 16  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M074777001  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0662 | 02-24-1840 | SPRING, REINFORCING, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE | EA  |     | 60  |     | 60  |     | 15  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                               |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M138696001                             |     |     |     |     |     |     |     |
| 0663 | 02-24-1850 | SPRING, STOP, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE        | EA  |     | 50  |     | 50  |     | 13  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                               |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M251939001                             |     |     |     |     |     |     |     |
| 0664 | 02-24-1860 | STRAP, FOR M3 ELECTRIC SWITCH MACHINE                           | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                               |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M162242                                |     |     |     |     |     |     |     |
| 0665 | 02-24-1870 | SUPPORT, FOR M3 ELECTRIC SWITCH MACHINE                         | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                               |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M172662                                |     |     |     |     |     |     |     |
| 0666 | 02-24-1880 | WORM & SHAFT, GEAR BOX ASSEMBLY FOR M3 ELECTRIC SWITCH MACHINE  | EA  |     | 06  |     | 03  |     | 03  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                               |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M286612                                |     |     |     |     |     |     |     |
| 0667 | 02-24-1890 | WASHER, FELT, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE | EA  |     | 144 |     | 06  |     | 03  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                               |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC JO47335                                |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0668 | 02-24-2000 | SWITCH, M3 MOTOR KIT WITH THE 1.41 HP MOTOR                                | EA  |     | 08  |     | 07  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N41500003                          |     |     |     |     |     |     |     |
| 0669 | 02-25-0800 | BASE, CLAMP W-4-BOLTS & NUTS-F 3" PIPE                                     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N070780                            |     |     |     |     |     |     |     |
| 0670 | 02-25-5320 | BRACKET, F-MOUNTING-SIG-UNITS-TO-1-BEAMS<br>COLUMNS-OR-WALLS UW SUB-SIGNAL | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      164292                             |     |     |     |     |     |     |     |
| 0671 | 02-25-5340 | BRACKET MOUNTING-HALF-DRILLED-PAINTED                                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      178230                             |     |     |     |     |     |     |     |
| 0672 | 02-25-6640 | CLIP, HOLDS LENS IN SUB SIG  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                           |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM76735                            |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0673 | 02-25-6940 | COLLAR F/ILLUM LETTER-S-UNIT-COVER PIN            | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      M163094   |     |     |     |     |     |     |     |
| 0674 | 02-25-8140 | COVER   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-155368 |     |     |     |     |     |     |     |
| 0675 | 02-25-8160 | COVER, CONVEX DEFLECTING GLASS CLEAR              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      160389    |     |     |     |     |     |     |     |
| 0676 | 02-25-8520 | DISC, F/BLANKING OUT LIGHT F/3 LT SIG             | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      M068070   |     |     |     |     |     |     |     |
| 0677 | 02-25-8540 | DISC, F/BLANKING OUT LIGHT F/3 LT SIG             | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      137607    |     |     |     |     |     |     |     |
| 0678 | 02-25-9080 | DOOR, L.H. F SIG CASE                             | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-279695 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0679 | 02-26-0880 | HASP & HINGE, EYE BOLT, FOR COLOR LIGHT SIGNAL                                | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      X-452037-0024 |     |     |     |     |     |     |     |
| 0680 | 02-26-0900 | HASP, F-DOOR-W-ILLUM-LETTER-S-UNIT-UW   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-163100     |     |     |     |     |     |     |     |
| 0681 | 02-26-1200 | HINGE   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM-164398     |     |     |     |     |     |     |     |
| 0682 | 02-26-1520 | HOLDER, F-ILLUM LETTER-S-UNIT UW              SUB-SIGNAL                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM-21918      |     |     |     |     |     |     |     |
| 0683 | 02-26-1900 | HOOD F-1-LT-SIG-UNIT-W/ILLUM-LETTER-S      UW SIGNAL                          | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      M065898       |     |     |     |     |     |     |     |
| 0684 | 02-26-1920 | HOOD, F-3-LT-SIG-W-ILLUM-NUMBER-PLATE      UWSUB-SIGNAL                       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM-68505      |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0685 | 02-26-3415 | LENS, CLEAR-BACK-5-1/2" DIAM-PLAIN-<br>FOCUS-RING-MTG-UW COLOR-LIGHT-SIGNAL | EA  | 00      | 00      | 00      |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC                      J053132     |     |         |         |         |
| 0686 | 02-26-3635 | LENS, RED, 5-3/8" DIA. 3-1/2 FOCUS-<br>& BUMPER BLOCK                       | EA  | 00      | 00      | 00      |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC                      J053134     |     |         |         |         |
| 0687 | 02-26-3675 | LENS, PURPLE-5-3/8" DIA. 3-1/2" FOCUS                                       | EA  | 00      | 00      | 00      |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC                      SPEC-6918   |     |         |         |         |
| 0688 | 02-26-3875 | LENS, OUTER, 6-3/8 IN. DIA. CLEAR   | EA  | 06      | 00      | 00      |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC                      UJ-53125    |     |         |         |         |
| 0689 | 02-26-4285 | LENS, CLEAR 8-3/8 -DAYLIGHT   | EA  | 00      | 00      | 00      |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC                      J053127     |     |         |         |         |

USER-ID : ROB  
 FILE-ID : ANSALD11  
 PROG-ID :

NEW YORK CITY TRANSIT AUTHORITY  
 COMMODITY MANAGEMENT SYSTEM

PAGE : 122  
 DATE : 05/17/2011  
 VERSION : 1.01.00

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0690 | 02-26-5905 | PLATE, END, FOR ATTACHING LADDER TO<br>OUTDOOR SIGNAL, COLOR-LT.                                    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      M435829-002   |     |     |     |     |     |     |     |
| 0691 | 02-26-6075 | PLATE, END F/ATTACHING LADDER TO SIG.<br>WITH PLATE SIGNAL      OUT DOOR W 1-1/4" HOLE CENTER, USED | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      MT35829-001   |     |     |     |     |     |     |     |
| 0692 | 02-26-7200 | RECEPTACLE, ONLY-F-ILLUM-LETTER-S-SIGN & BUMPER-BLOCK UW SIGNAL                                     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      94185   |     |     |     |     |     |     |     |
| 0693 | 02-26-7221 | RECEPTACLE, LAMP, BAY BASE F 3 UNIT SUB SIG   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UN-163647   |     |     |     |     |     |     |     |
| 0694 | 02-26-7235 | RECEPTACLE, BAY BASE F ILLUM S UNIT   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      N164361   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0695 | 02-26-7570 | RING, FOR LENS, U/W ONE COLOR LIGHT SIGNAL UNIT W/ILLUM LETTER, LAMP   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      M071187-001  |     |     |     |     |     |     |     |
| 0696 | 02-26-7600 | RING, LENS, U.S.& S. PC. NO. UM-129899 PL. B-3425, REF. 1300 0   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM-129899  |     |     |     |     |     |     |     |
| 0697 | 02-27-1500 | SCREW, SET 5/8" X 1-1/2" SQ. HD-FLAT-PT 1-W-HEX JAM-NT-C.P. F-COLOR-LT-SIG,<br>USED WITH SIGNAL  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      CN-50626   |     |     |     |     |     |     |     |
| 0698 | 02-27-2320 | SHIELD GLASS, WHITE 1 5FIG DIA FROSTED 1 SIDE F DOOR 3 UNIT SIG  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UJ-53484   |     |     |     |     |     |     |     |
| 0699 | 02-27-2370 | SHIELD GLASS, SHIELD-RED, FLAT EDGE, FLAT TYPE, 1-5/16" DIA., & 1/8" THICK,<br>FROSTED ON 1 SIDE, FOR 3 LIGHT SIGNAL W/BAYONET BASE TYPE LAMPS, U/W SUB.<br>SIGNAL | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      J053485  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|---------------|-----|-----|-----|-----|-----|
| 0700 | 02-27-2440 | SHIELD, GLASS.  | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UJ-532061     |     |     |     |     |     |
| 0701 | 02-27-3410 | SOCKET, ONLY, U/W SIGNAL  | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | M435830       |     |     |     |     |     |
| 0702 | 02-27-4450 | SUPPORT, LAMP-F-1-LT-SIG & BUMPER-BLOCK SIG-W/O-MOUNTING & FITTINGS U/W<br>SUB-SIGNAL S/B EXTRA HEAVY   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UM111760      |     |     |     |     |     |
| 0703 | 02-27-4800 | LENS, UNIT SIGNAL LIGHT, GREEN COMPLETE W/SHELL RECEPTACLE 5-1/2" DIA. 1/2"<br>FOCUS BEZEL RING INCLUDES COMPL. UNIT W/OUTER CLEAR LENS 6-3/8" DIA. W/ILLUM.<br>NUMBER-PLATE                      | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UN-98831      |     |     |     |     |     |
| 0704 | 02-27-4801 | LENS, UNIT, SIGNAL LIGHT, YELLOW COMPL. W/SHELL RECEPTACLE 5-1/2" FOCUS CLIPS<br>AND BEZEL RING INCLUDES COMPL. UNIT W/OUTER CLEAR LENS 6-3/8" DIA. W/ILLUM.<br>NUMBER PLATE U/W 3-COLOR LT. SIG. | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UN-98832      |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0705 | 02-27-4805 | LENS, UNIT SIGNAL LIGHT, RED COMPL. W<br>FOCUS CLIPS & BEZEL RING INCLUDES<br>DIA. W/ILLUM. NUMBER PLATE UW 3 COLOR                                     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | SHELL RECEPTACLE 5-1/2" DIA. 1/2"<br>COMPL. UNIT W/OUTER CLEAR LENS 6-3/8"<br>LT. SIG.  |     |     |     |     |     |     |     |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N          P      ANSALDO STS USA, INC                      UN-98833       |     |     |     |     |     |     |     |
| 0706 | 02-27-4825 | LENS, UNIT SIGNAL LIGHT, YELLOW<br>IN. DIA. - RING-MT.-CLIPS-COMPL.<br>DIA.-HOOD & 2 LAMP BASES, U/W -2- COLOR  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | W-RECEPTACLE & HOOD - NO. 163667, 5-1/2<br>UNIT-W-OUTER-CLEAR-LENS-6 3/8 IN.<br>LT- DWARF-SIG.  |     |     |     |     |     |     |     |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N          P      ANSALDO STS USA, INC                      UN-163668      |     |     |     |     |     |     |     |
| 0707 | 02-27-4826 | LENS, UNIT, SIGNAL LIGHT, RED<br>IN. DIA. RING MTG CLIP COMPL. UNIT<br>HOOD & 2 LAMP BASES U/W 2 COLOR LT.  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | W/RECEPTACLE & HOOD NO. 163667 5-1/2<br>W/OUTER CLEAR LENS- 6-3/8 IN. DIA.<br>DWARF SIG.  |     |     |     |     |     |     |     |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N          P      ANSALDO STS USA, INC                      UN-163669      |     |     |     |     |     |     |     |
| 0708 | 02-27-5235 | SIGNAL, AUTOMATIC, GT WALL MOUNTED  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | OUTDOOR   |     |     |     |     |     |     |     |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N          P      ANSALDO STS USA, INC                      N44608404      |     |     |     |     |     |     |     |
| 0709 | 02-27-6150 | UNIT, HOME SIGNAL, COMPLETE, SUBWAY   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | TYPE WITH CALL ON USED S-110  |     |     |     |     |     |     |     |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N          P      ANSALDO STS USA, INC                      UN-451357-2001 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT  
 -----

| REC#  | STOCK NO   | LONG DESCRIPTION  | U/M | USE   | PY2  | USE   | PY1   | USE   | YTD   |
|-------|------------|---|-----|-------|------|-------|-------|-------|-------|
| ----  | -----      | -----   | --- | ----- | ---- | ----- | ----- | ----- | ----- |
| 0710  | 02-30-0260 | ARM, ROCKER, WITH ROLLERS & PINS, USED WITH S STOP                  | EA  |       | 175  |       | 376   |       | 186   |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO    |     |       |      |       |       |       |       |
|       |            | ---      ---      -----                      -----                  |     |       |      |       |       |       |       |
|       |            | Y            P      ANSALDO STS USA, INC              N161617       |     |       |      |       |       |       |       |
| ----- |            |   |     |       |      |       |       |       |       |
| 0711  | 02-30-0543 | ARM, TRIPPER, FOR RIGHT HAND SPRING      STOP                       | EA  |       | 25   |       | 20    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO    |     |       |      |       |       |       |       |
|       |            | ---      ---      -----                      -----                  |     |       |      |       |       |       |       |
|       |            | Y            P      ANSALDO STS USA, INC              N343876001    |     |       |      |       |       |       |       |
| ----- |            |   |     |       |      |       |       |       |       |
| 0712  | 02-30-0545 | ARM, TRIPPER, R.H.  | EA  |       | 00   |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO    |     |       |      |       |       |       |       |
|       |            | ---      ---      -----                      -----                  |     |       |      |       |       |       |       |
|       |            | N            P      ANSALDO STS USA, INC              UN-388390     |     |       |      |       |       |       |       |
| ----- |            |   |     |       |      |       |       |       |       |
| 0713  | 02-30-0550 | ARM, CONTACT OPER. U/W CAPACITY TRAIN      STOP                     | EA  |       | 18   |       | 06    |       | 24    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO    |     |       |      |       |       |       |       |
|       |            | ---      ---      -----                      -----                  |     |       |      |       |       |       |       |
|       |            | N            P      ANSALDO STS USA, INC              N394263       |     |       |      |       |       |       |       |
| ----- |            |   |     |       |      |       |       |       |       |
| 0714  | 02-30-0560 | ARM, TRIPPER, L.H., FOR WABCO CAPACITOR TYPE TRAIN STOP             | EA  |       | 00   |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO    |     |       |      |       |       |       |       |
|       |            | ---      ---      -----                      -----                  |     |       |      |       |       |       |       |
|       |            | N            P      ANSALDO STS USA, INC              UN-438671     |     |       |      |       |       |       |       |
| ----- |            |   |     |       |      |       |       |       |       |
| 0715  | 02-30-0561 | ARM, TRIPPER, R.H. COMPLETE, FOR USE WITH CAPACITOR EM-1 TRAIN STOP | EA  |       | 00   |       | 00    |       | 00    |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
|      |            | (BACK STOP UNDER BEARING STRAP)   |     |         |         |         |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |         |         |         |
|      |            | ---      ---      ---                                      ---                |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC                      UN-438671-001 |     |         |         |         |
| 0716 | 02-30-0565 | ARM, TRIPPER, L.H. FOR WABCO CAPACITOR TYPE TRAIN STOP, BENCH MOUNTED         | EA  | 00      | 00      | 00      |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |         |         |         |
|      |            | ---      ---      ---                                      ---                |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC                      UN-398410     |     |         |         |         |
| 0717 | 02-30-1180 | BEARING, U/W MECHINISM R.H. STOP  | EA  | 00      | 10      | 00      |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |         |         |         |
|      |            | ---      ---      ---                                      ---                |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC                      UN-102791     |     |         |         |         |
| 0718 | 02-30-1200 | BEARING, FOR REF. A, AA, B AND C  | EA  | 07      | 10      | 00      |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |         |         |         |
|      |            | ---      ---      ---                                      ---                |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC                      M159917       |     |         |         |         |
| 0719 | 02-30-1220 | BEARING, FOR SHAFT AT CASE S STOP   | EA  | 30      | 00      | 05      |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |         |         |         |
|      |            | ---      ---      ---                                      ---                |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC                      M159645       |     |         |         |         |
| 0720 | 02-30-1320 | BEARING, FOR R.H. SPRING STOP   | EA  | 00      | 00      | 00      |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |         |         |         |
|      |            | ---      ---      ---                                      ---                |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC                      UN372926      |     |         |         |         |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|---------------|-----|-----|-----|-----|-----|
| 0721 | 02-30-1955 | BOARD, TERMINAL, FOR CIRCUIT CONTROLLER OF SPRING STOP.                                       | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | J-077877      |     |     |     |     |     |
| 0722 | 02-30-1995 | BOARD, TERM ONLY NUMBERED 1 TO 10 UM S- STOP  | EA                   |               | 06  |     | 18  |     | 10  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | M186285       |     |     |     |     |     |
| 0723 | 02-30-2345 | BODY, VALVE U/W AUTO-STOP   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | 179731        |     |     |     |     |     |
| 0724 | 02-30-2355 | BODY, PIN VALVE, UW AUTO STOP   | EA                   |               | 24  |     | 30  |     | 06  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | N179780       |     |     |     |     |     |
| 0725 | 02-30-4380 | BOLT, 5/8-11 X 2-1/8"-W-5/8" HEX NUT NO. UJ-48020 & PL-S-LOCKWASHER NO. UJ-47771 UW AUTO-STOP | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UJ-46699      |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                       | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|---------------|-----|-----|-----|-----|-----|
| 0726 | 02-30-5640 | BRACKET, F-REF-A-AND-B, UW S-STOP      | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE                                   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P                                      | ANSALDO STS USA, INC | M164132       |     |     |     |     |     |
| 0727 | 02-30-5660 | BRACKET, L.H. STYLE-"S" UW S-STOP      | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE                                   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P                                      | ANSALDO STS USA, INC | M164132       |     |     |     |     |     |
| 0728 | 02-30-5700 | BRACKET ONLY, F-S STOP U/W STOP        | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE                                   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | Y          | P                                      | ANSALDO STS USA, INC | M268863       |     |     |     |     |     |
| 0729 | 02-30-5750 | BRACKET, BEARING STOP, USED WITH       | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE                                   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P                                      | ANSALDO STS USA, INC | UM372920      |     |     |     |     |     |
| 0730 | 02-30-5760 | BRACKET, CAPACITOR U/W CAPACITY TRAIN  | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE                                   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P                                      | ANSALDO STS USA, INC | UM-387604     |     |     |     |     |     |
| 0731 | 02-30-6031 | BUSHING, F-TERM-POST 60 CY 110V-C STOP | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE                                   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P                                      | ANSALDO STS USA, INC | J-077756      |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|-----|---------------|-----|-----|-----|-----|
| 0732 | 02-30-6365 | CAM, F-LH-S-STOP  | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM156358      |     |     |     |     |
| 0733 | 02-30-6385 | CAM, FOR SHAFT-L.H. STYLE UW CAM. STOP  | EA                   |     | 20            |     | 20  |     | 05  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | Y          | P   | ANSALDO STS USA, INC |     | M269040       |     |     |     |     |
| 0734 | 02-30-6985 | CAP, CYLINDER OF TRAIN STOP   | EA                   |     | 08            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | Y          | P   | ANSALDO STS USA, INC |     | M159646       |     |     |     |     |
| 0735 | 02-30-7105 | CAPACITOR, 25 MFD, 370 VOLTS, USED WITH WAB CO. #EM-1 CAPACITOR TYPE TRAIN STOP | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UJ-709063     |     |     |     |     |
| 0736 | 02-30-7621 | CLAMP, F/TRIPPER-ARM U/W AUTO STOP  | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UN-159659     |     |     |     |     |
| 0737 | 02-30-7660 | CLAMP, W-BOLT-&-NUT-L.H.STYLE-"S" U/W E.P .STOP                                 | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | Y          | P   | ANSALDO STS USA, INC |     | N178502       |     |     |     |     |

USER-ID : ROB  
FILE-ID : ANSALD11  
PROG-ID :

NEW YORK CITY TRANSIT AUTHORITY  
COMMODITY MANAGEMENT SYSTEM

PAGE : 131  
DATE : 05/17/2011  
VERSION : 1.01.00

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0738 | 02-30-8300 | COLLAR RETAINING-L.H. STYLE-"S" U/W E.P. STOP                                 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      M-159649                              |     |     |     |     |     |     |     |
| 0739 | 02-30-8995 | CONTACTOR, WIDE, U/W CIRCUIT CONTROLLER FOR EM-1 TRAIN STOP,                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN436606                              |     |     |     |     |     |     |     |
| 0740 | 02-30-9325 | CONTROLLER, CIRCUIT W-1-F. CONTACT FOR EMERGENCY STOP OPERATION               | EA  |     | 00  |     | 02  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-182060                             |     |     |     |     |     |     |     |
| 0741 | 02-30-9365 | CONTROLLER, CIRCUIT, FOR SPRING STOP STOPS 6-4 CONTACTS USED WITH 10" AND 14" | EA  |     | 15  |     | 08  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N186327                               |     |     |     |     |     |     |     |
| 0742 | 02-30-9500 | CONTROLLER CIRCUIT U/W CAPACITY TRAIN STOP DWG.80161 SHEET 1                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-387657                             |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0743 | 02-31-0120 | COUPLING, ONLY F-SHAFT-W-BOLT-NUT   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | WASH-ALEMITE-FITTING-F-S- STOP  |     |     |     |     |     |     |     |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC M159655  |     |     |     |     |     |     |     |
| 0744 | 02-31-0160 | COUPLING  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UN164271   |     |     |     |     |     |     |     |
| 0745 | 02-31-0180 | COUPLING, CENTER W-COVER-SCREWS 3 SHAFT COUP-1-BOLT-WASHER NUT AND FITTING FOR STOP | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC X222500  |     |     |     |     |     |     |     |
| 0746 | 02-31-0465 | COVER, COMP-F-60C4-110V-C-STOP VALVE  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UM-111845  |     |     |     |     |     |     |     |
| 0747 | 02-31-0500 | COVER   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UN-161602  |     |     |     |     |     |     |     |
| 0748 | 02-31-0520 | COVER, W-HASP-SPRING AND GASKET- L.H. STYLE-"S" U/W S-STOP                          | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UN-161621  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0749 | 02-31-0600 | COVER, COMPL-W-HASP-SPRING-AND-GASKET L.H. STYLE-"S" U/W STOP        | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N186205                                     |     |     |     |     |     |     |     |
| 0750 | 02-31-0810 | COVER, FOR WAB CO. #EM-1, CAPACITOR TYPE TRAIN STOP.                 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UM-387580                                   |     |     |     |     |     |     |     |
| 0751 | 02-31-0950 | CRANK  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UN-382586                                   |     |     |     |     |     |     |     |
| 0752 | 02-31-1220 | CYLINDER   | EA  |     | 15  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N329511                                     |     |     |     |     |     |     |     |
| 0753 | 02-31-2420 | FILLER F/TRIPPER ARM U/W S STOP                                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC M159657                                     |     |     |     |     |     |     |     |
| 0754 | 02-31-3160 | FITTING, ALEMITE PUSH, 1/8" P.T. 30 DEG. 2" LONG PLATE N850, REF 34. | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                    |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UJ-039164                                   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0755 | 02-31-3460 | FLANGE, SPRING STOP                                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      M161986          |     |     |     |     |     |     |     |
| 0756 | 02-31-3465 | FLANGE, BLIND, PLATE N-850, REF. 41      DWG. 9280-6     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      M161987          |     |     |     |     |     |     |     |
| 0757 | 02-31-3600 | FLANGE, U/W CAPACITY TRAIN STOP      DWG. 80161 SHEET #1 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      388335           |     |     |     |     |     |     |     |
| 0758 | 02-31-3650 | OUTLET, CABLE, U/W SPG. STOP.                            | EA  |     | 15  |     | 00  |     | 05  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      M388563          |     |     |     |     |     |     |     |
| 0759 | 02-31-3651 | OUTLET, CABLE, USED WITH SPRING STOP                     | EA  |     | 19  |     | 00  |     | 05  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      M388564          |     |     |     |     |     |     |     |
| 0760 | 02-31-3765 | FOLLOWER, FOR USE BETWEEN PISTON AND      PACKING.       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-182386        |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2   | USE | PY1   | USE | YTD |
|------|------------|---|-----|-----|-------|-----|-------|-----|-----|
| 0761 | 02-31-4445 | GASKET, FOR -S- STOP COVER  | EA  |     | 00    |     | 00    |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |       |     |       |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM161638  |     |     |       |     |       |     |     |
| 0762 | 02-31-4465 | GASKET, 1/16" FIBERBONE, 2-3/4" OUTSIDE DIA., 2-5/16" INSIDE DIA., 7/16" WIDTH, TO BE USED ON E.P. STOP CYLINDER CAP. | EA  |     | 1,000 |     | 1,150 |     | 15  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |       |     |       |     |     |
|      |            | N      P      ANSALDO STS USA, INC      M162047   |     |     |       |     |       |     |     |
| 0763 | 02-31-4505 | GASKET, ONLY U/W AUTO-STOP  | EA  |     | 00    |     | 00    |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |       |     |       |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-162903   |     |     |       |     |       |     |     |
| 0764 | 02-31-4600 | GASKET, F/COVER, U/W WABCO. TYPE EM-1      CAPACITOR TYPE TRAIN STOP  | EA  |     | 00    |     | 00    |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |       |     |       |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-387674   |     |     |       |     |       |     |     |
| 0765 | 02-31-4605 | GASKET, F/MOTOR U/W WABCO. TYPE EM-1      CAPACITOR TYPE TRAIN STOP   | EA  |     | 00    |     | 00    |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |       |     |       |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-387300   |     |     |       |     |       |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|-----|---------------|-----|-----|-----|-----|
| 0766 | 02-31-4845 | GEAR, SEGMENT-L.H.STYLE-"S" U/W STOP                              | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | M159648       |     |     |     |     |
| 0767 | 02-31-4900 | GEAR, LOCK, USED WITH WAB CO. TYPE EM-1 CAPACITOR TYPE TRAIN STOP | EA                   |     | 50            |     | 100 |     | 50  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | M387684       |     |     |     |     |
| 0768 | 02-31-4905 | GEAR, #3, USED WITH WAB CO. TYPE EM-1 CAPACITOR TYPE TRAIN STOP   | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM-387696     |     |     |     |     |
| 0769 | 02-31-4910 | GEAR, #2, USED WITH WAB CO. TYPE EM-1 CAPACITOR TYPE TRAIN STOP   | EA                   |     | 25            |     | 00  |     | 30  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | M387697       |     |     |     |     |
| 0770 | 02-31-4915 | GEAR, #5, USED WITH WAB CO. TYPE EM-1 CAP ACITOR TYPE TRAIN STOP. | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM-387698     |     |     |     |     |
| 0771 | 02-31-4920 | GEAR, #4, USED WITH WAB CO. TPE EM-1 CAPA CITOR TYPE TRAIN STOP.  | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | UM-387699     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0772 | 02-31-4925 | GEAR, 3RD INTERMEDIATE, USED WITH WAB CO. TYPE EM-1 CAPACITOR TYPE TRAIN STOP.            | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC UN-387766  |     |         |         |         |
| 0773 | 02-31-6065 | HANDLE OPERATION-OF-TRAIN-STOP U/W AUTOMATIC ONLY-F-CIR-CONTROLLER-F-EMERGENCY TRAIN-STOP | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC 1685875  |     |         |         |         |
| 0774 | 02-31-6405 | HASP F-COVER-REF-3-L.H.STYLE-"S" U/M S-STOP   | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC UM-164616  |     |         |         |         |
| 0775 | 02-31-6500 | HASP, USED WITH WAB CO. TYPE EM-1 CAPACITOR TYPE TRAIN STOP.                              | EA  | 06      | 06      | 04      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC N398641  |     |         |         |         |
| 0776 | 02-31-6745 | HOOK, SPRING STOP COMPLETE FOR LH STOP  | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC UN381449   |     |         |         |         |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0777 | 02-31-6750 | HOOK, COMPLETE, USED WITH RIGHT HAND                                      | EA  |     | 12  |     | 00  |     | 00  |
|      |            | S-STOP LAYOUT   |     |     |     |     |     |     |     |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          N372924               |     |     |     |     |     |     |     |
| 0778 | 02-31-6755 | HOOK, L.H., COMPLETE FOR TRIPPER ARM ON WABCO CAPACITOR TYPE TRAIN STOP   | EA  |     | 10  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          N399564               |     |     |     |     |     |     |     |
| 0779 | 02-31-6760 | HOOK, US&S STOP USED FOR CAPACITOR AT S/O BOWLING GREEN & RIVER TUBE      | EA  |     | 00  |     | 08  |     | 00  |
|      |            | TRAIN STOP LAYOUT, SPECIAL HOOK USES                                      |     |     |     |     |     |     |     |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          N435164               |     |     |     |     |     |     |     |
| 0780 | 02-31-7365 | CASE, COMPLETE, FOR L.H.  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | ELECTRO-PNEUMATIC TRAIN STOP 10"  |     |     |     |     |     |     |     |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UN-161612-001         |     |     |     |     |     |     |     |
| 0781 | 02-31-7450 | HOUSING, MOTOR & GEAR, U/W CAPACITY #5 AS SHOWN ON DWG. F80161, SHEET #1, | EA  |     | 00  |     | 00  |     | 00  |
|      |            | TRAIN STOP DWG. 80161, SHEET #1, SHEET ITEM #45, 60HZ MOTOR.              |     |     |     |     |     |     |     |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UN-387656             |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0782 | 02-31-7460 | HOUSING, MOTOR & GEAR, COMPLETE, 110 V- 25 HZ, FOR WAB CO. TYPE EM-1 CAPACITOR<br>TYPE TRAIN STOP WITH 25 HZ MOTOR                             | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N          P      ANSALDO STS USA, INC              UN-387656-001 |     |     |     |     |     |     |     |
| 0783 | 02-31-7800 | JAW, OPER. U/W CAPACITY TRAIN STOP      SHEET #1   | EA  |     | 24  |     | 00  |     | 03  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N          P      ANSALDO STS USA, INC              M387676       |     |     |     |     |     |     |     |
| 0784 | 02-31-8065 | JOURNAL ONLY-L.H. STYLE-"S" U/W S-STOP   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N          P      ANSALDO STS USA, INC              UM-159641     |     |     |     |     |     |     |     |
| 0785 | 02-31-8990 | MAGNET, 400 OHMS DC, FOR STOP VALVE  | EA  |     | 30  |     | 24  |     | 24  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>Y          P      ANSALDO STS USA, INC              N126905       |     |     |     |     |     |     |     |
| 0786 | 02-31-9000 | VALVE, STOP, ELECTRO-PNEUMATIC STYLE      D.C., USED WITH SPRING STOP, TO BE USED<br>IN THE SIGNAL SYSTEM.                                     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N          P      ANSALDO STS USA, INC              N308507001    |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                     | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0787 | 02-31-9305 | MECHANISM, TRAIN STOP L.H. 14" W, FLOATING POSITION  | EA  |     | 00  |     | 60  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                    |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N330549                     |     |     |     |     |     |     |     |
| 0788 | 02-31-9325 | MECHANISM, STOP, RIGHT HAND, SPRING, WITHOUT LAYOUT. | EA  |     | 00  |     | 53  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                    |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N3305490001                 |     |     |     |     |     |     |     |
| 0789 | 02-32-0800 | NUT, 3F8-16 HEX HOLDS CIR. CONTROLLER S STOP         | EA  |     | 200 |     | 200 |     | 50  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                    |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC J048009                     |     |     |     |     |     |     |     |
| 0790 | 02-32-1285 | NUT, 1F2-20 HEX JAM F SHAFT S STOP                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                    |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC PL-N850 REF-50              |     |     |     |     |     |     |     |
| 0791 | 02-32-1600 | NUT, 3F4-16 HEX, F STEM C STOP VALVE                 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                    |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC 36820                       |     |     |     |     |     |     |     |
| 0792 | 02-32-2100 | NUT, JAM F-EP-STOP-VALVE                             | EA  |     | 60  |     | 60  |     | 13  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                    |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC M179301                     |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE            | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|----------------|-----|-----|-----|-----|-----|
| 0793 | 02-32-2102 | NUT, 1-1F8-16 HEX U/W EP STOP VALVE                         | EA                   |                | 60  |     | 60  |     | 06  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | M179302        |     |     |     |     |     |
| 0794 | 02-32-2640 | NUT, PACKING USED FOR SPRING STOP                           | EA                   |                | 00  |     | 65  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UN-159667      |     |     |     |     |     |
| 0795 | 02-32-2643 | NUT, 14/24 HEX. U/W CAPACITY TRAIN STOP                     | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UJ480300       |     |     |     |     |     |
| 0796 | 02-32-2685 | NUT, SPL HEX 24 THD-1-END-20-THD ON                         | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | PL-N850 REF 51 |     |     |     |     |     |
| 0797 | 02-32-2700 | NUT, 3/8"-24 CAPACITY TRAIN STOP DWG. 801 61 SHEET #1       | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UM-106302      |     |     |     |     |     |
| 0798 | 02-32-2710 | NUT, L.H. THREAD U/W CAPACITY TRAIN STOP DWG.80161 SHEET #1 | EA                   |                | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO  |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | J480289        |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0799 | 02-32-2970 | PACKING, WABCO, FOR S-STOP PISTON  | EA  |     | 100 |     | 400 |     | 60  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                               |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      J067407                                |     |     |     |     |     |     |     |
| 0800 | 02-32-3440 | PIN VALVE F-S-STOP MAGNET U/W AUTO STOP  | EA  |     | 180 |     | 340 |     | 200 |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                               |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      M003100                                |     |     |     |     |     |     |     |
| 0801 | 02-32-3500 | PIN 1F4 X 3IN. HOLDS SEGMENT GEAR S-STOP                                       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                               |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      159741                                 |     |     |     |     |     |     |     |
| 0802 | 02-32-3705 | PIN #UM-387609 WITH COTTER UJ-48620 (9/64" X 1") HINGE U/W CAPACITY TRAIN STOP | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                               |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-387609                              |     |     |     |     |     |     |     |
| 0803 | 02-32-3710 | PIN U/W CAPACITY TRAIN STOP SHEET #1   | EA  |     | 40  |     | 00  |     | 10  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                               |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      M387731                                |     |     |     |     |     |     |     |
|      |            | N      D      WABCO      8035072-0005  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|---------------|-----|-----|-----|-----|-----|
| 0804 | 02-32-3790 | PIN ROLL 3/8" X 1/2" STEEL U/W CAPACITY TRAIN STOP DWG.80161 SH.1 | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UJ487292      |     |     |     |     |     |
| 0805 | 02-32-3815 | PINION, MOTOR OUTPUT U/W WABCO TYPE EM-1CAPACITOR TYPE TRAIN STOP | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UM-387693     |     |     |     |     |     |
| 0806 | 02-32-3820 | PINION, OUTPUT, U/W WABCO TYPE EM-1 CAPAITOR TYPE TRAIN STOP      | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UM-387700     |     |     |     |     |     |
| 0807 | 02-32-3930 | KIT, PISTON FLOATING, COMPLETE FOR SPRING STOP                    | EA                   |               | 80  |     | 45  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | N387687       |     |     |     |     |     |
| 0808 | 02-32-4200 | PLATE, RETAINING-F-S-STOP   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UM-159669     |     |     |     |     |     |
| 0809 | 02-32-4220 | PLATE, ONLY-F-REF-3-L.H. STYLE"S" U/W S- STOP                     | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC | UM-164617     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE PY2       | USE PY1 | USE YTD |
|------|------------|---|----------------------|---------------|---------|---------|
| 0810 | 02-32-4940 | POST TERMINAL 12-28 X 1-1/2 IN. WITH WASHER UM-821, UW-A-STOP EP-SW-MAGNET. | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P   | ANSALDO STS USA, INC | UJ-71910      |         |         |
| 0811 | 02-32-4945 | POST, TERMINAL, INSULATED, 12-24 X 1/2" FOR SW VALVES                       | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P   | ANSALDO STS USA, INC | J780026-1001  |         |         |
| 0812 | 02-32-5310 | STOP, FOR SPRING, FLOATING, TYPE  | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |         |         |
|      | Y          | P   | ANSALDO STS USA, INC | M387688       |         |         |
| 0813 | 02-32-5620 | RAMP, LONG, USED WITH 14" SPRING STOP LAYOUT REF. A & B                     | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |         |         |
|      | Y          | P   | ANSALDO STS USA, INC | M186190-002   |         |         |
| 0814 | 02-32-5640 | RAMP SHORT USED WITH 10" SPRING STOP LAYOUT ANGLE F, REF. "C"               | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P   | ANSALDO STS USA, INC | M196010-001   |         |         |
| 0815 | 02-32-6260 | RIVET, 5F16 X 21F8 RD.-HD.-I-UW HASP S STOP                                 | EA                   | 00            | 00      | 00      |
|      | QPL        | CODE  | MFG - NAME           | MFG - PART-NO |         |         |
|      | N          | P   | ANSALDO STS USA, INC | M436511       |         |         |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0816 | 02-32-6630 | ROD, SPRING GUIDE FOR 14" SPRING STOP COMPLETE                | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N269081               |     |     |     |     |     |     |     |
| 0817 | 02-32-6640 | ROD SPRING-W-SPRING-RETAINER US & S E.P. STOP                 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-161619             |     |     |     |     |     |     |     |
| 0818 | 02-32-6900 | ROLLER, FOR ROCKER ARMS                                       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-159739             |     |     |     |     |     |     |     |
| 0819 | 02-32-7600 | SCREW, MACHINE, 8-36 X 5/16", FLATHEAD, S. FOR PISTON.        | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-52071              |     |     |     |     |     |     |     |
| 0820 | 02-32-9130 | SCREW, 14-24 FIL. HD. 7F8-W-NUT, WASHS -F- CIR CONTLLR S STOP | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      X-452037-0063         |     |     |     |     |     |     |     |
| 0821 | 02-32-9137 | SCREW, 14-24 FIL. HD  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      U0-52037-0047         |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                         | U/M                  | USE | PY2 | USE            | PY1 | USE | YTD |
|------|------------|--|----------------------|-----|-----|----------------|-----|-----|-----|
| 0822 | 02-33-1251 | SCREW, PC-UJ-181972 WITH WASHER UJ-47768 | EA                   |     | 00  |                | 00  |     | 00  |
|      | QPL        | CODE                                     | MFG - NAME           |     |     | MFG - PART-NO  |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     |     | U0-452037-0019 |     |     |     |
| 0823 | 02-33-1750 | SCREW, LAG, 3/4 INCH X 4 INCH -CAD. PL.  | EA                   |     | 00  |                | 00  |     | 00  |
|      | QPL        | CODE                                     | MFG - NAME           |     |     | MFG - PART-NO  |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     |     | UJ050341       |     |     |     |
| 0824 | 02-33-1760 | SCREW, LAG 3/4 IN. X 5 IN. -CAD. -PL.    | EA                   |     | 00  |                | 00  |     | 00  |
|      | QPL        | CODE                                     | MFG - NAME           |     |     | MFG - PART-NO  |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     |     | UJ050345       |     |     |     |
| 0825 | 02-33-1790 | SCREW, 3/4" X 6-1/2 CP. SQ. HD.          | EA                   |     | 00  |                | 00  |     | 00  |
|      | QPL        | CODE                                     | MFG - NAME           |     |     | MFG - PART-NO  |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     |     | UJ-50349       |     |     |     |
| 0826 | 02-33-2800 | SHAFT                                    | EA                   |     | 00  |                | 00  |     | 00  |
|      | QPL        | CODE                                     | MFG - NAME           |     |     | MFG - PART-NO  |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     |     | UM-1596640     |     |     |     |
| 0827 | 02-33-2820 | SHAFT                                    | EA                   |     | 00  |                | 00  |     | 00  |
|      | QPL        | CODE                                     | MFG - NAME           |     |     | MFG - PART-NO  |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     |     | UM-163737      |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|-----|---------------|-----|-----|-----|-----|
| 0828 | 02-33-2840 | SHAFT ONLY F-CIR-CONTR UW AUTOSTOP                                     | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | 165876        |     |     |     |     |
| 0829 | 02-33-2870 | SHAFT, ONLY SPLIT STOP END, 14" X 11F4 SQ., U/W S-STOP                 | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | 248585        |     |     |     |     |
| 0830 | 02-33-2871 | SHAFT, EXTENSION, 15-1/16" LONG, SLOTTED 1, END, USED WITH SPRING STOP | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UM248586      |     |     |     |     |
| 0831 | 02-33-2872 | SHAFT  | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UM-248587     |     |     |     |     |
| 0832 | 02-33-2880 | SHAFT, COMPLETE  | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UN-274495     |     |     |     |     |
| 0833 | 02-33-2906 | SHAFT, 18-3/4" LONG FOR 14" TRAIN STOP                                 | EA                   |     | 00            |     | 06  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | Y          | P  | ANSALDO STS USA, INC |     | M330541       |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0834 | 02-33-2909 | SHAFT, U.S.& S. ROCKER, FOR AUTOMATIC STOP               | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M3306310                        |     |     |     |     |     |     |     |
| 0835 | 02-33-2934 | ROCKER SHAFT, 17-1/2" LONG O/A FOR STOP ARM SPRING STOP  | EA  |     | 02  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M375500                         |     |     |     |     |     |     |     |
| 0836 | 02-33-2935 | SHAFT, 23-1/4"   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UM-376877                       |     |     |     |     |     |     |     |
| 0837 | 02-33-2945 | SHAFT, ROCKER  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UM-392062                       |     |     |     |     |     |     |     |
| 0838 | 02-33-3560 | SHIFTER, SPRING COMPL-6 WAY- FOR CIRCONTRO- FOR S-STOP   | EA  |     | 76  |     | 36  |     | 10  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC J078182                         |     |     |     |     |     |     |     |
| 0839 | 02-33-3580 | SHIFTER, SPRING, COMPL. 4 WAY, FOR CIRCONTRL- FOR S-STOP | EA  |     | 25  |     | 36  |     | 10  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC J078183                         |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0840 | 02-33-3700 | PLATE, SHIFTER, PLATE N-880, REF. NO.3                                | EA  |     | 12  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                      UN-161616 |     |     |     |     |     |     |     |
| 0841 | 02-33-3720 | SHIFTER, PLATE -W-STUD -F-CIR-CONTROL    U/W S-STOP                   | EA  |     | 00  |     | 36  |     | 14  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                      R186338   |     |     |     |     |     |     |     |
| 0842 | 02-33-3740 | SHIFTER, PLATE- WITH STUD FOR CIRCONTRL U/W S-STOP                    | EA  |     | 00  |     | 36  |     | 14  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                      R186340   |     |     |     |     |     |     |     |
| 0843 | 02-33-4210 | SPRING, COIL  | EA  |     | 106 |     | 26  |     | 05  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC                      J068527   |     |     |     |     |     |     |     |
| 0844 | 02-33-4215 | RETAINER, SPRING  | EA  |     | 20  |     | 03  |     | 01  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                      M159647   |     |     |     |     |     |     |     |
| 0845 | 02-33-4255 | SPRING, HOUSING FOR L.H. STYLE EP TRAIN STOP MECHANISM                | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|      |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC                      N329513   |     |     |     |     |     |     |     |

USER-ID : ROB  
 FILE-ID : ANSALD11  
 PROG-ID :

NEW YORK CITY TRANSIT AUTHORITY  
 C O M M O D I T Y M A N A G E M E N T S Y S T E M

PAGE : 150  
 DATE : 05/17/2011  
 VERSION : 1.01.00

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0846 | 02-33-4800 | SPRING, PLUNGER, U/W CAPACITY TRAIN STOP DWG-80161 SH. 1                                 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      J680159  |     |     |     |     |     |     |     |
| 0847 | 02-33-4900 | SPRING, URETHANE BUFFER SPRING FOR SECTOR GEAR ONLY. NO GREASE IS URETHANE BUFFER SPRING | EA  |     | 00  |     | 180 |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      J6801610001                                      |     |     |     |     |     |     |     |
| 0848 | 02-33-5065 | STAND COMPLETE-W-CAP, U/W AUTO-STOP  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-178591  |     |     |     |     |     |     |     |
| 0849 | 02-33-5365 | STAPLE, U/W S-STOP ONLY-L.H. STYLE-"S"   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      M000903  |     |     |     |     |     |     |     |
| 0850 | 02-33-5684 | VALVE, STEM  | EA  |     | 30  |     | 55  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      M112793  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC#  | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0851  | 02-33-5890 | STOP F-ARMATURE-AC-C-STOP VALVE   | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---  |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UM-112788   |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0852  | 02-33-6000 | STOP, FIXED, ARM, COMPLETE W/LAG SCREW #J-050345 & ARM #U-276426, FOR DEAD END OF TRACK   | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---  |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      X-276342-001  |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0853  | 02-33-6250 | STOP LAYOUT ELECTRIC COMPLETE   | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---  |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      X-388428  |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0854  | 02-33-6260 | LAYOUT, ELECTRIC TRAIN STOP, L.H. TRIPPING WAB CAPACITOR TYPE, 60 CYCLES 110 VOL TS, FOR INSTALLATION ON TYPE TWO (2) ROADBED   | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---  |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      X-396886  |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0855  | 02-33-6265 | LAYOUT, ELECTRIC TRAIN STOP. L.H. TRIPPING, WAB CO. CAPACITOR, 60 CYCLES, 110 VOLTS, FOR INSTALLATION ON TYPE EIGHT (8) ROADBED | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---  |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      U0-397463   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|---|----------------------|-----|---------------|-----|-----|-----|-----|
| 0856 | 02-33-6337 | LAYOUT, STOP, COMPLETE, R.H.                                    | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | X376806001    |     |     |     |     |
| 0857 | 02-33-6338 | STOP, LAYOUT, COMPLETE, LEFT HAND                               | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | X433611001    |     |     |     |     |
| 0858 | 02-33-6339 | LAYOUT STOP COMPL. RH   | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | X452037-0057  |     |     |     |     |
| 0859 | 02-33-6340 | LAYOUT STOP COMPL. RH.  | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | X452037-0059  |     |     |     |     |
| 0860 | 02-33-6341 | LAYOUT, RIGHT HAND, SPRING STOP LAYOUT ONLY, WITHOUT MECHANISM. | EA                   |     | 17            |     | 41  |     | 07  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | X376806-002   |     |     |     |     |
| 0861 | 02-33-6342 | LAYOUT, LEFT HAND, SPRING STOP LAYOUT ONLY, WITHOUT MECHANISM.  | EA                   |     | 37            |     | 36  |     | 00  |
|      | QPL        | CODE  | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P   | ANSALDO STS USA, INC |     | X433611-002   |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0862 | 02-33-7010 | STRAINER AIR-F-STOP VALVE WAB CO. S&C DIV. #185853, DWG. B 10656-18, PL-N-896, REF. 25 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC 185853  |     |     |     |     |     |     |     |
| 0863 | 02-33-7120 | STRAP BEARING SUPPORT U/W AUTO-STOP OPEN HEARTH STEEL                                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC M382005   |     |     |     |     |     |     |     |
| 0864 | 02-33-7660 | STUD S-STOP F-SHIFTER-PLATE-REF-3-F-CIR-CONTROL U/W                                    | EA  |     | 00  |     | 12  |     | 03  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC M159650   |     |     |     |     |     |     |     |
| 0865 | 02-33-7680 | STUD WITH NUT REF.46 LOCK WASHER REF. 47   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC 162724  |     |     |     |     |     |     |     |
| 0866 | 02-33-7700 | STUD W-3/8" PLATE-WASHER-F-REF-4 U/W S-STOP  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC 165398  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0867 | 02-33-7750 | STUD BEARING PL N 852 REF 12 DWG.                       | EA  |     | 00  |     | 40  |     | 12  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-173206       |     |     |     |     |     |     |     |
| 0868 | 02-33-7780 | STUD PIVOT U/W CAPACITY TRAIN STOP DWG. 80161, SHEET #1 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-387621       |     |     |     |     |     |     |     |
| 0869 | 02-33-7782 | STUD U/W CAPACITY TRAIN STOP DWG.80161 SHEET #1         | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-387706       |     |     |     |     |     |     |     |
| 0870 | 02-33-7785 | STUD OPERATING U/W CAPACITY TRAIN STOP SHEET #1         | EA  |     | 18  |     | 00  |     | 06  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      M387675         |     |     |     |     |     |     |     |
| 0871 | 02-33-7790 | STUD HASP U/W CAPACITY TRAIN STOP DWG. 80161 SHEET #1   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM387732        |     |     |     |     |     |     |     |
| 0872 | 02-33-8120 | SUPPORT F-BEARING-F-REF-AA-(PER-VIEW-Z) U/W AUTO-STOP   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO        |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-163841       |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0873 | 02-33-8820 | UNION, ONLY, W/STRAINER F/VALVE, U/W EP STOP   | EA  |     | 01  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN090340   |     |     |     |     |     |     |     |
| 0874 | 02-33-9140 | VALVE E.P.STOP-W.A.C.MAGNET-110-V-60      CYCLE-REF.7-&-COVER-REF 9-F-REF-A U/W<br>AUTO-STOP | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N310343  |     |     |     |     |     |     |     |
| 0875 | 02-33-9565 | WASHER U/W CAPACITY TRAIN STOP      DWG. 80161 SH. #1  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM391200   |     |     |     |     |     |     |     |
| 0876 | 02-36-1200 | BASE, ONLY, U/W INSTR-CASE   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      CASTING-T-178596                                     |     |     |     |     |     |     |     |
| 0877 | 02-36-1291 | BASE   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-347974  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0878 | 02-36-1625 | BASE, MOUNTING, WITH BASE #276071 & RELAY                          | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          U0 452037-0050 |     |     |     |     |     |     |     |
| 0879 | 02-36-1645 | BASE, MOUNTING COMPLETE U/W  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UN-276299      |     |     |     |     |     |     |     |
| 0880 | 02-36-1665 | BASE, MOUNTING, COMPL-W-REMOVABLE RT                               | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          276335         |     |     |     |     |     |     |     |
| 0881 | 02-36-1685 | BASE, MOUNTING ONLY F 2.5 TO 25 SEC.                               | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UN-280394      |     |     |     |     |     |     |     |
| 0882 | 02-36-1690 | BASE, MOUNTING   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UN-280395      |     |     |     |     |     |     |     |
| 0883 | 02-36-1717 | BASE, MOUNTING F LP 68 2 WAY RLY                                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          282063         |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC#  | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0884  | 02-36-1722 | BASE, MOUNTING FOR LPA-58 RLY UN2274772                               | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      282136    |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0885  | 02-36-1730 | BASE, MOUNTING COMPL,U/W P.P.64-D-RLY                                 | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      287529    |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0886  | 02-36-1750 | BASE, MOUNTING, COMPL-INDEX-XG-U/W                                    | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      287543    |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0887  | 02-36-1770 | BASE, MOUNTING,COMPL-INDEX-ZX,U/W                                     | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      287545    |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0888  | 02-36-1790 | BASE, MOUNTING  | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UN-289861 |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0889  | 02-36-1810 | BASE, MOUNTING ONLY,U/W PC 56A-RLY CODE                               | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      289910    |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0890 | 02-36-1830 | BASE, MOUNTING, FOR CODE FOLLOWING PCD RLY  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-302816   |     |     |     |     |     |     |     |
| 0891 | 02-36-1850 | BASE, MOUNTING, F PTV-42-6F-4B TK RLY, IN DEX SE  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      305410  |     |     |     |     |     |     |     |
| 0892 | 02-36-1890 | BASE, MOUNTING  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-315569   |     |     |     |     |     |     |     |
| 0893 | 02-36-1915 | BASE, RELAY MOUNTING, FOR TRACK RELAY PV-250, #UN-342555-809 AND #UN-342555-811, CONTRACT S-141, TA JOB 9402, | EA  |     | 06  |     | 06  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N438689003  |     |     |     |     |     |     |     |
| 0894 | 02-36-1920 | BASE, MOUNTING, FOR PN250B RELAY  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN376442  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0895 | 02-36-1950 | BASE, MOUNTING,   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UN-390530 |     |     |     |     |     |     |     |
| 0896 | 02-36-1990 | BASE, MOUNTING, FOR OPR-66 RELAY                              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UN-397497 |     |     |     |     |     |     |     |
| 0897 | 02-36-2000 | BASE, MOUNTING  | EA  |     | 00  |     | 00  |     | 48  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC          N399689   |     |     |     |     |     |     |     |
| 0898 | 02-36-2010 | ABSORBERS, SHOCK,   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UN-137819 |     |     |     |     |     |     |     |
| 0899 | 02-36-2035 | ABSORBERS, SHOCK, SQ D.C. RELAYS                              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          N156007   |     |     |     |     |     |     |     |
| 0900 | 02-36-2045 | BASE, SHOCK ABSORBER, COMP UW DN11 - DN12 4 PT RLYS           | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC          UN172589  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0901 | 02-36-2047 | BASE, SHOCK ABSORBER, COMP UW DN11 - DN12-6 PT RLYS                                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                      |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                      UN172590,                 |     |     |     |     |     |     |     |
| 0902 | 02-36-2080 | BASE, RELAY, F/MOUTING OF LP100 RELAY   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                      |     |     |     |     |     |     |     |
|      |            | Y          P      ANSALDO STS USA, INC                      N4514130102               |     |     |     |     |     |     |     |
| 0903 | 02-36-2090 | SHOCK ABSORBER, COMP F ALL MOD 13 RLYS  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                      |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                      UN188231                  |     |     |     |     |     |     |     |
| 0904 | 02-36-2100 | BASE, MOUNTING, FOR PN-150 RELAY  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                      |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                      N451376-0302              |     |     |     |     |     |     |     |
| 0905 | 02-36-2105 | BASE, RELAY ADAPTER, VITAL TIMER, USED TO ADAPT THE PN-150 RELAY TO A PT55 RELAY BASE | EA  |     | 12  |     | 42  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                      |     |     |     |     |     |     |     |
|      |            | N          P      ANSALDO STS USA, INC                      X40100001                 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0906 | 02-36-2110 | BASE, MOUNTING STYLE, PN-150EVT, WITH #14-16 GAUGE WIRE CONTACTS          | EA  |     | 00  |     | 36  |     | 30  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      N40102901 |     |     |     |     |     |     |     |
| 0907 | 02-36-2360 | BLOCK   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-276955 |     |     |     |     |     |     |     |
| 0908 | 02-36-2385 | BLOCK, FUSE, 30 AMP, 600 VOLTS  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      N277082   |     |     |     |     |     |     |     |
| 0909 | 02-36-2820 | BLOCK, TERMINAL   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      178389    |     |     |     |     |     |     |     |
| 0910 | 02-36-3880 | BLOCK   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-187363 |     |     |     |     |     |     |     |
| 0911 | 02-36-8210 | BRACKET, SUPPORTING, USED WITH INSTRUMENT CASE                            | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      X-219758  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0912 | 02-36-8230 | BRACKET   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-331015             |     |     |     |     |     |     |     |
| 0913 | 02-36-8235 | BRACKET, US&S PC. NO. UM-303546                               | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-303546             |     |     |     |     |     |     |     |
| 0914 | 02-36-8243 | BRACKET,  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-304873             |     |     |     |     |     |     |     |
| 0915 | 02-36-8400 | BRACKET, COMPLETE, FOR PN-150 RELAY                           | EA  |     | 00  |     | 06  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      373826                |     |     |     |     |     |     |     |
| 0916 | 02-36-8402 | BRACKET, SHELF MOUNTING, SINGLE UNIT WITHOUT BASE OR HARDWARE | EA  |     | 39  |     | 60  |     | 60  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N373904               |     |     |     |     |     |     |     |
| 0917 | 02-36-9020 | CAP, BAKELITE-F-TERM POST-W SLEEVE                            | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ-78147              |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC#  | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0918  | 02-37-1520 | CONNECTOR, TERM (COPPER-NO-22B4S GAUGE N.P.) Y DIM 1-1/16"            | EA  |     | 00  |     | 104 |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UM-47290  |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0919  | 02-37-1540 | CONNECTOR, TERM ONLY UW RLY-CASE                                      | EA  |     | 99  |     | 400 |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UM-120343 |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0920  | 02-37-1545 | CONNECTOR, TERMINAL Y SIZE 1-11/16"                                   | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UM-120344 |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0921  | 02-37-1560 | CONNECTOR TERM ONLY U/W RLY CASE                                      | EA  |     | 100 |     | 380 |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      163682    |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0922  | 02-37-1580 | CONNECTOR, TERM Y DIM 1-9/16" UW TERM    POST                         | EA  |     | 00  |     | 137 |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UM-170656 |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |
| 0923  | 02-37-2540 | DOOR, COMPLETE FOR RELAY CASE.  | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO      |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---        |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      N-183210  |     |     |     |     |     |     |     |
| ----- |            |   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                   | U/M                  | USE | PY2           | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|-----|---------------|-----|-----|-----|-----|
| 0924 | 02-37-2560 | DOOR,COMPLETE W/VENTILATORS & SHUTTERS             | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | 194971        |     |     |     |     |
| 0925 | 02-37-2801 | FLANGE, F/3" CONDUIT UW CABLE-BOX                  | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | UN-161947     |     |     |     |     |
| 0926 | 02-37-2820 | FLANGE, F/3-1/2" CONDUIT U/W CABLE BOX             | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | 162788        |     |     |     |     |
| 0927 | 02-37-3510 | GASKET, 3/8" X 3/8" X 2 FT. 3-1/2" UW JUNCTION BOX | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | CN-67069      |     |     |     |     |
| 0928 | 02-37-4100 | HANDLE, F/RLY-CASE #UM3 33795                      | EA                   |     | 00            |     | 03  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | 8311-95       |     |     |     |     |
| 0929 | 02-37-4140 | HANDLE,FOR REAR DOOR REF B & BA,U/W RLY            | EA                   |     | 00            |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           |     | MFG - PART-NO |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC |     | 179118        |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0930 | 02-37-4510 | HASP, COMP. WITH HINGE AND EYE BOLT, UW E-52 INSTR CASE                     | EA  |     | 10  |     | 19  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      452037-0029 |     |     |     |     |     |     |     |
| 0931 | 02-37-4870 | HINGE, ONLY, F HASP, UW E-52-CASE   | EA  |     | 00  |     | 28  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      20635       |     |     |     |     |     |     |     |
| 0932 | 02-37-4890 | HINGE, FOR POOR UW RLY CASE   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM-119936   |     |     |     |     |     |     |     |
| 0933 | 02-37-4910 | HINGE, ONLY F E 52 CASE UW RLY CASE   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      M280921     |     |     |     |     |     |     |     |
| 0934 | 02-37-4930 | HINGE, WITH BOLTS WAS HS, USE WITH E 52 CASE                                | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-295534   |     |     |     |     |     |     |     |
| 0935 | 02-37-5250 | HOLDER, SCREEN F VENT HOOD INSTR CASE                                       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-172487   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                                  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0936 | 02-37-5270 | HOLDER, COMPLETE SCREEN U/W RLY CASE              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-194969 |     |     |     |     |     |     |     |
| 0937 | 02-37-5910 | HOOD, VENTILATOR F INSTR CASE                     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-173845 |     |     |     |     |     |     |     |
| 0938 | 02-37-7110 | LINK, W/STUD & 1/8" X 3/4" S COTTER U/W RLY CASE  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      179144    |     |     |     |     |     |     |     |
| 0939 | 02-37-7410 | LUG, HINGE FOR CASE                               | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-178593 |     |     |     |     |     |     |     |
| 0940 | 02-37-7500 | NUT, 14-24 HEX F TERM POST U/W RLY BOX            | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UJ480301  |     |     |     |     |     |     |     |
| 0941 | 02-37-7700 | OUTLET, CABLE, FOR 2" PIPE, USED WITH TRUNKING    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      PC-178479 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC#  | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0942  | 02-37-8330 | PIN, HINGE COPPER U/W RLY CASE   | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---                     |     |     |     |     |     |     |     |
|       |            | N              P      ANSALDO STS USA, INC                      UM-279698          |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0943  | 02-37-8730 | PLATFORM, SLIDE F TRANS RECT U/W RLY CASE  | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---                     |     |     |     |     |     |     |     |
|       |            | N              P      ANSALDO STS USA, INC                      UN-304958          |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0944  | 02-37-9310 | TERMINAL, POST, COMPL, 1-9/16 IN. W/NUTS & WASHERS, USED WITH JUNC. BOX,           | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---                     |     |     |     |     |     |     |     |
|       |            | N              P      ANSALDO STS USA, INC                      148492             |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0945  | 02-37-9311 | POST TERMINAL, 14-24 X 1 7F8 W NUTS WASH F RLY BOX                                 | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---                     |     |     |     |     |     |     |     |
|       |            | N              P      ANSALDO STS USA, INC                      UN-148493          |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0946  | 02-37-9350 | TERMINAL POST COMPL., NO. 14-24 THD, W/NUTS & WASHERS, 2 IN., USED WITH TERM POST. | EA  |     | 30  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---                     |     |     |     |     |     |     |     |
|       |            | N              P      ANSALDO STS USA, INC                      UN-188719          |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0947 | 02-37-9370 | TERMINAL POST COMPLETE  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      X299956-001 |     |     |     |     |     |     |     |
| 0948 | 02-37-9430 | TERMINAL, POST, COMPLETE DIM 1-3/4 LG    INC W/ NUTS & WASHERS U/W RLY CASE | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM-160475   |     |     |     |     |     |     |     |
| 0949 | 02-37-9750 | RACK, F TRANS-RECT IN RLY CASE  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-304957   |     |     |     |     |     |     |     |
| 0950 | 02-38-1135 | SCREEN, F/ VENTILATOR HOOD U/W INSTR    CASE                                | EA  |     | 00  |     | 00  |     | 10  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM-5730     |     |     |     |     |     |     |     |
| 0951 | 02-38-1155 | SCREEN, FOR VENTILATOR, HOOD INSTR CASE                                     | EA  |     | 00  |     | 00  |     | 60  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM-172488   |     |     |     |     |     |     |     |
| 0952 | 02-38-5140 | SHUTTER, ONLY F DOOR U/W RLY CASE   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO            |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM-194970   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0953 | 02-38-5290 | SLEEVE, BLACK FIBRE Y DIM 1-3/16" F<br>TRANSFORMERS U/W TERM POST | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UM-172423         |     |     |     |     |     |     |     |
| 0954 | 02-38-6453 | SUPPORT TRANSFORMER U/W RELAY CASE                                | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UN 299951         |     |     |     |     |     |     |     |
| 0955 | 02-40-0300 | BUSHING FIBRE INSULATING 5/8" X 7/8" X                            | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      68116             |     |     |     |     |     |     |     |
| 0956 | 02-40-0325 | BUSHING, 2 IN. UNION  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UM125042          |     |     |     |     |     |     |     |
| 0957 | 02-40-1030 | FLANGE, F/2" PIPE   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UM 22107          |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0958 | 02-40-1580 | GASKET, FOR 2" PIPE UNION U/W AIR LINE                        | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UM-22110              |     |     |     |     |     |     |     |
| 0959 | 02-40-1800 | JOINT, 2" EXPANSION 6" STROKE COMPL W/TUBE REF 6 B            | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN208521              |     |     |     |     |     |     |     |
| 0960 | 02-40-3440 | UNION, 2", INSULATED-FLANGE-F/AIR-LINE COMPL- UW E.P. STOP    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN179837              |     |     |     |     |     |     |     |
| 0961 | 02-40-3460 | UNION 3" INSULATED-FLANGE-F-AIR-LINE COMPL-U/W E.P.-STOP      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-181311             |     |     |     |     |     |     |     |
| 0962 | 02-40-5980 | ASSEMBLY, 2 MF COND W RCS-2 RECT U/W DC GD DET                | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | Y      P      ANSALDO STS USA, INC      N287477               |     |     |     |     |     |     |     |
| 0963 | 02-40-6020 | ASSEMBLY, 7MF COND 250 OHM RES SPARK PROTECT F/FLASHING LIGHT | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-305156             |     |     |     |     |     |     |     |

USER-ID : ROB  
FILE-ID : ANSALD11  
PROG-ID :

NEW YORK CITY TRANSIT AUTHORITY  
COMMODITY MANAGEMENT SYSTEM

PAGE : 171  
DATE : 05/17/2011  
VERSION : 1.01.00

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|---------------|-----|-----|-----|-----|-----|
| 0964 | 02-40-6040 | ASSEMBLY, 500 MFD COND 10 OHM RES AND RECT   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN-316144-001 |     |     |     |     |     |
| 0965 | 02-40-6065 | ASSEMBLY, CAPACITOR, 70 MFD, 600 VOLTS,D.C., FOR RELAY END OF WABCO CAPACITOR TYPE TRACK CIRCUIT CONTRACT S-141, TA JOB. 9402, SIGNALS COMM. | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN-436302     |     |     |     |     |     |
| 0966 | 02-41-0700 | BOLT, ONLY U/W DRAW-BRIDGE   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM-22393      |     |     |     |     |     |
| 0967 | 02-41-1600 | CONTROLLER 4-WAY-U-5-CIRCUIT U/W DRAW-BRIDGE   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN334641      |     |     |     |     |     |
| 0968 | 02-41-1601 | CONTROLLER 4-WAY-U-5- CIRCUIT U/W DRAW- BRIDGE   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN-334642     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION                          | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0969 | 02-41-2640 | DETECTOR, L.H., LIFT, RAIL U/W DRAWBRIDGE | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UN-335194        |     |     |     |     |     |     |     |
| 0970 | 02-41-2660 | DETECTOR, R.H., LIFT, RAIL U/W DRAWBRIDGE | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UN-335269        |     |     |     |     |     |     |     |
| 0971 | 02-41-4820 | PIN DETECTOR U/W DRAW-BRIDGE              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UM-335286        |     |     |     |     |     |     |     |
| 0972 | 02-41-5145 | PLATE, FILLER U/W DRAWBRIDGE              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC N-335159         |     |     |     |     |     |     |     |
| 0973 | 02-41-5850 | ROD                                       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UN-335305        |     |     |     |     |     |     |     |
| 0974 | 02-41-5855 | ROD                                       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO         |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UN-335307        |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|---------------|-----|-----|-----|-----|-----|
| 0975 | 02-41-5915 | ROD  | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN-336427     |     |     |     |     |     |
| 0976 | 02-41-8700 | BOX, FUSE, USED WITH POWER OFF IND.                                      | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | N-179500      |     |     |     |     |     |
| 0977 | 02-43-0525 | BOND, IMPEDENCE, 2,500AMP, TYPE DRZ D.C.FOR 25 TO 60 HERTZ.              | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | N145857       |     |     |     |     |     |
| 0978 | 02-43-0700 | CONDENSER 5-MFD-PANEL-MTG F-AC-GRD DET                                   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN-215730     |     |     |     |     |     |
| 0979 | 02-43-1705 | DETECTOR, GROUND, SOLID STATE, 12 VOLT, USED IN SIGNAL CONTROL CIRCUITS. | EA                   |               | 03  |     | 03  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | N4514001705   |     |     |     |     |     |
| 0980 | 02-43-1707 | DETECTOR, GROUND, SOLID STATE, 16 VOLT, USED IN SIGNAL CONTROL CIRCUITS  | EA                   |               | 03  |     | 03  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | N451400-1707  |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC#  | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0981  | 02-43-1711 | DETECTOR, GROUND, SOLID STATE, 24 VOLT, USED IN SIGNAL CONTROL CIRCUITS                          | EA  |     | 03  |     | 03  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                                 |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---                                   |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      N451400-1711                         |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0982  | 02-43-2735 | BRACKET, MESSENGER, TYPE Y, W/HUBBARD CLAMP #8903, BOLT #UJ-47868, U/W MESSENGER & PIPE BRACKETS | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                                 |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---                                   |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UM-165932                            |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0983  | 02-43-5260 | REACTOR, IMP 2.5 OHMS 25CY MAX                      15V-GA-DC RES. 158 OHM U/W TK RLY            | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                                 |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---                                   |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UN-345070                            |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0984  | 02-43-5500 | BOND, IMPEDANCE, COMPLETE, 1500 AMPERE 0.50 OHMS, 60 CYCLES                                      | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                                 |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---                                   |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      98065311                             |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 0985  | 02-43-6100 | RECTIFIER, 60-100HZ, CPR-1, 110VAC-16V, 1/AMP DC F/1B, VB.                                       | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                                 |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---                                   |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      N-451372-0305                        |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0986 | 02-43-6110 | RECTIFIER, CPR-1 115/110 VOLTS, 60/100 H7. 16 VOLTS, D.C. 0.2 AMPS. D.C.                                 | EA  |     | 02  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N4513720310  |     |     |     |     |     |     |     |
| 0987 | 02-43-6135 | RECTIFIER, CPR-10, 110 A.C., 17.5 V. 15 AMP., 60/100 CYCLE, YARD SPARE                                   | EA  |     | 00  |     | 03  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N4513720505  |     |     |     |     |     |     |     |
| 0988 | 02-43-6175 | RECTIFIER, R.P.Q-41-110V 20V-7.5A 60/100CYCLES U/W B AND O   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N451372-0504   |     |     |     |     |     |     |     |
| 0989 | 02-43-6255 | RECTIFIER, HQ-7C 9.2V 25-100CY 13V .5A DC SPEC EV 4815 U/W PN 150 RLY                                    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-334090  |     |     |     |     |     |     |     |
| 0990 | 02-43-6270 | RECTIFIER, CPR-1, AC 55 VOLT. 25 CYCLE CAPACITY 16V, 0.2 AMP., D.C.                                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N4513720308  |     |     |     |     |     |     |     |
| 0991 | 02-43-6302 | RECTIFIER, CPR-2, 115V/110VAC INPUT AT 50/100 HZ, MAXIMUM DC OUTPUT BETWEEN 27VDC TO 60VDC AT 2.0 AMPERE | EA  |     | 00  |     | 16  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N451372-0503   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0992 | 02-43-6304 | RECTIFIER, CPR-30, 120V/114VAC INPUT AT 60/100 HZ, MAXIMUM DC OUTPUT BETWEEN 8VDC TO 20.3VDC AT 30.0 AMPERE | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      N451372-5006                                |     |     |     |     |     |     |     |
| 0993 | 02-43-6306 | RECTIFIER, CPR-5. 120V/115VAC INPUT AT 50/100HZ, MAXIMUM DC OUTPUT BETWEEN 24VDC TO 30VDC AT 5.0 AMPERE     | EA  |     | 00  |     | 04  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      N451372-0507                                |     |     |     |     |     |     |     |
| 0994 | 02-43-6940 | RESISTOR, OHMS 5000 CARBON ROD W FERR 13F 16 DIA 12 IN-LG-U/W SB SIG  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      MF-12 OHIO CARBON                           |     |     |     |     |     |     |     |
| 0995 | 02-43-7030 | RESISTOR, OHMS 100-ONLY U/W-CP-SW VALVE   | EA  |     | 30  |     | 70  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      J072147                                     |     |     |     |     |     |     |     |
| 0996 | 02-43-7040 | RESISTOR, 1.5 OHMS, FOUR RIBLEY WIRE FOLLOWING AVAILABE RESISTANCE TAPS:                                    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | WOUND UNITS, MOUNTED IN OPEN FRAME WITH 0.0HM, .25 OHMS., .75 OHMS AND 1.5 OHMS                             |     |     |     |     |     |     |     |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UJ-72208                                    |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0997 | 02-43-7046 | RESISTOR, 130 OHMS, 10WATTS, UNMOUNTED W/LIVE MOUNTING BRACKETS SHOWN ON DWG. 9065, SH.463, PART OF RESISTOR COMPLETE DWG. 773-49, REF.381 FOR CURRENT LIMITING LINE RELAYS AND SWITCH VALVES | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      N332703   |     |     |     |     |     |     |     |
| 0998 | 02-43-7060 | RESISTOR, TWO UNIT TYPE 32 A1, RESISTANCE TOTAL 5 OHMS, RESISTANCE SECTION 1.67, 2.5, AND .83 OHMS, 80 WATT CAPACITY - MAXIMUM -. CURRENT CAPACITY OF TOTAL RESISTOR, 4.0 AMPS.               | EA  |     | 35  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      J073569   |     |     |     |     |     |     |     |
| 0999 | 02-43-7080 | RESISTOR, OHMS, 1.5 TAP .25-.25-75, 12.65A 240 W. COMP  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      J073586   |     |     |     |     |     |     |     |
| 1000 | 02-43-7105 | RESISTOR, OHMS, 35 OHMS, 2.62A, 240 WATT, COMPLETE  | EA  |     | 00  |     | 00  |     | 06  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      J-073593  |     |     |     |     |     |     |     |
| 1001 | 02-43-7130 | RESISTOR, 80 WATT, 25 CYCLE, 1.6,1.6, 4.8 OHMS- SR 32A7   | EA  |     | 28  |     | 00  |     | 08  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC                      J073644   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1002 | 02-43-7140 | RESISTOR, FOR RELAY END OF WABCO<br>OHMS, 80 WATTS, TAPS 1.5, 2.0, 2.5   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N            P      ANSALDO STS USA, INC              UJ-073711 |     |     |     |     |     |     |     |
| 1003 | 02-43-7170 | RESISTOR, OHMS 2.5 TAP .84-1.24 .42 8  | EA  |     | 28  |     | 20  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>Y            P      ANSALDO STS USA, INC              J073730   |     |     |     |     |     |     |     |
| 1004 | 02-43-7205 | RESISTOR, OHMS 600 5 WATT U/W CARRIER  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N            P      ANSALDO STS USA, INC              UJ73939   |     |     |     |     |     |     |     |
| 1005 | 02-43-7210 | RESISTOR, 30 OHMS, 10 WATTS, UNMOUNTED<br>906 5-SH.463, PART OF RESISTOR<br>331386, FOR BELL CIRCUITS  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N            P      ANSALDO STS USA, INC              UJ-73974  |     |     |     |     |     |     |     |
| 1006 | 02-43-7300 | RESISTOR, OHMS 40000 ROD ONLY U/W 3  | EA  |     | 30  |     | 24  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO<br>-----<br>N            P      ANSALDO STS USA, INC              J073488   |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1007 | 02-43-7320 | RESISTOR, OHMS 100-W-BLK-BRACKET U/W CP VALVE                                 | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-191652     |     |     |     |     |     |     |     |
| 1008 | 02-43-7380 | RESISTOR, 130 OHMS COMPL MTS CUR KR      RLY, RSA TERMINAL BLOCK              | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN212507      |     |     |     |     |     |     |     |
| 1009 | 02-43-7400 | RESISTOR, OHMS 50-COMPL-CUR LMTG          F/CLUTCH CIR U/W TIME RLY           | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN214051      |     |     |     |     |     |     |     |
| 1010 | 02-43-7432 | RESISTOR, OHM 3900 COMP 1 WATT W/EYELET                                       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-230276     |     |     |     |     |     |     |     |
| 1011 | 02-43-7438 | RESISTOR, COMPLETE, FOR PN15050 RELAY.  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      N 436521-0001 |     |     |     |     |     |     |     |
| 1012 | 02-43-7470 | RESISTOR  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-331389     |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1013 | 02-43-7480 | RESISTOR, OHMS 40,000   | EA  |     | 31  |     | 05  |     | 00  |
|      |            | MTD-W-COV-F-Z-CASE  |     |     |     |     |     |     |     |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | Y P ANSALDO STS USA, INC N283143  |     |     |     |     |     |     |     |
| 1014 | 02-43-7485 | RESISTOR, ADJUSTABLE, 2OHM MAX., .0150 MIN.,                                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC N284850  |     |     |     |     |     |     |     |
| 1015 | 02-43-7500 | RESISTOR, OHMS 120-COMPL-CUR-LIMITING MOUNTED-ON-BLOCK U/W LINE RLY W/INS TOP NUT | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UN-332702  |     |     |     |     |     |     |     |
| 1016 | 02-43-7520 | RESISTOR, OHMS 1800-COMPL-W-BLOCK-RLY-SNU BBING F/ON LINE RLY                     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UN-285966  |     |     |     |     |     |     |     |
| 1017 | 02-43-7535 | RESISTOR, 30 OHMS, 10 WATT  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UN-331386  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1018 | 02-43-7537 | RESISTOR, CAPACITOR BOARD (STEPPERS)                      | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UN-399566 |     |     |     |     |     |     |     |
| 1019 | 02-43-7542 | RESISTOR, 75 OHM, (SR-32 A-18),                           | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UJ-73752  |     |     |     |     |     |     |     |
| 1020 | 02-43-7550 | RESISTOR, .45 OHM, (SR-31A-511)                           | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      N434803   |     |     |     |     |     |     |     |
| 1021 | 02-44-0500 | BASE, CLAMP-W-4<br>F-MOUNTING-ILLUMINATED-SIGN U/W SUB    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | -BOLTS-AND-NUTS-F-2"-PIPE<br>SIGN AL                      |     |     |     |     |     |     |     |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UJ-73387  |     |     |     |     |     |     |     |
| 1022 | 02-44-1600 | CASE HOOD-W-RECEPTACLE-F-REFS-11-TO-11C                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO          |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC      UN-165559 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC#  | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1023  | 02-45-0372 | ADJUSTER CONTACT, FOR ADJUSTING FLEXIBLE MOVABLE CONTACTS ON ALL R.D. RELAYS | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO             |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---               |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UR375786         |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 1024  | 02-45-1000 | BENDER, FOR CONTACT PN-50 RLY, U/W      PN-50-RLY                            | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO             |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---               |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      102225           |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 1025  | 02-45-2000 | EXTRACTOR,RELAY CONTACTS, US&S RELAY      TYPE                               | EA  |     | 339 |     | 120 |     | 300 |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO             |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---               |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      J077931          |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 1026  | 02-45-2225 | EXTRACTOR, LAMP-CAP-F-U-R MACH. U/W U R MACH. WEST YD., PLIERS               | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO             |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---               |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UJ-039826        |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 1027  | 02-45-3711 | GAGE RELAY FOR CENTERING ARMATURE ON      R.D. STICK RELAYS                  | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO             |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---               |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UM372028         |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |
| 1028  | 02-45-3712 | GAGE, RELAY, FOR CENTERING ARMATURE ON RD BIAS RELAY                         | EA  |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO             |     |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---               |     |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UM372029         |     |     |     |     |     |     |     |
| ----- |            |  |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M                  | USE           | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|----------------------|---------------|-----|-----|-----|-----|-----|
| 1029 | 02-45-3713 | GAGE   | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM-372030     |     |     |     |     |     |
| 1030 | 02-45-3714 | GAGE, RELAY CONTACT, FOR ADJUSTING                                     | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM372031      |     |     |     |     |     |
| 1031 | 02-45-3715 | GAGE, RELAY CONTACT FOR ADJUSTING FIXED BACK CONTACTS ON RD BIAS RELAY | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UM372032      |     |     |     |     |     |
| 1032 | 02-45-6065 | TOOL EXTRACTOR FOR LP-100 RELAY  | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | R-141086-1601 |     |     |     |     |     |
| 1033 | 02-45-7001 | WEIGHT, 0.3 OZ. FOR RELAY-CONTACT                                      | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN-173053     |     |     |     |     |     |
| 1034 | 02-45-7002 | WEIGHT, 0.4 OZ. FOR RELAY-CONTACT                                      | EA                   |               | 00  |     | 00  |     | 00  |
|      | QPL        | CODE   | MFG - NAME           | MFG - PART-NO |     |     |     |     |     |
|      | N          | P  | ANSALDO STS USA, INC | UN-173054     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1035 | 02-45-7320 | WRENCH, CHECK NUT FLAT 1-13/16", UW SW-LAYOUT                    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UM-178271                               |     |     |     |     |     |     |     |
| 1036 | 02-45-7400 | WRENCH, SWITCH, ADJUSTING, USE WITH SWITCH LAYOUT                | EA  |     | 20  |     | 00  |     | 72  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC M322680                                 |     |     |     |     |     |     |     |
| 1037 | 02-45-8110 | WRENCH, SPANNER  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC J397156                                 |     |     |     |     |     |     |     |
| 1038 | 02-45-8140 | WRENCH, SPANNER, U/W SW-LAYOUT                                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC M187697                                 |     |     |     |     |     |     |     |
| 1039 | 02-45-8150 | WRENCH, SPANNER, FOR CP VALVE CAPS                               | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC M178275                                 |     |     |     |     |     |     |     |
| 1040 | 02-45-8180 | WRENCH, SPANNER, FOR CLUTCH ADJUSTING ON TYPE M-4 SWITCH MACHINE | EA  |     | 03  |     | 00  |     | 00  |
|      |            | QPL CODE MFG - NAME MFG - PART-NO                                |     |     |     |     |     |     |     |
|      |            | N P ANSALDO STS USA, INC UM-399976                               |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1041 | 02-45-8185 | WRENCH, SPANNER, FOR MAIN CRANK ON TYPE M-4 SWITCH MACHINE                                    | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-399978                     |     |     |     |     |     |     |     |
| 1042 | 02-45-8190 | WRENCH, SPANNER, FOR POINT DETECTOR ON BUSHING ON TYPE M-4 SWITCH MACHINE                     | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN399980                      |     |     |     |     |     |     |     |
| 1043 | 02-45-8440 | WRENCH, SOCKET-T-HOLDING, 19/32", U/W SW-LAYOUT   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM-178267                     |     |     |     |     |     |     |     |
| 1044 | 02-45-8465 | WRENCH, "T", FOR CIRCUIT CONTROLLER CR CRANK SPREADER ON M-4 SWITCH MACHINE.                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-399982                     |     |     |     |     |     |     |     |
| 1045 | 02-46-1700 | BOX, F/BOOTLEG, U/W TRACK-WIRES   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                              |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UM-179747                     |     |     |     |     |     |     |     |
| 1046 | 02-46-1720 | BOX, JUNCTION-SQ-C-1. 4 FT X 4 FT                      3-1/2" DEEP W BLANK COVER & 1-3/8" HUB | EA  |     | 00  |     | 00  |     | 00  |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
|      |            | ON EACH SIDE, UW F TK WIRES  |     |         |         |         |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |         |         |         |
|      |            | ---      ---      ---                                      ---   |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC                      UN-179760  |     |         |         |         |
| 1047 | 02-46-2150 | COVER, F/BOOTLEG BOXES.  | EA  | 00      | 00      | 00      |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |         |         |         |
|      |            | ---      ---      ---                                      ---   |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC                      UM-272617  |     |         |         |         |
| 1048 | 02-46-2200 | COVER, BLANK, ONLY, FOR TRACK WIRE      JUNCTION BOX, US&S 179747, DWG C-9395-1  | EA  | 00      | 00      | 00      |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |         |         |         |
|      |            | ---      ---      ---                                      ---   |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC                      UJ-77881   |     |         |         |         |
| 1049 | 02-47-1040 | TRANSFORMER, 25 HZ, W-20, 300 VA, 550 V PRI, 12-5 A, 24 V SEC (20-2-27, VW W-20 TRANSF.  | EA  | 00      | 00      | 00      |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |         |         |         |
|      |            | ---      ---      ---                                      ---   |     |         |         |         |
|      |            | N          P          ANSALDO STS USA, INC                      181378   |     |         |         |         |
| 1050 | 02-47-1080 | TRANSFORMER, W-20 SPEC. 4039, 550 VOLTS, 25 CYCLES, 300 VA W/ ONE LIGHTING SECONDARY 55.3 -4.9-48 2.3- VOLTS, 4.2 AMPS AND TWO TRACK SECONDARIES 12.2 -4.61-2.1- VOLTS, 3 AMPS | EA  | 08      | 06      | 04      |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |         |         |         |
|      |            | ---      ---      ---                                      ---   |     |         |         |         |
|      |            | Y          P          ANSALDO STS USA, INC                      N286462  |     |         |         |         |



MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1056 | 02-47-2620 | TRANSFORMER, 200 KVA, DRY, 60-100 HZ, PRI 110 V, SEC 11-12-110 V                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      164638             |     |     |     |     |     |     |     |
| 1057 | 02-47-2660 | TRANSFORMER 60-100 CY NL-15 PR1-110-100-   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      179522 SPEC 2356   |     |     |     |     |     |     |     |
| 1058 | 02-47-2680 | TRANSFORMER 60-100 CY N2-PR1-110V-20VA-  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN181405 SPEC 2396 |     |     |     |     |     |     |     |
| 1059 | 02-47-2691 | TRANSFORMER, W-10, 200 VA, 60-100 HZ, 110-V PR1 110-12-1.1V SEC. FOR TRACK         | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      277159             |     |     |     |     |     |     |     |
| 1060 | 02-47-2700 | TRANSFORMER, 4.4 VA, 60-100 HZ, NZ, PR1 115 V, SEC 13 V, FOR POS-TE-ZE CI-         | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN286427           |     |     |     |     |     |     |     |
| 1061 | 02-47-2725 | TRANSFORMER W-41 120/110V., 60-100 CYCLE, 20 V., 50A                               | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO                   |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN391752           |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1062 | 02-47-3685 | TRANSFORMER, W-2 FOR SIGNAL HEAD.                                       | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-388106                       |     |     |     |     |     |     |     |
| 1063 | 02-47-3686 | TRANSFORMER, W2 F/SIGNAL HEAD, 60 VA.                                   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN398636-001                    |     |     |     |     |     |     |     |
| 1064 | 02-47-3687 | TRANSFORMER, W2, F/SIGNAL HEAD.   | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      N451039-3101                    |     |     |     |     |     |     |     |
| 1065 | 02-47-3688 | TRANSFORMER, W800 120/114 VAC 60/100 HZ 720VA SEC 20V-20V               | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN451469-0101                   |     |     |     |     |     |     |     |
| 1066 | 02-47-3690 | TRANSFORMER, W-400 120/114 VAC, 60/100HZ, 360 VA                        | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-451428-0101                  |     |     |     |     |     |     |     |
| 1067 | 02-47-3695 | TRANSFORMER, MATCHING 5-1 RATIO, FOR TESTING RELAYS FOR CONTRACT S-110. | EA  |     | 00  |     | 15  |     | 00  |
|      |            | QPL      CODE      MFG - NAME      MFG - PART-NO                        |     |     |     |     |     |     |     |
|      |            | N      P      ANSALDO STS USA, INC      UN-385860                       |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1068 | 02-47-3700 | TRANSFORMER, MATCHING, 1-1 RATIO  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | Y          P          ANSALDO STS USA, INC                      N393992                                 |     |     |     |     |     |     |     |
| 1069 | 02-47-3710 | TRANSFORMER, MATCHING FOR 6-4 PV250 RELAYS  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      N393992                                 |     |     |     |     |     |     |     |
| 1070 | 02-47-3715 | TRANSFORMER, NEW STYLE W-400, 360VA, 120/114V, 60/100HZ PRIMARY AND SECONDARY VOLTAGE OF 18V/20A        | EA  |     | 00  |     | 18  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      N451428-0113                            |     |     |     |     |     |     |     |
| 1071 | 02-47-3720 | TRANSFORMER, STYLE NL-15, 110V/100V 60/100HZ, 50VAM SOEC #4029  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-286053                               |     |     |     |     |     |     |     |
| 1072 | 02-47-7600 | UNIT, TRANSFORMER CAPACITOR, 40V-SEC W-1.8 MFD COND F/AC GRD-DET. 60-100CY-NL-15-TRAN-50V. A-110V.-PRI. | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO  |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN285909                                |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION   | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1073 | 02-47-7605 | UNIT, FILTER TRANSFORMER, USED WITH #516B CODE SYSTEM                          | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      292196         |     |     |     |     |     |     |     |
| 1074 | 02-47-7615 | UNIT, COND 500 MFD 10 OHM RES. F                      ACTP-SNUB                | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN305154       |     |     |     |     |     |     |     |
| 1075 | 02-50-0800 | CIRCUIT BREAKER, S.P.D.T. 4.0 AMP 516B SYSTEM                                  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UJ-72799       |     |     |     |     |     |     |     |
| 1076 | 02-50-1350 | COIL, IDENTRA CAR  | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      UN-332168      |     |     |     |     |     |     |     |
| 1077 | 03-17-7910 | LENS, 6-3/8 IN. DIA., 3-3/4 IN. F.S.O., PLASTIC CLEAR U/W AW-FA-ME SIGS        | EA  |     | 00  |     | 00  |     | 00  |
|      |            | QPL      CODE      MFG - NAME                      MFG - PART-NO               |     |     |     |     |     |     |     |
|      |            | N          P          ANSALDO STS USA, INC                      68507          |     |     |     |     |     |     |     |
|      |            | N          D          ALSTOM SIGNALING, INC.                      53119-037-00 |     |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC#  | STOCK NO   | LONG DESCRIPTION  | U/M                                  | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|--------------------------------------|-----|-----|-----|-----|-----|-----|
| 1078  | 03-23-4310 | STOP, MECHANISM, 60 HZ., 110 VOLTS  | EA                                   |     | 00  |     | 00  |     | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |                                      |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---            |                                      |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UN 387658-001 |                                      |     |     |     |     |     |     |
| ----- |            |   |                                      |     |     |     |     |     |     |
| 1079  | 09-46-2356 | DECODER, ATL, PCB, FOR G.E. #17FL139A1                                    | PANEL ASSEMBLY, R46 CARS -           | EA  |     | 00  |     | 00  | 00  |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |                                      |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---            |                                      |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      UN-451043-734 |                                      |     |     |     |     |     |     |
| ----- |            |   |                                      |     |     |     |     |     |     |
| 1080  | 13-62-6291 | PLATE, TAG MOUNTING COMP., USED WITH                                      | AUTOMATIC VEHICLE IDENTIFICATION TAG | EA  |     | 00  |     | 00  | 00  |
|       |            | ASSEMBLY  |                                      |     |     |     |     |     |     |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |                                      |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---            |                                      |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      518049        |                                      |     |     |     |     |     |     |
| ----- |            |   |                                      |     |     |     |     |     |     |
| 1081  | 13-62-6292 | STRAP, TAG MOUNTING COMP., USED WITH                                      | AUTOMATIC VEHICLE IDENTIFICATION TAG | EA  |     | 00  |     | 00  | 00  |
|       |            | ASSEMBLY  |                                      |     |     |     |     |     |     |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |                                      |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---            |                                      |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      518048        |                                      |     |     |     |     |     |     |
| ----- |            |   |                                      |     |     |     |     |     |     |
| 1082  | 13-62-6293 | BOLT, 1/2"-13 X 2-1/4", HEX, STAINLESS                                    | STEEL, USED WITH AUTOMATIC VEHICLE   | EA  |     | 00  |     | 00  | 00  |
|       |            | IDENTIFICATION TAG ASSEMBLY   |                                      |     |     |     |     |     |     |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO          |                                      |     |     |     |     |     |     |
|       |            | ---      ---      ---                                      ---            |                                      |     |     |     |     |     |     |
|       |            | N          P      ANSALDO STS USA, INC                      500083        |                                      |     |     |     |     |     |     |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO   | LONG DESCRIPTION  | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1083 | 13-62-6294 | WASHER, 1/2", LOCK, STAINLESS STEEL, IDENTIFICATION TAG ASSEMBLY  | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC 475121   |     |         |         |         |
| 1084 | 13-62-6295 | WASHER, FLAT, 1/2", STAINLESS STEEL, IDENTIFICATION TAG ASSEMBLY  | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC 475120   |     |         |         |         |
| 1085 | 13-62-6299 | TAG, AUTOMATIC VEHICLE IDENTIFICATION, (AVI), INCLUDES STRAP PLATE, BOLT - 1/2"-13 X 2-1/4" HEX (SST), WASHER - (SST) POP RIVET (SST) | KT  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC 518 E SHEET 050  |     |         |         |         |
| 1086 | 18-44-0810 | RECEPTACLE, FOR TYPE A-13 ELECTRONIC OPERATING UNIT #18-44-1113,R44 CARS  | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC UJ-723305  |     |         |         |         |
| 1087 | 18-44-0814 | RETAINER, FOR TYPE A-13 ELECTRONIC OPERATING UNIT #18-44-1113, R-44 CARS  | EA  | 00      | 00      | 00      |
|      |            | QPL CODE MFG - NAME MFG - PART-NO   |     |         |         |         |
|      |            | N P ANSALDO STS USA, INC UJ-71249   |     |         |         |         |



MATERIAL STANDARDS USAGE REPORT  
 -----

| REC#  | STOCK NO   | LONG DESCRIPTION   | U/M | USE   | PY2   | USE   | PY1   | USE   | YTD   |
|-------|------------|--|-----|-------|-------|-------|-------|-------|-------|
| ----  | -----      | -----  | --- | ----- | ----- | ----- | ----- | ----- | ----- |
| 1093  | 18-44-0868 | NYLOCLIP, HP-6N FOR TYPE A-13 ELECTRONIC OPERATING UNIT #576542 R44 CARS                                 | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----   |     |       |       |       |       |       |       |
|       |            | N          P          ANSALDO STS USA, INC              UJ-700651  |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |
| 1094  | 18-44-0878 | RESISTOR, 3.3K-1/2 W.-5%, FOR PRINTED CIRCUIT BOARD ASSY. 576552 ON TYPE A-13 OPERATING UNIT, R44 CARS   | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----   |     |       |       |       |       |       |       |
|       |            | N          P          ANSALDO STS USA, INC              UJ-720888  |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |
| 1095  | 18-44-0888 | RESISTOR, 22 OHM 1/2W. 5 FOR PRINTED CIRCUIT BOARD ASSY. #576586 ON TYPE A-13 OPERATING UNIT, R44 CARS   | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----   |     |       |       |       |       |       |       |
|       |            | N          P          ANSALDO STS USA, INC              UJ-735151  |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |
| 1096  | 18-44-0889 | RESISTOR, 1 MEG. 1/2 WATT, 5 FOR PRINTED CIRCUIT BOARD ASSY. #576552, TYPE A-13 OPERATING UNIT, R44 CARS | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----   |     |       |       |       |       |       |       |
|       |            | N          P          ANSALDO STS USA, INC              UJ-720839  |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |
| 1097  | 18-44-0892 | CAPACITOR, .01 MFD-TRW FOR PRINTED CIRCUIT BOARD ASSY. 576552 ON TYPE A-13 OPERATING UNIT R44 CARS       | EA  |       | 00    |       | 00    |       | 00    |
|       |            | QPL      CODE      MFG - NAME                      MFG - PART-NO   |     |       |       |       |       |       |       |
|       |            | ----      ----      -----                      -----   |     |       |       |       |       |       |       |
|       |            | N          P          ANSALDO STS USA, INC              UJ-706439  |     |       |       |       |       |       |       |
| ----- |            |  |     |       |       |       |       |       |       |



TOTAL PROCESSING TIME = 00 HRS, 01 MINS.

-----  
TOTAL RECORDS READ : 1,101  
-----

TOTAL RECORDS PRINTED : 2,357  
-----

\*\*\*\* FILES USED \*\*\*\*

MMS --> USE YTD

MMS --> USE PY1, USE PY2

CTF --> LONG DESCRIPTION

VXF --> MFG PART NO

MFG --> MFG NAME

ITEM --> U/M

ANSALD11 --> STOCK NO

PROGRAM LOCATED : IN ON