

June 2025

**MTA - NEW YORK CITY TRANSIT
3 Stone Street
New YORK, N.Y. 10004
BID RECEPTION DESK**

<https://www.mta.info/doing-business-with-us/procurement/new-york-city-transit/qpl-item-listings>

THIS PACKAGE CONTAINS THE QUALIFIED PRODUCTS LIST (QPL) ITEMS FOR THE BELOW STATED PROCUREMENT UNIT WHICH INCLUDES THE NYCT STOCK NUMBER, ITEM DESCRIPTIONS, AND ESTIMATED USAGE.

**QUALIFIED PRODUCTS LIST
(QPL)**

**SUBWAY CAR PARTS
PROCUREMENT UNIT: 100**

Subway Car Parts: Subway car items including, but are not limited to, the following:

Components & complete electrical controller pans, electrical & carbon brushes, electrical circuit parts & accessories, motor component parts, motor controllers, traction motor parts, structural & non-structural car body parts, wheel & truck parts, subway car assembly parts, subway car decals, insulators, air conditioning & air brake parts, as well as wheel truing machine items, gaskets, diesel engine parts, glass and signal communication equipment

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|---------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-----------------------------|-------------|
| 08-38-0267 | CONTACT, ELECTRICAL, USED WITH CONTROLLER TYPE XC-149- D FINGER | 0 | 0 | 100 | FEDERAL METAL PRODUCTS INC. | EC84318 |
| | | | | | HOYT POWERMET PRODUCTS | R 905 |
| | | | | | WESTINGHOUSE | 5819C58G01 |
| 08-38-1414 | CONTACT, STATIONARY PLAIN, USED WITH CONTROL EQUIPMENT 1.2 TYPE UMA-9A AND 9B CONTACTORS UMA-59, | 6255 | 5171 | 100 | BOMBARDIER | 18D9633H01 |
| | | | | | HORNE | 1414A |
| | | | | | HOYT POWERMET PRODUCTS | RW590 |
| | | | | | NYCTA | 2521133 |
| 08-38-1626 | CONTACT, FOR LINE SWITCH, TYPE UPB-3 | 0 | 0 | 100 | HORNE | 2665 |
| | | | | | HOYT POWERMET PRODUCTS | R660 |
| | | | | | WESTINGHOUSE | 177A119H01 |
| 08-38-1766 | CONTACT, STATIONARY, WITH SILVER INSERT, FOR CAM SWITCH XC-149-S, XCA-149, XC-298, XC - 798, XC-198 | 701 | 720 | 100 | ADVANCED METALLURGY INC. | 983A |
| | | | | | HORNE | 1766 |
| | | | | | HOYT POWERMET PRODUCTS | R615 |
| | | | | | NYCTA | 2531015A |
| | | | | | TRITON | TR20561 |
| | | | | | WESTINGHOUSE | 8617A79G01 |
| 08-38-1771 | SPRING, COMPRESSION, U/W MOVING CONTACT ASSEMBLY CAM SWITCH XC-148, 198, 248, | 1 | 100 | 100 | EVERSON ELECTRIC | 18477-1-319 |
| | | | | | HORNE | 1771B |
| | | | | | WESTINGHOUSE | 3D99510H01 |
| 08-38-1772 | CONTACT, MOVABLE, WITH SILVER INSERT, FOR CAM SWITCHES XC-149-S, XC-198, XC- 298, XC-798, XCA-149 | 2 | 34 | 100 | ADVANCED METALLURGY INC. | 981A |
| | | | | | HORNE | 1772 |
| | | | | | HOYT POWERMET PRODUCTS | R600 |
| | | | | | NYCTA | 2531015A |
| | | | | | WESTINGHOUSE | 21D7111GO1 |
| 08-38-1786 | CONTACT, STATIONARY, WITHOUT SILVER INSERT FOR CAM SWITCH, XCA-149, XC-148, XC-248, XC-648, XC-748, XC-848 | 9971 | 8785 | 100 | ADVANCED METALLURGY INC. | 982B |
| | | | | | CASTING | 10-987E |
| | | | | | CONTACTOR MANUFACTURING | MET-300 |
| | | | | | ELECT MATERIALS | 1717261 |
| | | | | | GLOBE CONNECT | GC-N2438086 |
| | | | | | HORNE | 1786 |
| | | | | | HOYT POWERMET PRODUCTS | R610 |
| | | | | | NYCTA | 2531015A |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------|-----------|-----------|-------------|--------------------------|-------------|
| 08-38-1787 | CONTACT, MOVABLE, WITHOUT SILVER INSERT, FOR WE TYPE XC-248, 648, 748 & 848 CAM SWITCHES. | 5846 | 5096 | 100 | WESTINGHOUSE | 8617A55H01 |
| | | | | | ADVANCED METALLURGY INC. | 987A |
| | | | | | CONTACTOR MANUFACTURING | MEI-310 |
| | | | | | ELECTRIC MATERIALS | 1572799 |
| | | | | | GLOBE CONNECT | GC-N2438087 |
| | | | | | HORNE | 1787 |
| | | | | | HOYT POWERMET PRODUCTS | RW596 |
| | | | | | NYCTA | 2531015 |
| | | | | | WESTINGHOUSE | 21D7110H01 |
| 08-38-1870 | CONTACT, ELECTRICAL, USED WITH RELAY TYPES ATL, AT2, UG- | 0 | 10 | 100 | HOYT POWERMET PRODUCTS | RW800 |
| 08-38-2780 | INSULATOR ASSEMBLY, FOR RESISTOR STYLE NO. | 76 | 39 | 100 | WESTINGHOUSE | 4227B27G01 |
| 08-38-2784 | RESISTOR ASSEMBLY, TYPE MA-17 0.069 OHMS | 5 | 0 | 100 | NYCTA | 254-1814 |
| | | | | | WESTINGHOUSE | 1D47668G01 |
| | | | | | | 1796217 |
| 08-38-2785 | RESISTOR, ASSEMBLY, TYPE MA-17, TUBE .086 OHMS, R29, R33, | 6 | 0 | 100 | NYCTA | 254-1815 |
| | | | | | WESTINGHOUSE | 1D47667G01 |
| 08-38-2794 | RESISTOR ASSEMBLY, TYPE MA-17, TUBE, .285 OHMS, R29, R33, | 8 | 0 | 100 | NYCTA | 254-1816 |
| | | | | | WESTINGHOUSE | 1D47688G01 |
| 08-38-2795 | RESISTOR ASSEMBLY, TYPE MA-17, TUBE, .150 OHM RESISTANCE | 15 | 0 | 100 | WESTINGHOUSE | 1D47665G01 |
| 08-38-3353 | VALVE, MAGNET, COMPLETE, FOR CONTROL BOX, TYPE UP-631-A., | 0 | 0 | 100 | EVERSON ELECTRIC | 18451-100 |
| | | | | | WESTINGHOUSE | 1489898-A |
| 08-38-3354 | VALVE, MAGNET, COMPLETE, FOR REVERSER, TYPE XR-982 | 0 | 0 | 100 | EVERSON ELECTRIC | 18451A-100 |
| | | | | | WESTINGHOUSE | 1528197-B |
| 08-38-3366 | VALVE, UPPER, TYPE UB-36-C, 32B,E,F,G,Y & T, UB-86A, UBA-132D 7 UB-832F | 0 | 0 | 100 | WESTINGHOUSE | 570A258-G01 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 08-42-5006 | ELECTROLYTIC CAPACITOR M 68000 M63, LVPS(SHELF LIFE 2 YRS FROM MANUFACTURING DATE ON CAPACITORS) | 312 | 256 | 100 | EPCOS | B41456-S8689-M004 |
| 08-42-5250 | BEARING, BALL. NON-INSULATED U/W TRACTION MOTOR | 0 | 0 | 100 | SKF | 6214/C4HS0 |
| 08-42-5286 | BUSHING, RESILIENT NOTE: "EVERY 10 PIECES MUST BE IN A | 1797 | 333 | 100 | ALSTOM TRANSPORTATION INC. HUTCHINSON AEROSPACE | DTR0000090834 565106-11 |
| 08-42-6038 | RELAY | 1194 | 984 | 100 | ALSTOM TRANSPORTATION INC. LEACH INTERNATIONAL OF NRTH | DTR0000029859 F470-H4DP-12YUU |
| 08-42-7618 | CAPACITOR, ELECTROLYTIC, 350 VOLTS, 16000 MICROFARADS, - 10% +30 %, USED ON CAPACITOR BANK ASSEMBLY (PURCHASED BY DESCRIPTION) | 17702 | 1711 | 100 | ALSTOM TRANSPORTATION INC. EPCOS VISHAY ANGSTROHM PRECISION | DTR0000067095-A DTR0000067095 CA60JQ-001 B43564-S4169-Q1 MAL210290065E3 |
| 08-42-7633 | CAPACITOR, 400V, 11,000 UF. RATED AT 12000 HRS @ 85 DEGREE CELSIUS OR 2000 HRS @ 105 DEGREE CELSIUS. USED ON 8-PACK CAPACITOR ASS'Y, TRACTION INVERTER | 276 | 273 | 100 | EPCOS | B43456S9119A001 |
| 08-42-7641 | CONTACT TIPS, FIXED AND MOVEABLE, KIT, U/W LINE CONTACTOR, HIGH CURRENT 1200 AMPS, KIT INCLUDES: 01010777 KIT FIXED CONTACT S8 L THNS800; 01011678 GROUP MOBILE CONTACT + ARC RUNNER; 0100204 MOBILE | 198 | 96 | 100 | MICROELETTRICA SCIENTIFICA | 010HNS800R160 |
| 08-44-1009 | STRAINER AND REGULATOR ASSEMBLY, FOR TYPE XCA-248G PACKAGE UNIT #XCA248G & J | 0 | 0 | 100 | WESTINGHOUSE | 5572C73G01 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|--------------------------------------------------------------------------------------------|-----------|-----------|-------------|------------------------------------------------------------------------------|----------------------------------|
| 08-44-1426 | CONTACT, FOR TYPE UMA-275A CONTACTOR | 9013 | 6291 | 100 | BOMBARDIER HORNE HOYT POWERMET PRODUCTS | 18D9643H01 1426 RW580 |
| 08-44-2754 | RESISTOR ASSEMBLY, TYPE MA-17, TUBE, 0.098 OHM | 0 | 0 | 100 | WESTINGHOUSE | 1D47655G01 |
| 08-44-6053 | RESISTOR, ASSEMBLY, USED WITH RESISTOR FRAME ASSEMBLY 0.118 OHMS | 0 | 0 | 100 | WESTINGHOUSE | 1D47686G02 |
| 08-44-6055 | RESISTOR ASSEMBLY, 0.205 OHMS FOR R44 CAR CLASS | 0 | 0 | 100 | WESTINGHOUSE | 1D47658G02 |
| 08-44-6057 | RESISTOR, USED ON FRAME ASSEMBLY NO. 3, 0.150 OHM RESISTANCE STAIN ST. | 0 | 0 | 100 | WESTINGHOUSE | 1D47665G02 |
| 08-44-6058 | RESISTOR, USED ON FRAME ASSEMBLY NO. 3, 0.127 OHM RESISTANCE | 0 | 0 | 100 | WESTINGHOUSE | 1D47666G02 |
| 08-44-6059 | RESISTOR, USED ON FRAME ASSEMBLY NO. 4, R44 GOH CAR, 0.102 OHM RESISTANCE, STAINLESS STEEL | 26 | 1 | 100 | WESTINGHOUSE | 1D47687G02 |
| 08-44-6060 | RESISTOR, USED ON FRAME ASSEMBLY, NO. 4 AND NO.5, 0.053 OHM RESISTANCE, STAINLESS STEEL. | 2 | 0 | 100 | WESTINGHOUSE | 1D47669G02 |
| 08-44-6771 | CONTACT, MOVABLE, FOR CAM SWITCH XC-298 | 565 | 520 | 100 | WESTINGHOUSE | 30B1864G16 |
| 08-60-0009 | BRUSH, GROUND, TAMPED FOR R142, R142A, AND R143 AND R160 GROUND BRUSH | 5828 | 1832 | 100 | MERSEN USA BN CORP NATIONAL ELECTRICAL CARBON SCHUNK CARBON TECHNOLOGY | WE-969 61051813SZ 10573655 |
| 08-62-0281 | HOUSING, BEARING, 2 PIECE, U/O CAM CONTROLLER ASSY, | 9 | 0 | 100 | FAFNIR WESTINGHOUSE | 62PB-H5G/O 404P581H03 |
| 08-62-0310 | STATIONARY ASSEMBLY, USED | 0 | 0 | 100 | EVERSON ELECTRIC | 18444-160 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|---------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------------------------------------------------|--------------------------------------------------|
| 08-62-0317 | ON CAM SWITCH ASSEMBLY, STATIONARY ASSEMBLY, USED | 0 | 0 | 100 | WESTINGHOUSE EVERSON ELECTRIC | 5819C64G01 18442-130 |
| 08-62-1180 | ON CAM SWITCH ASSEMBLY, OVERVOLTAGE ASSEMBLY, U/O CONVERTOR. | 0 | 0 | 100 | WESTINGHOUSE APPLIED POWER SYSTEMS, INC. | 5819C71G01 OVM-9901 |
| 08-62-1400 | CONTACT, TYPE UME-215B, J/BDC ASSEMBLY, F/CONTROL | 0 | 0 | 100 | BOMBARDIER TRANSPORTATION HOLEC WESTINGHOUSE | 1D48239G01 GMB314 3D99204G01 |
| 08-62-2025 | BEARING, 60MM BALL, COMMUTATOR END, 1447J T/MTR | 950 | 1100 | 100 | BOMBARDIER TRANSPORTATION FAG NYCTA SKF | 1D48155H04 6312/C3 PALLET SPEC. 6312/C3 |
| 08-62-2675 | DOOR RELAY ASSEMBLY, TYPE URJ-51, USED WITH CONTORL EQUIPMENT | 117 | 8 | 100 | WESTINGHOUSE | 1D47602G03 |
| 08-62-2763 | RESISTOR ASSEMBLY, FOR MA-17 TYPE 0.322 OHMS FOR R62A | 4 | 0 | 100 | WESTINGHOUSE | 1D47660G01 |
| 08-62-2766 | RESISTOR ASSEMBLY TYPE MA- 17, 0.815 OHMS, FOR R62A CARS | 8 | 0 | 100 | WESTINGHOUSE | 1D47690G01 |
| 08-62-2767 | RESISTOR ASSEMBLY, TYPE MA- 17, 0.645 OHMS FOR R62A, R68 AND R68A. | 7 | 1 | 100 | WESTINGHOUSE | 1D47663G01 |
| 08-62-2768 | RESISTOR ASSEMBLY, TYPE MA- 17, 0.515 OHMS FOR R62A CARS | 3 | 0 | 100 | WESTINGHOUSE | 1D47662G01 |
| 08-62-3355 | VALVE, MAGNET, ASSEMBLY, TYPE UBA-132-S USED ON CYLINDER INTERLOCK ASSEMBLY WE #1D63047G01. | 0 | 0 | 100 | WESTINGHOUSE | 5819C26G01 |
| 08-68-0242 | CONTACT, STATIONARY WITH SLOT, USED WITHCAM CONTROLLER TYPE XCD-248Q AND INTERLOCK ASSEMBLY #5819C57G01 | 162 | 103 | 100 | WESTINGHOUSE ELECTRIC | 4227B92G02 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------|-----------|-----------|-------------|---------------------------------------------------------|----------------------------|
| 08-68-1401 | CONTACTOR ASSEMBLY, TYPE UME-252-D, USED ON PACKAGE UNIT ASSEMBLY TYPE XCB-248-S. | 0 | 0 | 100 | WESTINGHOUSE | 1D47682G02 |
| 08-68-2763 | RESISTOR ASSEMBLY, TYPE MA-17, 0.736 OHMS FOR R68 AND R68A CARS | 2 | 0 | 100 | WESTINGHOUSE | 1D47689G01 |
| 08-68-2778 | RESISTOR, 0.570 OHMS, WE RESISTOR ASSEMBLY, #2120F56G05 AND #2120F57G06 | 0 | 0 | 100 | BOMBARDIER TRANSPORTATION | 1D48307G01 |
| 09-33-3794 | RESISTOR, 50 WATT, 1500 OHM, ADJ. U/O CONTROLLER GROUP BOXES 17KG192AE2 | 0 | 0 | 100 | GENERAL ELECTRIC CO. | 482A444ARP26 |
| 09-33-3832 | ADAPTER, U/O CONTROLLER GROUP BOXES 17KG192AE2. | 0 | 0 | 100 | GENERAL ELECTRIC CO. | 41A265958G2 |
| 09-33-3901 | MODULE, U/O PANEL # 17MM110B3. | 0 | 0 | 100 | GENERAL ELECTRIC CO. | 41B567209G11 |
| 09-38-0095 | CONTACT, FINGER, USED WITH MASTER CONTROLLER TYPE | 181 | 2 | 100 | GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS | 4734382G1 R242 |
| 09-38-0106 | CONTACT, F/CONTROLLERS TYPES 17KC48J7, 17KC23A1, | 0 | 0 | 100 | GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS | 4709938G1 R-210 |
| 09-38-0239 | INTERLOCK, WITH BASE, SUPPORTS, ROLLERS,PINS, | 0 | 0 | 100 | GENERAL ELECTRIC CO. | 426C806G3 426C806G1 |
| 09-38-0243 | CONTACT, USED WITH CONTROLLER TYPE 17KM42B1 FINGER, WITH TIPS, MUST BE CADMIUM FREE | 40 | 0 | 100 | GENERAL ELECTRIC CO. | 9963542-G1 |
| 09-38-0253 | CONTACT, STATIONARY, FOR KM TYPE CONTROLLERS, MUST BE CADMIUM FREE | 40 | 0 | 100 | GENERAL ELECTRIC CO. HORNE HOYT POWERMET PRODUCTS | 498A762G1 7510 R-305 |
| 09-38-0340 | KIT, CONTACT UNIT, 3/4", INCLUDES 3/4" CONTACT UNIT, | 302 | 157 | 100 | GENERAL ELECTRIC CO. MAC PRODUCTS, INC. | 170X1403 Z050007B8122SB |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------------------------------------------------------------------------|-----------------------------|
| 09-38-0342 | CONTACT UNIT WITH FRAME, OPERATING ARMS, ARMATURE, TERMINAL BLOCK CONTACT MOVABLE AND ARCING HORN, FOR 17KM48 CONTROLLER, R-29- 38 CARS. | 0 | 0 | 100 | GENERAL ELECTRIC CO. | 41D750493G1 |
| 09-38-0413 | CONTACT, ELECTRICAL, USED WITH CONTROLLER TYPES 17KM42B1 & 17KM43B1, MOVABLE & STATIONARY CONTACT UNIT WITH METAL SUPPORT & WITHOUT ARC CHUTE | 28 | 13 | 100 | GENERAL ELECTRIC CO. | 332B468G2 |
| 09-38-0415 | CONTACT, FINGER, 17KM42 & 48 CONTROLLERS MUST BE CADMIUM FREE | 1265 | 664 | 100 | GENERAL ELECTRIC CO. | 8839678G1 |
| 09-38-0420 | CONTACT, SCREW, FOR TYPE 17KM42 & 48 CONTROLLERS, MUST BE CADMIUM FREE | 229 | 0 | 100 | ADVANCED METALLURGY INC. GENERAL ELECTRIC CO. | 1050A 9963477G19 |
| 09-38-1251 | CONTACT, ELECTRICAL, STATIONARY, WITH 1-7/32" OFFSET TIP AND STUD, USED | 281 | 235 | 100 | ADVANCED METALLURGY INC. GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS | 996A 8807882-G1 R-395 |
| 09-38-1252 | CONTACT, ELECTRICAL, STATIONARY, OFFSET 15/32", FOR | 62 | 98 | 100 | GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS | 8807883G1 R400 |
| 09-38-1257 | CONTACT, FINGER, WITH TIPS AND SHUNT, FOR TYPE 17LE50A1 & TYPE 17LV66J1 RELAYS & TYPE 17AF41-A1 INTERLOCK, FOR R10- 38 CARS & DIESEL LOCOS. MUST BE CADMIUM FREE. | 75 | 0 | 100 | GENERAL ELECTRIC CO. | 8860749-G1 |
| 09-38-1258 | SPRING, CONTACT FINGER FOR RELAY TYPE 17LV66BD11, R-38 | 343 | 226 | 100 | GENERAL ELECTRIC CO. HORNE | 8823868-P1 1258-A |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|----------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-------------------------------------------------------------------------------|------------------------------------------|
| | CARS | | | | MECHANICAL SPRING | |
| | | | | | | **** PART NO. NOT AVAILABLE **** |
| 09-38-1427 | COIL, OPERATING, COIL #14, FOR TYPE 17CM53A CONTACTOR | 0 | 0 | 100 | GENERAL ELECTRIC CO. | 41A250308G2 |
| 09-38-1449 | TIP, CONTACT, STATIONARY AND MOVABLE, USED WITH 4 TON BATTERY LOCOMOTIVE TYPE LSB-2T4-K, 85 VOLT, SER. #32485, | 1434 | 592 | 100 | GENERAL ELECTRIC CO. HORNE HOYT POWERMET PRODUCTS MAC PRODUCTS, INC. | 8867977-P1 1449 R440 09-38-1449 |
| 09-38-1453 | HORN, ARCING, USED WITH GE CONTACTOR 17CM53A5 | 40 | 9 | 100 | GENERAL ELECTRIC CO. | 488A478-G1 |
| 09-38-1455 | CONTACT, SUPPORT STATIONARY, WITH BLOWOUT COIL, CORE AND POLE & POLE PIECE FOR TYPE 17CM53A14 | 1 | 0 | 100 | GENERAL ELECTRIC CO. | 6750247G9 |
| 09-38-1752 | COIL, OPERATING, FOR RELAY 17LE62E1 & 17LV66. R17 - 26 | 2 | 0 | 100 | GENERAL ELECTRIC CO. SWIGER COIL | 9960975G1 SCS 12781 |
| 09-38-1946 | CONTACT, ELECTRIC, USED WITH INTERLOCK TYPE F1-127, | 247 | 165 | 100 | GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS | 6711338G1 R-334 |
| 09-46-1469 | HORN, ARCING, FOR TIP, FOR TYPE 17CM55A5 MOTOR LINE | 121 | 57 | 100 | GENERAL ELECTRIC CO. TRANSPORT PRODUCTS | 8814906P1 TP380052 |
| 09-46-1802 | FINGER ASSEMBLY, FOR INTERLOCK ASSEMBLY | 0 | 0 | 100 | GENERAL ELECTRIC CO. MAC PRODUCTS, INC. | 487A616G4 487A4616G4 |
| 09-62-0133 | KIT, CONTACT TIP, FOR TYPE GE 17KM48AE, AH, & 17KM60A1 | 8967 | 3125 | 100 | GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS | 41A288026G2 RK92 |
| 09-62-0272 | CAMSHAFT, FOR CAM CONTROLLER OVERHAUL KIT | 5 | 0 | 100 | GENERAL ELECTRIC CO. | 41R965746G7 |
| 09-62-1440 | TIP, CONTACT, SILVER TUNGSTON, USED ON | 871 | 252 | 100 | GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS | 41A263565G2 R169 |
| 09-62-1725 | KIT, CONTACT TIPS FOR 3/4" CONTACTS FS2,FS4, CONTAINS 1 | 67 | 3 | 100 | GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS | 170X1263 RK1725 |
| 09-62-1726 | KIT, CONTACT TIPS, FOR 3/4" CONTACTS M1,RP1, R9, R12, | 244 | 93 | 100 | GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS | 170X1261 RK1726 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-----------------------------------------------------------------------------|--------------------------------------------------------------------|
| 09-62-1727 | KIT, CONTACT TIPS FOR 1" CONTACTS M2, R8, R10, R11, | 237 | 84 | 100 | GENERAL ELECTRIC CO. | 170X1260 |
| 09-62-1728 | KIT, CONTACT TIPS FOR 17JM9D2A LINEBRAKER, | 733 | 315 | 100 | HOYT POWERMET PRODUCTS | RK1727 |
| 09-62-1729 | KIT, CONTACT TIPS FOR REVERSER CONTACT (NEW | 221 | 47 | 100 | GENERAL ELECTRIC CO. | 170X1259 |
| 09-62-1730 | KIT, CONTACT TIPS FOR 3/4" CONTACTS FS1, FS3, CONTAINS 1 | 1009 | 520 | 100 | HOYT POWERMET PRODUCTS | RK1728 |
| 09-62-1731 | KIT, CONTACT TIPS FOR 17JM7M422 BRKR CONTAINS 1 EA | 9 | 2 | 100 | GENERAL ELECTRIC CO. | 170X1264 |
| 12-34-5001 | KIT, CLEAT ASSEMBLY, USED WITH GE/WH DC TRACTION MOTOR. ALL RUBBER MATERIAL SHALL BE NEOPRENE, NON | 566 | 984 | 100 | HOYT POWERMET PRODUCTS | 170X1262 |
| 12-38-8001 | BEARING, ROLLER, TAPERED, SINGLE ROW, TYPE TS, 7.3750" X 11.1250" X 2.0000" #2 TOLERANCE. NOTE: THE LOW BIDDER MUST QUOTE ON THE SAME MANUFACTURE FOR THE OUTER BEARING CUP (12-38-8030) FOR 10% OF THE BEARING | 1749 | 1348 | 100 | GENERAL ELECTRIC CO. | 41C633508G4 |
| 12-38-8010 | BEARING, ROLLER, LOW SPEED, MOTOR SIZE, TAPERED, SINGLE ROW, TYPE TS, 7.5000", 11.1250" X 2.000", #2 TOLERANCE, U/W GEAR UNITS TYPE WN 44 CGS R10 THRU R62A CARS. NOTE: THE LOW BIDDER MUST QUOTE ON | 2666 | 1054 | 100 | HAFCO FOUNDRY & MACHINE NYCTA TRANSPORT PRODUCTS | HF-5001 PALLET SPEC. TP441003 |
| 12-38-8020 | BEARING, ROLLER, NON-INSULATED CYLINDRICAL, RAILWAY TYPE, SINGLE ROW, | 115 | 0 | 100 | BOMBARDIER TRANSPORTATION FAG GENERAL ELECTRIC CO. NTN BEARING CORP. OF SKF | 4078B31G01 F-809376.TR1 8864953P28 87737/87111 |
| | | | | | TIMKEN WESTINGHOUSE | 87111(#2TOLERANCE)CUP,87737 CONE 87111 CUP, 87737 CONE 4078B31 G01 |
| | | | | | FAG GENERAL ELECTRIC CO. NTN BOWER CORPORATION NYCTA SKF | F-809377.TR1 8864953-P29 87750/87111 PALLET SPEC |
| | | | | | TIMKEN | CONE #87750 #2 TOL. CUP #87111 CONE #87750 CUP #87111 |
| | | | | | FAG GENERAL ELECTRIC CO. SKF | NU214-E-XL-M1-F1-C4 8864951-P73 NU214ECMC4VA301 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|---------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------------------------|-------------------|
| 12-38-8030 | CUP, OUTER BEARING, ROLLER TAPERED, SINGLE ROW, TYPE TS,7.3750" X 11.1250" X 2.000" | 0 | 0 | 100 | NTN | 87111 |
| | | | | | SKF | 87111 |
| | | | | | TIMKEN | 87111 |
| 12-42-2324 | CONTACTOR, U/O TYPE B-6672 SAFETY 7KW CONVERTER, GE | 0 | 0 | 100 | GE SUPPLY | IC28001607 CF3Z34 |
| | | | | | STONE SAFETY SERVICE CORP. | S11531-20 |
| 12-42-3158 | ROLLER BEARING, DRIVE END, INSOCOAT INSULATED, (DARK GREY COLOR)/TRACTION MOTOR | 1605 | 330 | 100 | SKF | NU214ECM/C4VA3091 |
| 12-42-3159 | BALL BEARING, NON-DRIVE END, INSOCOAT INSULATED, (DARK GREY COLOR)/ TRACTION MOTOR | 1605 | 330 | 100 | SKF | 6214M/C4HVL0241 |
| 12-44-0009 | COIL, COILS TO BE DOUBLE- DIPPED V.P.I. AND POTTED TO POLE PIECE, FOR TRACTION | 0 | 0 | 100 | EVERSON ELECTRIC | 13420 |
| | | | | | GENERAL ELECTRIC CO. | 41D731659-G3 |
| | | | | | SWIGER COIL | 12609 |
| 12-44-0011 | COIL, COILS TO BE DOUBLE- DIPPED V.P.I. AND POTTED TO | 0 | 0 | 100 | EVERSON ELECTRIC | 13419 |
| | | | | | GENERAL ELECTRIC CO. | 41D731659G4 |
| 12-44-2060 | TERMINAL, QUICK DISCONNECT, CRIMP TYPE, FOR .812" MAX. INSULATION DIA. 3/0 WIRE NOTE: | 0 | 0 | 100 | AMP/TYCO ELECTRONICS CORP. | 52596-1 |
| | | | | | NYCTA | 3032-MATL-83 |
| | | | | | | 253-1127 REV. E |
| 12-44-2062 | TERMINAL, QUICK DISCONNECT, CRIMP TYPE FOR .688" MAX INSULATION DIA., 2/0 WIRE NOTE: APPLICABLE WIRE/CABLE | 0 | 0 | 100 | AMP/TYCO ELECTRONICS CORP. | 52595-2 |
| | | | | | MAC PRODUCTS, INC. | QDT 2/0-2 |
| | | | | | NYCTA | 3032-MATL-83 |
| | | | | | | 253-1127 REV. E |
| 12-44-2084 | TERMINAL, QUICK DISCONNECT, CRIMP TYPE FOR .850" MAX INSULATION DIA., 2/0 WIRE | 0 | 0 | 100 | AMP/TYCO ELECTRONICS CORP. | 53444-1 |
| | | | | | NYCTA | 3032-MATL-83 |
| | | | | | | 253-1127 REV. E |
| 12-44-2086 | TERMINAL, QUICK DISCONNECT, CRIMP TYPE, FOR .800" MAX INSULATION DIA., 1/0 WIRE | | | 100 | AMP/TYCO ELECTRONICS CORP. | 53443-1 |
| | | | | | NYCTA | 3032-MATL-83 |
| | | | | | | 253-1127 REV. E |
| 12-46-0061 | BRUSHHOLDER ASSEMBLY, RIGHT HANDM FOR GE 1257 TRACTION MOTOR | 14 | 2 | 100 | CARBONE | CL-PE4299-1A |
| | | | | | FULMER CO. | GE440RUF |
| | | | | | GENERAL ELECTRIC CO. | 41B532735G5 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| 12-46-0062 | BRUSHHOLDER, ASSEMBLY, LEFT HAND FOR FOR GE'S 5GE1257 TRACTION MOTORS | 8 | 2 | 100 | TRANSTECH OF S.C., INC. CARBONE FULMER CO. GENERAL ELECTRIC CO. TRANSTECH OF S.C., INC. | 12590A CL-PE4299-1B GE440LUF 41B532735G6 12590B |
| 12-46-0067 | BRUSH, CARBON, FOR REACTION (CONSTANT PRESSURE) BRUSHHOLDER, FOR TYPE SGE1257A2 TRACTION MOTORS. | 32080 | 11257 | 100 | GENERAL ELECTRIC CO. MERSEN USA BN CORP NATIONAL ELECTRICAL CARBON NYCTA | 41A237175P1 GE-984 GRADE EG8220 GE-983 GRADE AC163 DE7000/62000455 PALLET SPEC |
| 12-46-8013 | BEARING, BALL, WITHOUT LUBRICATION FOR GE 1257 A2 TRACTION | 115 | 0 | 100 | GENERAL ELECTRIC CO. NORMA FAG SKF | 8864950P262 6312RSR-C3 6312RSJC3 OR 6312RSJEM |
| 12-62-0075 | TERMINAL, QUICK DISCONNECT, CRIMP TYPE, FOR .715" MAX. INSULATION DIA. 3/0 WIRE NOTE: APPLICABLE WIRE/CABLE SIZE AND MANUFACTURER LOGO | 3643 | 2736 | 100 | AMP/TYCO ELECTRONICS CORP. JOHN R. BROMILEY CO MAC PRODUCTS, INC. NYCTA | 52596-5 JRB-3/0-.719-S QDT 3/0-TA 3032-MATL-83 253-1127 REV. E |
| 12-62-0076 | TERMINAL, QUICK DISCONNECT, CRIMP TYPE, FOR .640 MAX. INSULATION DIA. 2/0 WIRE NOTE: APPLICABLE WIRE/CABLE SIZE AND MANUFACTURER LOGO | 365 | 0 | 100 | AMP/TYCO ELECTRONICS CORP. JOHN R. BROMILEY CO MAC PRODUCTS, INC. NYCTA | 52595-3 JRB-2/0-.641-S QDT 2/0-TA 3032-MATL-83 REV. B 253-1127, REV. E |
| 12-62-0077 | TERMINAL, QUICK DISCONNECT, CRIMP TYPE, FOR .585" MAX. INSULATION DIA. 1/0 WIRE NOTE: APPLICABLE WIRE/CABLE SIZE AND MANUFACTURER LOGO MUST BE EMBOSSED OR | 3530 | 1640 | 100 | AMP/TYCO ELECTRONICS CORP. JOHN R. BROMILEY CO MAC PRODUCTS, INC. NYCTA WESTINGHOUSE | 52594-2 JRB-1/0-.656-S QDT 1/0-TA 3032-MATL-83 253-1127 DET 8 REV. E 7077D80G05 |
| 12-62-0203 | GEAR, F/PROPULSION & MAIN CONTROL EQUIP., R62 CARS | 0 | 0 | 100 | GENERAL ELECTRIC CO. | 41C633947P2 |
| 12-62-2059 | BEARING, 70 MM ROLLER, USED | 950 | 1100 | 100 | BOMBARDIER TRANSPORTATION | 1D48123H09 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|---------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------------------------------|-----------------------|
| | WITH PINION END BEARING ASSEMBLY | | | | EVERSON ELECTRIC | 8888-131 |
| | | | | | FAG | NU314EM1.F1.T51F |
| | | | | | GENERAL ELECTRIC CO. | 8864951-P71 |
| | | | | | MRC | R314E-1 |
| | | | | | RHP | NU314MTC5A |
| | | | | | SKF | NU314ECMC4VA301 |
| | | | | | STEYR BEARING | NU314EBM-C4SV1 |
| 12-62-2087 | PAD, BONDED, COMPONENT PART OF WE RESILIENT HANGER ASSEMBLY #5575C77G01 1 PIECE PER 100 PIECES SHALL BE | 17223 | 10418 | 100 | GLOBE CONNECT | GCS1-18N6201 |
| | | | | | TRANSPORT PRODUCTS | TP17763 |
| | | | | | VULCANITE NORTH AMERICA | VP 3623 |
| | | | | | WESTINGHOUSE | 4078B75G01 |
| 12-62-2432 | HALF COUPLING ASSEMBLY, MOTOR UNIT, USED ON | 0 | 0 | 100 | BOMBARDIER TRANSPORTATION | 1D62817G03 |
| | | | | | PPC | 1D62817G03 |
| 12-62-2457 | COUPLING, HUB, FOR GEAR UNIT, FOR PROPULSION | 78 | 136 | 100 | BOMBARDIER TRANSPORTATION | 1D63463H01 |
| 12-62-2601 | BRUSH, CARBON SPLIT CONNECTION, F/WE. TRACTION MOTOR TYPE 1447J & 1447F, W/ RUBBER RESILIENT PAD | 41415 | 19605 | 100 | CARBON/GRAPHITE GROUP | 0385-024 E44 |
| | | | | | MERSEN USA BN CORP | WE-530 GRADE EG8220 |
| | | | | | | WE-529 GRADE AC163 |
| | | | | | NATIONAL ELECTRICAL CARBON NYCTA | 01-24518 GRADE EG-835 |
| | | | | | | PALLET SPEC. |
| | | | | | | 253-1064 REV. A |
| | | | | | WESTINGHOUSE | 8621A86H01 |
| 12-62-2602 | BRUSH HOLDER, L.H. F/TRACTION MOTOR TYPE 1447A, 1447C, 1447F & 1447J | 47 | 20 | 100 | DIAMOND CARBON CO | 220L |
| | | | | | EVERSON ELECTRIC | 9724-03-001 |
| | | | | | FULMER CO. | W-220AL |
| | | | | | TRANSTECH OF S.C., INC. | 14560B |
| | | | | | WESTINGHOUSE | 1914F21G01 |
| 12-62-2603 | BRUSH HOLDER, R.H. FOR TRACTION MOTOR TYPE 1447A, 1447C, 1447F & 1447J | 51 | 24 | 100 | DIAMOND CARBON CO. | W22A1296G06 |
| | | | | | EVERSON ELECTRIC | EQUAL |
| | | | | | FULMER CO. | W-220AR |
| | | | | | TRANSTECH OF S.C., INC. | 14560A |
| | | | | | WESTINGHOUSE | 1914F21G02 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 12-68-2007 | COIL, MAINFIELD, (OPEN), COIL IS TO BE DOUBLE-DIPPED V.P.I. AND POTTED TO POLE PIECE, FOR | 0 | 0 | 100 | EVERSON ELECTRIC SWIGER COIL WESTINGHOUSE | 19324 PTSW2525F68G02 2525F68G02 |
| 12-68-2008 | COIL, MAINFIELD, (CROSSED), COIL IS TO BE DOUBLE-DIPPED V.P.I AND POTTED TO POLE | 0 | 0 | 100 | EVERSON ELECTRIC SWIGER COIL WESTINGHOUSE | 19325 PTSW2525F68G01 2525F68G01 |
| 12-68-2009 | COIL, COMMUTATING, COIL IS TO BE DOUBLE DIPPED V.P.I. AND POTTED TO POLE PIECE, FOR TRACTION MOTOR, FOR PROPULSION EQUIPMENT. COIL MUST BE STAMPED WITH | 0 | 0 | 100 | WESTINGHOUSE | |
| 12-68-2010 | GEAR, SET, CONSISTING OF 1 EACH H.S. PINION WE #1651E73H01 AND 1 EACH LOW | 13 | 30 | 100 | NUTTALL GEAR CORP NYCTA WESTINGHOUSE | 2525F69G01 8622A36G01 PALLET SPEC 8622A36G01 |
| 12-68-2415 | BEARING ASSEMBLY, ROLLER, TAPERED, SINGLE ROW TYPE TS, 2.75" X 6.00" X 1.625", NO. 2 TOLERANCE, KIT TO CONSIST OF CUP AND HEAVY DUTY TYPE | 6171 | 2823 | 100 | GENERAL ELECTRIC CO. NTN BEARING CORP. OF RBC BEARINGS TIMKEN WESTINGHOUSE | KK8864953 P130 655PW4VW2/652VW1 655VG080/652 CUP652,CONEXC2409CB 5584B11G01 |
| 12-68-2605 | BRUSH, GROUND, 1-1/4" X 1-1/4" X 2-1/4", 4-1/4" PIGTAIL LENGTH, | 2491 | 1272 | 100 | MERSEN USA BN CORP MORGAN AM & T | GE-288 GRADE#MC79P 61050169 |
| 13-05-0001 | BATTERY, LEAD ACID, LOCOMOTIVE STARTING, 16 CELL, 32 VOLT, 330 AH CAPACITY AT THE EIGHT HOUR RATE AT 77 DEGREE F/25 DEGREE C TO 1.70 VPC WITH A SPECIFIC GRAVITY OF 1.240 TO 1.2600 +/-0.005. | 3 | 4 | 100 | NATIONAL | |
| 13-05-0024 | BATTERY, NICKEL CADIUM, 200 AMPERE HOURS, H PLATE WITH | 58 | 38 | 100 | HBL POWER SYSTEMS NYCTA | 4-LMS325 69-26771 2106-PROD-15 REV. B |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | UDEL POLYSULFONE P1700 | | | | SAFT AMERICA INC. | SMRX200F3 |
| 13-05-2100 | CELL, BATTERY STORAGE, NICKEL CADMIUM, 80 AMPERE HOUR, | | | 100 | SAFT AMERICA INC. | 80-52033-83 80-50233-83 |
| 13-05-2720 | BATTERY, STORAGE, NICKEL CADMIUM, 140 AMPERE HOURS, STAINLESS STEEL CASE, ASSEMBLED AS A CAR SET OF 25 CELLS IN A 5 X 5 CONFIGURATION. | 0 | 0 | 100 | HOPPECKE MARATHON MARATHON STANDBY MC GRAW EDISON NYCTA SAB NIFE SAFT BATT | **** PART NO. NOT AVAILABLE **** **** PART NO. NOT AVAILABLE **** TA11C18 **** PART NO. NOT AVAILABLE **** 2106-PROD-15 1X7049 1X7048 (MAX. ENVELOPE) **** PART NO. NOT AVAILABLE **** |
| 13-05-2755 | BATTERY, STORAGE, NICKEL CADMIUM, 100 AMPERE HOURS, FLAME RETARDANT PLASTIC | 41 | 47 | 100 | HBL POWER SYSTEMS NYCTA | 69-32057 2016-PROD-15 REV. B |
| 13-05-2798 | BATTERY, STORAGE, NICKEL CADMIUM, 100 AMPERE HOURS, FLAME RETARDANT PLASTIC | 0 | 0 | 100 | HOPPECKE NYCTA SAFT AMERICA INC. | SRM100-25 205 MFR-25-01 2106-PROD-15 |
| 13-05-3700 | CASE, ASSEMBLED AS A CAR SET BATTERY, STORAGE, NICKEL CADMIUM, 100 AMPERE HOURS STAINLESS STEEL CASE, ASSEMBLED AS A CAR SET OF 25 CELLS IN A 9-8-8 CONFIGURATION | | | 100 | HOPPECKE NYCTA | **** PART NO. NOT AVAILABLE **** **** PART NO. NOT AVAILABLE **** 8024-GENL-81 8024-GENL-01 2071-PROD-91 REV. C |
| 13-05-6000 | BATTERY, COMPLETE SET, SRX 195 X 25 CELLS IN CRATES | 0 | 0 | 100 | SAFT AMERICA INC. NYCTA SAFT AMERICA INC. | EDN100S 2106-PROD-15 212811 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-------------------------------|---------------|
| 13-05-6589 | BATTERY, ONE CELL OF SRX250 STAINLESS STEEL BATTERY. FOR RAILCARS NICKEL CADMIUM ALKALINE BATTERY WITH POTASSIUM HYDROXIDE ELECTROLYTE. | 0 | 0 | 100 | SAFT AMERICA INC. | 214599 |
| 13-05-6602 | BATTERY, SRX 195 X 1 CELL | | | 100 | SAFT AMERICA INC. | 213166 |
| 13-05-7349 | BATTERY, SRX 195 X 5 CELLS IN CRATE WITH INTERCELL CONNECTORS | 0 | 0 | 100 | SAFT AMERICA INC. | 213154 |
| 13-32-0000 | BEARING TUBE, "T" TYPE, R32 SIDE DOOR PANELS | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | H-015-325 |
| 13-32-1780 | DROP PANEL ASSEMBLY, SLIDING TOP HALF #2 CAB, COMPLETE WITH SPECIAL FIBER COATED "U" CHANNEL WEATHERSTRIP, BOTTOM BUMPERS, RELEASE LATCHES AND HANDLE | 0 | 0 | 100 | ELLCON NATIONAL, INC. | 60222 |
| 13-32-4741 | HANGER, R32, USED ON SIDE DOOR PANELS 1-2 AND 9-10. MOUNTING CHANNEL REQUIRED | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 100101-129100 |
| 13-32-4742 | HANGER, R32, USED ON SIDE DOOR PANELS 3-4 AND 11-12. MOUNTING CHANNEL REQUIRED | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 100101-341112 |
| 13-32-4743 | HANGER, R32, USED ON SIDE DOOR PANELS 5-6 AND 13-14. MOUNTING CHANNEL REQUIRED | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 100101-561314 |
| 13-32-4744 | HANGER, R32, USED ON SIDE DOOR PANELS 7-8 AND 15-16. MOUNTING CHANNEL REQUIRED | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 100101-781516 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|---------------------------------|-----------------------|
| 13-32-4745 | HANGER, END DOOR, R32, R38, R40. R32-#1 AND #2 ENDS, R38-#1 AND #2 ENDS, R40-#1 END ONLY. USES A 25" BEARING HOUSING AND 60.5" SHAFT | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 200201-25-3832 |
| 13-38-3767 | CELL, SRM100R3, TRAY ASSEMBLY, 5SRM100F3. USED ON BATTERY, STORAGE, NICKEL CADMIUM, 100 A/H, CAR SET OF 25 CELL IN A 5 X 5 | 0 | 0 | 100 | SAFT AMERICA INC. | 800283001 |
| 13-40-9050 | HANGER BAR, END DOOR, R40, #2 END ONLY INCLUDES ONE 60.5" SHAFT AND ONE 22" BEARING HOUSING FOR #2 END, SEE 13-32-4745 FOR #1 END | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 200201-22-2 |
| 13-40-9051 | HANGER BAR, SIDE DOOR, 19 INCH, USED WITH DOOR CARRIER ASSEMBLY, INCLUDES MOUNTING CHANNEL. ALSO INCLUDES 50" SHAFTS (2) AND 19" BEARING HOUSINGS (2) FOR TWO DOOR PANELS | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 100101-19-R40 |
| 13-42-5769 | LATCH, SEAT, R/H USED FOR LOCKING SEATS FOR SECURITY. | 0 | 0 | 100 | JL HOWARD TRANSPORT PRODUCTS | 2588-D-RH TP392312 |
| 13-42-6169 | FLOORING, TILE, ONE METER SQUARE, BLACK BASE COLOR WITH RED, GREY AND LILAC SPECKLES, SMOOTH FINISH | 26 | 25 | 100 | NORA SYSTEMS INC | 67572 |
| 13-42-6603 | CABLE, BATTERY, INTER TRAY USED ON SRX195 | 0 | 0 | 100 | SAFT AMERICA INC. | 80-03403-01-A |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|--------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-----------------------------------------------------------------------------|--------------------------------------------------|
| 13-42-9050 | HANGER, SIDE DOOR, R42, INCLUDES 48.5" SHAFTS (2) AND 19" BEARING HOUSINGS FOR 2 DOOR PANELS. INCLUDES MOUNTING CHANNEL. | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 100101-19-42 |
| 13-42-9051 | BAR, HANGAR, SIDE DOOR, 19", USED WITH DOOR CARRIER ASSEMBLY, FOR CORNER SIDE DOOR ON R42 TA CARS ONLY | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 1000101-19M-R42 |
| 13-43-0199 | GASKET, VENT CAP | 0 | 0 | 100 | SAFT AMERICA INC. | 31-03071-02 |
| 13-43-0201 | FLOORING, TILE, ONE METER SQUARE, BLACK BASE COLOR WITH BLUE, TAN AND GREY SPECKLES, SMOOTH FINISH | 235 | 50 | 100 | NORA SYSTEMS INC | 65872 |
| 13-43-0724 | COVER, ATO START SWITCH, U/O TRAIN OPERATOR CONSOLE | 0 | 0 | 100 | KAWASAKI RAIL CARS | 7815-000069 |
| 13-44-9262 | HANGER, SIDE DOOR (CONSIST OF 2 DOOR HANGER) | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 100101-19C-44 |
| 13-46-5525 | COMPOSITE SUB FLOOR COMPLETE SET, "A" CAR | 0 | 0 | 100 | BAULTAR FLOORING SOLUTIONS HAYSITE MILWAUKEE COMPOSITES INC ZOPPAS | CK-30-7248 M360624A 101006PD-NYC 626365 |
| 13-46-5526 | COMPOSITE SUB FLOOR COMPLETE SET, "B" CAR | 0 | 0 | 100 | BAULTAR FLOORING SOLUTIONS HAYSITE MILWAUKEE COMPOSITES INC ZOPPAS | CK-30-7249 M360624B 101007PD-NYC 626366 |
| 13-46-9250 | HANGER BAR, SIDE DOOR, 18", USED WITH DOOR CARRIER ASSEMBLY | | | 100 | HAFCO FOUNDRY & MACHINE CO | 100101-18" |
| 13-46-9262 | MOUNTING CHANNEL, WITH STUD 2-1/4" (X 1/2") WELDED-NO PRE-LOAD REQUIRED | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | H-015-46C |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|------------------------------------------------------|-------------------------------------------------------------|
| 13-46-9263 | MOUNTING BLOCK | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE | H-015-46B |
| 13-46-9288 | SOLENOID, 36VDC-CD | 3 | 0 | 100 | MAGNET SHULTZ | S-10168 |
| 13-46-9630 | END DOOR KIT, U/W R46 ONLY; INCLUDES SHORT HOOK, TOP PLATE FOR HOOK, PIVOT BAR, PIVOT PIN, SCREW FOR PIVOT PIN | 4 | 1 | 100 | HORNE PRODUCTS | HP-293 |
| 13-46-9660 | HANGER, SIDE DOOR, ASSEMBLY | 4 | 0 | 100 | HAFCO FOUNDRY & MACHINE NYCTA | 100101-18-46H G46-43012 REV. A |
| 13-60-7423 | BATTERY, H PLATE, 260 AMPERE HOUR NICKEL CADMIUM WITH POLYSULFONE PLASTIC CELL | 156 | 214 | 100 | HBL POWER SYSTEMS NYCTA SAFT AMERICA INC. | 69-26774 2106-PROD-15 REV. B SMRX260AH-80-94969-01 |
| 13-62-5550 | BALLAST, INVERTER, 37.5 VDC, REVERSE POLARITY PROTECTED, LAMP CURRENT 250 MA,LINE CURRENT FOR TWO F48T12 | 369 | 141 | 100 | AMTEK GULTON NYCTA PAN-ACC | FL37-110PSL-1 0101921-043 253-4019 INM37.5-2X60NYC |
| 13-62-6169 | KIT, WINDOW INSTALLATION, VANDAL-PROOF, COMPLETE WITH FRAME, GLASS AND | 0 | 0 | 100 | DYNAMIC METALS LLC ELLCON NATIONAL, INC. NYCTA | R01A40019 EBD13080 2056-PROD-89 (REF. ONLY) |
| 13-62-6278 | BLOCK, MOUNTING, 1/2" STUD, SIDE DOOR. USED FOR PRELOADING SIDE DOOR HANGER MOUNTING STUDS | 1 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | H-004-1-50 |
| 13-62-6286 | STUD, INBOARD, 9/16 X 18 X 3- 1/8" LG, PLAIN, U/O SIDE DOOR ASSEMBLY | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | H-021-4 |
| 13-62-6287 | STUD, OUTBOARD, 9/16"- 18 X 2- 3/4" LG, PLAIN, U/O SIDE DOOR ASSEMBLY | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | H-021-5 |
| 13-62-9050 | HANGER, SIDE DOOR, R62/R62A INCLUDES 51"SHAFTS (2) AND | 1 | 0 | 100 | HAFCO FOUNDRY & MACHINE NYCTA | 100101-19-62A R62-1412 REV. A |
| 13-62-9051 | HANGER, END DOOR ASSEMBLY, COAXIAL, 47" LONG X 1-1/4" | 12 | 0 | 100 | HAFCO FOUNDRY & MACHINE NYCTA | 200201-25X R62-1412 REV. A |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|--------------------------------------------------------------------|------------------------------------------------------------------|
| 13-62-9054 | KEEPER, USED WITH SIDE DOOR, R62(A) | 0 | 0 | 100 | ACCURATE PRODUCTS HAFCO FOUNDRY & MACHINE TRANSPORT PRODUCTS | 051118 HDK6268 TP252816 |
| 13-62-9077 | STUD, 9/16", SIDE DOOR, STEEL, GR. B7. USED FOR PRELOADING SIDE DOOR HANGER MOUNTING STUDS | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | H-018-4 |
| 13-62-9085 | WASHER, 9/16" I.D., FLAT, STEEL. USED FOR PRELOADING SIDE DOOR HANGER MOUNTING | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | H-020-2 |
| 13-62-9086 | BLOCK, MOUNTING, 9/16" STUD, SIDE DOOR. USED FOR PRELOADING SIDE DOOR HANGER MOUNTING STUDS | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | H-004-1 |
| 13-68-0720 | KEEPER, ELECTRICAL UPPER, U/W END DOOR EQUIPMENT. | 0 | 0 | 100 | JL HOWARD | 1508-C4 |
| 13-68-0777 | BATTERY, STORAGE, NICKEL-CADMIUM, 100 AMP-HOUR, STAINLESS STEEL CASE, ASSEMBLED AS A CARSET OF 25 | 0 | 0 | 100 | HOPPECKE NYCTA SAFT AMERICA INC. | FNC 205L (S) 2106-PROD-15 **** PART NO. NOT AVAILABLE **** |
| 13-68-1000 | BATTERY, STORAGE, NICKEL CADMIUM, 140 AMPERE HOURS, | 0 | 0 | 100 | NYCTA SAFT AMERICA INC. | 2106-PROD-15 REV. B SRM140-25 |
| 13-68-1026 | HANGER, END DOOR, BLOCK TYPE, BAR LENGTH - 60.5", STUD LENGTH-1.5" TUBE LENGTH-24", STUD CENTER TO STUD CENTER LENGTH-57.375" | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 200201-2700-68H |
| 13-68-1031 | BLOCKS END DOOR U/W END DOOR HANGERS, INCLUDES HARDWARE | 5 | 1 | 100 | HAFCO FOUNDRY & MACHINE CO | HF-100101-ED |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------------------------|------------------|
| 13-68-1032 | BLOCKS SIDE DOOR U/W SIDE DOOR HANGERS, INCLUDES HARDWARE | 3 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | HF-100101-5D |
| 13-68-1034 | BEARING, HANGER, (SINGLE SEAL BEARING INTERCHANGABLE WITH EITHER SIDE OF BEARING TUBE ASSEMBLY) USED ON R68 SIDE DOOR | 3597 | 3692 | 100 | HAFCO FOUNDRY & MACHINE CO | HF-TW16 |
| 13-68-1035 | TUBE, T | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE | H-800-1 |
| 13-68-1036 | TUBE, HEX | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE | H-800-2 |
| 13-68-1039 | HAFCO SIDE DOOR HANGER BEARING RETAINER CLIP | 2952 | 3318 | 100 | HAFCO FOUNDRY & MACHINE CO | H-022-2 |
| 13-68-1048 | SHAFT, HANGER, WITH HARD CHROME PLATING | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 100101-SWF68SD53 |
| 13-68-9050 | HANGER, END DOOR ASSEMBLY, COAXIAL, 47" LONG X 1-1/4" DIAMETER, SEALED BEARING UNIT, 2 ADJUSTABLE MOUNTS, MAINTENANCE FREE, 25" "T" INCLUDES ONE 64" SHAFT AND ONE 25" BEARING HOUSING | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 200201-25 |
| 13-68-9051 | HANGER, SIDE DOOR, R38. INCLUDES 46" SHAFTS (2) AND 17" BEARING HOUSINGS (2) FOR TWO DOOR OPENINGS | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 100101-17-38 |
| 13-68-9054 | HANGER, END DOOR ASSEMBLY, COAXIAL, 47" LONG X 1-1/4" DIAMETER, SEALED BEARING UNIT, 2 ADJUSTABLE MOUNTS, MAINTENANCE FREE, 24" "T" | | | 100 | HAFCO FOUNDRY & MACHINE CO | 200201-24 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------------------------------------------------------|-----------------------------------------|
| 13-68-9060 | HANGER, SIDE DOOR, 106 INCHES LONG, 2 PIECES, ONE LEFT AND ONE RIGHT, HEX TYPE TRACK, USED ON R68 CARS 2811, 2830, 2836, 2847, 2854, 2856-2863, 2865-2924 AND ALL R68A CARS. USE 13-68-9061 FOR ALL | 2 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 100101-68-HEX |
| 13-68-9061 | HANGER, SIDE DOOR, 106 INCHES LONG, 2 PIECES ONE LEFT AND ONE RIGHT, "T" TYPE TRACK, USE ON R68 CARS 2500-2810, 2812-2829, 2831-2835, 2837-2846, 2848-2853, 2855, 2857-2859, 2864. USE 13-68-9060 FOR ALL OTHER R68 CARS. | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 100101-68-T |
| 13-68-9062 | HANGER, END DOOR R68A INCLUDES ONE 60.5" SHAFT AND ONE 26" HOUSING WITH EXTENDED HEX CONNECTOR | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 200201-26 |
| 13-68-9063 | HANGER, END DOOR, T TYPE INCLUDES ONE 60.5" LENGTH SHAFT AND ONE 24" LENGTH TUBE, LENGTH OF "T" (END TO END); 27.25" | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | 200201-2725-68 |
| 14-42-6305 | CAPACITOR, HIGH VOLTAGE, FILTER, 5600UF, 450V(C1 TO C6) | 0 | 0 | 100 | EPCOS | B43456-S5568-M004 |
| 15-02-1076 | SHOCK, LATERAL, 2" BORE, FOR CAR CLASS R10-42, MUST BE PAINTED BLACK | 2 | 0 | 100 | MONROE AUTO EQUIP. | 80501 |
| 15-02-5320 | AXLE, USED WITH TRUCK DRIVE ASSEMBLY ON G.E. 20-50 TON DIESEL LOCOS. NOTE: MATERIAL | 0 | 0 | 100 | GENERAL ELECTRIC CO. NYCTA ORX RAILWAY CORPORATION | 41C603348P2 704-3034 AXLE-21-9010 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| 15-33-0560 | SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE ADAPTER, JOURNAL BEARING, TRUCK SET 4 ADAPTERS PER SET, CONSISTING OF: 2 OF 15-33- 0517 RH; 1 OF 15-33-0519 LH; 1 OF 15-33-0521 LH WITH TRIPCOCK BRACKET ON RH SIDE. | 0 | 0 | 100 | PENN MACHINE CO. SUMITOMO NIPPON SHARYO NYCTA | 527076 SEE NYCTA DRAWING T1236B12297, 298, 396 R-33-1245 REV C. R-33-1244 REV. D R-33-1239, 1243 REV A. 2047-PROD-86 REV. B |
| 15-42-0019 | EQUALIZER, FORGED, SINGLE SLOT FOOT, FOR R10-42 CAR TRUCKS, NOTE: AISI MATERIAL | 0 | 0 | 100 | TIMKEN CANTON FORGE | SET919 6555, PT. #222-G 222-G |
| 15-42-0054 | WAUGHMAT SPRING, RUBBER, DUROMETER 45-50SHORE A, USED WITH SIDE BEARING. NOTE: PART NUMBER AND | 3318 | 2235 | 100 | NYCTA DELFORD INDUSTRIES, INC. NYCTA VULCANITE PTY | R42-1231 6-1401 R36-1057 VP4523-S00 |
| 15-42-0055 | COVER ASSEMBLY, SIDE FRICTION BEARING, WITH NON- ASBESTOS LINER, USE FORGED OR CAST STEEL. FRICTION LINERS | 1540 | 997 | 100 | WABTEC PASSENGER HAFCO FOUNDRY & MACHINE NYCTA | 0D06561 HF-421 R42-8016 PALLET SPEC. |
| 15-42-0086 | SHOCK, VERTICAL, CAR CLASS R10-42, MUST BE PAINTED BLACK | 4 | 0 | 100 | TWINCO MANUFACTURING CO. MONROE | 069-1818-1-0 OE80077 |
| 15-42-0201 | AXLE, TRUCK, MOTOR, ROUGH TURNED, QUENCHED & TEMPERED ALLOY STEEL, LATEST SPEC. NYCTA 1004-C, FOR R10- 42 TRUCKS., AXLES TO BE | | | 100 | NYCTA | 704-3001 |
| 15-42-3027 | SHOCK ABSORBERS, VERTICAL | 876 | 57 | 100 | BOMBARDIER TENNECO, INC. | 043-51020016S OE17403 |
| 15-42-3028 | SHOCK ABSORBERS, LATERAL | 733 | 41 | 100 | ZF SACHS AUTOMOTIVE OF TENNECO, INC. | 40 1300 020153 OE17404 |
| 15-42-3154 | LATERAL SHOCK ABSORBER | 156 | 30 | 100 | ZF SACHS AUTOMOTIVE OF KAWASAKI HEAVY INDUSTRIES | 40 1300 020154 2DD-50042 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|---------------------------------------------------------------|------------------------------------------------------------|
| | | | | | SACHS AUTOMOTIVE OF | 401300000920 |
| 15-42-3198 | BUSHING W/VULCANIZED RUBBER | 650 | 550 | 100 | TRELLEBORG INDUST. VULCANITE NORTH AMERICA | 13/2666-01 VP3688-S00 |
| 15-42-3368 | BEARING, ROLLER 65 MM | 108 | 60 | 100 | SKF | NU213ECM/C4 |
| 15-42-3369 | BEARING, BALL 45 MM | 108 | 60 | 100 | SKF | 6309/C3 |
| 15-42-3791 | HDL SLEEVE, FOR TIMKEN BEARING. MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003.CERTIFICATION IS TO BE | 6236 | 3154 | 100 | TIMKEN | |
| 15-42-4163 | JOURNAL BEARING WITH CONTACT SEAL. FOR JOURNAL BEARING WITH HDL SEAL (TIMKEN), USE 15-43-0024 | 1533 | 956 | 100 | SKF | K158395 |
| 15-42-4174 | KIT, CLEAT ASSEMBLY, USED WITH R142/R143 AC TRACTION | 51 | 48 | 100 | HAFCO FOUNDRY & MACHINE TRANSPORT PRODUCTS | 1637549 E-01 HF-4174 TP441100 |
| 15-42-4295 | KIT, INSTALLATION, SPEED SENSOR TRUCK # 2 INCLUDES: QTY 10 TY-RAP QTY 4 SCREWS, HEX SKT CNTSK HEAD, QTY 1 WIRING JUMPER CABLE, TRUCK # 2 PART # GEL2473Y136 QTY 1 | 0 | 1 | 100 | ALSTOM TRANSPORTATION INC. LENORD, BAUER CO. GMBH NYCTA | DTR0000256734 10-05-1422 R142-2362 PART 3 OF 4 REV.A |
| 15-42-4296 | KIT, INSTALLATION, SPEED SENSOR TRUCK # 1 INCLUDES: QTY 10 TY-RAP QTY 4 SCREWS, HEX SKT CNTSK HEAD, QTY 1 WIRING JUMPER CABLE, TRUCK # 1 PART # GEL2473Y136 QTY 1 | 0 | 0 | 100 | ALSTOM TRANSPORTATION INC. LENORD, BAUER CO. GMBH NYCTA | DTR0000256733 10-05-1421 R142-2362 PART 3 OF 4 REV.A |
| 15-42-4331 | SPEED SENSOR, SINGLE | 13 | 6 | 100 | LENORD, BAUER CO. GMBH | R142-2336 PART 3 OF 4 REV.A GEL2473Y136 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-----------------------------|----------------------------------|
| | CHANNEL, MOTORIZED, ON | | | | SMITH SYSTEMS, INC | Z262803 |
| 15-42-4332 | SPEED SENSOR, DUAL CHANNEL, MOTORIZED, ON ALSTOM | 14 | 4 | 100 | LENORD, BAUER CO. GMBH | GEL2473Y135 |
| | | | | | SMITH SYSTEMS, INC | Z262804 |
| 15-43-0024 | JOURNAL BEARING WITH HDL SEAL. FOR JOURNAL BEARING | 563 | 240 | 100 | ASSOC. OF AMERICAN RAILROAD | M-1003 |
| | WITH CONTACT SEAL (SKF), USE | | | | TIMKEN | HM12744090399 |
| | | | | | | HM127440 90399 |
| 15-43-0529 | SHOE, CONTACT, TOP OF THE SHOES TO BE PAINTED WITH | 15244 | 6378 | 100 | AFFINITY RESOURCES CO | ARCI 0503-4329 |
| | ALKYD, ENAMEL YELLOW GLOSS | | | | HAFCO FOUNDRY & MACHINE | H-4243 |
| | PAINT (MERCURY PAINT) PART # | | | | NYCTA | EA 20-06 REV. A |
| | | | | | WABCO | 0695907A |
| 15-44-0036 | BAR, EQUALIZER, DOUBLE SLOT FOOT, FORGED, 1" APART | 0 | 0 | 100 | NYCTA | |
| | NOTCHES. ANSI MATERIAL 4340 MAY BE SUBSTITUTED FOR ANSI 9840 MATERIAL | | | | | G44-25028 |
| 15-44-0200 | AXLE, MOTOR, STANDARD TRUCKS, 5 X 9, JOURNAL, ON EACH CRATE VENDOR SHOULD LIST WITH LETTERS/NUMBERS THAT ARE AT LEAST 2 INCHES HIGH: N.Y.C. TRANSIT STOCK NUMBER; N.Y.C. TRANSIT PURCHASE ORDER NUMBER; | 7 | 12 | 100 | ASSOC. OF AMERICAN RAILROAD | M-1003 |
| | | | | | KAWASAKI HEAVY INDUSTRIES | JIKU7719 |
| | | | | | NYCTA | 704-3001- REV J |
| | | | | | | 2092-PROD-97 REV. C |
| | | | | | ORX RAILWAY CORPORATION | 03797-33-200 |
| | | | | | STANDARD STEEL | |
| | | | | | | **** PART NO. NOT AVAILABLE **** |
| | | | | | SUMITOMO | JIKU7720 REV. N |
| | | | | | | JIKU7719 REV. N MARK #1 |
| 15-44-0710 | BEAM, CONTACT SHOE, LAMINATED MAPLE OR BIRCH, FOR IND-BMT TRUCKS | 395 | 274 | 100 | KRONEBERG FOREST PRODUCTS | |
| | | | | | | ****PART NO NOT AVAILABLE**** |
| | | | | | NYCTA | 704-5009-H DET # 1 |
| | | | | | | 3009-MATL-78 REV. I |
| | | | | | TG BAYER | |
| | | | | | | **** PART NO. NOT AVAILABLE **** |
| 15-44-0711 | CUSHION, RUBBER, USED ON CONTACT SHOE BEAM. NOTE: | 3109 | 2825 | 100 | GLOBE CONNECT | N2044133 |
| | | | | | NYCTA | 703-4001 REV. G |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| 15-44-0725 | THE SUPPLIER SHALL SUBMIT A FUSE, RIBBON, 450AMPS, 600 VOLTS, 1-3/8" X 12' LONG USED WITH CONTACT SHOE. FUSE RATING AND MANUFACTURER'S | 1365 | 1206 | 100 | YOKOHAMA INDUSTRIES EDSAL MACHINE PRODUCTS HORNE NYCTA | 32108-2 EMP-15-44-0725 17019-1 703-5004 D |
| 15-44-0727 | FUSE, RIBBON, 600 AMPS, 600 VOLTS, 1-3/8" X 12' LONG USED WITH CONTACT SHOE. FUSE RATING AND MANUFACTURER'S | 230 | 60 | 100 | EDSAL MACHINE PRODUCTS HORNE NYCTA POWERTECH CONTROLS CO INC | PTC-ASK-FR-450 EMP-15-44-0727 17019-3 703-5004 REV. D |
| 15-44-0742 | PAD, WEAR, FORGED, CONTACT SHOE, SHORT, TOP OF THE SHOES NEED TO BE PAINTED WITH ALKYD, ENAMEL YELLOW GLOSS PAINT (MERCURY PAINT, | 7206 | 3100 | 100 | EDSAL MACHINE PRODUCTS HAFCO FOUNDRY & MACHINE NYCTA | PTC-ASK-FR-600 EMP 15-44-0742 HF-0742 R68A-2634 PALLET SPEC. (EA 20-06 REV. A) |
| 15-44-0744 | FULCRUM ASSEMBLY, FOR CONTACT SHOE IND-BMT CARS. | 328 | 324 | 100 | CANTON FORGE HAFCO FOUNDRY & MACHINE NYCTA | ****PART NO. NOT AVAILABLE **** 15-44-0744 R32-1290 705-5004 REV F 702-5023 REV A |
| 15-44-6000 | BOX, JOURNAL, IND-BMT, CAR SET CONSISTING OF: TWO(2) LEFT HAND WITH TRIPCOCK BRACKET: DWG. #4X7030 REV. A, TWO(2) LEFT HAND WITHOUT TRIPCOCK BRACKET: DWG. #4X7029, REV. A, & | 0 | 0 | 100 | NIPPON MANUFACTURER BEARING NYCTA | **** PART NO. NOT AVAILABLE **** 4X-7031 REV. C 4X-7030 REV. C 4X-7029 REV. C 2047-PROD-86 REV. B SET918 |
| 15-44-6010 | SHOCK ABSORBER, VERTICAL, DAMPING "50-50", SACHS SHOCK | 1035 | 977 | 100 | TENNECO, INC. ZF SACHS AUTOMOTIVE OF | 0E15085 40 1300 020 477 |
| 15-44-6011 | SHOCK ABSORBER, LATERAL DAMPING "50-50", SACHS SHOCK | 756 | 606 | 100 | TENNECO, INC. ZF SACHS AUTOMOTIVE OF | 0E15084 40 1300 020 475 |
| 15-46-0465 | BAR, EQUALIZER, FORGED, | 0 | 0 | 100 | CANTON FORGE | L-1713 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| 15-46-0510 | DOUBLE SLOT FOOT, 2" APART RING, BACKING, FOR TIMKEN AXLE JOURNAL BEARING | 21 | 0 | 100 | NYCTA ASSOC. OF AMERICAN RAILROAD TIMKEN ROLLER BRG. | G46-31000 M-1003 K125691 |
| 15-46-0529 | CAP, AXLE END, FOR TIMKEN AXLE JOURNAL BEARING | 0 | 0 | 100 | ASSOC. OF AMERICAN RAILROAD TIMKEN ROLLER BRG. | M-1003 K125690 |
| 15-46-4515 | BOX, FUSE ASSEMBLY WITHOUT FUSE, BLACK MOLDED PHENOLIC WITH RED ACID RESISTANT LINER AND HARDWARE. FOR 450AMP FUSE COMMODITY NUMBER-15- 44-0725. FOR 600AMP FUSE USE COMMODITY NUMBER-15-44- | 2 | 50 | 100 | HORNE | 17025 |
| 15-60-0525 | LATERAL SHOCK ABSORBER ASSEMBLY | 348 | 168 | 100 | KAWASAKI HEAVY INDUSTRIES KONI SACHS AUTOMOTIVE OF | 20113-03504 97H 2598 401300000212 |
| 15-62-0415 | SHOE, CONTACT, MODIFIED FOR SNOW, IRT | 347 | 133 | 100 | HAFCO FOUNDRY & MACHINE NYCTA | H-3586M R29-1217-A 703-5011 |
| 15-68-0253 | ADAPTER, JOURNAL BOX, RIGHT HAND FOR A P BEARINGS WITHOUT TRIP COCK BRACKET, USED ON WHEELS 4 AND 5, IND AND BMT CARS | 0 | 0 | 100 | FMC CORP. NIPPON SHARYO NYCTA TIMKEN | 4X-7029 SEE NYCTA DRAWING 4X-7029 REV. C 2047-PROD-86 REV. B K528775-90010 |
| 15-68-0254 | ASSEMBLY, CONE, ROLLER & CAGE, U/O AXLE JOURNAL | 0 | 0 | 100 | ASSOC. OF AMERICAN RAILROAD TIMKEN | M-1003 HM127440 |
| 15-68-0267 | WHEEL, LIGHT WEIGHT, RING DAMPED, 34" DIAMETER, 7-1/16" BORE, WROUGHT STEEL. DESIGN OF CURVED PLATE (CORRUGATED PLATE OR OTHER PLATE DESIGN)MUST BE APPROVED BY NYCT PRIOR TO | 7904 | 5248 | 100 | ASSOC. OF AMERICAN RAILROAD BONATRANS GROUP MWL BRASIL RODAL & EIXOS NIPPON STEEL & SUMITOMO METAL NYCTA | M-1003 455.8.902.000.07 EP-1833 REV. N KURUMA 6116V KUR12379B MARK 01 704-3035 REV. L 6010-PRCS-89 REV. C |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-----------------------------|----------------------------------|
| | ALL PURCHASES. MAXIMUM WEIGHT OF | | | | STANDARD STEEL | 2091-PROD-97 REV. F |
| | | | | | SUMITOMO | 26409 REV. 4 |
| 15-68-0269 | WHEEL, LIGHT WEIGHT, RING DAMPED, 34 INCH DIAMETER, 6-3/4" BORE, WROUGHT STEEL. DESIGN OF CURVED PLATE (CORRUGATED PLATE OR OTHER PLATE DESIGN) MUST BE APPROVED BY NYCT PRIOR TO ALL PURCHASES. MAXIMUM WEIGHT OF | 48 | 12 100 | | ASSOC. OF AMERICAN RAILROAD | M-1003 |
| | | | | | BONATRANS GROUP | 455.8.902.000.07 |
| | | | | | MWL BRASIL RODAL & EIXOS | EP-1833 REV. N |
| | | | | | NIPPON STEEL & SUMITOMO | KURAMA 6116V |
| | | | | | METAL | KURAMA 12379B MARK 02 |
| | | | | | NYCTA | 704-3035 REV. L |
| | | | | | | 6010-PRCS-89 REV. C |
| | | | | | | 2091-PROD-97 REV. F |
| | | | | | STANDARD STEEL | 26409 REV. 4 |
| | | | | | SUMITOMO | KUSHI 60006C |
| 15-68-0415 | SHOE, CONTACT, MODIFIED FOR SNOW, IND AND BMT CARS | 1281 | 472 100 | | HAFCO FOUNDRY & MACHINE | H-387M |
| | | | | | NYCTA | R33-1356A |
| | | | | | | 703-5011 |
| 15-68-0600 | WHEEL, RING DAMPED, 34" DIA., 7-1/16" BORE, SOLID WROUGHT STEEL, HEAT TREATED CLASS "A", INCORPORATES RING DAMPING FEATURE AND CURVE PLATE SHOWN ON DRAWINGAND SPECIFICATION. DESIGN OF | 0 | 0 100 | | ASSOC. OF AMERICAN RAILROAD | M-1003 |
| | | | | | MWL BRASIL RODAL & EIXOS | EP-1400 REV. M |
| | | | | | NYCTA | 704-3035 REV. L |
| | | | | | | 6010-PRCS-89 REV. C |
| | | | | | | 2091-PROD-97 REV. F |
| | | | | | STANDARD STEEL | WRT34AR7063-001 |
| | | | | | SUMITOMO | KURUMA 60009 REV. Q |
| 15-68-0601 | WHEEL, RING DAMPED, 34" DIA., 6-3/4" BORE, SOLID WROUGHT STEEL, HEAT TREATED, CLASS "A", INCORPORATES RING DAMPING FEATURE AND CURVE PLATE SHOWN ON DRAWING AND SPECIFICATION. DESIGN OF CURVED PLATE SHAPE MUST BE | 0 | 0 100 | | ASSOC. OF AMERICAN RAILROAD | M-1003 |
| | | | | | MWL BRASIL RODAL & EIXOS | EP-1400 REV. M |
| | | | | | NYCTA | 704-3035 REV. L |
| | | | | | | 6010-PRCS-89 REV. C |
| | | | | | | 2091-PROD-97 REV. F |
| | | | | | STANDARD STEEL | WRT34AR6750-001 |
| | | | | | SUMITOMO | |
| | | | | | | **** PART NO. NOT AVAILABLE **** |
| 16-46-2055 | CENTERING LINK ASSEMBLY | 0 | 0 100 | | HAFCO FOUNDRY & MACHINE | HF-4113 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| 16-81-1460 | BEAM, CONTACT SHOE, LAMINATED BIRCH OR MAPLE AS PER LATEST SPEC., FOR THIRD RAIL, IRT TRUCKS | 869 | 522 | 100 | KRONEBERG FOREST PRODUCTS NYCTA TG BAYER | **** PART NO. NOT AVAILABLE **** 704-5009-H DET #2 3009-MATL-78 REV. I |
| 16-87-1145 | FULCRUM ASSEMBLY, WITH BUSHINGS FOR IRT CONTACT SHOE | 568 | 480 | 100 | HAFCO FOUNDRY & MACHINE NYCTA | **** PART NO. NOT AVAILABLE **** HF-1145 PALLET SPEC. 705-5005 REV B 702-5023 REV A |
| 16-91-1543 | PAD, WEAR, FORGED, CONTACT SHOE, LONG, TOP OF THE SHOES NEED TO BE PAINTED WITH ALKYD, ENAMEL, YELLOW GLOSS PAINT (MERCURY PAINT PART # | 3249 | 1710 | 100 | EDSAL MACHINE PRODUCTS HAFCO FOUNDRY & MACHINE NYCTA | EMP 16-91-1543 HF-1543 R-62-1206 PALLET SPEC. (EA 20-06 REV. A) |
| 18-07-3550 | BODY, USED WITH WABCO TYPE D-1 TRIP COCK BUSHED | 18 | 14 | 100 | WABCO | 0532591 |
| 18-07-3870 | BODY, TRIP COCK, WABCO TYPE D-1-A, BUSHED | 28 | 27 | 100 | NYCTA WABCO | PALLET SPEC 102-1017 (FOR REF. ONLY) 0533684 |
| 18-07-3900 | BODY, U/W WABCO TYPE A-1 OPERATING UNIT, VARIABLE LOAD PORTION MTCE DATE | 0 | 0 | 100 | WABCO | 533910 |
| 18-10-0301 | SHOE, BRAKE, COMPOSITION, WITHOUT FLANGE | 0 | 0 | 100 | RAILROAD FRICTION | V323COMP554 |
| 18-10-1801 | CONTACT ASSEMBLY, COUPLER ELECTRIC PORTION | 0 | 0 | 100 | BOMBARDIER NYAB | 033-50025Y521 770023 |
| 18-10-5013 | PAD, DISC, RIGHT HAND BRAKE SHOE, USED WITH BRAKE | 0 | 0 | 100 | BOMBARDIER NYAB | 033-42118-019S 768962 |
| 18-10-5014 | PAD, DISC, LEFT HAND BRAKE SHOE, USED WITH BRAKE | 0 | 0 | 100 | BOMBARDIER NYAB | 033-42118-018S 768961 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|------------------------------------------|-------------------------|
| 18-11-6875 | BUSHING, FOR USED WITH WABCO TRIP COCK D-1 | 100 | 35 | 100 | WABCO | 0539173 |
| 18-15-8225 | COCK, TRIP, COMPLETE ASSEMBLY, WABCO TYPE D-1-A, | 8 | 0 | 100 | NYCTA WABCO | R157-5158 583158 |
| 18-16-4200 | COIL, ELECTRICAL, MAGNETIC, FOR APPLICATION AND RELEASE MAGNET VALVE A1 OPERATING UNIT | 0 | 0 | 100 | WABCO | 534231 |
| 18-18-3100 | CONTACT, USED WITH BRAKE VALVE TYPE ME-42 & A2 | 951 | 307 | 100 | HORNE HOYT POWERMET PRODUCTS WABCO | 3100 Z405N 509925 |
| 18-29-2368 | VALVE, J14CSB-12 RELAY, USED WITH A-1-A OPERATING, UNIT | 0 | 0 | 100 | NYAB | 766203 |
| 18-30-1787 | VALVE, J-14D RELAY, COMPLETE, WITH 8 LB OFFSET (N-2 REDUCING VALVE SET FOR 8 | 0 | 0 | 100 | WABCO | 670786 |
| 18-30-1795 | BODY, U/O J-14-D, RELAY VALVE PORTION. | 0 | 0 | 100 | WABCO | 592520 |
| 18-30-3402 | HANDLE, BRAKE VALVE COMPOSITE, USED WITH WABCO AND KNORR BRAKE VALVES. BRAKEVALVE HANDLES SHALL UTILIZE ONE-PIECE HARDENED STEEL SLEEVE, INCLUDING PROTRUSION TO MATE WITH BRAKE VALVE BUSHING SLOT, TO OPERATE WITH BRAKE | 498 | 156 | 100 | HAFCO FOUNDRY & MACHINE CO | H-1766-P |
| 18-30-5450 | HANDLE, TRIPCOCK, USED WITH NYAB TYPE ONLY (D-1 & D-1-A), TRIPCOCK | 0 | 0 | 100 | NYAB | 770211 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|----------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------------------|-------------|
| 18-32-8200 | HOUSING, U/W WABCO BRAKE VALVE TYPE ME-42 SPRING INLET VALVE | 0 | 0 | 100 | WABCO | 538120 |
| 18-32-8717 | CONTACT, STATIONERY, USED WITH REAR SIDE FRAME ASSEMBLY, USED ON ELECTRIC | 0 | 0 | 100 | NYAB | 765501 |
| 18-32-8722 | CONTACT, MOVABLE, USED WITH REAR SLIDE FRAME ASSEMBLY, USED ON ELECTRIC PORTION | 0 | 0 | 100 | NYAB | 765455 |
| 18-33-6014 | SPRING, PISTON, U/O VARIABLE LOAD VALVE F/R62 CARS. 0.324" NOM. ID X 0.051" WIRE DIA. X 1.25" FREEHEIGHT | 841 | 45 | 100 | WABCO | 539587 |
| 18-33-6019 | VALVE, CHECK, USED ON EMERGENCY VALVE PORTION | 0 | 0 | 100 | WABCO | 590543 |
| 18-33-6044 | VALVE, VARIABLE LOAD. | 0 | 0 | 100 | WABCO | 671243 |
| 18-36-0422 | BRUSH, CARBON, FOR COMPRESSOR MOTOR #5CY- | 64 | 120 | 100 | GENERAL ELECTRIC CO. | 894A501-P17 |
| 18-36-0695 | VALVE, FEED M-3 SINGLE PRESSURE, LESS PIPE BRACKET, HOLES SETTING. U/W A-1A OPERATING. | 0 | 0 | 100 | WABCO | 84208-0110 |
| 18-36-1727 | VALVE ASSEMBLY, REGULATING, PRELAPPED WITH BUSHING, U/W WABCO M-3 FEED VALVE# 84208. | 0 | 0 | 100 | WABCO | 670071 |
| 18-38-0080 | PISTON ASSEMBLY AND ROD, FOR TYPE D-3 AND D-4 COMPRESSOR UNIT | 332 | 147 | 100 | WABCO | 0570383 |
| 18-38-0084 | CYLINDER, H.P., FOR TYPE D3 COMPRESSOR UNIT | 540 | 194 | 100 | WABCO | 0569645 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------------|-----------------------------|
| 18-38-0751 | BODY, FOR J-1 RELAY VALVE PORTION ASSY. NO. 556298, INCLUDES NUT, NO. 502369 NUT NO. 502365 - PLUG. NO. 78758 - STUD, NO. 538941, STUD, NO. 85475, R38-40 CARS | 0 | 0 | 100 | WABCO | 556299 |
| 18-38-0815 | SPRING, SUPPLY VALVE, STEEL, FOR D-24-B FEED VALVE ASSY, #550016, 1-3/16" O.D., 3/32" WIRE, 3-1/16" HT., 7 TURNS | 205 | 25 | 100 | WABCO | 58444 |
| 18-38-0847 | DIAPHRAGM, FOR EMERGENCY VALVE PORTION #569711, R38 | 499 | 168 | 100 | NYAB WABCO | 734850 0564210 |
| 18-38-1600 | TRIP COCK, COMPLETE ASSEMBLY, WABCO TYPE D-1, USED ON BMT/IND DIVISION | 2 | 0 | 100 | WABCO | 673782 |
| 18-38-4740 | SEAT & VALVE ASSEMBLY, USED ON A & R MAGNET VALVE. | 0 | 0 | 100 | WABCO | 582226 |
| 18-42-3370 | SHOE, CONTACT, TOP OF THE SHOES TO BE PAINTED WITH | 0 | 0 | 100 | NYCTA WABCO | EA 20-06 REV. A 0695907A |
| 18-42-4775 | VALVE, J14CSB-4, RELAY COMPLETE, U/O BRAKE CONTROL | 0 | 0 | 100 | NYAB | 763815 |
| 18-42-5051 | BRAKE VALVE, ME 43, USE WITH SNOW BRAKE | 0 | 0 | 100 | WABCO | 671513 |
| 18-42-8900 | VALVE, UNCOUPLING, KEY OPERATED, USED ON NEWTRAN BRAKE SYSTEM. | 0 | 0 | 100 | NYAB | 706034 |
| 18-42-8944 | OPERATING UNIT, E-2-E, U/W R42 FRICTION BRAKE EQUIPMENT, U/W R32 EVEN CARS | 0 | 0 | 100 | WABCO | 670663 |
| 18-42-8976 | BRAKE VALVE, ME 43, W/O PIPE BRACKET. | 0 | 0 | 100 | WABCO | 592012 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|--------------------------------------------------------------------|-----------------------------|
| 18-42-9019 | R32 BRAKE CYLINDER BODIES MACHINED AND RELINED WITH ALUMINUM SLEEVES | 0 | 0 | 100 | HAFCO FOUNDRY & MACHINE CO | HF-4232 |
| 18-44-0051 | BRUSH, CARBON, FOR WABCO TYPE D3 AIR COMPRESSOR | 0 | 0 | 100 | MORGANITE RELIANCE ELEC. CO. | GRADE EG-236Z 3141TP |
| 18-44-2437 | SEAT, VALVE, USED WITH N-1-E, N- 3-E MAGNET VALVE, ON G-4-B AND G-4-C OPERATING UNITS, R- 44 CARS | 6 | 0 | 100 | WABCO | 575750 |
| 18-44-7018 | GASKET, RECEPTACLE, FOR TYPE G-4-B OPERATING UNIT, #576538 & TYPE G-4-C OPERATING UNIT #576541 | 275 | 0 | 100 | WABCO | 572907 |
| 18-44-8121 | FILTER, AIR, TYPE F-12, U/O WESTCODE AIR BRAKE | 0 | 0 | 100 | NORGREN WESTCODE | F74G-6AN-QM3 WA12781/001 |
| 18-44-8122 | ELEMENT, FILTER, 50 MICRON, U/O AIR FILTERS WESTCODE # WA12140/001, NORGREN # F12- 600-M3MA, WESTCODE AIR BRAKE MODIFICATION, R44. | 0 | 0 | 100 | NORGREN | 2992-20 |
| 18-44-8777 | VV-120 AIR SUPPLY UNIT, (COMPRESSOR) RECIPROCATING MIN. 35 CFM. AIR SUPPLY UNIT, INCLUDES AC MOTOR AND INVERTER. INCLUDES TWIN TOWER AIR DRYER, USED WITH BRAKING SYSTEM | 0 | 0 | 100 | KNORR BRAKE CORPORATION | 806556 |
| 18-44-9075 | MOTOR BRUSH, U/W KNORR COMPRESSOR, R44 CARS | 666 | 260 | 100 | KNORR BRAKE CORPORATION MERSEN USA BN CORP TECH SYSTEMS CORP | U12668 ES-20 J60-0315 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-------------------------|-------------------|
| 18-44-9308 | VALVE, SAFETY, 1/4" NPT, 165 PSI +/-3 U/O AIR DRYER/CTRL GRAM WHITE # 950-249 KNORR # STU11405/2. | 2 | 0 | 100 | KNORR BRAKE CORPORATION | STU11982/165 |
| 18-44-9608 | GASKET, DISCHARGE FLANGE.* | 40 | 31 | 100 | WABCO | 582358 0582358 |
| 18-44-9624 | GASKET, INLET FILTER. | 622 | 100 | 100 | WABCO | 0582274 |
| 18-44-9631 | RESERVOIR, SURGE. | 0 | 0 | 100 | WABCO | 582478 |
| 18-44-9633 | BREATHER, CRANKCASE "COMPLETE" | 0 | 0 | 100 | WABCO | 581759 0581759 |
| 18-44-9634 | HEAD, CYLINDER, LOW PRESSURE INLET. | 413 | 18 | 100 | WABCO | 0581764 |
| 18-44-9635 | CYLINDER HEAD, LOW PRESSURE DISCHARGE. | 21 | 10 | 100 | WABCO | 0581765 |
| 18-44-9636 | HEAD, CYLINDER, HIGH PRESSURE INLET. | 405 | 21 | 100 | WABCO | 0581762 |
| 18-44-9637 | HEAD, CYLINDER, HIGH PRESSURE INLET | 28 | 2 | 100 | WABCO | 0581763 |
| 18-46-0010 | AFTERCOOLER ASSEMBLY, FOR WABCO D4 COMPRESSOR UNIT | 54 | 79 | 100 | WABCO | 672349 |
| 18-46-0047 | ROTOR, OIL PUMP, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSEMBLY, WABCO #578910. | 195 | 91 | 100 | WABCO | 0569629 |
| 18-46-0050 | GAGE, OIL LEVEL, FOR GRB-2 BRAKE SYSTEM COMPRESSOR | 18 | 12 | 100 | WABCO | 578944 0578944 |
| 18-46-0053 | STRAINER, OIL, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSY. WABCO #578910, R-46 CARS | 216 | 61 | 100 | WABCO | 0672389 |
| 18-46-0058 | RING, COMPRESSION, HP, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASS'Y., WABCO | 1080 | 330 | 100 | WABCO | 0579138 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|---------------------------------------------------------|----------------------------------------------|
| 18-46-0061 | CRANKSHAFT, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSEMBLY, WABCO #578910 | 15 | 6 | 100 | WABCO | 578917 |
| 18-46-0065 | VALVE, STOP, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSY. WABCO #578910, R-46 CARS | 540 | 155 | 100 | WABCO | 0569164 |
| 18-46-0066 | VALVE, BODY RELIEF, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSY. WABCO #578910, R 46 | 0 | 0 | 100 | WABCO | 0569163 |
| 18-46-0125 | BRUSH, CARBON, CONTOURED, 3/8" (3/16" THK) X 1" WIDE X 1-3/16" LG, FOR SAFETY ELEC 5 H.P., 600 VOLT DC MOTOR #T- | 1896 | 934 | 100 | MORGAN AM & T NATIONAL STONE SAFETY SERVICE CORP. WABCO | 0123918GC 01-23918 T-17012-1 580953 |
| 18-46-0507 | VALVE, CHECK DISCHARGE, F/WABCO C-1 AIR DRYER ASSY. 578967 R-46 CARS | 0 | 0 | 100 | WABCO | 579165 |
| 18-46-0517 | VALVE, CHECK, U/W WABCO #578967 TYPE C1-AIR DRYER, R-46 CARS | 0 | 0 | 100 | WABCO | 579164 |
| 18-46-6513 | PISTON, PACKING U/O TREAD BRAKE UNIT FOR R62A CARS. | 55 | 144 | 100 | WESTCODE | WJ73571/8 |
| 18-46-8331 | CONTACT STUD ASSEMBLY, USED WITH ELECTRIC PORTION | 0 | 0 | 100 | NEW YORK AIR BRAKE CO. | 767994 |
| 18-46-8332 | TIP, CONTACT, STATIONARY, USED WITH ELECTRIC PORTION | 23 | 2 | 100 | NEW YORK AIR BRAKE CO. | 767989 |
| 18-46-8333 | TIP, CONTACT, MOVEABLE LOOP, COMPLETE ASSEMBLY INCLUDING STUD, SPRINGS AND TIP, FOR THE LOOP CONTACT, SPRING LOADED, USED WITH THE | 1 | 0 | 100 | FAIVELEY TRANSPORT | D220199-300 |
| 18-46-8334 | CONTACT TIP, MOVEABLE USED WITH ELECTRIC PORTION | 18 | 1 | 100 | NEW YORK AIR BRAKE CO. | 767979 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-----------------------------------------|------------------------|
| 18-46-8440 | DRYER, AIR, SYSTEM, TWIN TOWER, TO INCLUDE | 0 | 0 | 100 | GRAHAM WHITE KNORR BRAKE CORPORATION | 995-201 802778-R46 |
| 18-56-7000 | BRAKE SHOE PADS, COBRA TYPE | 601 | 454 | 100 | RAILROAD FRICTION | V-271 |
| 18-62-8350 | DRYER, AIR, SYSTEM, TWIN TOWER, TO INCLUDE | 0 | 0 | 100 | GRAHAM WHITE KNORR BRAKE CORPORATION | 995-202 802788-R62A |
| 18-62-8575 | BRUSH, CARBON GRADE LFC-62, USED ON D4 COMPRESSOR | 0 | 4 | 100 | CARBONE NATIONAL CARBON | ES-17 LFC-62 |
| 18-62-9031 | PIN, CYLINDER LEVER FULCRUM, F/GR-90 HR TREAD BRAKE UNIT, R62. | 0 | 0 | 100 | WABCO | 588154 |
| 18-62-9036 | BUSHING, U/O BRAKE HEAD U/W GR-90 TREAD BRAKE UNIT. | 0 | 0 | 100 | WABCO | 576426 |
| 18-62-9038 | BODY, LEFT HAND, U/W GR-90 TREAD BRAKE UNIT, LEFT-HAND | 0 | 0 | 100 | WABCO | 588266 |
| 18-62-9361 | BODY ASSEMBLY, U/O TREAD BRAKE ASSEMBLY LH, PART# 705986. | 0 | 0 | 100 | NYAB | 759444 |
| 18-62-9423 | PISTON, (SMALL) | 31 | 45 | 100 | WABCO | 575423 |
| 18-62-9426 | SEAT, REGULATING VALVE, U/O D- 24-B FEED VALVE PORTION. F/R33, R62 CARS. | 205 | 25 | 100 | WABCO | 574311 |
| 18-62-9439 | PLUG, 3/8" CHOKE, FLUTED SCH, BRS 1/8-27NPT X NO. 65 DR., U/O EMERGENCY VALVE PORTION. F/R62 CARS. | 0 | 0 | 100 | WABCO | 95339 |
| 18-62-9441 | COIL, W/TRANZORB AND WIRING ASSEMBLY, U/W FB-2 MAGNET VALVE, R62 CARS | 3 | 0 | 100 | WABCO | 589325 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-------------------------------------------|------------------------------|
| 18-62-9458 | STEM, GUIDE, AND PISTON BUSHING, U/O F-6 MD-1 FEED VALVE, PART# 760533 NOTE: PART MUST BE INDIVIDUALLY PACKAGED AND PROTECTED FROM DAMAGE DURING SHIPMENT AND HANDLING. | 0 | 0 | 100 | NYAB | 762185 |
| 18-62-9462 | VALVE, REGULATOR ASSEMBLY, USED ON F6MD-1 FEED VALVE INCLUDES STEM EXHAUST VALVE, SEAT, SPRING, O-RING INTAKE VALVE PISTON | 316 | 290 | 100 | NYAB | 762513 |
| 18-62-9464 | BOX, SPRING, U/O F-6 MD-1 FEED VALVE, PART# 760533. | 0 | 0 | 100 | NYAB | 738135 |
| 18-62-9539 | ELEMENT, FILTER, USED ON 1/4" IN-LINE FILTER | 76 | 11 | 100 | GM FLUID POWER PRODUCTS NYAB PARKER | EK-504Y 764194 EK-504Y |
| 18-62-9561 | VALVE ASSEMBLY, INLET, USED ON REDUCING VALVE, PART | 120 | 40 | 100 | NYAB | 760466 |
| 18-62-9597 | TRIPCOCK, COMPLETE ASSEMBLY, NYAB TYPE D1A, U/O IRT DIVISION CARS. (INTERCHANGEABLE WITH 18-15- | 0 | 0 | 100 | NYAB CO | 705950 |
| 18-62-9621 | VALVE, INLET AND EXHAUST, FOR LOAD SENSOR CONTROL | 52 | 8 | 100 | WABCO | 591830 |
| 18-62-9624 | PIN, CAM ROLLER FOR LOAD SENSOR CONTROL PORTION. F/R62 CARS. | 365 | 50 | 100 | WABCO | 591796 |
| 18-62-9625 | LEVER, FOR LOAD SENSOR CONTROL PORTION. F/R62 CARS. | 0 | 4 | 100 | WABCO | 591824 |
| 18-62-9778 | VALVE/SEAT COMBINATION, U/O FA MAGNET VALVE PORTION | 0 | 0 | 100 | WABCO | 592571 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-------------------------|-----------|
| 18-62-9779 | VALVE, SEAT COMBINATION, USED ON FB MAGNET VALVE | 0 | 0 | 100 | WABCO | 592574 |
| 18-62-9978 | KIT, TWIN TOWER AIR DRYER INSTALLATION, COMPLETE, USED ON D4S | 0 | 0 | 100 | GRAHAM WHITE | 976-252 |
| 18-68-6029 | TRIP COCK, COMPLETE ASSEMBLY, KNORR TYPE D-1, USED ON BMT/IND DIVISION | 0 | 0 | 100 | KNORR BRAKE CORPORATION | 705988 |
| 18-68-8036 | SWITCH, PRESSURE, WITH VITON O-RING AND DIAPHRAGM 33-600 PSI ADJUSTABLE RANGE, 9.5-69 TYPICAL DEADBAND, 2500 MAX SYS. PRESSURE, 3000 PROOF PRESSURE USED ON ES-30 COMPRESSOR GOVERNOR | 0 | 0 | 100 | OMEGA | PSW-196 |
| 18-68-8426 | LINK, PAWL, U/O OVERHAUL GR- 90 F/R44, R62, R62A & NEW GR- 90 F/R68A. | 378 | 40 | 100 | WABCO | 671020 |
| 18-68-8431 | CRANK, BELL, USED ON OVERHAUL GR-90 | 315 | 20 | 100 | WABCO | 671025 |
| 18-68-8550 | PORTION, ELECTRIC/PNEUMATIC, U/O ES-30 GOVERNOR & D4S COMPRESSOR | 0 | 0 | 100 | WABCO | 671761 |
| 18-68-8896 | PLUNGER, MOVEABLE CONTACT ASSEMBLY, COMPLETE, U/O ELECTRIC PORTION, CONSIST OF PLUNGER, PT NO 0524401; NUT PLUNGER, PT NO 0524402; BUSHING- INSULATION, PT NO 0672878; SPRING, PT NO | 405 | 45 | 100 | WABCO | 673888 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------|-------------|
| 18-68-8929 | KIT, HEAD GASKETS, USED ON WABCO D4/D4S COMPRESSORS, 2 LARGE (#569780) AND ONE SMALL (#569782) | 11 | 2 | 100 | WABCO | 674693 |
| 18-68-8998 | HANDLE, TRIP COCK, USED WITH WABCO TYPE ONLY (D1 & D-1-A), TRIP COCK. | 1530 | 850 | 100 | WABCO | 0534607 |
| 18-75-3072 | VALVE, RELIEF, FOR WABCO TYPE 2CY3B COMPRESSOR | 0 | 0 | 100 | WABCO | 0569165 |
| 18-77-6150 | VALVE, INLET FOR ME42 BRAKE VALVE. | 0 | 0 | 100 | WABCO | 538123 |
| 18-77-6200 | VALVE, INLET COMPLETE, FOR ME- 42 BRAKE VALVE | 0 | 0 | 100 | WABCO | 538127 |
| 18-77-7211 | COMPRESSOR, AIR, SINGLE ACTING, TWO STAGE, AIR COOLED, RECIPROCATING TYPE, GRAY CAST IRON CYLINDERS WITH DEEP COOLING FINS, DELIVERING 50 CFM OF AIR AT 125 PSIG., COMPRESSOR SPEED 200-1070 RPM, FOR DIESEL | 2 | 0 | 100 | QUINCY | 073SSTA |
| 18-88-1069 | VALVE, HIGH PRESSURE INLET AND DISCHARGE STAINLESS STEEL, FOR D4S AND D4AS AIR | 715 | 303 | 100 | WABCO | 0569781SS00 |
| 18-88-1070 | VALVE, LOW PRESSURE INLET AND DISCHARGE STAINLESS STEEL, FOR D4S AND D4AS AIR | 692 | 246 | 100 | WABCO | 0569784SS00 |
| 19-38-1505 | PANEL, DOOR SENSOR ACTUATOR ASSEMBLY, LEFT | 0 | 0 | 100 | WESTCODE | WC15171/001 |
| 19-38-1506 | PANEL, DOOR SENSOR ACTUATOR ASSEMBLY, RIGHT | 0 | 0 | 100 | WESTCODE | WC15170/001 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-------------------|-------------|
| 19-38-8002 | BEARING, BALL, SINGLE ROW RADIAL, EXTRA LIGHT, PLAIN, W/O SEALS OR SHIELDS, CONRAD TYPE SPECIAL, 1.1807 - 1.1811" X 2.1649 - 2.1654" O.D. X 0.5068 - 0.5088" WIDTH, F/VAPOR DOOR OPERATING AND CONTROL EQUIPMENT, GEAR | 0 | 0 | 100 | VAPOR CORP. | 56010126 |
| 19-42-4224 | SUSPENSION, DOOR, RIGHT | 0 | 0 | 100 | VAPOR CANADA INC. | 98-3-123-01 |
| 19-42-4225 | SUSPENSION, DOOR, LEFT HAND | 0 | 0 | 100 | VAPOR CANADA INC. | 98-3-123-02 |
| 19-42-4476 | CARRIAGE ASSEMBLY | 5 | 0 | 100 | VAPOR | 983114 |
| 19-42-4508 | HANGER, LEADING EDGE | 3 | 6 | 100 | VAPOR | 982192 |
| 19-42-4509 | HANGER, TRAILING EDGE, LEFT HAND | 4 | 3 | 100 | VAPOR | 98423002 |
| 19-42-4510 | HANGER, TRAILING EDGE, RIGHT HAND | 4 | 3 | 100 | VAPOR | 98423001 |
| 19-42-4563 | ROLLER ASSEMBLY | 562 | 180 | 100 | FAIVELEY VAPOR | 201921645 |
| 19-42-4578 | SHAFT, ROLLER | 88 | 0 | 100 | VAPOR | 981028 |
| 19-42-4579 | SHIM | 0 | 0 | 100 | VAPOR | 991755 |
| 19-42-4584 | SHIM, SERRATED | 0 | 0 | 100 | VAPOR | 982441 |
| 19-42-4593 | SPACER, ROLLER | 66 | 0 | 100 | VAPOR | 981030 |
| 19-42-4603 | STUD, THREADED, 3/8-24 | 2 | 0 | 100 | VAPOR | 981337 |
| 19-42-4609 | TIE BAR | 0 | 0 | 100 | VAPOR | 982210 |
| 19-42-4757 | WASHER, SUPPORT | 0 | 0 | 100 | VAPOR | 58320555-09 |
| 19-42-4833 | DOOR HANGER ASSEMBLY, LH | 15 | 0 | 100 | VAPOR | 59826026-01 |
| 19-42-4838 | HANGER, LH | | | 100 | VAPOR | 59826294-01 |
| 19-42-4851 | DOOR HANGER ASSEMBLY, RH | 13 | 0 | 100 | VAPOR | 59826026 |
| 19-42-4858 | HANGER, RH | | | 100 | VAPOR | 59826294 |
| 19-42-5005 | SENSOR, DOOR PANEL, ASSEMBLY, L.H. CENTER, U/O DOOR MODIFICATION | 0 | 0 | 100 | WESTCODE | WD15221/001 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------------------------------|--------------------|
| 19-42-5006 | SENSOR, DOOR PANEL, ASSEMBLY, OPPOSITE CAB, U/O DOOR MODIFICATION. | 0 | 0 | 100 | WESTCODE | WD15221/002 |
| 19-42-5007 | SENSOR, DOOR PANEL, ASSEMBLY, R.H. CENTER, U/O DOOR MODIFICATION. | 0 | 0 | 100 | WESTCODE | WD15222/001 |
| 19-42-5022 | DOOR, MASTER, CONTROL ASSEMBLY, U/O DOORMODIFICATION. | 0 | 0 | 100 | WESTCODE | WD15227/001 |
| 19-42-5023 | DOOR, MASTER, CONTROL ASSEMBLY, U/O DOORMODIFICATION. | 0 | 0 | 100 | WESTCODE | WD15225/001 |
| 19-42-5042 | ACTUATOR, ASSEMBLY - R.H., D.P.S.S., U/O DOOR MODIFICATION | 0 | 0 | 100 | WESTCODE | WC15291/002 |
| 19-42-5043 | ACTUATOR ASSEMBLY - L.H., D.P.S.S., U/O DOOR MODIFICATION. | 0 | 0 | 100 | WESTCODE | WC15291/001 |
| 19-42-5044 | SWITCH, ASSEMBLY L.H. U/O DOOR MODIFICATION. | 0 | 0 | 100 | WESTCODE | WB15277/001 |
| 19-42-5045 | SWITCH, ASSEMBLY R.H. U/O DOOR MODIFICATION. | 0 | 0 | 100 | WESTCODE | WB15277/002 |
| 19-42-5389 | DIODE, LIGHT EMITTING, RED CLUSTER OF 6, CONDUCTOR'S INDICATION FOR DOOR OPERATING SYSTEM, PACKAGED 25 UNITS IN A STATIC-PROOF BAG | 427 | 194 | 100 | VISUAL COMMUNICATIONS COMPANY | SP020620-R |
| 19-42-5595 | RETAINING RING, EXTERNAL | 0 | 0 | 100 | VAPOR | 97920999-60 |
| 19-42-5720 | CAM, ADJUSTING | 0 | 0 | 100 | VAPOR | 59910756 |
| 19-42-7013 | NUT, JAM HEX, 1/2-13, SST, FOR VAPOR DOOR SYSTEM. TO BE | 100 | 0 | 100 | DELL FASTENER CORP VAPOR | 050NJS 84260632 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|----------------------------------------------------------------------------------|-----------|-----------|-------------|-------------------------------------------|-----------------------------|
| 19-42-7014 | WASHER, LOCK, 1/2, SPLIT, SST, FOR VAPOR DOOR SYSTEM | 0 | 0 | 100 | VAPOR | 84259746 |
| 19-42-7016 | WASHER, FLAT, 3/8 X 0.813 IN OD X 0.065 IN THK, SST, FOR VAPOR DOOR SYSTEM | 4 | 0 | 100 | VAPOR | 84263009 |
| 19-42-7018 | SCREW, HEX SOC, NO 10-32 X 0.5 IN LG, FLH, SST, FOR VAPOR DOOR SYSTEM | | | 100 | VAPOR | 84271426 |
| 19-42-7040 | WASHER, LOCK, 5/16, SPLIT, SST (PACKAGED 100 PER BOX/BAG) | 3000 | 0 | 100 | VAPOR | 84259743 |
| 19-42-7041 | WASHER, FLAT, 5/16, SST | | | 100 | VAPOR | 84263008 |
| 19-42-7045 | NUT, HEX, 5/16-18, SST | | | 100 | VAPOR | 84260211 |
| 19-43-0311 | BRACKET, ACTUATOR, PIN, RIGHT HAND | 0 | 0 | 100 | VAPOR CORP | 59911026 |
| 19-43-0312 | BRACKET, ACTUATOR, PIN, LEFT HAND | 0 | 0 | 100 | VAPOR CORP | 5991102601 |
| 19-43-0320 | HANGER KIT, DOOR, RIGHT HAND | 0 | 0 | 100 | VAPOR CORP | 59920499 |
| 19-43-0321 | HANGER KIT, DOOR, LEFT HAND | 0 | 0 | 100 | VAPOR CORP | 59920500 |
| 19-43-0338 | HANGER ASSEMBLY | 0 | 0 | 100 | VAPOR CORP | 59921052 |
| 19-44-7198 | RELAY, TAMPER PROOF, 36 VDC, 4 FORM C TYPE. FOR DOOR | 4341 | 3655 | 100 | LEACH INTERNATIONAL EUROPE VAPOR CORP. | RR470D REV. D 3733054070 |
| 19-60-0025 | BRACKET LOCK PIN, LEFT HAND, FOR VAPOR DOOR SYSTEM | 1 | 0 | 100 | VAPOR CORP. | 200320845 |
| 19-60-0026 | BRACKET LOCK PIN, RIGHT HAND, FOR VAPOR DOOR | 1 | 0 | 100 | VAPOR CORP. | 200320844 |
| 19-60-0028 | DOOR HANGER .1, RIGHT HAND, FOR FUJI DOOR SYSTEM | 0 | 0 | 100 | FUJI ELEC. CO. | R160DH1M01 |
| 19-60-0029 | DOOR HANGER-2, RIGHT HAND FOR FIJI DOOR SYSTEM | 0 | 0 | 100 | FUJI ELEC. CO. | R160DH2M01 |
| 19-60-0031 | DOOR HANGER .1, LEFT HAND, FOR FUJI DOOR SYSTEM | 0 | 0 | 100 | FUJI ELEC. CO. | R160DH1H01 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-----------------------------------------------|-----------|-----------|-------------|----------------|---------------------------|
| 19-60-0032 | DOOR HANGER-2, LEFT HAND, FUJI DOOR SYSTEM | 0 | 0 | 100 | FUJI ELEC. CO. | R160DH2H01 |
| 19-60-0091 | CAM | 0 | 0 | 100 | VAPOR | 200320870 |
| 19-60-0135 | HANGER ASSEMBLY, RH | 0 | 0 | 100 | VAPOR | 20034038501 |
| 19-60-0136 | HANGER, LH | 0 | 0 | 100 | VAPOR | 20034038502 |
| 19-60-0137 | HANGER, RH | 0 | 0 | 100 | VAPOR | 20034038601 |
| 19-60-0227 | PIN SPIRAL, .188 X .75 STD SS PASS OIL | 0 | 0 | 100 | VAPOR | 84262538 |
| 19-60-0244 | RETAINING RING, EXT 15MM STL | 1 | 10 | 100 | VAPOR | 99W895 |
| 19-60-0281 | STUD-ROLLER ECCENTRIC | 2 | 0 | 100 | VAPOR | 200320899 |
| 19-60-0459 | BOLT | | | 100 | FUJI ELEC. CO. | SP552742-2 |
| 19-60-0473 | NUT, HEX, 1/4"-20 UNC, STEEL | 0 | 0 | 100 | FUJI ELEC. CO. | SP552968-1 |
| 19-60-0474 | BOLT, 5/16"-18 UNC * 0.75" | 0 | 0 | 100 | FUJI ELEC. CO. | SP553171-4 |
| 19-60-0476 | BOLT, 5/19"-18UNC | 0 | 0 | 100 | FUJI ELEC. CO. | SA553171-2 |
| 19-60-0479 | BRACKET, HANGER 1, LH | | | 100 | FUJI | SP448694-3 |
| 19-60-0480 | BRACKET, HANGER 1, RH | | | 100 | FUJI | SP448696-3 |
| 19-60-0481 | BRACKET, HANGER 2, LH | | | 100 | FUJI | SP448695-1 |
| 19-60-0482 | BRACKET, HANGER 2, RH | | | 100 | FUJI | SP448697-1 |
| 19-60-0484 | BRACKET, LOCK HOLE | | | 100 | FUJI | SP553035-4 |
| 19-60-0490 | BUMPER | | | 100 | FUJI | SP553426-1 |
| 19-60-0525 | ECCENTRIC SHAFT | | | 100 | FUJI ELEC. CO. | SP552291-2 |
| 19-60-0562 | LOCK HOLE BRACKET (LH) | 0 | 0 | 100 | FUJI ELEC. CO. | SP448633-2 |
| 19-60-0564 | LOCK HOLE BRACKET (RH) | 0 | 0 | 100 | FUJI ELEC. CO. | SP448634-2 |
| 19-60-0576 | NUT | 0 | 0 | 100 | FUJI ELEC. CO. | SP552974-2 |
| 19-60-0601 | RETAINING RING | 0 | 0 | 100 | FUJI ELEC. CO. | CE-SHAFT-10.JIS.STAINLESS |
| 19-60-0602 | RETAINING RING | 0 | 0 | 100 | FUJI ELEC. CO. | CE-SHAFT-15.JIS.STAINLESS |
| 19-60-0604 | ROLLER | 0 | 0 | 100 | FUJI ELEC. CO. | SP552111-1 |
| 19-60-0605 | ROLLER, ECCENTRIC | 0 | 0 | 100 | FUJI ELEC. CO. | SP552167-1 |
| 19-60-0654 | TWIN WASHER, MUST BE PACKAGED 100 PER BAG | 0 | 0 | 100 | FUJI ELEC. CO. | SP552192-3 |
| 19-60-0655 | WASHER | | | 100 | FUJI ELEC. CO. | SP550962-1 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------------|-----------|-----------|-------------|--------------------------------------------------------------------|--------------------------------------------------------------------------|
| 19-60-0656 | WASHER, LOCK, MUST BE PACKAGED 100 PER BAG | 0 | 0 | 100 | FUJI ELEC. CO. | JEM 1301-8 |
| 19-60-0663 | WASHER, SPECIAL, MUST BE PACKAGED 100 PER BAG | 0 | 0 | 100 | FUJI ELEC. CO. | SP552730-3 |
| 19-60-0665 | WASHER, SPRING, SW-5/16", MUST BE PACKAGED 100 PER | 0 | 0 | 100 | FUJI ELEC. CO. | SP553115-6 |
| 19-62-8304 | RELAY, CRITICAL CIRCUIT, 6 POLE, USED ON RELAY PANELS #1 AND #2 CABS. | 1 | 0 | 100 | VAPOR CORP. | 37330003-32 |
| 19-68-9950 | KEY, CONDUCTOR'S, FOR MASTER DOOR CONTROLLER | 2520 | 1092 | 100 | VAPOR CORP. | 5851650010 REV. A |
| 35-13-1925 | BRUSH, CARBON, WITH PIGTAIL, FOR TYPE 5GE763A2 TRACTION | 228 | 372 | 100 | ACI NATIONAL ELECTRICAL CARBON | 494A477P1 GRADE E37 01-23047 GRADE EG-268 |
| 35-13-2130 | BRUSH, FRINGE FIBER | 0 | 0 | 100 | NATIONAL ELECTRICAL CARBON | 01-24122 GRADE FF8 |
| 36-06-3625 | BEARING, ROLLER, U/W GEAR UNIT, FOR G.E.DIESEL LOCOMOTIVE SER. NO. 33663 AND NO. 33664 | 22 | 37 | 100 | FAG GENERAL ELECTRIC CO. NTN BEARING CORP. OF PENN SKF | NU412MI.F1.T51F 8864951-P49 NU412G1C4 521493 NU412ECMC5VA301 |
| 36-06-3781 | SPRING, OUTER, USED ON TRUCK FRAME EQUALIZER BAR FOR G.E. DIESEL LOCOMOTIVE | 25 | 5 | 100 | LOGAN CORP. | 489A553P1 |
| 36-07-0316 | BRUSH, CARBON, WITH PIGTAILS, FOR ALL DIESEL LOCOS, U/W MAIN GENERATORS, SET | 38 | 20 | 100 | CARBON PRODUCTS OPERATION NATIONAL ELECTRICAL CARBON | 41A232600X01 (GRADE T-583) 01-26377 GRADE MD-4 |
| 36-37-0106 | TRANSMISSION, USED WITH PROPULSION SYSTEM ON VACUUM TRAIN LOCOMOTIVE | 0 | 0 | 100 | VOITH TURBO POWER TRANSMISSION | L2R42SEU2 |
| 42-22-1703 | BLADE, 16" DIAMETER, 1/8" THICK, 1" BORE, REINFORCED | 8890 | 4250 | 100 | GEISMAR HANDBOOK HILTI | GSMTX - 16 436739 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|--------------------------------------------|------------------------------------------------------------------------------|
| 42-22-3730 | BLADE, 4" LONG X 9/16" WIDE; FOR USE WITH LONG HANDLED SCRAPER AVAILABLE UNDER STOCK #42-97-6151; PACKAGED 5 BLADES PER PACKAGE | 3008 | 539 | 100 | WARNER | 695 |
| 42-26-2600 | KNIFE, PUTTY, STIFF, 1-1/4" WIDE STEEL BLADE, (MEASURED AT | 564 | 305 | 100 | NYCTA RED DEVIL | NYCTA MARKING 4101 |
| 42-26-2712 | SCRAPER, RAZOR BLADE, METAL CONSTRUCTION WITH SINGLE EDGED 1-1/2" WIDE RAZOR BLADE, RAZOR BLADE IS RETRACTABLE, HAS A PUSH PULL BUTTON, SCRAPER IS NOMINALLY 4-1/2" IN LENGTH, USES REPLACEMENT BLADES | 5799 | 2709 | 100 | HYDE | 13000 |
| 42-26-2760 | SCRAPER, STIFF, 3" WIDE STEEL BLADE. (MEASURED AT BLADE'S | 1516 | 714 | 100 | NYCTA RED DEVIL | NYCTA MARKING 4109 |
| 42-34-6426 | BLADE, 4" LONG, SINGLE RAZOR EDGE, BLADE IS NOMINALLY 1/2" WIDE, WITH ONE NOMINAL 3/16" DIAMETER INDENTATION ON EACH SIDE; FOR USE WITH UNGER LONG HANDLED (4) SCRAPERS AVAILABLE UNDER STOCK #'S 42-34-6425 & 42-34- | 6214 | 254 | 100 | UNGER | RB10C |
| 68-10-0502 | GLASS, SIDE WINDOW OPENABLE, LOWER PART. (10 EACH PER CONTAINER). ALL SHIPMENTS MUST BE | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 493 |
| 68-10-0503 | GLASS, SIDE WINDOW OPENABLE, UPPER PART.(10 LIGHTS PER CONTAINER). ALL | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| 68-10-0504 | SHIPMENTS MUST BE GLASS, SIDE WINDOW, FIXED, LARGE. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA | 301-7200 SHET. 492 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 490 |
| 68-10-0505 | GLASS, SIDE WINDOW FIXED, SMALL. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 491 |
| 68-10-0506 | GLASS, CAB SIDE DROP WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT 494 |
| 68-10-0507 | GLASS, END FIXED WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 496 |
| 68-10-0508 | GLASS, WINDSHIELD (L). (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED | **** PART NO. NOT AVAILABLE **** 304-7004 REV. A 2032 PROD 80 REV. B PPN10-0508 |
| 68-10-0509 | GLASS, WINDSHIELD, (R). (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY NYCTA PRELCO INCORPORATED | NYCT68100509 304-7004 REV. A 2032 PROD 80 REV. B PPN10-0509 |
| 68-10-0510 | GLASS, END DOOR WINDOW, LARGE. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA | **** PART NO. NOT AVAILABLE **** 301-7200 SHT. 499 2032 PROD 80 |
| 68-10-0511 | GLASS, END SIGN. (10 LIGHTS PER CONTAINER). ALL | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS | **** PART NO. NOT AVAILABLE **** |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|----------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|--------------------------------------------|------------------------------------------------------------------------------|
| | SHIPMENTS MUST BE PALLETIZED. PALLET | | | | NYCTA | 3048-MATL-89 REV. E 301-7200 SHT. 503 |
| 68-10-0512 | GLASS, SIDE DOOR WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 497 |
| 68-10-0513 | GLASS, END DOOR WINDOW, SMALL. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 498 |
| 68-10-0514 | GLASS, CAB DOOR WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 500 |
| 68-10-0515 | GLASS, END PANEL WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 501 |
| | SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" | | | | VIRACON, INC. | **** PART NO. NOT AVAILABLE **** |
| 68-10-0516 | GLASS, INTERIOR DESTINATION SIGN WINDOW.(10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 502 |
| 68-10-0522 | GLASS, WINDSCREEN | | | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 505 |
| 68-10-9502 | GLASS, WINDOW, END DOOR, USED ON #1 END MOTOR CAR. | 0 | 0 | 100 | NELSON-PALMER-NELSON NYCTA | RG5C0091 3048-MATL-89 REV. E |
| 68-30-6176 | GLAZING, 40.65" HIGH X WIDTH (SLOPED FROM 17.31" TO 20.92") | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS | **** PART NO. NOT AVAILABLE **** |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| 68-32-1207 | X .238" THICK, LAMINATED SHEET GLASS, WITH FOUR ROUNDED GLAZING, GLASS, 18-1/4" H X 26-5/16" W, HIGH STRENGTH SAFETY GLASS, USED ON SMALL SIDE WINDOW. (5 LIGHTS PER CONTAINER.) .625"-.75" WIDE BY .017" THICKNESS STEEL | 0 | 0 | 100 | NYCTA PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | 301-7200 SHEET 427 REV. A PPN30-6176 68321207 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 469 (REV. B) |
| 68-32-1208 | GLAZING, GLASS, 57-3/16" W X 18-1/4" H, HIGH STRENGTH SAFETY GLASS, USED ON SIDE WINDOW, LARGE. (5 LIGHTS PER CONTAINER). .625"-.75" WIDE BY .017" THICKNESS STEEL | 3 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | PPN32-1207 68321208 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 470 (REV. B) |
| 68-32-1209 | GLAZING, SIDE WINDOW, LARGE FOR R32 GE OVERHAULED CARS. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" | 0 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | PPN32-1208 68321209 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET #472 (REV. A) |
| 68-32-1210 | GLAZING, SIDE WINDOW, SMALL FOR R32 GE OVERHAULED CARS. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS | 0 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | PPN32-1209 68321210 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 471 (REV. A) |
| 68-36-1001 | GLASS, .350 TO .360" THICK, 24.94" X 14.94" X 2.65" RADIUS, HIGH STRENGTH SAFETY GLASS, USED ON SIDE DOOR. FIVE (5) LIGHTS PER CRATE. .625"-.75" | 0 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | PPN32-1210 68361001 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 302-4018 DETAIL # 1, REV. A |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| 68-36-1002 | WIDE X .017" THICKNESS STEEL GLASS, .350 TO .360 INCH THICK, 26.84" X 14.97" X 2.65" RADIUS, HIGH STRENGTH SAFETY GLASS, USED ON SIDE DOOR ALL SHIPMENTS MUST BE PALLETIZED. (5 EACH PER CRATE, | 0 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | PPN36-1001 68361002 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 302-4018 DETAIL # 2, REV. A |
| 68-36-1003 | GLASS, .350 TO .360 INCH THICK, 20.153" X 24.966". RADIUS 2.421". TOLERANCES: ALL OTHER +0/- .062", HIGH STRENGTH SAFETY GLASS, USED ON STORM DOORS, ALL SHIPMENTS MUST BE | 0 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | PPN36-1002 68361003 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 302-4018 DETAIL #3 REV. A |
| 68-36-1004 | GLAZING, LAMINATED SAFETY GLASS, HIGH STRENGTH, SIDE WINDOW LOWER (5 LIGHTS PER CONTAINER). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED | 0 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | PPN36-1003 68361004 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 489 |
| 68-36-1005 | GLAZING, LAMINATED SAFETY GLASS, HIGH STRENGTH, SIDE WINDOW UPPER (5 LIGHTS PER CONTAINER). FIVE (5) LIGHTS PER CRATE. .625"-.75" WTHICKNESS STEEL STRAPPING MUST BE | 0 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | PPN36-1004 68361005 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 489 |
| 68-38-1004 | GLAZING, 69-9/16" X 18-9/16", HIGH IMPACT RESISTANT GLASS, USED ON SIDE WINDOW, LARGE. (5 LIGHTS PER CONTAINER). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING | 0 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | PPN36-1005 68381004 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 476 (REV. A) |
| 68-38-1005 | GLAZING, GLASS, 18-9/16" X 34- | 0 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. | PPN38-1004 68381005 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| 68-40-1609 | 11/16", HIGH IMPACT SAFETY GLASS, PICTURE WINDOW, SMALL. (5 LIGHTS PER CONTAINER). .625"-.75" WIDE BY .017" THICKNESS STEEL GLAZING, GLASS, CLEAR, HIGH IMPACT SAFETY GLASS, SLANT CARS USED ON END DOOR (5 LIGHTS PER CONTAINER.) .625"-.75" WIDE BY .017" THICKNESS | 5 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED CUSTOM GLASS CO. | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 475 (REV. A) PPN38-1005 68401609 |
| 68-40-1610 | 13/16", HIGH STRENGTH SAFETY GLASS, USED ON SIDE DESTINATION WINDOW. (5 LIGHTS PER CONTAINER) .625"-75" WIDE X .017" THICKNESS | 2 | 5 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED CUSTOM GLASS CO. | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 479 REVA PPN40-1609 68401610 |
| 68-40-1611 | GLAZING, SIDE WINDOW, LARGE R40 CARS. (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" | 9 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED CUSTOM GLASS CO. | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET #478 REVA PPN40-1611 68401611 |
| 68-42-1009 | GLAZING, LAMINATED, HIGH STRENGTH, SMALL SIDE WINDOW. (5 LIGHTS PER CONTAINER). .625"-75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED CUSTOM GLASS CO. | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT 429B PPN42-1009 68421009 |
| 68-42-1010 | GLAZING, GLASS, 55"W X 21-11/16"H, SIDE VENT WINDOW, LARGE, HIGH IMPACT RESISTANCE, U/O R42 CARS. (5 | 5 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED CUSTOM GLASS CO. | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E PPN42-1009 68421010 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 68-42-1011 | LIGHTS PER CRATE). .625"-75" WIDE X .017" THICKNESS STEEL GLAZING, CLEAR, 24-3/4" X 20-3/4", HIGH IMPACT RESISTANT, USED ON END DOOR. (5 LIGHTS PER CRATE.) .625"-75" WIDE X .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED | 5 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | 301-7200 SHEET 480 REVA PPN42-1010 68421011 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 473 (REV. B) |
| 68-42-1012 | GLAZING, 26-7/8" HIGH X 14-7/8" WIDE, SIDE DOOR WINDOW, HIGH STRENGTH SAFETY GLASS. (5 LIGHTS PER CRATE.) .625"-75" WIDE X .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED | 12 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | PPN42-1011 68421012 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 474 (REV. B) |
| 68-42-1013 | GLAZING, GLASS, 11-3/8" H X 55" W, HIGH STRENGTH SAFETY GLASS, U/O SIDE DESTINATION. (5 LIGHTS PER CRATE). .625"-75" WIDE X .017" THICKNES STEEL STRAPPING MUST BE WRAPPED | 0 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | PPN42-1012 68421013 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 481 REVA |
| 68-42-2073 | SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 BI-PARTING DOOR, 31.50"H X 7.88"W, SEMICIRCLE ENDS DIAMETER 7.88", STEPPED EDGE | 50 | 17 | 100 | PRELCO INCORPORATED COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC INTERNATIONAL NAMEPLATE MINNESOTA, MINING & MANUFACTUR | PPN42-1013 CM68-42-2073 GS-40752-ML44 INP-NYCT-33303 |
| 68-42-2074 | SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 UPPER VENT WINDOW, 7.95"H X 52.60"W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT | 14 | 6 | 100 | COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC INTERNATIONAL NAMEPLATE MINNESOTA, MINING & MANUFACTUR | SCOTCHGUARD 100470-0063-3303-6 CM68-42-2074 GS-40753-ML44 INP-NYCT-46295 |
| 68-42-2075 | SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 LOWER | 142 | 33 | 100 | COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC | SCOTCHGUARD 100470-0004-6295-5 CM68-42-2075 GS-40737-ML44 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|----------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|--------------------------------------------------------|--------------------------------------------------|
| 68-42-2076 | VENT PICTURE WINDOW, 20.35"H X 53.80"W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 | 159 | 42 | 100 | INTERNATIONAL NAMEPLATE MINNESOTA, MINING & MANUFACTUR | INP-NYCT-33309 SCOTCHGUARD 100470-0063-3309-3 |
| 68-42-2077 | DISTINATION PICTURE WINDOW, 19.20"H X 53.80"W, ROUNDED EDGES, UPPER RIGHT AND SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 END | 107 | 56 | 100 | COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC | CM68-42-2076 CM68-42-2077 GS-40453-ML44 |
| 68-42-2078 | WINDOW, 32.00" H X 14.90" W, ROUNDED EDGES, RADIUS 4.375", STEPPED EDGE LOCATED SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 | 178 | 43 | 100 | INTERNATIONAL NAMEPLATE MINNESOTA, MINING & MANUFACTUR | INP-NYCT-33310 SCOTCHGUARD 100470-0063-3310-1 |
| 68-42-2079 | MOTORMAN CAB DOOR WINDOW, 31.19" H X 18.13" W, SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 FIXED SIDE | 38 | 17 | 100 | COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC | CM68-42-2078 CM68-42-2079 GS-40754-ML44 |
| 68-42-2080 | SMALL WINDOW, 31.40" H X 19.50" W, ROUNDED EDGES, SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A SIDE | 378 | 126 | 100 | INTERNATIONAL NAMEPLATE MINNESOTA, MINING & MANUFACTUR | INP-NYCT-33304 SCOTCHGUARD 100470-0063-3304-4 |
| 68-42-2081 | DOOR WINDOW, 31.91" H X 15.88" W, ROUNDED EDGES, RADIUS 4.250", STEPPED EDGE SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A BI- | 48 | 8 | 100 | COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC | CM68-42-2079 CM68-42-2080 GS-40497-ML44 |
| 68-42-2082 | PARTING DOOR, 31.96" H X 8.10" W, SEMICIRCLE ENDS DIAMETER 8.10", STEPPED EDGED LOCATED SHIELD, WINDOW PROTECTION, | 11 | 6 | 100 | INTERNATIONAL NAMEPLATE MINNESOTA, MINING & MANUFACTUR | INP-NYCT-33282 SCOTCHGUARD 100470-0063-3307-7 |
| | | | | | COLE MOTORSPORTS, INC. | CM68-42-2081 CM68-42-2082 GS-40745-ML44 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|--------------------------------|--------------------------------|
| 68-42-2083 | 4-PLY, USED ON R142A UPPER VENT WINDOW, 7.61" H X 52.51" W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT RADIUS SHIELD, WINDOW PROTECTION, | 89 | 15 | 100 | GRAFFITI SHIELD INC | GS-40747-ML44 |
| | INTERNATIONAL NAMEPLATE | | | | INP-NYCT-33286 | |
| | MINNESOTA, MINING & MANUFACTUR | | | | SCOTCHGUARD 100470-0063-3286-3 | |
| 68-42-2084 | 4-PLY, USED ON R142A LOWER VENT PICTURE WINDOW, 19.85" H X 53.36 W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT SHIELD, WINDOW PROTECTION, | 76 | 18 | 100 | COLE MOTORSPORTS, INC. | CM68-42-2083 |
| | GRAFFITI SHIELD INC | | | | GS-40463-ML44 | |
| | INTERNATIONAL NAMEPLATE | | | | INP-NYCT-33287 | |
| 68-42-2085 | 4-PLY, USED ON R142A DESTINATION PICTURE WINDOW, 20.68" H X 53.34" W, ROUNDED EDGES, UPPER RIGHT AND SHIELD, WINDOW PROTECTION, | 81 | 20 | 100 | MINNESOTA, MINING & MANUFACTUR | SCOTCHGUARD 100470-0063-3287-1 |
| | COLE MOTORSPORTS, INC. | | | | CM68-42-2084 | |
| | GRAFFITI SHIELD INC | | | | GS-40748-ML44 | |
| 68-42-2086 | 4-PLY, USED ON R142A END WINDOW, 31.66" H X 14.68" W, ROUNDED EDGES, RADIUS 4.125", STEPPED EDGE LOCATED SHIELD, WINDOW PROTECTION, | 109 | 30 | 100 | INTERNATIONAL NAMEPLATE | INP-NYCT-33288 |
| | MINNESOTA, MINING & MANUFACTUR | | | | SCOTCHGUARD 100470-0063-3288-9 | |
| | COLE MOTORSPORTS, INC. | | | | CM68-42-2085 | |
| 68-42-2087 | 4-PLY, USED ON R142A MOTORMAN CAB DOOR WINDOW, 31.44" H X 18.17" W, ROUNDED EDGES, RADIUS 4.125", STEPPED EDGE LOCATED SHIELD, WINDOW PROTECTION, | 15 | 16 | 100 | GRAFFITI SHIELD INC | GS-40749-ML44 |
| | INTERNATIONAL NAMEPLATE | | | | INP-NYCT-33283 | |
| | MINNESOTA, MINING & MANUFACTUR | | | | SCOTCHGUARD 100470-0063-3283-0 | |
| 68-43-0021 | 4-PLY, USED ON R142A FIXED SIDE SMALL WINDOW, 30.97" H X 19.13" W, ROUNDED EDGES, RADIUS, 3.750", STEPPED EDGE VANDAL SHIELD | 68 | 20 | 100 | COLE MOTORSPORTS, INC. | CM68-42-2086 |
| | GRAFFITI SHIELD INC | | | | GS-40750-ML44 | |
| | INTERNATIONAL NAMEPLATE | | | | INP-NYCT-33284 | |
| 68-43-0021 | | | | | MINNESOTA, MINING & MANUFACTUR | SCOTCHGUARD 100470-0063-3284-8 |
| | | | | | COLE MOTORSPORTS, INC. | CM68-42-2087 |
| | | | | | GRAFFITI SHIELD INC | GS-40751-ML44 |
| | | | | | INTERNATIONAL NAMEPLATE | INP-NYCT-33285 |
| | | | | | MINNESOTA, MINING & MANUFACTUR | SCOTCHGUARD 100470-0063-3285-5 |
| | | | | | COLE MOTORSPORTS, INC. | CM68-43-0021 |
| | | | | | GRAFFITI SHIELD INC | GS-40738-ML44 |
| | | | | | INTERNATIONAL NAMEPLATE | INP-NYCT-33301 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| 68-43-0022 | SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 END DOOR WINDOW, 34.02" H X 19.52" W, ROUNDED EDGES, RADIUS | 0 | 0 | 100 | MINNESOTA, MINING & MANUFACTUR COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC | SCOTCHGUARD 100470-0063-3301-0 CM68-43-0022 GS-40739-ML44 |
| 68-43-0023 | SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 SIDE DOOR WINDOW, 31.80" H X 13.81" W, ROUNDED EDGES, RADIUS | 0 | 0 | 100 | MINNESOTA, MINING & MANUFACTUR COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC | SCOTCHGUARD 100470-0063-3300-2 CM68-43-0023 GS-40740-ML44 |
| 68-43-0024 | VANDAL SHIELD 4.100", STEPPED EDGE LOCATED | 0 | 0 | 100 | INTERNATIONAL NAMEPLATE MINNESOTA, MINING & MANUFACTUR COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC | INP-NYCT-33302 SCOTCHGUARD 100470-0063-3302-8 CM68-43-0024 GS-40741-ML44 |
| 68-43-0025 | VANDAL SHIELD | 15 | 3 | 100 | INTERNATIONAL NAMEPLATE MINNESOTA, MINING & MANUFACTUR COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC | INP-NYCT-33299 SCOTCHGUARD 100470-0063-3299-6 CM68-43-0025 GS-40742-ML44 |
| 68-43-0026 | SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 LOWER VENT PICTURE WINDOW, 19.90" H X 45.40" W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT | 0 | 0 | 100 | INTERNATIONAL NAMEPLATE MINNESOTA, MINING & MANUFACTUR COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC | INP-NYCT-33298 SCOTCHGUARD 100470-0063-3298-8 CM68-43-0026 GS-40743-ML44 |
| 68-43-0027 | SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 DESTINATION PICTURE WINDOW, 18.40" H X 45.33" W, ROUNDED | 96 | 20 | 100 | INTERNATIONAL NAMEPLATE MINNESOTA, MINING & MANUFACTUR COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC | INP-NYCT-33297 SCOTCHGUARD 100470-0063-3297-0 CM68-43-0027 GS-40744-ML44 |
| 68-44-1050 | GLAZING_ASSEMBLY,_COMPLETE | 0 | 0 | 100 | MANUFACTUR DYNAMIC METALS LLC | SCOTCHGUARD 100470-0063-3296-2 S13A00157 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | ,_WITH OPTICAL FILTER (NOTE: 3M OPTICAL FILTER VIKUITI 98- 0440-2657-7, LCF-P MAY BE USED) AND TWO PIECES | | | | G. E. PLASTICS | ***PART NO. NOT AVAILABLE*** |
| 68-44-1051 | GLAZING, CLEAR SCRATCH RESISTANT PANEL, 26-19/32" X 15-19/32" X 2-25/32", USED ON CAB DOOR GLAZING ASSEMBLY, COMMODITY NO. 68-44-1050. (10 | 0 | 0 | 100 | LAIRD PLASTICS NYCTA DYNAMIC METALS LLC | 68-44-1050 303-4010 REV. E ***PART NO. NOT AVAILABLE*** |
| 68-44-1052 | GLAZING, SUBWAY CAR, TRAPEZOID-SHAPED, 11-5/16" X 14-7/32" X 31-15/32" X .350 - .360" THK., USED ON WINDSCREEN. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS | 0 | 0 | 100 | G. E. PLASTICS NYCTA CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | ***PART NO. NOT AVAILABLE*** 303-4010 REV. E 68441052 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200, SHEET 459 REV. B PPN44-1052 |
| 68-44-1053 | GLAZING, 55-3/32" X 30-9/16", .350 TO .360" THICK, USED ON SIDE DESTINATION SIGN, SUBWAY CAR. (5 LIGHTS PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS). .625"- | 37 | 8 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | 68441053 ****PART NO. NOT AVAILABLE**** 3048-MATL-89 REV. E 301-7200, SHEET 460, REV. B PPN44-1053 |
| 68-44-1054 | GLAZING, 55-3/32" X 20-11/32, .350 TO .360" THICK, USED ON LOWER SIDE VENT, SUBWAY CAR (5/LIGHTS PER CONTAINER) .625"- .75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE | 95 | 17 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | 68441054 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200, SHEET 461 REV. B PPN44-1054 |
| 68-44-1055 | GLAZING, 54-5/8" X 7-13/16", .350 TO .360" THICK, USED ON SIDE VENT WINDOW UPPER, SUBWAY CAR (5 LIGHTS PER CRATE). .625"-75" WIDE X .017" | 1 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | 68441055 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200, SHEET 462, REV. B |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| 68-44-1061 | THICKNESS STEEL STRAPPING GLAZING, WINDSCREEN FIVE (5) LIGHTS PER CRATE. .625"-.75" WTHICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE | 0 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | PPN44-1055 68441061 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 467A |
| 68-46-1050 | GLAZING ASSEMBLY, POLY CARBONATE, COMPLETE WITH OPTICAL FILTER (NOTE: 3M OPTICAL FILTER VIKUITI 98-0440- 2657-7, LCF-P MAY BE USED) AND TWO PIECES GLAZING, USED | 51 | 7 | 100 | PRELCO INCORPORATED DYNAMIC METALS LLC G. E. PLASTICS LAIRD PLASTICS | PPN44-1061 S13A00156 ***PART NO. NOT AVAILABLE*** **** PART NO. NOT AVAILABLE **** |
| 68-46-1051 | GLAZING, POLYCARBONATE 27- 11/16" X 20- 3/16" X 1/8" THICK, USED ON CAB DOOR GLAZING ASSEMBLY, COMMODITY NO. 68- 46-1050. (10 LIGHTS PER | 0 | 0 | 100 | NYCTA DYNAMIC METALS LLC G. E. PLASTICS | 303-4010 REV. E ***PART NO. NOT AVAILABLE*** ***PART NO. NOT AVAILABLE*** |
| 68-62-1150 | GLASS, SAFETY, HIGH STRENGTH, 15-23/32" X 29-1/16" X .350 - .360" THICK, MOTORMAN'S CAB, HORIZONTAL, R44 GOH, CAB, SLIDING WINDOWS (5 LTS PER CONTAINER). .625"-.75" WIDE BY | 10 | 0 | 100 | NYCTA CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | 303-4010 REV. E 68621150 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 464A |
| 68-62-1205 | GLASS, .350 TO .360" THICK, SIDE DOOR PANEL, "FRA TYPE II", (5 LIGHTS PER CONTAINER). 625"- .75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE | 62 | 27 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED | PPN62-1150 68621205 ***PART NO. NOT AVAILABLE*** 3048-MATL-89 REV. E 301-7200 SHEET-463 REV. B PPN62-1205 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 68-62-1300 | GLASS, SLOPED, MOTORMAN'S WINDSHIELD FOR R 40 CARS. (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" | | | 100 | GLOBAL SECURITY GLAZING | RG4210900 |
| 68-62-1301 | WINDSHIELD ASSEMBLY, MOTORMAN'S, COMPLETE WITH IMPACT RESISTANT GLASS, MOUNTING FRAME AND INSTALLATION HARDWAREFOR R10 CARS (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. | 0 | 0 | 100 | ELLCON NATIONAL, INC. GLOBAL SECURITY GLAZING GRAHAM WHITE NYCTA | **** PART NO. NOT AVAILABLE **** **** PART NO. NOT AVAILABLE **** **** PART NO. NOT AVAILABLE **** R10-854 LAT. ISSUE 1149-C-80 |
| 68-62-1303 | WINDSHIELD ASSEMBLY, MOTORMAN'S, COMPLETE WITH IMPACT RESISTANT GLASS, MOUNTING FRAME, AND | 0 | 0 | 100 | ELLCON NATIONAL, INC. NYCTA | **** PART NO. NOT AVAILABLE **** SPEC #1149-C-80 R33-717 LATEST |
| 68-62-1304 | WINDSHIELD, SAFETY, MOTORMAN'S, 5 LIGHTSPER CONTAINER. "ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF | 0 | 0 | 100 | ELLCON NATIONAL, INC. GLOBAL SECURITY GLAZING NORTH AMERICAN SPECIALTY NYCTA | **** PART NO. NOT AVAILABLE **** **** PART NO. NOT AVAILABLE **** NYCT68621304 304-7004 REV. A 2032-PROD-80 REV. D |
| 68-62-1308 | WINDSHIELD, SAFETY, MOTORMAN'S. "ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" | 1 | 0 | 100 | PRELCO INCORPORATED ELLCON NATIONAL, INC. GLOBAL SECURITY GLAZING NORTH AMERICAN SPECIALTY | PPN62-1304 **** PART NO. NOT AVAILABLE **** **** PART NO. NOT AVAILABLE **** NYCT68621308 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|--------------------------|----------------------------------|
| 68-62-1310 | WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE WINDSHIELD, SAFETY, MOTORMAN'S. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE | 0 | 0 | 100 | NYCTA | 304-7004 REV. A |
| | | | | | PRELCO INCORPORATED | 2032-PROD-80 REV. D |
| | | | | | ELLCON NATIONAL, INC. | PPN62-1308 |
| | | | | | GLOBAL SECURITY GLAZING | **** PART NO. NOT AVAILABLE **** |
| 68-62-1314 | WINDSHIELD, SAFETY, MOTORMAN'S. "ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE | 0 | 0 | 100 | NORTH AMERICAN SPECIALTY | NYCT68621310 |
| | | | | | NYCTA | 304-7004 REV. A |
| | | | | | PRELCO INCORPORATED | 2032-PROD-80 REV. D |
| | | | | | ELLCON NATIONAL, INC. | PPN62-1310 |
| 68-62-1316 | WINDSHIELD, SAFETY MOTORMAN'S. "ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF | 7 | 3 | 100 | PRELCO INCORPORATED | 916CRG1-1 |
| | | | | | ELLCON NATIONAL, INC. | NYCT-68621314 |
| | | | | | NORTH AMERICAN SPECIALTY | 304-7004 REV. A |
| | | | | | NYCTA | 2032-PROD-80 REV. D |
| 68-62-1317 | WINDSHIELD ASSEMBLY, MOTORMAN'S, COMPLETE WITH IMPACT RESISTANT GLASS, MOUNTING FRAME AND INSTALLATION HARDWARE, FOR | | | 100 | PRELCO INCORPORATED | PPN62-1314 |
| | | | | | ELLCON NATIONAL, INC. | **** PART NO. NOT AVAILABLE **** |
| | | | | | GLOBAL SECURITY GLAZING | **** PART NO. NOT AVAILABLE **** |
| | | | | | NYCTA | 1149-C-80 |
| 68-62-1325 | WINDSHIELD ASSEMBLY, MOTORMAN'S COMPLETE WITH | | | 100 | ELLCON NATIONAL, INC. | **** PART NO. NOT AVAILABLE **** |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-----------------------------------------|--------------------------------------------------|
| 68-62-1330 | IMPACT RESISTANT GLASS, MOUNTING FRAME AND INSTALLATION HARDWARE, FOR R40 SLOPE END CARS. (10 WINDSHIELD, SAFETY, MOTORMAN'S, (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF | 44 | 13 100 | | GLOBAL SECURITY GLAZING | **** PART NO. NOT AVAILABLE **** |
| | | | | | NYCTA | R40-761, LATEST 1149-C-80 |
| | | | | | ELLCON NATIONAL, INC. | **** PART NO. NOT AVAILABLE **** |
| | | | | | GLOBAL SECURITY GLAZING | **** PART NO. NOT AVAILABLE **** |
| 68-62-1340 | WINDSHIELD, MOTORMANS, 36.718" +.000"/-.062" LONG X 26.562" +.000"/-.062" SLOPED X 0.563" +.035"/-.035" THICK. FOR R40 O/H SLANT. CAR NUMBERS 4150-4449. ALL SHIPMENT MUST | 0 | 0 100 | | NORTH AMERICAN SPECIALTY | NYCT68621330 |
| | | | | | NYCTA | 304-7004 REV. A 2032-PROD-80 REV. D |
| | | | | | PRELCO INCORPORATED | PPN62-1330 |
| | | | | | GLOBAL SECURITY GLAZING | **** PART NO. NOT AVAILABLE **** |
| 68-62-1600 | GLASS, 26.62" LONG X 19.12" WIDE X .350 TO .360" THICK, 2.25" RADIUS, CLEAR LAMINATE, FRA TYPE II, USED ON END DOOR WINDOW ASSEMBLY. (5 EACH PER CRATE, WITH PROTECTIVE | 83 | 42 100 | | PRELCO INCORPORATED | PPN62-1340 |
| | | | | | CUSTOM GLASS CO. | 68621600 |
| | | | | | NORTH AMERICAN SPECIALTY | **** PART NO. NOT AVAILABLE **** |
| | | | | | GLASS | 3048-MATL-89 REV. E 301-7200 SHEET 458 REV. B |
| 68-62-1601 | GLASS, WINDOW, 53.764" X 8.976", .350 TO .360" THICK, 3.76" RADIUS, HIGH STRENGTH LAMINATED SAFETY. (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS). .625"- | 3 | 0 100 | | PRELCO INCORPORATED | PPN62-1600 |
| | | | | | CUSTOM GLASS CO. | 68621601 |
| | | | | | NORTH AMERICAN SPECIALTY | **** PART NO. NOT AVAILABLE **** |
| | | | | | GLASS | 3048-MATL-89 REV. E 301-7200 SHEET 454 REV. B |
| 68-62-1602 | GLASS, 54.945" X 21.441" X .350 | 132 | 32 100 | | PRELCO INCORPORATED CUSTOM GLASS CO. | PPN62-1601 68621602 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 68-62-1603 | TO .360" THICK, 4.35" RADIUS, HIGH STRENGTH LAMINATED SAFETY GLASS, FIXED BOTTOM, (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS WINDOW, 31.910" X 14.53 X .350 TO .360" THICK, 3.23" RADIUS, SIDE DOOR, HIGH STRENGTH LAMINATED SAFETY. (5 EACH PER CRATE, WITH | 332 | 126 | 100 | NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED CUSTOM GLASS CO. NASG HOLDING NYCTA | **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 455 REV. B PPN62-1602 68621603 68-62-1603 3048-MATL-89 REV. E 301-7200 SHEET 456 REV. C |
| 68-62-1604 | GLASS, 54.945" LONG X 32.583" WIDE X .350 TO .360" THICK, 4.35" RADIUS, FOR SIDE FIXED WINDOW, HIGH STRENGTH LAMINATED SAFETY. (5 EACH PER CRATE, WITH PROTECTIVE | 140 | 39 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | PPN62-1603 68621604 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 457 REV. C |
| 68-62-1605 | GLASS, SAFETY, HIGH STRENGTH, 0.350"-360" THICK, USED ON R62 & R62A CAB PARTITION WINDOW. ***ALL SHIPMENTS MUST BE PALLETIZED. PALLET (5 EACH PER CRATE, WITH PROTECTIVE | 0 | 0 | 100 | PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA | PPN62-1604 68621605 ****PART NO. NOT AVAILABLE**** 3048-MATL-89 REV. E 301-7200 SHT. 466A |
| 68-68-1004 | WINDSHIELD, SAFETY, MOTORMAN'S. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" | 11 | 7 | 100 | PRELCO INCORPORATED ELLCON NATIONAL, INC. NORTH AMERICAN SPECIALTY NYCTA | PPN62-1605 12658 NYCT68681004 304-7004 REV. A 2032-PROD-80 REV. D |
| 68-68-1030 | GLAZING_ASSEMBLY,_COMPLETE ,_WITH OPTICAL FILTER (NOTE: 3M OPTICALFILTER VIKUTI 98- 0440-2657-7, LCF-P MAY BE USED) AND TWO PIECES | 70 | 24 | 100 | PRELCO INCORPORATED DYNAMIC METALS LLC G. E. PLASTICS LAIRD PLASTICS | PPN68-1004 S13A00159 ***PART NO. NOT AVAILABLE*** **** PART NO. NOT AVAILABLE **** |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| 68-68-1035 | GLAZING; USE COMMODITY NO. GLAZING ASSEMBLY, COMPLETE, WITH OPTICAL FILTER (NOTE: 3M OPTICAL FILTER VIKUTI 98-0440-2657-7, LCF-P MAY BE USED) AND TWO PIECES GLAZING; USE COMMODITY NO. 68-68-1050 FOR GLAZING REPLACEMENT | 12 | 4 | 100 | NYCTA DYNAMIC METALS LLC G. E. PLASTICS LAIRD PLASTICS NORTH AMERICAN NYCTA | 303-4010 REV. E **** PART NO. NOT AVAILABLE **** **** PART NO. NOT AVAILABLE **** 68-68-1035LP 68681035 303-4010 REV. E |
| 68-68-1050 | GLAZING, 36.15" X 19.93" X 2.65", CLEAR SCRATCH RESISTANT PANEL, USED ON CAB DOOR GLAZING ASSEMBLY, COMMODITY NO. 68-68-1035 (10 LIGHTS PER CONTAINER.) ALL | 1 | 1 | 100 | DYNAMIC METALS LLC G. E. PLASTICS LAIRD PLASTICS NYCTA | ***PART NO. NOT AVAILABLE*** ***PART NO. NOT AVAILABLE*** 68-68-1050 303-4010 REV. E |
| 68-68-1051 | GLAZING, CLEAR SCRATCH RESISTANT PANEL, 31-11/16" X 18-3/4" X 3-5/32", USED ON CAB DOOR GLAZING ASSEMBLY, COMMODITY NO. 68-68-1030 (10 | 1 | 2 | 100 | DYNAMIC METALS LLC G. E. PLASTICS NYCTA | ***PART NO. NOT AVAILABLE*** ***PART NO. NOT AVAILABLE*** 303-4010 REV. E |
| 68-68-1060 | GLAZING, 57.940" WIDE X 20.560" HIGH, HIGH STRENGTH SAFETY GLASS, USED ON SIDE VENT WINDOW. (5 LIGHTS PER CONTAINER.) .625"-.75" WIDE BY .017" THICKNESS STEEL | 16 | 1 | 100 | NYCTA CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED | 303-4010 REV. E 68681060 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 487 REVA PPN68-1060 |
| 68-68-1061 | GLAZING, 33.25" HIGH X 57.940" WIDE, HIGH STRENGTH SAFETY GLASS, USED ON SIDE DESTINATION. (5 LIGHTS PER CONTAINER.) .625"-.75" WIDE BY .017" THICKNESS STEEL | 19 | 1 | 100 | CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED | 68681061 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 488 REVA PPN68-1061 |
| 68-68-1062 | GLAZING, 32" HIGH X 14.593" | 9 | 11 | 100 | CUSTOM GLASS CO. | 68681062 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------------------------------|----------------------------------|
| 68-68-1063 | WIDE, HIGH STRENGTH SAFETY GLASS, USED ON SIDE DOOR WINDOW. GLASS MUST BE CRATED, 5 EACH PER CRATE, WITH PROTECTIVE SHEET | 3 | 0 | 100 | NORTH AMERICAN SPECIALTY GLASS | **** PART NO. NOT AVAILABLE **** |
| | NYCTA | | | | 3048-MATL-89 REV. E | |
| | PRELCO INCORPORATED | | | | 301-7200 SHEET 485 REVA | |
| 68-68-1064 | GLAZING, GLASS, 32.188" X 14.5" W, HIGH STRENGTH SAFETY GLASS, OPPOSITE CAB. (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET | 5 | 0 | 100 | CUSTOM GLASS CO. | PPN68-1062 |
| | NYCTA | | | | 68681063 | |
| | PRELCO INCORPORATED | | | | PPN68-1063 | |
| 68-68-1065 | GLAZING, WINDOW, OPPOSITE #2 CAB FOR R68 CARS. (5 LIGHTS PER CONTAINER.) .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES | 38 | 26 | 100 | CUSTOM GLASS CO. | 68681064 |
| | NYCTA | | | | **** PART NO. NOT AVAILABLE **** | |
| | PRELCO INCORPORATED | | | | 3048-MATL-89 REV. E | |
| 68-68-1066 | GLAZING, SIDE DESTINATION, WINDOW, BOTTOM, R68 CARS (5 LIGHTS PER CONTAINER.) 625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE | 60 | 10 | 100 | NYCTA | 301-7200 SHEET #482 REVA |
| | NYCTA | | | | PPN68-1064 | |
| | PRELCO INCORPORATED | | | | PPN68-1065 | |
| 70-13-3595 | GLAZING, SIDE VENT, BOTTOM WINDOW FOR R68 CARS. FIVE (5) LIGHTS PER CRATE .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES | | | 100 | CUSTOM GLASS CO. | 68681065 |
| | NYCTA | | | | **** PART NO. NOT AVAILABLE **** | |
| | PRELCO INCORPORATED | | | | 3048-MATL-89 REV. E | |
| | KIT, FLOOR PATCHING FAST-SET EPOXY MORTAR; KIT CONSISTS | | | | GARON PROD. | 301-7200 SHEET #483 REVA |
| | | | | | | PPN68-1066 |
| | | | | | | TREFLITE FS EPXY RPRMRTR PARTA&B |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | OF A 5-GALLON PAIL CONTAINING 35-40 LBS OF COARSE AGGREGATE PRE-MIXED WITH PRE-WEIGHTED PART A RUST PREVENTATIVE/INHIBITOR, LIQUID, FOR USE IN RAMCO RINSE TANKS FOR METAL PARTS; TO HAVE A DILUTION RATE OF 1 PART PRODUCT TO 50 PARTS WATER; MUST HAVE PH OF 10.5- 11.5; ACTIVE INGREDIENTS NOT COMPOUND, SAFETY TREAD, EPOXY SURFACING GRAY WITH ACCELERATOR ADDED TO HASTEN CURING IN COLD WEATHER FOR REPAIRS TO STAIRWAYS | | | 100 | NYCTA COSCO ENTERPRISES, INC. DIAMOND CHEMICAL NATIONAL CHEMICAL LAB OF PA. NYCTA | CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL ZODIAC ANTI-RUST #10 ZODIAC ANTI-RUST # 10 NCL ANTIRUST #232 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL TREFLITE 42015W T&S SECTION 50, REVISED 12/17 CCSS-003 REV E 9/11/17 RESTR SUB |
| 70-64-0980 | | | | | | |
| 70-66-0585 | | | | 100 | NPI FOR GARON NYCTA | |
| 83-12-0001 | FILTER, RETURN AIR. NOMINAL SIZE: 25" H X18" W X 2" D. ACTUAL SIZE 24-1/2" H X17-1/2" | 4537 | 5187 | 100 | CAMFIL FARR KAWASAKI RAIL CARS MITSUBISHI | CCSS-001, REV I, 3-9-11, LABEL 049880014 7245-000925 EY489186-H02 |
| 83-12-0002 | FILTER, RETURN AIR, NOMINAL SIZE: 20"H X10" W X 2"D. ACTUAL SIZE 19-1/2" H X 9-1/2" W X 1- | 4850 | 6193 | 100 | CAMFIL FARR KAWASAKI RAIL CARS MITSUBISHI | 049880008 7245-001076 EY489186-H01 |
| 83-32-7127 | WASHER, CARBON, USED ON CARRIER COMPRESSOR 5D | 0 | 0 | 100 | CARRIER STONE SAFETY SERVICE CORP. | 17-44131-01 T-11793 |
| 83-32-7131 | OIL PUMP AND BEARING HEAD ASSEMBLY - CARRIER A/C 05D SERIES | 0 | 10 | 100 | CARRIER | 17-40200-02 |
| 83-32-7143 | PISTON AND PIN, STANDARD, CARRIER A/C, 05D COMPRESSOR | 288 | 752 | 100 | CARRIER | 17-44045-01 |
| 83-32-7149 | CRANKSHAFT ASSEMBLY, | 64 | 84 | 100 | ALBERTINI MFG | CSF-326 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|--------------------------------|-----------|-----------|-------------|-----------------------------|-----------------------|
| | CARRIER A/C, 05D | | | | CARRIER | 17-40326 |
| | COMPRESSOR, R42 CARS | | | | NYCTA | PALLET SPEC. |
| | | | | | STONE AIR | T-11511-1 |
| 83-36-9505 | BRUSH, CARBON, FOR A/C | 0 | 0 | 100 | NATIONAL CARBON | GRADE DE 2 |
| | COMPRESSOR MOTOR | | | | NATIONAL ELECTRICAL CARBON | 01-23963 GRADE EG-801 |
| | | | | | STONE SAFETY SERVICE CORP. | T-19286 |
| 83-36-9578 | TIP, CONTACT, MAIN MOVABLE, | 0 | 0 | 100 | CONTACTOR MANUFACTURING | MEI-107 |
| | USED WITH SAFETY CONTACTOR | | | | GENERAL ELECTRIC CO. | 6974772G1 |
| | #T-16093-4, & G.E. CONTACTOR | | | | HOYT POWERMET PRODUCTS | Z607 |
| | #IC 28001607AD55Z8, MUST BE | | | | STONE SAFETY SERVICE CORP. | S-7564-23 |
| 83-36-9710 | BRUSH, FRINGE, FIBRE GRADE IM- | 0 | 0 | 100 | MORGANITE | 01-23788 |
| | 26 USED WITH FAN MOTOR, | | | | STONE SAFETY SERVICE CORP. | T-19289-1 |
| 83-38-0326 | CONTACT, MOVABLE, FOR TYPE | 0 | 0 | 100 | HOYT POWERMET PRODUCTS | |
| | MC-2 & MC-3 CONTACTOR, R40 | | | | | R490 |
| 83-38-0612 | CYLINDER HEAD, CENTER BANK, | 0 | 0 | 100 | CARRIER | 17-40016 |
| | A/C-05D COMPRESSOR | | | | SAFETY EQUIP. CO. | T-9256 |
| 83-38-0617 | OIL RELIEF VALVE, FOR A/C | 100 | 320 | 100 | CARRIER | 17-44011 |
| | COMPRESSOR | | | | STONE SAFETY SERVICE CORP. | T-9262 |
| 83-38-0619 | ASSEMBLY, OIL LEVEL SIGHT | 0 | 0 | 100 | CARRIER | 17-10218 |
| | GLASS FOR T-11490-1 | | | | SAFETY CORP. | T-13004 |
| 83-38-0622 | OIL RETURN CHECK VALVE | 0 | 0 | 100 | CARRIER | 17-40320 |
| | ASSEMBLY- CARRIER A/C 05D | | | | STONE SAFETY SERVICE CORP. | T-11520 |
| 83-38-0651 | RING, COMPRESSION, FOR | 600 | 1362 | 100 | CARRIER | 17-40055 |
| | SAFETY EQUIP. AIR COND. | | | | SAFETY EQUIP. CO. | T-9288 |
| 83-38-0652 | CONNECTING ROD & CAP | 329 | 621 | 100 | CARRIER | 17-40056-02 |
| | ASSEMBLY, STANDARD A/C-05D | | | | MOBILE CLIMATE CONTROL INC. | 17-40056-02 |
| | COMPRESSOR | | | | STONE SAFETY SERVICE CORP. | T-11492 |
| 83-38-0660 | VALVE, CAPACITY CONTROL, FOR | 692 | 607 | 100 | CARRIER | 17-10363-00 |
| | PURCHASING PURPOSES ONLY. | | | | FLXIBLE | 97-4732-151 |
| | (THE FOLLOWING INFORMATION | | | | ORION | E1349549JZ |
| | IS FOR NYCT USE ONLY: USE 83- | | | | STONE SAFETY SERVICE CORP. | T-14246D |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| | 38-3006 FOR FIRST STAGE UNLOADING, COLOR CODED | | | | | **** PART NO. NOT AVAILABLE **** |
| 83-38-0670 | BEARING, HEAD & OIL PUMP PACKAGE, FOR SAFETY | 0 | 0 | 100 | CARRIER SAFETY EQUIP. CO. | 17-40200 T-1148-4 |
| 83-38-0690 | VALVE PLATE ASSEMBLY, INCLUDING VALVE PLATE & | 30 | 32 | 100 | CARRIER STONE SAFETY SERVICE CORP. | 17-44106-00 T-9422 |
| 83-38-0699 | VALVE PLATE, CENTER BANK, FOR SAFETY EQUIPMENT AIR | 25 | 15 | 100 | CARRIER SAFETY EQUIP. CO. | 17-44107-00 T-9421 |
| 83-38-3001 | FILTER, A/C, NOMINAL SIZE 18-1/8" X 13-3/8" X 1-3/4" USED ON OVERHEAD FRAME ASSEMBLY, 6 PER CAR. THE CONTRACTOR IS RESPONSIBLE FOR INSPECTING ALL MATERIALS FURNISHED IN ACCORDANCE WITH THE | 368 | 72 | 100 | CLARK FILTER FARR INC NYCTA PUROLATOR TRI-DIM FILTER CORP. | DP8-NYC-2 DP40-NYC-2 97515-011-R40XL PALLET SPEC. 2061-PROD-89, REV. F FME-40-L 23213CE18AE208Q |
| 83-38-7026 | GASKET, COVER PLATE, FOR SAFETY #B-2694-1 CONDENSER | 0 | 0 | 100 | CARRIER STONE SAFETY SERVICE CORP. | 17-44004 T-11519 |
| 83-40-0807 | BRUSH, CONTURED, COMPLETE, FOR COMPRESSOR MOTOR # T- | 90 | 10 | 100 | NATIONAL ELECTRICAL CARBON STONE SAFETY SERVICE CORP. | 01-22123 GRADE EG-801 T-11539-2 |
| 83-42-0973 | CONTACT, STATIONARY, FOR BLOWER FAN CONTACTOR SAFETY #T-14582-2 & G.E.# IC28001617P2, USED ON MOTOR | 3 | 0 | 100 | CONTACTOR MANUFACTURING GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS NYAB | MEI-09 6973075G1 R337 758566 |
| 83-42-0978 | START AND CONTROL PANEL FINGER, MOVABLE CONTACT, FOR SAFETY MOTOR START CONTROL PANEL #B-3246-1, #B-3247-1, #M-4608-1 & G.E. BLOWER FAN CONTACTOR #1C2800-1617 | 0 | 0 | 100 | STONE SAFETY SERVICE CORP. BRM INDUSTRIES INC. GENERAL ELECTRIC CO. HORNE HOYT POWERMET PRODUCTS NYAB STONE SAFETY SERVICE CORP. | S-6795-25 8067076G1 8067076G1 806 R340 758567 S-6795-31 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| 83-42-1098 | BRUSH, ASSEMBLY, GROUNDING, USED ON COMPRESSOR/CONDENSOR MOTOR. NOTE: "EACH ASSEMBLY MUST BE PACKAGED INDIVIDUALLY". | 0 | 0 | 100 | GENERAL ELECTRIC CO. | 36A291177ABG01 |
| 83-42-1232 | CONTACTOR MC1 FOR MOTOR CONTROL CIRCUIT,THERMOKING | 0 | 0 | 100 | THERMO KING VAPOR | 1309030606 3603000210 |
| 83-42-1301 | CONTACTOR, LC, USED ON HVAC SYSTEM | 0 | 0 | 100 | STONE SAFETY CORPORATION | S-11862-5 |
| 83-42-1302 | CONTACTOR, AC, USED ON HVAC SYSTEM | 0 | 0 | 100 | STONE SAFETY CORPORATION | S-11862-4 |
| 83-42-1314 | RESISTOR, 20 OHMS, A/C MOTOR CONTROL CIRCUIT, (BBR & BSCR2), USED WITH HVAC AND CONTROL SYSTEM | 0 | 0 | 100 | STONE SAFETY SERVICE CORP. | S-12582-3 |
| 83-42-1315 | RESISTOR, 25 OHMS., A/C MOTOR CONTROL CIRCUIT, (BSCRI), USED WITH HVAC AND CONTROL | 0 | 0 | 100 | STONE SAFETY SERVICE CORP. | S-12582-6 |
| 83-42-1325 | SWITCH ASSEMBLY, THERMAL, U/W R42 HVAC SYSTEM. | 0 | 0 | 100 | STONE SAFETY SERVICE CORP. | S-9805-5 |
| 83-42-1370 | VALVE, LINE SOLENOID, U/W R42 HVAC SYSTEM. | 0 | 0 | 100 | STONE SAFETY SERVICE CORP. | S-11841-10 |
| 83-42-1379 | RESISTOR ASSEMBLY, U/W R42 HVAC SYSTEM. | 0 | 0 | 100 | STONE SAFETY SERVICE CORP. | B-6510-1 |
| 83-42-1526 | MOTOR, BLOWER, HVAC | 0 | 0 | 100 | AMETEK ROTRON | 640210 |
| 83-42-2100 | FILTER, AIR, FRESH, NOMINAL SIZE 6" X 21" X 1-3/4" | 24714 | 9436 | 100 | CLARK FILTER FARR INC NYCTA PUROLATOR TRI-DIM FILTER CORP. | DP-NYC-5 400814-001 2061-PROD-89 REV. F DMK80-6 X 21 X 2 23206E21E208Q |
| 83-42-2101 | FILTER, AIR MIXED, NOMINAL | 25130 | 11322 | 100 | CLARK FILTER | DP-NYC-6 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|----------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------------------|---------------------------|
| | SIZE: 9" X 21-1/2" X 1-3/4" | | | | FARR INC | 400814-002 |
| | | | | | NYCTA | 2061-PROD-89 REV. F |
| | | | | | PUROLATOR | DMK80-9 X 21-1/2 X 2 |
| | | | | | TRI-DIM FILTER CORP. | 23209E21DE208Q |
| 83-42-2117 | FILTER, RETURN AIR, NOMINAL SIZE: 12-1/4" X 15-3/8" X 1-3/4"; USED WITH HVAC | 26833 | 10984 | 100 | CLARK FILTER | DP-NYC-7 |
| | | | | | FARR INC | 402129-001 |
| | | | | | NYCTA | 2061-PROD-89 REV. F |
| | | | | | PUROLATOR | DMK80-12-1/4 X 15-3/8 X 2 |
| | | | | | TRI-DIM FILTER CORP. | 23212BE15CE208Q |
| 83-42-2118 | FILTER, FRESH AIR, NOMINAL SIZE: 6-3/8" X 20-3/8" X 7/8"; USED WITH HVAC | 18110 | 7531 | 100 | CLARK FILTER | DP-NYC-8 |
| | | | | | FARR INC | 402135-001 |
| | | | | | NYCTA | 2061-PROD-89 REV. F |
| | | | | | PUROLATOR | DMK80-6.38 X 20.38 X 1 |
| | | | | | TRI-DIM FILTER CORP. | 23206CE20CE108Q |
| 83-42-2123 | COMPRESSOR, 6.5 TON | 0 | 0 | 100 | HARTFORD COMPRESSORS | 75PHFSE16730EMAN30 |
| 83-42-2180 | BLOWER MOTOR, EVAPORATOR, INCLUDING JUNCTION BOX | 0 | 0 | 100 | MELCO | EY255257G01 |
| | | | | | WESTCODE | EY311295H01 |
| 83-42-2181 | HVAC CONTROL UNIT | 0 | 0 | 100 | MELCO | C6G7672 |
| 83-42-2182 | INVERTER, FOR HVAC | 0 | 0 | 100 | MITSUBISHI | CJ51503G01 |
| 83-42-2238 | CAPACITOR, 400V 10000MFD, USED ON INVERTER MODULE | 1766 | 634 | 100 | EPCOS | B43456S9109M002 |
| | | | | | TOSHIBA | PC42003P003 |
| 83-42-2244 | HVAC UNIT, ROOF MOUNTED FOR R142A/R188 CONVERTED CARS(MODEL NO. EU 72). REFRIGERANT USED IS R22 | 0 | 0 | 100 | MELCO | EY201846G01 |
| 83-42-2245 | EVAPORATOR BLOWER | 0 | 0 | 100 | MELCO | EY204427G01 |
| 83-42-2246 | COMPRESSOR U/W HVAC | 0 | 6 | 100 | MELCO | RCS3001K27 |
| 83-42-2248 | CONTACTOR, SD-2XN35WY, 35 AMP | 0 | 0 | 100 | MELCO | C6H9221H02 |
| 83-42-2257 | INSULATOR, VIBRATION | 0 | 0 | 100 | MELCO | CY19166H03 |
| 83-42-2258 | VIBRATION ELIMINATORS (LOWER) | 0 | 1 | 100 | KAWASAKI RAIL CARS | 7245-001446 |
| | | | | | MELCO | CX22439-H01 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-------------------------------|---------------------------------------------------|
| 83-42-2269 | EVAPORATOR COIL ASSEMBLIES | 0 | 0 | 100 | MELCO | EY205665G01 |
| 83-42-2277 | PRINTED CIRCUIT BOARD (M-NCP01A) | 3 | 0 | 100 | MELCO | CJ51504H16 |
| 83-42-2278 | PRINTED CIRCUIT BOARD (M-LON0-1-1), IN ABSENCE OF STOCKS, IS INTERCHANGEABLE AND INTEROPERABLE WITH M-LONO1A (EY104092H17- 14-60-0051)OR M-LONO1-2 (EY102081H17- 83-43-5035). | 0 | 0 | 100 | MELCO | CJ51504H17 |
| 83-42-2279 | PRINTED CIRCUIT BOARD | 0 | 0 | 100 | MELCO | CJ51482H26 |
| 83-42-2280 | BOARD, PRINTED CIRCUIT (R-DCD01) | 0 | 0 | 100 | MELCO | EY107543H27 |
| 83-42-2281 | PRINTED CIRCUIT BOARD (T-POW05A) | 3 | 0 | 100 | MELCO | EY107543H28 |
| 83-42-2282 | PRINTED CIRCUIT BOARD (T-POW15B) | 3 | 0 | 100 | MELCO | EY107543H29 |
| 83-42-2283 | PRINTED CIRCUIT BOARD (T-POW6A-S1) | 2 | 0 | 100 | MELCO MITSUBISHI | EY104199H30 EY107543H30 |
| 83-42-2557 | CAPACITOR, FILTER, 8200UF, 450V (C1 TO C6) | 0 | 11 | 100 | EPCOS | B43456-S5828-M004 |
| 83-42-2582 | PRINTED CIRCUIT BOARD (POW16B) | 0 | 0 | 100 | MELCO | EY107543H31 |
| 83-42-2666 | CIRCUIT BREAKER, MODEL # NF63-SV, 3P, 50A, AC, 600V | 0 | 0 | 100 | MELCO | C6H9222H07 |
| 83-42-2675 | CAPACITOR, 450 VOLTS D.C, 8200 MICROFARAD | 0 | 0 | 100 | EPCOS NICHICON WESTCODE | B43564-S5828-M001 LNZXW822MSMAML C6H9220H07 |
| 83-42-2695 | CONDENSER COIL #1 ASSEMBLY | 0 | 0 | 100 | MELCO WESTCODE | EY201642H01 EY201642H01 |
| 83-42-2696 | CONDENSER COIL #2 ASSEMBLY | 0 | 0 | 100 | MELCO WESTCODE | EY201642HO2 EY201642H02 |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|----------------------------|--------------------------|
| 83-42-2708 | CONTACTOR | 0 | 0 | 100 | MELCO | C6H9222H06 |
| | | | | | WESTCODE | C6H9222H06 |
| 83-42-2756 | POWER SUPPLY RECEIVES THE 37.5 VOLTS SUPPLY FROM THE | 0 | 0 | 100 | MELCO | CJ51504H15 |
| | | | | | WESTCODE | CJ51504H15 |
| 83-42-2889 | MODULE, POWER SUPPLY | 0 | 0 | 100 | MELCO | EY107543H18 |
| 83-42-2891 | MOTOR, CONDENSER FAN (WESTCODE) | 115 | 67 | 100 | MELCO | EY250033H01 |
| | | | | | WESTCODE | WC14079 |
| 83-42-3598 | CONDENSER FAN ASSEMBLY, STAINLESS STEEL | 0 | 0 | 100 | MELCO | EY226128G03 |
| | | | | | WESTCODE | WB24940/001 |
| 83-43-5001 | FILTER, RETURN AIR, NOMINAL SIZE: 19-1/2" X 14-1/2" X 1-3/4", USED WITH HVAC | 54844 | 24860 | 100 | CLARK FILTER | DP-NYC-9 |
| | | | | | FARR INC | 49880-011 |
| | | | | | MELCO | EY320550H01 |
| | | | | | NYCTA | 2061-PROD-89 REV. F |
| | | | | | PUROLATOR | DMK80-19-1/2X14-1/2X2 |
| | | | | | TRI-DIM FILTER CORP. | 23214DE19DE208Q |
| 83-43-5002 | FILTER, FRESH AIR, NOMINAL SIZE: 19-1/2" X 9-1/2" X 1-3/4", USED WITH HVAC | 42612 | 19304 | 100 | CLARK FILTER | DP-NYC-10 |
| | | | | | FARR INC | 49880-008 |
| | | | | | MELCO | EY320417H01 |
| | | | | | NYCTA | 2061-PROD-89 REV. F |
| | | | | | PUROLATOR | DMK80-19-1/2 X 9-1/2 X 2 |
| | | | | | TRI-DIM FILTER CORP. | 23209DE19DE208Q |
| 83-44-0681 | BEARING, CRANK END, FOR SAFETY A/C COMPRESSOR #T- | 0 | 0 | 100 | CARRIER | 17-44088-00 |
| | | | | | STONE SAFETY SERVICE CORP. | T-23409 |
| 83-46-0475 | BRUSH, CARBON, 8 X 10 X 32 | 0 | 0 | 100 | MERSEN USA BN CORP | E-KSR-2 GRADE BG540 |
| | | | | | NATIONAL ELECTRICAL CARBON | 01-24914 GRADE IM-26 |
| 83-46-0483 | BRUSH, 12.5 X 25 X 48 U/W COMPRESSOR MOTOR GS 2007, | 0 | 0 | 100 | KAISER | BG-540 |
| | | | | | MERSEN USA BN CORP | E-KSR-1 GRADE BG540 |
| 83-46-0625 | FILTER, A/C, NOMINAL SIZE 44- 3/4" X 17-3/4" X 1-3/4", USED ON OVERHEAD FRAME ASSEMBLY, 2 PER CAR. THE CONTRACTOR IS RESPONSIBLE FOR INSPECTING | 8580 | 3000 | 100 | AIRPLUS INDUSTRIAL CORP | NYCTAPI-0625 |
| | | | | | CLARK FILTER | DP8-NYC-3 |
| | | | | | | DP40-NYC-3 |
| | | | | | FARR INC | 110126-001 |
| | | | | | NYCTA | PALLET SPEC |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| | USED WITH CONTACTOR DC SIZE 2 | | | | CONTACTOR MANUFACTURING GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS STONE SAFETY SERVICE CORP. | MEI-30 259A5615G1 Z630 S-11725-10 |
| 83-62-1340 | BRUSH, BLOWER MOTOR, PACKAGED 1000 EACH PER CARTON. | 0 | 0 | 100 | MERSEN USA BN CORP NATIONAL ELECTRICAL CARBON STONE SAFETY SERVICE CORP. | 10804-10126-00 01-2428-1 20267-5 |
| 83-62-1410 | FILTER, A/C USED WITH R62 AND R62A NOMINAL SIZE R40XL 20- 1/4" X 14" X 2". CONTRACTOR IS RESPONSIBLE FOR INSPECTING ALL MATERIALS FURNISHED IN ACCORDANCE WITH THE | 42985 | 17142 | 100 | CLARK FILTER FARR INC MANN & HUMMEL FILTER NYCTA PUROLATOR | DP8-NYC-1 DP40-NYC-1 403366001 21308-02142025 2061-PROD-89 REV. F DMK80-20-1/4X14X2 |
| 83-62-3000 | MOTOR, BLOWER, AC, 3 PHASE, 230V, 76 HZ, 1950 RPM MAX., | 0 | 0 | 100 | ABC ELECTRIC ROTRON INC. | ABC01 350212000 |
| 83-62-4000 | COMPRESSOR, HVAC, R62 | | | 100 | HARTFORD COMPRESSORS | 2280SE1697OEM0010 |
| 83-62-4132 | CAPACITOR, 15000 UF, 400V | 170 | 72 | 100 | EPCOS | B43456-S9159-M003 |
| 83-62-4179 | MOTOR, HVAC ALTERNATING CURRENT, FOR HVAC | 0 | 0 | 100 | LETAG S.A. SEPSA SISTEMAS ELECTRICOS | BGKMH-200LEB 562012 |
| 83-68-0654 | CONTACTOR, BLOWER FAN, USED WITH HEATING AND AIR CONDITIONING. | 0 | 0 | 100 | STONE SAFETY SERVICE CORP. | S-11860-1 |
| 83-68-0655 | CONTACTOR, BLOWER FAN, USED WITH HEATING AND AIR CONDITIONING. | 0 | 0 | 100 | STONE SAFETY SERVICE CORP. | S-11860-4 |
| 83-68-0656 | CONTACTOR, LC, LINE, U/W HEATING AND AIR | 0 | 0 | 100 | STONE SAFETY SERVICE CORP. | S11862-2 |
| 83-68-0872 | FILTER, A/C, NOMINAL SIZE: 19- 1/2 X 13-1/2" X 1-3/4" FOR R62 AND R62A USE 83-62-1410 USED ON OVERHEAD FRAME ASSEMBLY, 6 PER CAR. THE | 34564 | 14772 | 100 | CLARK FILTER FARR INC NYCTA | DP8-NYC-4 DP40-NYC-4 97515-004 PALLET SPEC 2061-PROD-89 REV. F |

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100)

| Stock No. | Long Description | PY1 Usage | YTD Usage | Buyer Group | Mfg Name | Mfg Part# |
|------------|-----------------------------------------------------------------------------------------------------------------|-----------|-----------|-------------|-----------------------------------------------------------------------------------|----------------------------------------------|
| | CONTRACTOR IS RESPONSIBLE | | | | TRIDIM FILTER CORP. | 23213DE19DE208Q |
| 83-68-0894 | MOTOR, ALTERNATING CURRENT, FOR HVAC COMPRESSOR | 0 | 0 | 100 | SEPSA SISTEMAS ELECTRICOS | 562019 |
| 83-68-1001 | SHAFT SEAL PACKAGE, ZINC PLATED, GOLD COLOR, FOR 05D CARRIER COMPRESSOR | 91 | 57 | 100 | CARRIER | 17-57025-00Z |
| 83-68-2001 | MOTOR, BLOWER, HVAC | 0 | 0 | 100 | AMETEK ROTRON | 350297 |
| 83-78-0072 | FILTER, A/C, RETURN AIR, ACTUAL SIZE: 19-1/2" X 15-1/2" X 1-3/4". 2 | 6542 | 2874 | 100 | CAMFIL FARR NYCTA | 049880-001 2061-PROD-89 LATEST REV. |
| 98-46-1516 | REFURBISHED, ALTERNATING CURRENT MOTOR, FOR R46 HVAC COMPRESSOR. NOTE: FOR NEW UNIT USE 83-46-1516 | | | 100 | K&G POWER SYSTEMS SEPSA SISTEMAS ELECTRICOS SHERWOOD ELECTROMOTION WALCO | 562023-R 562023-R 562023-R 562023-R |
| 98-62-4179 | REFURBISHED, ALTERNATING CURRENT MOTOR FOR R62/R62A HVAC COMPRESSOR NOTE: FOR NEW UNIT USE 83-62-4179 | | | 100 | K&G POWER SYSTEMS SEPSA SISTEMAS ELECTRICOS SHERWOOD ELECTROMOTION WALCO | 562012-R 562012-R 562012-R 562012-R |
| 98-68-0894 | REFURBISHED, ALTERNATING CURRENT MOTOR, FOR R68/R68A HVAC COMPRESSOR NOTE: FOR NEW UNIT USE 83-68-0894 | | | 100 | K&G POWER SYSTEMS SEPSA SISTEMAS ELECTRICOS SHERWOOD ELECTROMOTION WALCO | 562019-R 562019-R 562019-R 562019-R |