

June 2025

MTA - NEW YORK CITY TRANSIT

3 Stone Street

New YORK, N.Y. 10004

BID RECEPTION DESK

<https://www.mta.info/doing-business-with-us/procurement/new-york-city-transit/qpl-item-listings>

THIS PACKAGE CONTAINS THE QUALIFIED PRODUCTS LIST (QPL) ITEMS FOR THE BELOW STATED PROCUREMENT UNIT WHICH INCLUDES THE NYCT STOCK NUMBER, ITEM DESCRIPTIONS, AND ESTIMATED USAGE.

**QUALIFIED PRODUCTS LIST
(QPL)**

Bus Parts

PROCUREMENT UNIT: 400

Bus Parts: Items including, but are not limited to, the following:

Brake lining, undercarriage, wheels, muffler & exhaust system, front & rear parts, steering & related parts, cooling & heating, system, fuel injection, transmission, windows & bus body parts.

QUALIFIED PRODUCTS LIST

6/23/2025 1

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
15-44-0325	BRAKE SHOE, COMPOSITION WITH FLANGE, (VB 03-06) INCORPORATING			400	NYCTA RAILROAD FRICTION	2093-PROD-97 REV. E COBRA V-224
15-79-0013	BRAKE SHOE, FLANGELESS, SHOE - 14 INCH COBRA			400	NYCTA RAILROAD FRICTION	2093-PROD-97 REV. E V-847
18-42-5618	BRAKE SHOE, FLANGELESS, COMPOSITE, (VB 05-01)			400	NYCTA WABCO	2093-PROD-97 REV. E V435 REV. E
33-05-1800	BATTERIES, LEAD ACID, SINGLE UNIT CELLS, 200 AMPERE HOUR, FLAME			400	ENERSYS INC. NYCTA	EA-5M 18J200, 11/25/15
36-06-3777	SHOE, BRAKE, COMPOSITION, LOW FRICTION, W/W675 MATERIAL FLANGED BACKING PLATE AND INSERTS, U/W LOCOMOTIVES			400	RAILROAD FRICTION	
43-20-6155	BEARING, .8750" X 1.8750" X 5.000", SINGLE ROW RADIAL, PLAIN, WITH	280	320	400	FAFNIR WABCO	V577 S9-KDD 560667
59-10-0918	ADAPTER, FILL, FOR 2 1/2 LB FIRE EXTINGUISHER	0	0	400	AMEREX CORP.	1720
59-10-0920	ADAPTER, FILL, FOR 20 LB AND 10 LB FIRE EXTINGUISHER	0	0	400	AMEREX CORP.	2141
59-10-3205	CHAIN, NYLON FOR RING PIN, USED ON ALL SIZED FIRE EXTINGUISHERS	1046	24	400	AMEREX CORP.	0532
59-10-6405	GAUGE, FOR 195 PSI, FOR USE WITH 2- 1/2 LB AND 6 LB FIRE EXTINGUISHERS	0	0	400	AMEREX CORP.	3103
59-10-6407	GAUGE, FOR 195 PSI, FOR USE WITH 10 LB AND 20 LB FIRE EXTINGUISHERS	0	1000	400	AMEREX CORP.	03965
59-10-6982	HOSE AND ALUMINUM HORN ASSEMBLY, FOR USE WITH 10 LB FIRE EXTINGUISHER	0	0	400	AMEREX CORP.	5564

QUALIFIED PRODUCTS LIST

6/23/2025 2

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
59-10-6984	HOSE AND HORN ASSEMBLY, FOR USE WITH 6 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	5248
59-10-6986	HOSE AND HORN ASSEMBLY, FOR USE WITH 20 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	3339
59-10-6987	HOSE AND HORN ASSEMBLY, FOR USE WITH 10 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	1178
59-10-7730	HANGER LOOP, WITH SCREW, USED ONLY FOR 20 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	15363
59-10-7805	NOZZLE, FOR 2-1/2 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	1926
59-10-8550	O-RING, COLLAR, FOR 20 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	5240
59-10-8660	O-RING, HOSE GASKET, USED ONLY WITH 20 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	6978
59-10-8820	VALVE STEM O-RING, FOR USE WITH 2- 1/2 LB FIR EXTINGUISHER	0	0 400		AMEREX CORP.	5235
59-10-8824	HOSE GASKET O RING, USED ONLY WITH 6 LB FIRE EXTINGUISHERS	0	0 400		AMEREX CORP.	1532
59-10-8920	DOWNTUBE AND RETAINER ASSEMBLY, FOR USE WITH 2-1/2 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	1075
59-10-8936	O-RING, COLLAR, FOR 2-1/2 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	5241
59-10-8987	DOWNTUBE AND RETAINER ASSEMBLY, USED ONLY WITH THE 20 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	1667

QUALIFIED PRODUCTS LIST

6/23/2025 3

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
59-10-8988	DOWNTUBE AND ALUMINUM RETAINER ASSEMBLY FOR USE WITH 10KB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	1519
59-10-8989	DOWNTUBE AND RETAINER ASSEMBLY, USED ONLY WITH THE 6 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	3397
59-10-9065	LOCK WIRE SEAL, TO BE USED ON ALL SIZE FIRE EXTINGUISHERS	9856	6029 400		AMEREX CORP.	1387
59-10-9310	SPRING, FOR 2-1/2 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	1074
59-10-9312	SPRING, FOR 20 LB AND 10 LB FIRE EXTINGUISHERS	0	0 400		AMEREX CORP.	0383
59-10-9540	STRAP AND HOSE CLIP ASSEMBLY, FOR 6 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	15747
59-10-9550	CLIP, STRAP AND HOSE, USED ONLY FOR THE 20 LB FIRE EXTINGUISHERS	516	3 400		AMEREX CORP.	14778
59-10-9705	VALVE STEM ASSEMBLY, FOR USE WITH 2-1/2 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	6092
59-10-9707	VALVE ASSEMBLY, FOR USE WITH 2- 1/2 LB AND 6 B FIRE EXTINGUISHERS ONLY	0	0 400		AMEREX CORP.	11823
59-10-9709	VALVE STEM ASSEMBLY, FOR USE WITH 10 LB AND 20 LB FIRE EXTINGUISHERS ONLY	2076	0 400		AMEREX CORP.	6093
59-10-9711	VALVE ASSEMBLY, FOR USE WITH 10 LB AND 20 LB FIRE EXTINGUISHERS	0	0 400		AMEREX CORP.	11952
59-50-2705	MAT, RUBBER, INSULATING, 36" WIDE X 22' LONG, WITH A TOLERANCE IN LENGTH OF (-0 INCHES TO + 24 INCHES), TO BE MANUFACTURED IN	1800	0 400		BILTRITE RIPLEY NYCTA RAVASCO TRANSMISSION PACKING PVT LTD	6123-75-22 SECTION 31, 2/11/15 T1C2 US-NYCT

QUALIFIED PRODUCTS LIST

6/23/2025 4

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-02-2500	OIL, KEROSENE, REFINED PETROLEUM DISTILLATE, UNDYED. TO BE A HOMOGENEOUS MIXTURE OF HYDROCARBONS, TO BE FREE FROM WATER, INORGANIC ACIDIC AND BASIC COMPOUNDS. MUST MEET ASTM D 3699-90 STANDARD			400	DAVID WEBER OIL CO. NYCTA SPRAGUE	ULTRA LOW SULFUR KEROSENE CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL KEROSENE (UNDYED)
69-05-0660	GRAPHITE, FLAKED; BULK DRY; 85% TO 95% OF FLAKES CAN PASS THROUGH A 200 MESH SCREEN; PACKAGED IN 25-LB PAILS; CERTIFICATE OF ANALYSIS COVERING PERCENTAGE OF FLAKES THAT PASS	0	0 400		ASBURY GRAPHITE NYCTA	NAT FLAKE GRAPHITE:99+CARBN 3243 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-05-0700	LUBRICANT, GRAPHITE IN AEROSOL 16-OZ. CANS(9 OZ NET WEIGHT), 12 CANS PER CASE; FOR OUTSIDE MIRROR JOINTS & BRAKE SHOE ROLLERS & CAMS; MUST BE CFC	58	64 400		MIRACLE POWER PROD NYCTA	DGF 123 CCSS-003 REV E 9/11/17 RESTR SUB
69-05-0702	LUBRICANT, FOR ROLLER DRIVE AND CONVEYOR CHAINS, AEROSOL, 12 OZ. NET WEIGHT IN A 16 OUNCE CAN. MINERAL OIL BASED; USED TO LUBRICATE RABBIT ON DROP TABLE ALSO FOR CONVEYOR CHAINS, HOIST	13	20 400		CRC INDUSTRIES, INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL FOOD GRADE CHAIN LUBE 03055 CCSS-003 REV E 9/11/17 RESTR SUB
69-05-0705	COMPOUND, LAPPING, 320 GRIT, SILICON CARBIDE, GREASE MIX, ONE POUND CAN.	13	15 400		HENKEL CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL CLOVER SILICON CARBIDE 39510 NYCTA MARKING CCSS-003 REV E 9/11/17 RESTR SUB
69-10-1725	GREASE, ELECTRIC MOTOR BEARING,	8	7 400		EXXON MOBIL CORP.	CCSS-001, REV I, 3-9-11, LABEL UNIREX N2

QUALIFIED PRODUCTS LIST

6/23/2025 5

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	NLGI # 2 GRADE, HIGH TEMPERATURE, LITHIUM COMPLEX BASED, MINIMUM FLASHPOINT TO BE 475 DEGREES F (246 DEGREES C);				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-10-1735	GREASE, ELECTRIC MOTOR BEARING, NLGI #2 GRADE, HIGH TEMPERATURE, LITHIUM COMPLEX BASED, MINIMUM FLASHPOINT TO BE 475 DEGREES F (246 DEGREES C);	449	440	400	EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL UNIREX N2 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-1857	GREASE, ASSEMBLY, BARIUM COMPLEX THICKENED; WORKED PENETRATION TO BE 245-275 MM/10; MINIMUM DROPPING POINT TO BE 220 DEGREES C; CERTIFICATE OF	6	0	400	KLUBER LUBRICATION NA NYCTA	CCSS-001, REV I, 3-9-11, LABEL STABURAGS NBU 30 PTM CCSS-003 REV E 9/11/17 RESTR SUB
69-10-1915	GREASE, FOR BEARINGS; 14.5 OZ. CARTRIDGES. USED FOR LUBRICATING TURNTABLE BEARINGS AND PBM SWIVEL JOINT ON STINGRAY STANDARD TURNTABLE POWER WASHER TANK. NLGI GRADE #2,	72	0	400	LUBRIPLATE LUBRICANTS CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL LUBRIPLATE NO 1444 #L0227-098 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-2403	GREASE, EXTREME PRESSURE, MULTI-PURPOSE, LITHIUM BASED; FOR BEARINGS; MUST HAVE #2 NLGI CONSISTENCY GRADE, PENETRATION (WORKED 60 STROKES) 265-295,	220	0	400	NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
69-10-3130	GREASE, SILICONE, FOR MASKING ELECTRIC MOTORS PRIOR TO APPLYING VARNISH; MUST MEET THE REQUIREMENTS OF COMMERCIAL ITEM DESCRIPTION A-A-59173 TYPE II.	210	60	400	PHILLIPS 66 LUBRICANTS COMMERCIAL ITEM NYCTA	CCSS-001, REV I, 3-9-11, LABEL DYNALIFE 220 #2 A-A-59173-II CCSS-003 REV E 9/11/17 RESTR SUB
69-10-3137	GREASE, BEARING, SYNTHETIC;			400	SYNCO CHEMICAL DDP DUPONT	CCSS-001, REV I, 3-9-11, LABEL SYNCOSIL SILICONE GREASE MOLYKOTE BG-20

QUALIFIED PRODUCTS LIST

6/23/2025 6

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	LITHIUM THICKENED, POLYESTER BASED; CONTAINS OXIDATION INHIBITOR; TO HAVE UNWORKED PENETRATION OF 240 TO 270 MM/10;				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-10-3140	GREASE, DI-ELECTRIC, NON-CURING SILICONE, FOR USE IN SEALING, LUBRICATING, PROTECTING AND INSULATING ELECTRICAL CONNECTORS AND COMPONENTS; PERCENT SOLIDS TO BE 8.6% TO	0	0 400		CRC INDUSTRIES, INC.	CCSS-001, REV I, 3-9-11, LABEL
					NYCTA	DI-ELECTRIC GREASE (03082) CCSS-003 REV E 9/11/17 RESTR SUB
69-10-3161	GREASE, HIGH GRADE, SOAP BASE, THICKENED, RUST AND OXIDATION INHIBITOR TYPE GREASE. FOR LUBRICATING JOURNAL BEARINGS ON R10- TO R62 CARS, IN 120 LB NON-RETURNABLE DRUMS. MUST BE SUPPLIED IN MANUFACTURER	5160	2400 400		ASSOC. OF AMERICAN RAILROAD EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL
						M-942-88 ARAPEN RB 320 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-3163	GREASE, EXTREME PRESSURE, (RAIL CURVE) NLGI GRADE O. TO BE MANUFACTURED IN ACCORDANCE WITH NYCTA SPECIFICATIONS			400	DAVID WEBER OIL CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL CURVEGARD O CCSS-003 REV E 9/11/17 RESTR SUB
	SECTION 48 TRACK AND STRUCTURES MATERIALS WITH THE VARIABILITY IN CONSISTENCE FROM 355 TO 370 OR				SUMMIT LUBRICANTS	CCSS-001, REV I, 3-9-11, LABEL ABBALUBE NYC#5 RAIL CURVE GREASE
69-10-3165	GREASE, WHEEL FLANGE & R142A BRAKE HANGER; LITHIUM SOAP THICKENED; CONTAINS EP ADDITIVES AND MOLYBDENUM DISULFIDE; NLGI GRADE O; WORKED PENETRATION (60X) VIA W1 2.040 TO BE 355 TO 385	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					SOPUS PRODUCTS	CCSS-001, REV I, 3-9-11, LABEL SHELGADUSRAILS2 WHEELFLANGGRESE0
69-10-3200	GREASE, RAILCAR BRAKE CYLINDER, NLGI GRADE #1.5; BASE OIL IS A	0	0 400		ESSO IMPERIAL OIL EXXON MOBIL CORP.	EPIC EP 102 EPIC EP 102

QUALIFIED PRODUCTS LIST

6/23/2025 7

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	BLEND OF MINERAL OIL AND SYNTHETIC HYDROCARBON FLUID WITH LITHIUM COMPLEX THICKENER; GREASE TO HAVE GOOD				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-10-3202	GREASE, RAILCAR BRAKE CYLINDER, NLGI GRADE # 1.5; BASE OIL IS A BLEND OF MINERAL OIL AND SYNTHETIC HYDROCARBON FLUID WITH LITHIUM COMPLEX THICKENER;			400	EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL EPIC EP 102 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-3400	GREASE, LITHIUM BASED, EP-2, WITH MOLYBDENUM DISULFIDE; TO HAVE A WORKED(X60 STROKES) PENETRATION OF 265 TO 295 MM/10; TO HAVE A MINIMUM 4-BALL WELD POINT AS MEASURED VIA ASTM D2596 OF 315 KG; MAXIMUM 4-BALL WEAR TEST			400	CITGO EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MYSTIK LITHOPLEX MULTIPURPOSE #2 "MOBILGREASE XHP 222 SPECIAL CCSS-003 REV E 9/11/17 RESTR SUB
69-10-3402	GREASE, LITHIUM BASED, EP-2, WITH MOLYBDENUM DISULFIDE; TO HAVE A WORKED (X60) STROKES)PENETRATION OF 265 TO 295 MM/10; TO HAVE A MINIMUM 4- BALL WELD POINT AS MEASURED VIA ASTM D2596 OF 315 KG; MAXIMUM 4-			400	CITGO EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MYSTIK LITHOPLEX MULTIPURPOSE #2 GREASE XHP222 SPECIAL CCSS-003 REV E 9/11/17 RESTR SUB
69-10-3405	GREASE, MULTIPURPOSE, LITHIUM BASED, EXTREME PRESSURE, NLGI #2; FOR BEARINGS, GEARS, COUPLINGS, AND HEAVY DUTY APPLICATIONS; HAS GOOD RESISTANCE TO WEAR, RUSTING, AND OXIDATION; MINIMUM FLASH POINT TO BE 400 DEGREES	21600	10080	400	CHEVRON EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL CHEVRON MULTIFAK EP2 MOBILUX EP 2 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-3406	GREASE, LITHIUM BASED, EP-1; TO	359	142	400	PHILLIPS 66 LUBRICANTS EXXON MOBIL CORP.	CCSS-001, REV I, 3-9-11, LABEL DYNALIFE 150 #2 MOBILUX EP-1

QUALIFIED PRODUCTS LIST

6/23/2025 8

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	HAVE AN UNWORKED PENETRATION OF 310 TO 340 AS MEASURED VIA ASTM D217, TO HAVE A WORKED (60X) PENETRATION OF 310 TO 340				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-10-3986	GREASE, WHITE LITHIUM BASED, AEROSOL, MULTIPURPOSE; MUST HAVE #2 NLGI CONSISTENCY GRADE; DROPPING POINT 370-390 DEGREES F MINIMUM; SPECIFIC GRAVITY TO BE 0.90 TO 0.94; 10.75 OZ. NET WEIGHT	0	0 400		ITW PERMATEX	CCSS-001, REV I, 3-9-11, LABEL
					NYCTA	WHITE LITHIUM GREASE 81981 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-4785	GREASE, E/M KRONAPLATE, ALL-SEASON, IN TWO (2) GALLON CANS	0	0 400		CADILLAC OIL COMPANY LONE STAR LUBRICANTS NYCTA	CCSS-001, REV I, 3-9-11, LABEL RLI-100AW LS-333R CCSS-003 REV E 9/11/17 RESTR SUB
69-10-4855	GREASE, LUBRIPLATE NO. 5555, PETROLEUM LUBRICATING GREASE. SEMI-FLUID, MILD EXTREME PRESSURE, WATER REPELLENT FLUID LUBRICANT FORMULATING FROM ANHYDROUS CALCIUM SOAP,	404	204 400		LUBRIPLATE LUBRICANTS CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL L0109-007 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-4955	LUBRICANT, GREASE, EXTREME PRESSURE FORMULATED #2, LITHIUM-BASED, PACKAGED IN 14 OZ/397 GRAM CARTRIDGES, USED ON VARIOUS APPLICATIONS ON THE	718	324 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBILUX EP2 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-5060	GREASE, LUBRICANT, POLGLYCOL BASE OIL, LITHIUM-COMPLEX, NLGI #2, FOR NEW FLYER XCELSIOR MAN KING PIN LUBRICATION AND OTHER AREAS WHERE THIS GREASE IS	0	0 400		FUCHS LUBRICANTS NYCTA	CCSS-001, REV I, 3-9-11, LABEL RENOLITH LX-OTP 2 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001 REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 9

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-10-5061	GREASE, LUBRICANT, POLYGLYCOL BASE OIL LITHIUM-COMPLEX, NLGI #2, FOR NEW FLYER XCELSIOR MAN KING PIN LUBRICATION AND OTHER AREAS WHERE THIS GREASE IS			400	FUCHS LUBRICANTS NYCTA	RENOLIT LX-OTP2 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-5063	GREASE, LUBRICANT, POLYGLYCOL BASE OIL, LITHIUM-COMPLEX, NLGI #2, FOR NEW FLYER XCELSIOR MAN KINGPIN LUBRICATION AND OTHER AREAS WHERE THIS GREASE IS	434	-217	400	FUCHS LUBRICANTS NYCTA	CCSS-001, REV I, 3-9-11, LABEL RENOLIT LX-OTP2 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-5167	GREASE, HIGH TEMPERATURE BALL & ROLLER BEARING; NLGI #2; POLYUREA BASED (6-10%) TO HAVE A WORKED (X60) PENETRATION OF 275-295 MM/10 @ 25 DEGREES C (VIA	142	0	400	CHEVRON NYCTA	CCSS-001, REV I, 3-9-11, LABEL BLACK PEARL SRI 2 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-5195	GREASE, SYNTHETIC BASE OIL; FOR LUBRICATING R32 THROUGH R68A DOOR SYSTEMS; PACKAGED IN 35 LB. CONTAINERS; MUST MEET ALL REQUIREMENTS OF NYCT 7127-FACIL-00; CERTIFICATE OF CONFORMANCE	631	420	400	EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBILTEMP SHC 32 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-5196	GREASE, SYNTHETIC BASE; FOR LUBRICATING R142, R142A, & R143 DOOR OPERATOR SCREW DRIVES ONLY; HAS LITHIUM SOAP THICKENER; TO HAVE OXIDATION	60	55	400	NYCTA	CCSS-001, REV I, 3-9-11, LABEL 7127-FACIL-00 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-0105	FLUID, CUTTING, METALWORKING FLUID CONCENTRATE (FOR BRIDGEPORT MILLING MACHINES), CONTAINS A BIOSTABLE MICROBIAL CONTROL PACKAGE, RUST INHIBITOR	0	0	400	SYNTECH LTD. MILACRON CO NYCTA	CCSS-001, REV I, 3-9-11, LABEL NS-3844-TG CIMSTAR 60XL CCSS-003 REV E 9/11/17 RESTR SUB
69-12-0675	OIL, STEAM CYLINDER AND WORM	0	0	400	ANSI	CCSS-001, REV I, 3-9-11, LABEL 9005-D94

QUALIFIED PRODUCTS LIST

6/23/2025 10

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-0677	GEAR; AGMA STANDARD 9005-D94, LUBRICANT NO 7,7 COMP.(COMPOUNDED WITH ACIDLESS TALLOW OIL); VISCOSITY RANGES FROM 414 CST TO 508 CST @40 DEGREES C; TO BE PACKAGED IN OIL, WORM GEAR + CYLINDER; TO HAVE A VISCOSITY RANGE OF 125 TO 150 SUS @ 210 DEGREES F; TO HAVE A VISCOSITY OF 380 CST +/- 10% @ 40 DEGREES C; PACKAGED IN 5-GAL FLUID, CUTTING, COOLANT, METAL WORKING FLUID, SYNTHETIC, WATER SOLUBLE. USED IN CUTTING, FORMING AND GRINDING OPERATIONS FOR STAINLESS STEEL, CAST IRON, ALL FERROUS AND NON-OIL, CUTTING, SULFURIZED, LIGHT GRADE, MUST MEET REQUIREMENTS UNDER NYC 30-C-1:67 SPECIFICATION FOR CUTTING OIL TYPE III; PACKAGED IN ONE GALLON CONTAINER; CERTIFICATE OF ANALYSES TO INCLUDE VISCOSITY OIL, SAE GRADE 10W-30; USED TO LUBRICATE FORKLIFTS, CRANE CAR DIESEL ENGINES (DEUTZ "913" ENGINES) AND VARIOUS OTHER EQUIPMENT; VISCOSITY @ 100 DEGREES C TO BE 9.3 TO 12.49 CST;	1	0 400		CHEVRON PRODUCT COMPANY NYCTA EXXON MOBIL CORP. NYCTA	CYLINDER OIL W ISO 460 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL MOBIL 600 W CYLINDER OIL CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1025	FLUID, CUTTING, COOLANT, METAL WORKING FLUID, SYNTHETIC, WATER SOLUBLE. USED IN CUTTING, FORMING AND GRINDING OPERATIONS FOR STAINLESS STEEL, CAST IRON, ALL FERROUS AND NON-OIL, CUTTING, SULFURIZED, LIGHT GRADE, MUST MEET REQUIREMENTS UNDER NYC 30-C-1:67 SPECIFICATION FOR CUTTING OIL TYPE III; PACKAGED IN ONE GALLON CONTAINER; CERTIFICATE OF ANALYSES TO INCLUDE VISCOSITY OIL, SAE GRADE 10W-30; USED TO LUBRICATE FORKLIFTS, CRANE CAR DIESEL ENGINES (DEUTZ "913" ENGINES) AND VARIOUS OTHER EQUIPMENT; VISCOSITY @ 100 DEGREES C TO BE 9.3 TO 12.49 CST;	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1050	OIL, CUTTING, SULFURIZED, LIGHT GRADE, MUST MEET REQUIREMENTS UNDER NYC 30-C-1:67 SPECIFICATION FOR CUTTING OIL TYPE III; PACKAGED IN ONE GALLON CONTAINER; CERTIFICATE OF ANALYSES TO INCLUDE VISCOSITY OIL, SAE GRADE 10W-30; USED TO LUBRICATE FORKLIFTS, CRANE CAR DIESEL ENGINES (DEUTZ "913" ENGINES) AND VARIOUS OTHER EQUIPMENT; VISCOSITY @ 100 DEGREES C TO BE 9.3 TO 12.49 CST;	40	0 400		SENTINEL LUBRICANTS CORP. CASTOLEUM CORP. NYC SPEC NYCTA	CCSS-001, REV I, 3-9-11, LABEL CF51 MWF 13260 TRIZOL #2080 30-C-1:67 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1185	OIL, SAE GRADE 10W-30; USED TO LUBRICATE FORKLIFTS, CRANE CAR DIESEL ENGINES (DEUTZ "913" ENGINES) AND VARIOUS OTHER EQUIPMENT; VISCOSITY @ 100 DEGREES C TO BE 9.3 TO 12.49 CST;	75	80 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL "NU-CLEAR" MOBIL DELVAC 1300 SUPER 10W-30 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1410	OIL, GEAR CASE, SAE GRADE 80W-90;	225120	102720 400		CHEVRON	CCSS-001, REV I, 3-9-11, LABEL DELO EP-5 80W-90

QUALIFIED PRODUCTS LIST

6/23/2025 11

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	FOR RAILCAR TRACTION MOTOR GEAR CASES; MAXIMUM POUR POINT TO BE -10 DEGREES F; VISCOSITY @ 100 DEGREES C TO BE 13.5 TO 24.0 CST; MINIMUM FLASH POINT TO BE 329 DEGREES F; MAXIMUM CHANNELING POINT VIA				CITGO	PREMIUM GEAR OIL MP 80W-90 MOBILUBE HD PLUS 80 W 90 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1414	OIL, HYDRAULIC, ISO 46, ZINC FREE FORMULATION. FOR USE IN R162 ONE- TON CRANE CARS. SUPPLIED IN 55- GALLON DRUM. VISCOSITY 42-50 CST @40C, 6.12-7.4 CST @ 100C; VISCOSITY INDEX 101; POUR POINT -			400	PHILLIPS 66 LUBRICANTS CHEVRON NYCTA	CCSS-001, REV I, 3-9-11, LABEL MP GEAR LUBE SAE 80W-90 CLARITY HYDAULIC OIL AW ISO 46 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1416	OIL, GEAR CASE, SYNTHETIC, SAE GRADE 75W-90; FOR USE IN R255 LOCOMOTIVE GEAR CASES; MAXIMUM POUR POINT TO BE -40 DEGREES C; VISCOSITY @ 100 DEGREES C TO BE 14.3 TO 17.5 MM^2/SEC; MINIMUM			400	EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBIL DELVAC 1 GEAR OIL 75W-90 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1481	OIL, AIR TOOL AND SPINDLE; PROVIDES OXIDATION RESISTANCE AND RUST/CORROSION PREVENTION; MINIMUM FLASH POINT TO BE 350 DEGREES F; MAXIMUM POUR POINT	71	11	400	EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBIL VELOCITE OIL NO. 6 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1491	OIL, HEAVY HYDRAULIC, ISO GRADE 150; USED IN AXLE LATHE AND RAILCAR WHEEL BORER HYDRAULIC SYSTEMS; API GRAVITY TO BE 26.8 TO 30; VISCOSITY @ 40 DEGREES C TO BE 135 TO 165 CST; MAXIMUM COLOR VIA ASTM D1500 TO BE 5; MINIMUM	0	0	400	CHEVRON CITGO EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11 LABEL REGAL R&O 150 PACEMAKER 150 TERESSTIC 150 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 12

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1492	OIL, WAY, ISO GRADE 68, USED FOR LUBRICATION OF THE HORIZONTAL & VERTICAL RAM, TABLE MAIN SHAFT OF CAR WHEEL BORER MACHINES; API GRAVITY VIA ASTM D287 TO BE 18 TO	0	0	400	EXXON MOBIL CORP. NYCTA	MOBIL VACTRA OIL #2 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1493	OIL, HYDRAULIC, ISO GRADE 46, ANTI-WEAR, PROVIDES PROTECTION AGAINST RUST AND OXIDATION; CONTAINS ZINC; API GRAVITY @ 60 DEGREES F TO BE 28 TO 34; VISCOSITY @ 40 DEGREES C TO BE 41.4 TO 50.6 CST; MINIMUM VISCOSITY INDEX TO BE	550	330	400	CHEVRON EXXON MOBIL CORP. NYCTA PHILLIPS 66 LUBRICANTS TOTAL SPECIALTIES USA CHEVRON/TEXACO	CCSS-001, REV I, 3-9-11, LABEL CHEVRON RANDO HD 46 NUTO H-46 MOBIL DTE 25 ULTRA CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL MEGAFLOW AW HYDRAULIC OIL 46 EQUIVIS ZS 46 CHEVRON RANDO HD 68 CHEVRON HYDRAULIC OIL AW ISO 68
69-12-1494	OIL, HEAVY-MEDIUM HYDRAULIC, ISO GRADE 68, ANTI-WEAR, ZINC CONTENT 225-750 PPM; USED IN HYDRAULIC SYSTEMS OF VARIOUS PIECES OF EQUIPMENT; API GRAVITY TO BE 27.5 TO 33; VISCOSITY @ 40 DEGREES C TO BE 61.2 TO 74.8 CST;	110	0	400	D A LUBRICANTS EXXON MOBIL CORP. GULF/NU-TIER NYCTA	PRESURFLO 68 NUTO H 68 MOBIL DTE 26 ULTRA GULF HARMONY AW HYD 68 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1495	OIL, HYDRAULIC, ISO GRADE 32; FOR VOITH L2R4 TRANSMISSION ON VAKTRAK VACUUM TRAIN AND VARIOUS PIECES OF SHOP EQUIPMENT; API GRAVITY TO BE 30-	0	0	400	EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11 LABEL MOBIL DTE 24 ULTRA CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 13

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1496	OIL, HYDRAULIC, ISO GRADE 32, PACKAGED IN 55 GALLON DRUMS. MUST CONTAIN A VISCOSITY INDEX IMPROVER COPOLYMER ADDITIVE TO GIVE A HIGH VISCOSITY INDEX WITHOUT EXCESSIVE LOSS OF VISCOSITY FROM MECHANICAL			400	CHEVRON PRODUCT COMPANY EXXON MOBIL CORP. NYCTA	RANDO HDZ 32 UNIVIS N32 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1497	OIL, HYDRAULIC, ISO GRADE 22 PARAFFINIC BASED; USED TO LUBRICATE SEFAC "M225BF" HYDRAULIC JACK SYSTEMS; VISCOSITY @ 40 DEGREES C TO BE	0	0 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11 LABEL DTE 10 EXCEL 22 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1501	OIL, HYDRAULIC, BIODEGRADABLE, FOR USE ON TAMPERS. FOR HYDRAULIC SYSTEMS OPERATING WITH OIL TEMPERATURES IN THE RANGE OF 0 DEG. F. TO 180 DEG. F.	0	0 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBIL EAL224H CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1514	OIL, HYDRAULIC ELEVATOR, ISO 32, PETROLEUM BASED, TO BE SHIPPED IN RESEALABLE 5 GALLON PAILS; USED ON HYDRAULIC ELEVATORS	3200	1805 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL 583195-00/NUTO H 32 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1519	OIL, HYDRAULIC, ISO 100 GRADE, ANTI-WEAR, ASHLESS (ZINC-FREE); FOR NILFISK/ALTO/KEW 5003 V STEAM CLEANER/ PRESSURE WASHER & OTHER EQUIPMENT; VISCOSITY INDEX TO BE 140-155; MAXIMUM POUR	0	0 400		CHEVRON NYCTA	CCSS-001, REV I, 3-9-11, LABEL CLARITY HYDRAULIC OIL AW 100 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1521	OIL, FOR VACUUM PUMPS IN ROBINAIR 178002K/178012K REFRIGERANT RECOVERY MACHINES; VISCOSITY @ 40 DEGREES C TO BE	1	1 400		LUBRICATION TECHNOLOGIES NYCTA	CCSS-001, REV I, 3-9-11, LABEL ROBINAIR PREMIUMHI VACUUMPUMPOIL CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025

14

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1524	27.9 TO 34.3 CST; VISCOSITY @ 100 DEGREES C TO BE 4.5 TO 5.5 CST; MINIMUM VISCOSITY INDEX TO BE 94; AEROSOL LUBRICANT, POLYDIMETHYLSILOXANE SILICONE-BASED, IN 9-16 OZ CANS. 3% SILICONE BY WEIGHT MIN; VOC BY WEIGHT 60% MAX; KINEMATIC VISCOSITY(D-445)200-400 CST@40 DEG. C; POUR POINT(D97)-40 DEG. F MAX.	4916	2208	400	OLYMPIC ASTM CASTOLEUM CORP. NY STATE DEPT OF ENVIRON CONS. NYCTA	CCSS-001, REV I, 3-9-11, LABEL VACUUM PUMP OIL D3539 D1640 TRIZOL SILICONE SPRAY LUBRICANT PART 235-3 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1526	LUBRICANT, PENETRANT, RUST PREVENTIVE, MOISTURE DISPLACER AND CLEANER, AEROSOL, USED FOR FREEING AND LUBRICATING RUSTED PARTS AND MACHINERY; SPECIFIC GRAVITY TO BE 0.8 TO 1.2 (CORRESPONDS TO DENSITY OF 6.67	30383	14027	400	CRC INDUSTRIES, INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL SPW (SPECIAL PURPOSE WAX 43040) #3005 AEROSOL 336 MULTI-PURP CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1527	LUBRICANT, SILICONE, AEROSOL; 16 OZ. CAN (NET WEIGHT 10 OZ.). COMES WITH MOVABLE PLASTIC STRAW APPLICATOR PERMANENTLY AFFIXED TO SPRAY NOZZLE. CONTAINS 2.0 TO 5.1% SILICONE.	2736	1284	400	WD-40 COMPANY CRC INDUSTRIES, INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL WD-40 11 OZ CAN FOOD GRADE SILICONE 03040 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1532	OIL, FOR VACUUM PUMPS IN ROBINAIR 178002K/178012K REFRIGERANT RECOVERY MACHINES; VISCOSITY @ 40 DEGREES C TO BE	249	165	400	LUBRICATION TECHNOLOGIES NYCTA	CCSS-001, REV I, 3-9-11, LABEL ROBINAIR PREMIUMHI VACUUMPUMPOIL CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025

15

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1534	27.9 TO 34.3 CST; VISCOSITY @ 100 DEGREES C TO BE 4.5 TO 5.5 CST; MINIMUM VISCOSITY INDEX TO BE 94; OIL, COMPRESSOR, HIGHLY REFINED, WAX AND WATER FREE, NAPHTHENIC MINERAL OIL BLEND, USED FOR LUBRICATION, IN REFRIGERATION AND RAILCAR AIR CONDITIONING SYSTEMS. UNSUITABLE FOR	60	21 400		OLYMPIC CHEVRON PRODUCT COMPANY NYCTA	CCSS-001, REV I, 3-9-11, LABEL VACUUM PUMP OIL CAPELLA WF 68 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1537	OIL, FOR LUBRICATING RAIL CAR AIR CONDITIONER COMPRESSORS; ISO VISCOSITY. GRADE 32; MUST BE COMPATIBLE WITH R-22 REGRIGERANT. PACKAGED IN ONE (1) GALLON CANS, SIX CANS TO A CASE	3	4 400		CHEVRON PRODUCT COMPANY NYCTA	CCSS-001, REV I, 3-9-11, LABEL CAPELLA WF 32 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1546	OIL, SEMI-SYNTHETIC, MECHANICAL PUMP FLUID. FOR USE IN VACUUM PUMP THAT IS USED TO EVACUATE MOISTURE FROM RAILCAR A/C SYSTEM. VISCOSITY @ 40C IS 48 CST, POUR POINT IS -16C. PACKAGED IN 1-	0	0 400		NYCTA/MABSTOA SONNEBORN, LLC CAMBRIDGE MILL PRODUCTS NYCTA	CCSS-001, REV I, 3-9-11, LABEL 7090-FACIL-99 SUNISO 3GS CMP19 ULTRA HT CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1548	LUBRICANT, PENETRANT, RUST PREVENTATIVE, MOISTURE DISPLACER AND CLEANER, AEROSOL 2.75 OZ.(NET FILL) CAN, USED FOR FREEING AND LUBRICATING RUSTED PARTS AND MACHINERY. PACKAGED	40439	18220 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1576	OIL, COMPRESSOR, DIESTER BASED, ISO 68 GRADE, FOR ROTARY SCREW		400		WD-40 COMPANY NYCTA	CCSS-001, REV I, 3-9-11, LABEL WD-40 (2.75-OZ CAN) #49035 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 16

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1577	TYPE COMPRESSORS; MINIMUM FLASH POINT TO BE 235 DEGREES C; VISCOSITY @ 40 DEGREES C TO BE 61.2 TO 74.8 CST; VISCOSITY @ 100 OIL, SYNTHETIC DIESTER COMPRESSOR OIL, SAE 20W40, FOR INGERSOLL-RAND RECIPROCATING AIR COMPRESSORS (MODELS "242-50", "25T2", "5HE", "2475N5", "5BP"); MUST HAVE VISCOSITY OF 90-110 CST	0	0 400		SUMMIT INDUSTRIAL PRODUCTS INC INGERSOLL-RAND NYCTA	CCSS-001, REV I, 3-9-11, LABEL DSL68 ALL SEASON T30 SELECT(38436721) CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1578	OIL, COMPRESSOR, MINERAL BASED, ISO VISCOSITY GRADE 100 (VISCOSITY TO BE 90 TO 110 CST @40 DEGREES C); MUST PASS SYNTHETIC SEA WATER TEST (ASTM D665) RUST &	0	0 400		CHEVRON NYCTA	CCSS-001, REV I, 3-9-11, LABEL REGAL R&O ISO 100 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1585	OIL, DIESTER BASED, FOR RECIPROCATING TYPE AIR COMPRESSORS(INGERSOLL-RAND "XLE"); ISO GRADE 100; VISCOSITY @ 40 DEGREES C TO BE 90-110 CST; VISCOSITY @ 100 DEGREES C TO BE 9.4 TO 14; VISCOSITY INDEX TO BE A	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1615	OIL, SYNTHETIC COMPRESSOR, FOR USE IN ATLAS COPCO GA55 ROTARY SCREW TYPE AIR COMPRESSORS, IN 5 GALLON CONTAINERS. SYNTHETIC BASED LUBRICANT; KINEMATIC VISCOSITY @40C; IS 34.3-46	58	21 400		SUMMIT INDUSTRIAL PRODUCTS INC ULTRACHEM INC. ATLAS COPCO AIRPOWER NYCTA	CCSS-001, REV I, 3-9-11, LABEL DSL100 CHEMLUBE 501 ROTO EXTENDED DUTY FLUID CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1630	OIL, COMPRESSOR, SYNTHETIC, ALKYL BENZENE, USED FOR LUBRICATION, IN REFRIGERATION AND RAILCAR AIR CONDITIONING		400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001 REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 17

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1705	SYSTEMS. SUITABLE FOR REFRIGERANT SYSTEMS USING HCFC-OIL, PARAFFINIC BASED FOR RECIPROCATING COMPRESSORS, ISO GRADE 68; CONTAINS RUST AND OXIDATION INHIBITORS; VISCOSITY @ 40 DEGREES C TO BE 61-75; MINIMUM VISCOSITY INDEX TO BE 90; MINIMUM FLASH POINT TO BE 395 DEGREES	7755	3850	400	SHRIEVE CHEMICAL PRODUCTS CHEVRON PRODUCT COMPANY CITGO EXXON MOBIL CORP. NYCTA	ZEROL 300 REGAL R&O 68 PACEMAKER T68 TERRESTIC 68 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1708	OIL, FOR USE IN SOME SIMMONS WHEEL TRUING MACHINE BEARINGS AND GEARS; TO HAVE A VISCOSITY RANGE OF 400 TO 600 SUS @ 100 DEGREES F; TO HAVE A VISCOSITY OF	0	0	400	PHILLIPS 66 LUBRICANTS EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MULTIPURPOSE R&O OIL 68 MOBIL DTE OIL HEAVY CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1709	OIL, FOR CAR WASHER PUMPS, PARAFINIC BASED; ISO VISCOSITY GRADE 46 (VISCOSITY 41.4 TO 50.6 @ 40 DEGREES C);TIME TO 3 ML EMULSION AT 54 DEGREES C PER	0	0	400	EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL DTE OIL MEDIUM CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1753	OIL, GEAR, AGMA #6EP, ISO VISCOSITY GRADE 320 (VISCOSITY OF 288 TO 352 CST @ 40 DEGREES C); PARAFINIC BASED; API GRAVITY TO BE 25 TO 30; FOR LUBRICATING CAR	0	0	400	EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBIL GEAR 600 XP 320 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1755	OIL, GEAR, ISO GRADE 220. FOR GEAR BOXES ON WHEEL TRUING MACHINES AND OTHER EQUIPMENT OPERATING UNDER HEAVY OR SHOCK LOADS. FORMULATED FROM HIGH-QUALITY	646	342	400	EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBILGEAR 600XP 220 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1770	OIL, GEAR, ISO GRADE 100. FOR GEAR	0	0	400	EXXON MOBIL CORP.	CCSS-001, REV I, 3-9-11, LABEL MOBILGEAR 600 XP 100

QUALIFIED PRODUCTS LIST

6/23/2025 18

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	BOXES ON SIMMONS WHEEL TRUING MACHINES, (NOT INCLUDING #54 SERIES). EXTREME PRESSURE (3 EP); RESISTANT TO OIL OXIDATION, AND				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1772	OIL, GEAR, #4 EP; ISO VISCOSITY GRADE 150 (VISCOSITY OF 135 TO 165 CST @ 40 DEGREES C); API GRAVITY TO BE APPROXIMATELY 26.65; FOR LUBRICATING CAR	0	0 400		EXXON MOBIL CORP.	CCSS-001, REV I, 3-9-11, LABEL MOBIL GEAR 600 XP 150
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1811	OIL, SYNTHETIC, LUBRICATING, ISO320, USED ON ESCALATOR EXTERNAL GEARBOXES. TO BE SUPPLIED IN 5 GALLON PLASTIC PAILS. ASTM D445 VISCOSITY @40	700	250 400		MOBIL OIL CO	CCSS-001, REV I, 3-9-11, LABEL SHC632
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1815	OIL, SYNTHETIC, DIESTER BASED COMPRESSOR; ISO GRADE 68; OXIDATION RESISTANT, FOR USE IN RECIPROCATING COMPRESSORS & OTHER APPLICATIONS; VISCOSITY @	20	0 400		CHEVRON	CCSS-001, REV I, 3-9-11, LABEL CETUS DE ISO 68
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1822	100 DEGREE C TO BE 7.4 CST +/- 1.0 OIL, LIGHT MACHINE, PARAFFINIC BASED, ISO VISCOSITY GRADE 32, TO CONTAIN RUST AND OXIDATION INHIBITORS, MUST BE SEVERELY HYDROTREATED OR SEVERELY	3	10 400		PHILLIPS 66 LUBRICANTS	CCSS-001, REV I, 3-9-11, LABEL SYNDUSTRIAL R&O OIL 68
					CHEVRON PRODUCT	
					COMPANY	REGAL R&O 32
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1828	SOLVENT REFINED, MAXIMUM POUR OIL, SYNTHETIC POLYOLESTER, FOR ROBINAIRCOMPRESSORS IN REFRIGERANT/RECOVERY UNITS, MODELS 178002K/178012K; MUST HAVE VISCOSITY OF 20-25 CST@40	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
					ULTRACHEM INC.	CCSS-001, REV I, 3-9-11, LABEL RPOE22

QUALIFIED PRODUCTS LIST

6/23/2025 19

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1855	OIL, COMPRESSOR, PAO(POLYALPHAOLEFIN) BASED; ISO GRADE 46; FOR USE ON R156 LOCOMOTIVE AIR COMPRESSORS; VISCOSITY @ 40 DEGREES C TO BE 41.4 TO 50.6 CST; MINIMUM VISCOSITY INDEX TO BE 127; DEMULSIBILITY @ 54 DEGREES C AS	55	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL SENTINEL LUBRICANTS CORP. SUMMIT INDUSTRIAL PRODUCTS INC SH-46
69-12-1877	OIL, LUBRICANT, SYNTHETIC, METALLIC ENGINE/CRANKCASE OIL. ENGINEERED TO PERFORM SATISFACTORILY FOR 40,000 MILES OR MORE/2,000 HOURS OR MORE BEFORE OIL CHANGE IS REQUIRED.	3	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL SENTINEL LUBRICANTS CORP. SENTINEL'S SUPER 5W40 LE
69-12-1920	LUBRICANT, SYNTHETIC POLYOL ESTER, FOR USE IN REFRIGERATION AND AIR CONDITIONING COMPRESSORS USING HFC REFRIGERANTS; VISCOSITY @40 AND	0	0 400		LUBRIZOL CPI ENGINEERING SERVICES NYCTA	EMKARATE RL 68H CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001 REV I 3-9-11 LABEL
69-12-2172	OIL, DIESEL ENGINE, SAE 10W-30 GRADE; SYNTHETIC BASED; MUST MEET API CJ-4 SERVICE CATEGORY; KINEMATIC VISCOSITY @ 100 DEGREES C TO BE 9.3 MM^2/SEC TO 12.5 MM^2/SEC; CERTIFICATE OF	0	0 400		EXXON MOBIL CORP. NYCTA	MOBIL DELVAC EXTREME 10W- 30 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2176	OIL, ENGINE, SAE GRADE 30; USED FOR 100-HOUR BREAK IN FOR KNORR AIR COMPRESSORS; VISCOSITY @ 100 DEGREES C TO BE 9.3 TO 12.49 CST; FOR FOAM TEST (ASTM		400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBIL DELVAC 1630 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2188	OIL, RE-REFINED, LUBRICATING, API CK-4, SAE 15W-40 FORMULATED		400		ADVANCED LUBRICATION SPECIALTIES INC	CCSS-001, REV I, 3-9-11, LABEL TECHSELECT SYNTHETIC BLEND HD

QUALIFIED PRODUCTS LIST

6/23/2025 20

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	WITH A LUBRIZOL ADDITIVE, IN BULK, FOR DIESEL ENGINES DDC SERIES 50, 60, CATERPILLAR C-13. CUMMINS ISB, ISL AND VOLVO D13. MUST MEET DETROIT DIESEL 93K222, CATERPILLAR				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					PHILLIPS 66 LUBRICANTS	CCSS-001, REV I, 3-9-11, LABEL FIREBIRD HD EC DIESEL MOTOR OIL
69-12-2189	OIL, RE-REFINED, LUBRICATING, API CK-4, SAE 15W-40, FORMULATED WITH LUBRIZOL ADDITIVE, IN 55 GALLON DRUMS, FOR DIESEL ENGINES, DDC SERIES 50, 60, CATERPILLAR C-13. CUMMINS ISB, ISL AND VOLVO D13. MUST MEET DETROIT DIESEL			400	SAFETY-KLEEN STSTEMS ADVANCED LUBRICATION SPECIALTIES INC NYCTA	ECOPOWER 15W 40 CK-4 TECHSELECT SYNTHETIC BLEND HD CCSS-003 REV E 9/11/17 RESTR SUB
					PHILLIPS 66 LUBRICANTS	CCSS-001, REV I, 3-9-11, LABEL FIREBIRD HD EC DIESEL MOTOR OIL
69-12-2191	OIL, LUBRICATING, API CJ-4, SAE 15W- 40, FORMULATED WITH A LUBRIZOL ADDITIVE PACKAGE, IN BULK, FOR DIESEL ENGINES, DDC SERIES 50, 60, CATERPILLAR C-13, CUMMINS ISB AND ISL. MUST MEET DETROIT DIESEL 93K218, CATERPILLAR ECF-3 AND			400	SAFETY-KLEEN STSTEMS CONOCOPHILLIPS CORPORATION NYCTA	ECOPOWER 15W 40 CK-4 FLEET SUPREME EC (LUBRIZOL ADD) CCSS-003 REV E 9/11/17 RESTR SUB CCSS-003 REV D 12/2/15 RESTR SUB
69-12-2192	OIL, LUBRICATING, API CJ-4, SAE 15W- 40, FORMULATED WITH A LUBRIZOL ADDITIVE PACKAGE, IN 55 GALLON DRUMS, FOR DIESEL ENGINES, DDC SERIES 50, 60, CATERPILLAR C-13, CUMMINS ISB AND ISL. MUST MEET			400	CONOCOPHILLIPS CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL FLEET SUPREME EC (LUBRIZOL ADD) CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2212	OIL, HEAVY DUTY HYPOID GEAR; SAE GRADE 85W-140; API GL-5 LEVEL	0	0	400	EXXON MOBIL CORP.	CCSS-001, REV I, 3-9-11, LABEL MOBILUBE HD PLUS 85W-140

QUALIFIED PRODUCTS LIST

6/23/2025 21

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	PERFORMANCE; FOR USE IN SHOP FORKLIFTS AND SHOP CRANES; VISCOSITY @ 40 DEGREES C TO BE 360 CST +/- 36 CST; VISCOSITY @ 100 DEGREES C TO BE 25 CST +/- 2.5 CST;				NU-TIER GULF	GULF MLTIPURPSE GEAR LUB 85W-140
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2220	OIL, WORM GEAR, MINERAL OIL BASED; ISO VISCOSITY GRADE 680, AGMA GRADE 8 COMPOUNDED. (3% TO 10% NATURAL OR SYNTHETIC FATTY OILS); VISCOSITY AT 40	0	0 400		CHEVRON NYCTA	CCSS-001, REV I, 3-9-11, LABEL CYLINDER OIL W ISO 680 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2480	OIL, HYDRAULIC, ELEVATOR, ISO 68, PETROLEUM BASED, TO BE SHIPPED IN RESEALABLE 5 GALLON PAILS AND TO BE LABELED "ISO 68 - USE ON HYDRAULIC ELEVATORS"	240	0 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL NUTO H 68 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2515	LUBRICANT, SILICONE, WATER-BASED, EMULSION, MINIMUM OF 5% USDA GRADE H1 SILICONE, FLASH POINT OF AT LEAST 140 DEGREES F, MUST MEET REQUIREMENTS OF NYCT SPECIFICATION 7119-FACIL-00,	22	9 400		ITW PRO BRANDS NYCTA	CCSS-001, REV I, 3-9-11, LABEL LPS HEAVY-DUTY SILICONE CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2549	LUBRICANT, ANTI-SEIZE, COPPER; TO HAVE A BROOKFIELD VISCOSITY(TD@5RPM@25 DEGREES C), OF 135,000 TO 235,000 MPAS; FOR USE ON STAINLESS STEEL AND OTHER ALLOYS; PACKAGED IN 8 OZ.		400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL 7119-FACIL-00 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2550	LUBRICANT, DRY FILM; MULTI-PURPOSE; CONTAINS MOLYBDENUM DISULFIDE; MUST HAVE EFFECTIVE TEMPERATURE RANGE OF -20	0	0 400		PERMATEx, INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL COPPER ANTI-SEIZE LUBRICANT09128 CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 22

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-2590	DEGREES F TO 750 DEGREES F., NON-LUBRICANT, RUBBER LUBRICANT LIQUID EMULSION, IN 475-ML CONTAINERS; 6 CONTAINERS/BOX. USED TO AID THE ATTACHMENT/INSERTION OF RUBBER/SOFT PLASTIC PARTS WHERE	39	5 400		VALSPAR CORPORATION INTERNATIONAL PRODUCTS CORP. NYCTA	DRI-SLIDE MULTI-PURPOSE P-80 #P-5391-06 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2605	OIL, 3 IN 1, NAPHTHENIC BASED, FOR CLEANING, LUBRICATING AND PROVIDING RUST PREVENTION FOR VARIOUS SHOP MACHINERY AND RAILCAR PARTS; SPECIFIC GRAVITY TO BE 0.8 TO 1.0; MINIMUM FLASH	23960	12840 400		CASTOLEUM CORP. MCGEE INDUSTRIES NYCTA	CCSS-001, REV I, 3-9-11, LABEL TRIZOL GP #1011 MCLUBE 31MP CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2640	OIL, RAW, CASTOR, USED TO LUBRICATE RAILCAR WHEELS AND AXLES; APPLIED BY BRUSH; MUST MEET REQUIREMENTS OF ASTM D960-79 STANDARD EXCEPT FOR COLOR (CAN BE 3, MAXIMUM ON GARDNER	120	95 400		ASTM NYCTA	CCSS-001, REV I, 3-9-11, LABEL D960-79 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2648	OIL, WHITE, MINERAL, PARAFFINIC BASED; CLEAR, FOR USE IN CAR WASHER PUMPS AND OTHER EQUIPMENT; VISCOSITY @ 40 DEGREES C TO BE 27 CST TO 32 CST;	0	0 400		WELCH, HOLME & CLARK NYCTA	CCSS-001, REV I, 3-9-11, LABEL #1 INDUSTRIAL CASTOR OIL CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2981	OIL, HYDRAULIC, ISO GRADE 32. FOR HYDRAULIC SYSTEMS, OPERATING AT HIGH SPEEDS, TEMPERATURES AND PRESSURES. FORMULATED FROM HIGH-QUALITY REFINED PARAFFIN BASE WITH INHIBITORS FOR WEAR, RUST AND OXIDATION, INCLUDING	100	55 400		NYE LUBRICANTS, INC. CITGO NYCTA	CCSS-001, REV I, 3-9-11, LABEL NYOIL A/W HYDRAULIC OIL 32 CCSS-003 REV E 9/11/17 RESTR SUB
					PHILLIPS 66 LUBRICANTS	CCSS-001, REV I, 3-9-11, LABEL MEGAFLOW AW HYDRAULIC OIL 32

QUALIFIED PRODUCTS LIST

6/23/2025 23

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-3100	OIL, PENETRATING, USED TO LOOSEN METALLIC PARTS DUE TO CORROSION. MUST HAVE 16.5-25 CST VISCOSITY @ 40 DEGREES C. 0.85-1.0 SPECIFIC GRAVITY @ 20 DEGREES C. MINIMUM 160 DEGREES C FLASH POINT. MAXIMUM -40 DEGREES C POUR	147	55	400	CASTOLEUM CORP. CHESTERTON NYCTA	TRIZOL PENETRATING LUBR. #PL1100 690 FG LUBRICANT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 7097-FACIL-99
69-12-3110	OIL, PENETRATING, SYNTHETIC BASED; NON-SOLVENT AND NON-PROPELLENT, COMPLETELY BIODEGRADABLE; USED WITH ALL METALS, RUBBER, VINYL AND PLASTIC IN THE TEMPERATURE RANGE FROM -			400	NYCTA SUPERIOR	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL SLIP 2000 SYNTHETIC LUBRICANT
69-12-3175	SOLVENT, PENETRATING, USED TO PENETRATE RUSTED METAL PARTS; BOLTS AND MACHINERY; SPECIFIC GRAVITY TO BE 0.79 TO 1.25; MINIMUM 130 DEGREE F FLASH POINT AS MEASURED BY ASTM D92; MINIMUM 300 DEGREE F BOILING	34116	15978	400	CASTOLEUM CORP. MCGEE INDUSTRIES NYCTA	TRIZOL PENETRATING SOLVNT TPS100 MCLUBE UNLOCK IT CCSS-003 REV E 9/11/17 RESTR SUB
69-12-3185	SOLVENT, PENETRATING, LOW VISCOSITY, INDUSTRIAL STRENGTH, FOR USE TO LOOSEN AND FREE SEIZED, BOUND OR FROZEN FASTENERS; MUST COMPLY WITH ALL CURRENT VOC REGULATIONS;	1205	803	400	CRC INDUSTRIES, INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL KNOCK'ER LOOSE SOLVENT 03020 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-3400	LUBRICANT, SYNTHETIC HYDROCARBON, ALKYL BENZENE, ISO GRADE 68 VISCOSITY, FOR USE IN REFRIGERANT RECOVERY UNITS, MUST MEET THE REQUIREMENTS OF	0	0	400	NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 7134-FACIL-01

QUALIFIED PRODUCTS LIST

6/23/2025 24

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-3500	NYCT SPEC. 7134-FACIL-01, PACKED IN 10 OZ. (NET WEIGHT), SCREW CAP OIL, LINSEED, BOILED; MUST MEET THE REQUIREMENTS OF ASTM D 260 TYPE I REGULAR BOILED; PACKAGED IN FIVE GALLON CONTAINERS. CERTIFICATE OF COMPLIANCE AND ANALYSIS FOR EACH BATCH MUST BE SUPPLIED PRIOR TO SHIPMENT TO	0	5 400		SYN OILS & LUBRICANTS OF TEXAS ADM	RF 300/ISO 68 SCIBOIL/DGMDLINSEDOILW/D RI001030 D 260 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-3525	LUBRICANT, PASTE METALWORKING, NON-CORROSIVE, FREE OF HALOGENS, HEAVY METALS AND SILICONE; MUST HAVE 20-25 CST	0	2 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
69-12-3535	VISCOSITY @ 100 DEGREES F, 0.8-1.0 LUBRICANT, PENETRATING OIL, CONTAINS PTFE ADDITIVE, DESIGNED FOR USE IN WIRE PULLING TO ENSURE SMOOTH AND EASILY PULL OF CABLES; PACKAGED IN 32 OZ. SQUEEZE BOTTLE AND TWELVE	0	0 400		ORELUBE CORP. IDEAL INDUSTRIES NYCTA	CCSS-001, REV I, 3-9-11, LABEL BOELUBE 70305 YELLOW77PLUS WIRE PULL LUBRICANT CCSS-003 REV E 9/11/17 RESTR SUB
69-12-5196	OIL, SYNTHETIC HYBRID BASE OIL, FOR LUBRICATING R142, R142A, AND R143 DOOR OPERATOR DRIVE SCREWS ONLY; PACKAGED IN 35LB. CONTAINERS, OIL CONSISTS OF	945	385 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
69-14-2262	OIL, HYDRAULIC, SAE 10W-20, ISO 46, BIODEGRADABLE BASE OIL, VISCOSITY @ 40 DEGREES C IS 42.75 - 52.25 CST; VISCOSITY @ 100 DEGREES C IS 8.64-10.56 CST; POUR POINT IS -40 DEGREE C MINIMUM;	495	275 400		SYNTECH LTD. NYCTA SENTINEL LUBRICANTS CORP.	CCSS-001, REV I, 3-9-11, LABEL NS-2716-F CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL BIOSYNHO46

QUALIFIED PRODUCTS LIST

6/23/2025 25

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-02-1020	ABSORBENT COMPOUND, FOR ABSORBING OIL, WATER AND CHEMICALS; COMPOSED OF NATURAL AND/OR RECYCLED ORGANIC MATERIALS; CELLULOSE PULP (98% MINIMUM); MUST ABSORB 0.65 ML/GM (MINIMUM) SAE #10 OIL			400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-02-1022	ABSORBENT & ENCAPSULATING COMPOUND, FOR OIL AND DIESEL FUEL, PEAT BASED WITH OIL DIGESTING MICROBES, (NOT FOR USE WITH WATER BASED PRODUCTS), 18- FLOCCULATING/SEPARATING AGENT,	1471	149	400	XORB CORPORATION/DMS&D ASSOC. AMERICAN PRODUCTS NYCTA	SORBITAL GM HTP CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-02-1023	FOR USE IN WATER FILTRATION SYSTEM FOR TREATMENT OF RAILCAR AIR CONDITIONER CONDENSER WASHING EFFLUENT IN ORDER TO	216	24	400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-02-1040	ABSORBENT, OIL, GREASE, WATER ABSORBING COMPOUND, INCINERABLE BASE OF NATURAL AND/OR RECYCLED ORGANIC MATERIALS; RECYCLED NEWSPRINT. MINIMUM ABSORBENCY = 1.4 ML/G;	0	0	400	WYO-BEN, INC. ABSORPTION CORPORATION NYCTA	CLEARTREAT 2300GRP-5 SPILL-SORB CCSS-003 REV E 9/11/17 RESTR SUB
70-04-0121	ADHESIVE, POLYURETHANE, TWO- COMPONENT ADHESIVE FOR USE WITH NORAMENT RUBBER FLOORING SYSTEMS. IT SHALL HAVE: VISCOSITY (BY THE BROOKFIELD RVF	39	23	400	NORA SYSTEMS INC NYCTA	CCSS-001, REV I, 3-9-11, LABEL NORA 310 (PARTS A & B) CCSS-003 REV E 9/11/17 RESTR SUB
70-04-0127	ADHESIVE, TWO-COMPONENT POLYURETHANE, FOR USE WITH NORAMENT RUBBER FLOORING	0	0	400	NORA SYSTEMS INC NYCTA	CCSS-001, REV I, 3-9-11, LABEL NORA 310 (PARTS A & B) CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 26

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-04-1031	SYSTEMS. IT SHALL HAVE VISCOSITY (BY THE BROOKFIELD RVF SEALANT, SILICONE RUBBER, RTV, BLACK, ONE-COMPONENT GENERAL PURPOSE PASTE, IN 10.1 OUNCE CARTRIDGES, FOR USE ON SUBWAY CARS AND HOUSE MAINTENANCE. MUST MEET REQUIREMENTS OF MILITARY SPECIFICATION MIL-A-46106. CERTIFICATE	751	408 400		DOW-CORNING MIL SPEC MOMENTIVE PERFORMANCE MATERIAL NYCTA	CCSS-001, REV I, 3-9-11, LABEL 732 MULTIPURPOSE BLACK MIL-A-46106 RTV 103-BLACK-CRTRG CCSS-003 REV E 9/11/17 RESTR SUB
70-04-1038	ADHESIVE,SEALANT,THREAD LOCKER, GENERAL PURPOSE HIGH STRENGTH ADHESIVE FOR USE WITH BOLTS,NUTS,STUDS,FASTENERS TO 3/4",PERMANENT			400	HENKEL CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL LOCTITE 2700 NA THREADLOCKER CCSS-003 REV E 9/11/17 RESTR SUB
70-04-1042	LOCKING;COLOR:GREEN,IN 50 ML ADHESIVE/SEALANT, HIGH PERFORMANCE ELASTOMERIC MUST EXHIBIT EXCELLENT ADHESION TO SUBSTRATES INCLUDES METALS, GLASS, PLASTICS AND NON-METALS;			400	MANUS PRODUCTS, INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MANUS-BOND 75-AM CCSS-003 REV E 9/11/17 RESTR SUB
70-04-1044	ADHESIVE, SEALANT, 1-COMPONENT, ELASTOMERIC, WHITE, 290 ML CARTRIDGE, 12 PER CASE. USED FOR FLOORING INSTALLATION ON R46 RAILCARS. BONDS FLOORS, INTERIOR/EXTERIOR PANELS,	32	17 400		MINNESOTA, MINING & MANUFACTUR NYCTA	CCSS-001, REV I, 3-9-11, LABEL HYBRID ADHESIVE SEALANT 760 CCSS-003 REV E 9/11/17 RESTR SUB
70-04-1342	COMPOUND, RETAINING, FAST CURING ANAEROBIC RESIN FOR BONDING GAPS UP TO 0.004" IN CYLINDRICAL MATING PARTS	49	13 400		HENKEL CORPORATION HERNON MFG MIL SPEC	CCSS-001, REV I, 3-9-11, LABEL LOCTITE 609 RETAIN COMP #60921 CYLINLOCK 822 MIL-R-46082B TYPE I

QUALIFIED PRODUCTS LIST

6/23/2025 27

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	(SHAFTS, BEARINGS, PINS, CAPS & PLUGS). COLOR GREEN IN 10CC. CERTIFICATE OF ANALYSIS TO INCLUDE: VISCOSITY AND				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-04-1344	COMPOUND, RETAINING FAST CURING ANAEROBIC RESIN FOR BONDING GAPS UP TO 0.004" IN CYLINDRICAL MATING PARTS (SHAFTS, BEARINGS, PINS, CAPS & PLUGS). COLOR GREEN IN 250 ML BOTTLES. CERTIFICATE OF ANALYSIS TO INCLUDE:	29	16 400		PERMABOND LLC SAF-T-LOK HENKEL CORPORATION	CCSS-001, REV I, 3-9-11, LABEL PERMABOND HL 138 R01 LOCTITE 609 RETAIN COMP #60941
					HERNON MFG MILITARY NYCTA	CYLINLOCK 822 MIL-R-46082B TYPE 1 CCSS-003 REV E 9/11/17 RESTR SUB
70-04-1426	ADHESIVE, STRUCTURAL, 2 PART EPOXY, NON-FLAMMABLE, GRAY, FOR USE ON RUBBER, WOOD, PLASTICS AND MASONRY PRODUCTS; VISCOSITY OF BASE 75.000-150.000, ACCELERATOR 40.000-80.000 CPS;	0	0 400		SAF-T-LOK MINNESOTA, MINING & MANUFACTUR NYCTA	CCSS-001, REV I, 3-9-11, LABEL R01 #20141 SCOTCHWELD 2216 B/A CCSS-003 REV E 9/11/17 RESTR SUB
70-04-1710	ADHESIVE, INSTANT, SUPERBONDER, MEDIUM VISCOSITY (65-125 CPS), FOR BONDING METAL, PLASTIC AND VINYL PARTS, GAP FILLING ABILITY UP TO 0.005", CLEAR, IN 1 OZ. BOTTLES, FOR R62 CARS. MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT	3403	1415 400		GSA SPEC. ND INDUSTRIES NYCTA	CCSS-001, REV I, 3-9-11, LABEL A-A-3097 31428 INSTANT SUPERGLUE CCSS-003 REV E 9/11/17 RESTR SUB
70-04-1810	ADHESIVE, EPOXY, TWO-COMPONENT, FAST CURING, HIGH	1558	776 400		PERMABOND SAF-T-LOK HENKEL CORPORATION	CCSS-001, REV I, 3-9-11, LABEL PERMABOND 102 IB 100 INSTANT BONDER LOCTITE EA 9017 (A&B) #1324007

QUALIFIED PRODUCTS LIST

6/23/2025 28

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	STRENGTH, FOR PERMANENT BONDING METALS, CERAMICS, CONCRETE, WOOD, GLASS AND MOST PLASTICS, COLORLESS LIQUID;				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-07-2011	ANTIFREEZE, COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG) IN NEW 55 GALLON DRUMS. MUST CONFORM TO NYCT S-79-18-07 REV. E			400	NYCTA	CCSS-001, REV I, 3-9-11, LABEL S-79-18-07 REV. E CCSS-003 REV E 9/11/17 RESTR SUB
					OLD WORLD INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL
					PRESTONE	FLEET CHARGE COOLANT 50% PRESTONE COMMAND HD PRED 50/50
70-07-2012	ANTIFREEZE, COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG) IN BULK. MUST CONFORM TO NYCT S-79-18-07 REVISION E			400	NYCTA	S-79-18-07 REV. E CCSS-003 REV E 9/11/17 RESTR SUB
					OLD WORLD INDUSTRIES	FLEET CHARGE COOLANT 50%
					PRESTONE	PRESTONE COMMAND HD PRED 50/50
70-07-2013	ANTIFREEZE, COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG), PACKAGED IN A SINGLE WALL PLASTIC CUBE WITH METAL CAGE GUARD 275 GALLON RETURNABLE TOTE WITH 6 INCH OPENING, FREE FROM ANY CORROSION OR DAMAGE. THE			400	NYCTA	S-79-18-07 REV. E CCSS-003 REV E 9/11/17 RESTR SUB
					OLD WORLD INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL
					PRESTONE	FLEET CHARGE COOLANT 50% PRESTONE COMMAND HD PRED 50/50
70-07-2015	ANTIFREEZE, EXTENDED LIFE COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG).			400	KOST USA INC.	ES COMPLEAT EG PREMIX 50-50
					NYCTA	S-79-22-20 REV. B

QUALIFIED PRODUCTS LIST

6/23/2025 29

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	NITRITE, SILICATE, BORATE, AND AMINE FREE ORGANIC ACID TECHNOLOGY (OAT). CONTAINS NO 2-ETHYL-HEXANOIC ACID. MUST CONFORM TO NYCT S-79-22-20				OLD WORLD INDUSTRIES	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV 1, 3-9-11 LABEL FCGLOBAL 50/50 PREDILANTIFRZCOOL
70-07-2016	ANTIFREEZE SOLUTION, RV TYPE, PROPYLENE GLYCOL/WATER MIXTURE (ABOUT 30% PROPYLENE GLYCOL, 70% WATER); PH TO BE ABOUT 9.2; FREEZING POINT MAXIMUM TO BE 10 DEGREES F; 1-GALLON CONTAINERS;			400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-07-2020	DEICER, PROPYLENE GLYCOL, INDUSTRIAL GRADE, SUPPLIED IN 55 GALLON PALLETIZED NON RETURNABLE PLASTIC DRUMS. DELIVERIES TO STOREROOMS 28,62,67 AND 69 SHALL BE MADE IN OPEN TOP TRUCKS			400	PRESTONE PRODUCTS CORPORATION MIDWEST INDUSTRIAL SUPPLY, INC NYCTA	RV ANTIFREEZE ICE FREE SWITCH-PG CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-07-2022	ANTIFREEZE, EXTENDED LIFE COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG). NITRATE, SILCATE, BORATE, AND AMINE: FREE ORGANIC ACID TECHNOLOGY (OAT). CONTAINS NO 2-ETHYL-HEXANOIC ACID. PACKAGED			400	SILOGRAM LUBRICANT CORP. NYCTA	SILOGRAM PROPYLENE GLYCOL S-79-22-20 REV.B CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-07-2023	ANTIFREEZE, EXTENDED LIFE COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG). NITRATE, SILCATE, BORATE, AND AMINE: FREE ORGANIC ACID			400	OLD WORLD INDUSTRIES NYCTA	FCGLOBAL 50/50 PREDILANTIFRZCOOL S-79-22-20 REV. B CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 30

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-11-1950	TECHNOLOGY (OAT). CONTAINS NO 2-ETHYL-HEXANOIC ACID. PACKAGED COMPOUND, CAULKING, ACRYLIC LATEX WITH SILICONE USED FOR CAULKING AND SEALING WINDOWS AND DOORS FRAMES. MUST MEET ASTM C-920, SUPPLIED IN 10.1 OZ CARTRIDGES. MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT IS 9	152	96 400		OLD WORLD INDUSTRIES	FCGLOBAL 50/50 PREDILANTIFRZCOOL C-920 CCSS-003 REV E 9/11/17 RESTR SUB
70-11-1977	ADHESIVE, SEALANT, SILICONE RUBBER, RTV, ONE COMPONENT THIXOTROPIC PASTE, GENERAL PURPOSE SEALING AND BONDING, CLEAR/TRANSLUCENT, 10.1 TO 10.3 FLUID OZ. CARTRIDGE. CERTIFICATE OF ANALYSIS TO INCLUDE:	4162	2048 400		RED DEVIL	CCSS-001, REV I, 3-9-11, LABEL LIFETIME ADHESIVE SEALANT(0856) 732
70-11-1980	ADHESIVE, SEALANT, SILICONE RUBBER, RTV, ONE COMPONENT THIXOTROPIC PASTE, GENERAL PURPOSE SEALING AND BONDING, ALUMINUM, IN 10.1 TO 10.3 FLUID OUNCE CARTRIDGES. CERTIFICATE OF ANALYSIS TO INCLUDE:	216	56 400		DOW CORNING MIL SPEC MOMENTIVE AMER IND NYCTA	732 MIL-A-46106B RTV 108 CCSS-003 REV E 9/11/17 RESTR SUB
70-11-1982	ADHESIVE, RTV SEALANT, USED ON R142 CARS TO ADHERE/SEAL A STEEL PLATE ON THE END CAP ON TRACTION MOTOR. WHITE SILICONE. WITHSTANDS EXTREME	76	17 400		HENKEL CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL LOCTITESI594 SPRFLX WHTRTV193998 CCSS-003 REV E 9/11/17 RESTR SUB
70-11-1984	TEMPERATURE CYCLING, 300 ML SEALANT, ADHESIVE, ONE-COMPONENT SILICONE RUBBER,	39	0 400		MOMENTIVE PERFORMANCE MATERIAL	CCSS-001, REV I, 3-9-11, LABEL RTV 157

QUALIFIED PRODUCTS LIST

6/23/2025 31

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	ROOM TEMPERATURE VULCANIZING (RTV); FOR USE IN OVERHAUL OF RAILCAR HVAC UNITS; MINIMUM CURED TENSILE STRENGTH TO BE 600				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-13-1320	ADHESIVE, MULTI-PURPOSE, FAST DRYING, FOR BONDING POROUS AND NON-POROUS MATERIALS SUCH AS CERAMICS, MARBLE, GLASS, METAL, LEATHER, FABRIC, PAPER LABELS. TRANSPARENT IN 1.0 OZ TUBES. MUST	130	0 400		COMMERCIAL ITEM ITW DEVCON NYCTA	CCSS-001, REV I, 3-9/11 LABEL A-A-529A DUCO CEMENT 6245 CCSS-003 REV E 9/11/17 RESTR SUB
70-13-1930	ADHESIVE, FAST DRYING NITRILE RUBBER BASE, STRONG FLEXIBLE BONDS, USE BETWEEN RUBBER AND GASKETING MATERIALS WITH VARIOUS SUBSTRATES. BRUSH OR FLOW APPLICATION COLOR DARK	176	40 400		MINNESOTA, MINING & MANUFACTUR NYCTA	CCSS-001, REV I, 3-9-11, LABEL NITRILE HIGH PERFORMANCE 847 CCSS-003 REV E 9/11/17 RESTR SUB
70-13-2415	ADHESIVE, RUBBER AND GASKET, CONTACT CEMENT, USED ON GE MAIN CONTTROL GROUP, LINE BREAKERS AND KNIFE SWITCHES, 5 OZ. TUBE, CERTIFICATE OF ANALYSIS TO INCLUDE VISCOSITY AND % SOLIDS FOR EACH BATCH MUST BE	1823	712 400		MINNESOTA, MINING & MANUFACTUR NYCTA	CCSS-001, REV I, 3-9-11, LABEL SCOTCH-WELD NEOPRENE 1300 CCSS-003 REV E 9/11/17 RESTR SUB
70-13-2500	ADHESIVE, ALL-PURPOSE RUBBER BASED (POLYCHLOROPRENE-TYPE) STRONG HEAT RESISTANCE BOND. USE TO BOND RUBBER, METAL, WOOD AND LAMINATES. GRAYISH IN COLOR, BRUSH APPLICATION IN 1 PINT CANS. MUST MEET	581	88 400		MINNESOTA, MINING & MANUFACTUR NYCTA	CCSS-001, REV I, 3-9-11, LABEL 7130-FACIL-00 NEOPRENE HIGH PERFORMANCE 1357 CCSS-003 REV E 9/11/17 RESTR SUB
70-13-3593	KIT, FLOOR PATCHING, EPOXY WITH	233	281 400		NPI FOR GARON	CCSS-001, REV I, 3-9-11, LABEL 7084-FACIL-99 REV. A GARON TREFLITE 40015

QUALIFIED PRODUCTS LIST

6/23/2025 32

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-13-3596	COARSE AGGREGATE; KIT CONSISTS OF A 5-GALLON PAIL CONTAINING 35-40 LBS. OF COARSE AGGREGATE MIXED WITH ONE GALLON OF RESIN & COMPOUND, PATCHING, THREE-COMPONENT, 100% SOLIDS EPOXY MORTAR. FOR APPLICATION IN TEMPERATURES AS LOW AS -10F, INDOORS OR OUTDOORS. SUPPLIED IN 2-GALLON PAIL. TENSILE	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					NPI FOR GARON	CCSS-001, REV I, 3-9-11, LABEL
					NYCTA	GARON ARTIC FREEZITE 47082 CCSS-003 REV E 9/11/17 RESTR SUB
70-15-0810	WIPES, DISPOSABLE HAND SANITIZER, OF AT LEAST 60% ALCOHOL BY VOLUME CONTAINED IN EACH PRE-MOISTENED WIPE. WIPES MUST BE EASY TO USE, NO WATER, SOAP, OR TOWEL REQUIRED. FRAGRANCE AND DYE FREE. WIPES MUST CONTAIN MOISTURIZERS. THE	8081	3308 400		GOJO INDUSTRIES, INC.	CCSS-001, REV I, 3-9-11, LABEL
					NICE-PAK PRODUCTS, NYCTA	9022-10 PURELL HAND WIPE D43600 SANI-HANDS WIPES CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
70-15-0812	WIPES, HAND SANITIZING, MINIMUM 70% ETHANOL CONTENT BY WEIGHT IN EACH PREMOISTENED WIPE; EACH WIPE IS 9 INCHES X 7 INCHES; CERTIFICATE OF ANALYSIS COVERING ETHANOL CONTENT BY WEIGHT TO	0	0 400		SAFETEC OF AMERICA, VERIDIEN CORPORATION	34400 PAWS 25500 VIRAGUARD ANTIMICROBIAL
					GRIFFIN WOW	DERMAFRESH HANDSNTZR WIPES2350W
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-15-0830	WIPES, DISINFECTANT, DISPOSABLE, TEXTURED SURFACE, MADE OF CLOTH MATERIAL, PRE-SATURATED WITH DISINFECTANT SOLUTION, SUPPLIED IN RESEALABLE CANISTERS. WIPES MUST BE EPA REGISTERED FOR EFFECTIVENESS	1318	1938 400		JOHNSON DIVERSEY, INC	CCSS-001, REV I, 3-9-11, LABEL
					NYCTA	4599516 OXIVIR TB WIPES CCSS-003 REV E 9/11/17 RESTR SUB
					VERIDIEN CORPORATION	CCSS-001, REV I, 3-9-11, LABEL 10160 VIRAGUARD HOSP. TOWELETTE

QUALIFIED PRODUCTS LIST

6/23/2025 33

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	AGAINST				WEXFORD LABS, INC	3130M-6, 3130M-12 CLEAN-CIDE
70-15-0834	WIPE, DISINFECTANT, DISPOSABLE, TEXTURED SURFACE, MADE OF CLOTH MATERIAL, PRE-SATURATED WITH DISINFECTANT SOLUTION: ISOPROPYL ALCOHOL/QUATERNARY AMMONIUM CHLORIDE	656	188 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					PDI NICE-PAK	CCSS-001, REV I, 3-9-11, LABEL SUPER SANI-CLOTH WIPES #P86984
70-15-1251	ALCOHOL, PROPRIETARY SOLVENT; MUST NOT CONTAIN MORE THAN 0.2% WATER; MUST MEET THE REQUIREMENTS OF TITLE 27 CODE OF FEDERAL REGULATIONS SECTION 20.113 AND BE SPECIALLY DENATURED ALCOHOL FORMULA 3-A (TITLE 27 CFR SECTION 21.35)BASED;			400	FEDERAL	TITLE 27 CFR SEC 21.32 TITLE 27 CFR SEC 20.113
					GREENFIELD PHARMCO	PROP SOLV NO 1-3, 200 PROOF
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-15-1274	ALCOHOL SOLUTION, ISOPROPYL; TO BE MINIMUM 64.7% ISOPROPYL ALCOHOL BY WEIGHT(MINIMUM 70% ISOPROPYL ALCOHOL BY VOLUME) WITH THE REMAINDER BEING DIONIZED WATER; FOR INDUSTRIAL USES INCLUDING RAILCAR	1174	670 400		JNJ INDUSTRIES, INC.	CCSS-001, REV I, 3-9-11, LABEL GLOBALTECH ISOPALC W/DIWATR7030%
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-15-1276	ALCOHOL SOLUTION, ISOPROPYL; TO BE MINIMUM 64.7% ISOPROPYL ALCOHOL BY WEIGHT (MINIMUM 70% ISOPROPYL ALCOHOL BY VOLUME) WITH THE REMAINDER BEING DEIONIZED WATER; UNIVERSAL CLEANER AND DISINFECTANT; USED	41963	18681 400		TECHSPRAY, L.P. JNJ INDUSTRIES, INC.	CCSS-001, REV I, 3-9-11, LABEL 1608-G GLOBALTECH ISOPALC W/DIWATR7030%
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-15-3016	DEICER, LIQUID, 30% MAGNESIUM CHLORIDE SOLUTION, SPECIFIC	0	55 400		TECHSPRAY, L.P. MELTSNOW COM	CCSS-001, REV I, 3-9-11, LABEL 1608-P MAGNESIUM CHLORIDE AQ. SLTN 30%

QUALIFIED PRODUCTS LIST

6/23/2025 34

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	GRAVITY TO BE ABOUT 1.3; PACKAGED IN 55 GAL DRUMS				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					PARTSMaster	CCSS-001 REV I, 3-9-11, LABEL
70-17-0250	CLEANER, ORGANIC SOLVENT BLEND, ALL- PURPOSE, USED TO REMOVE GREASE FROM MOTOR PARTS; MUST BE CLEAR, WATER-WHITE; PACKAGED IN ONE-GALLON CAN; VOC	54	27 400		NYCTA	CHINOOK ANTI-ICING AGENT CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0503	CLEANER, DEGREASER, ALL PURPOSE, WATER-BASED GREEN LIQUID, IN 5 GAL PAIL. USED FOR CLEANING METAL PARTS IN WASH TANK. NON-TOXIC, BIODEGRADABLE,	0	0 400		PPG INDUSTRIES NYCTA	CCSS-001, REV I, 3-9-11, LABEL CFX436 CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0504	CLEANER, DEGREASER, ALL PURPOSE, NON-TOXIC, BIODEGRADABLE, NON-BUTYL. NON- PHOSPHATE, NON-FLAMMABLE, NON- ABRASIVE WATER-BASED, CONTAINS NO HAZARDOUS INGREDIENTS AS DEFINED BY 29 CFR 1900.1200 OR 40 CFR PART 216 UNDER		400		ZEP INC. CORCRAFT/DEPT. OF CORRECT.SERV COSCO ENTERPRISES, DIAMOND CHEMICAL GRIGNARD COMPANY NATIONAL CHEMICAL LAB OF PA. NYCTA	CCSS-001, REV I, 3-9-11, LABEL ZEP Z-GREEN #184839 CORCRAFT U01GRNCL 160 ENVIROSOLV 2192 ENVIROSOLV 2192 PURE CLEAN 3000 NCL160 CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0505	CLEANER, DEGREASER, ALL PURPOSE, WATER-BASED GREEN	28	14 400		ZEP MANUFACTURING COMPANY NYCTA	CCSS-001, REV I, 3-9-11, LABEL Z-GREEN 1848 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 35

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-0512	LIQUID. IN 55 GALLON DRUMS. USED FOR CLEANING METAL PARTS IN WASH TANK. DELIVERED IN NON-RETURNABLE 55 GALLON DRUMS. CLEANER, DEGREASER, DEODORIZER, CITRUS INDUSTRIAL STRENGTH CLEANER, USED TO DEGREASE MOTORS IN BOILER ROOM. TO BE SUPPLIED IN CLEARLY LABELED 55	0	0 400		ZEP MANUFACTURING COMPANY FOSTER & CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL ZEP Z-GREEN #184886 17-88 CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0515	CLEANER, DEGREASER USED FOR CLEANING SHOP FLOORS AND THE WALLS AND FLOORS OF INSPECTION PITS. CAN BE APPLIED USING FLOOR CLEANING MACHINES, PRESSURE		400		COSCO ENTERPRISES, NYCTA	CCSS-001, REV I, 3-9-11, LABEL FO 2276 ODORLESS RTU CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0525	CLEANER, DEGREASER, 1 GALLON CONAINER, ALL PURPOSE NON-TOXIC, BIODEGRADABLE, NO COLOR OR SCENT ADDED, NON FLAMMABLE, NON CORROSIVE, DILUTION RATE 15		400		NYCTA	CCSS-001 REV I, 3-9-11 LABEL CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0610	CLEANER, DEGREASER, FOR REMOVAL OF GREASE, RUBBER RESIDUES, WAX, ADHESIVE. PACKAGED IN 5 GALLON CONTAINERS. CONTAINS D-LIMONENE, TECHNICAL GRADE, ALIPHATIC HYDROCARBONS. FLASH POINT MUST BE ABOVE 140 DEGREES	0	0 400		SUNSHINE MAKERS, INC. CHEMTRONICS CRC INDUSTRIES, INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL 043318000188 MAX-KLEEN CITRUS HF # ES591 CITRUS DEGREASER HF#14175 CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0611	CLEANER, DEGREASER, FOR REMOVAL OF GREASE, RUBBER RESIDUES, WAX, ADHESIVE. 53-55 GALLONS PACKAGED IN 55 GALLON	0	0 400		CHEMTRONICS CRC INDUSTRIES, INC.	CCSS-001, REV I, 3-9-11, LABEL MAX-KLEEN CITRUS HF # ES5591 CITRUS DEGREASER HF #14176

QUALIFIED PRODUCTS LIST

6/23/2025 36

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-0612	DRUMS. CONTAINS D-LIMONENE, TECHNICAL GRADE, ALIPHATIC HYDROCARBONS. FLASH POINT MUST BE ABOVE 140 DEGREES CLEANER, DEGREASER, FOR REMOVAL OF GREASE, RUBBER RESIDUES, WAX, ADHESIVE. CLEANING RAILCAR PARTS. PACKAGED IN 1-GALLON CONTAINERS. CONTAINS D-			400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					CHEMTRONICS	CCSS-001, REV I, 3-9-11, LABEL MAX-KLEEN CIRTUS HF #ES191 CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0803	CLEANER, EXTERIOR RAILCAR, SPECIFIC FOR IRON OXIDE OR BROWN STAIN REMOVAL FROM RAILCARS. FOR USE IN CAR WASHERS. TO CLEAN AND BRIGHTEN THE EXTERIOR STEEL, STAINLESS STEEL AND ALUMINUM SURFACES OF RAILCARS. DELIVERED IN BULK			400	COSCO ENTERPRISES, DIAMOND CHEMICAL GRIGNARD COMPANY	CCSS-001, REV I, 3-9-11, LABEL FO 479C FO 479C GRIGNARD PCTW TRAIN WASH
					NATIONWIDE CHEMICAL CO., INC. NYCTA	X561A RAILCAR CLEANER CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0820	CLEANER, INTERIOR RAILCAR CLEANER, POWDER, IN A 4-OZ. COLD WATER SOLUBLE PVA POLYMER PACKET. USED AT A NOMINAL DILUTION RATIO OF ONE 4-OZ. PACKET TO 320-OZ. (CA 2.5 GALLONS) OF WATER. COMPOSITION ACCORDING TO REFERENCED			400	COSCO ENTERPRISES, INC. DIAMOND CHEMICAL	1207-C-84-REV. C, APRIL 1987 MEGAPOWER REDI-KLEEN #11 MOD MEGAPOWER REDI-KLEEN #11 MOD
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0823	CLEANER, TO REMOVE RUST FROM RAILCAR STAINLESS STEEL SURFACES (EXTERIORS AND DOORS). FOR	542	319	400	COSCO ENTERPRISES, NYCTA	CCSS-001, REV I, 3-9-11, LABEL 3062-MATL-93 REV. B FO 479HD RTU CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 37

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-0850	MANUAL APPLICATION. READY TO USE FORMULA SUPPLIED IN ONE CLEANER, FLOOR, POWDERED; PACKAGED IN 2.2-OZ PACKETS; CONTAINS BLEACH; CONCENTRATED POWDER; PRODUCT TO BE USED AT A DILUTION RATE OF 1 PACKET PER 4 GALLONS OF WATER; USED TO CLEAN	60282	44426	400	NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0855	CLEANER, FLOOR AND MULTIPURPOSE, IN 3- 4 OZ PLASTIC PACKETS WITH TEAR OPEN STRIP. CONCENTRATED LIQUID PRODUCT TO BE USED AT DILUTION RATE OF 1	213510	81132	400	NYCTA	CCSS-001, REV I, 3-9-11, LABEL SPIC&SPAN FLR CLNR W/BLEACH 4-45 CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0904	CLEANER/POLISH, STAINLESS STEEL, LIQUID EMULSION, CONTAINING ALIPHATIC HYDROCARBONS, MINERAL OIL, EMULSIFIERS AND/OR ORGANOMODIFIED POLYMERIC EMULSION, SPECIFIC GRAVITY 0.92	376	141	400	PROCTOR & GAMBLE NYCTA	CCSS-001, REV I, 3-9-11, LABEL 84895469 SPIC & SPAN CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0913	DISINFECTANT, QUATERNARY AMMONIUM CHLORIDE TYPE, MINIMUM ACTIVE INGREDIENT CONTENT TO BE 4% OF WHICH A MINIMUM OF 2% MUST BE QUATERNARY AMMONIUM CHLORIDE	19283	9757	400	TMA NATIONAL CHEMICAL LAB OF PA. NYCTA	CCSS-001, REV I, 3-9-11, LABEL NUSHEEN MLTISRFC CLEANER&POLISH LEMON QUAT DISINFECTANT 0235 CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0940	CLEANER, ANTI-STATIC, LIQUID, FOR CLEANING PLASTIC, GLASS AND STAINLESS STEEL SURFACES, USED ESPECIALLY FOR RAILCAR LIGHT LENSES AND OTHER INTERIOR RAILCAR SURFACES TO PREVENT	0	0	400	COSCO ENTERPRISES, DIAMOND CHEMICAL NATIONWIDE CHEMICAL CO., INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL FO 1143 F.O. 1143 TA501 LENS CLEANER CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 38

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-0972	DUST AND DIRT FROM ADHERING, PACKAGED IN 30 CLEANER, LIQUID, TUNER AND CONTROL, WITH NEEDLE, PACKAGED IN 16-19 OZ. NET WEIGHT SPRAY CANS	0	24 400		ITW CHEMTRONICS, INC NYCTA	CCSS-001, REV I, 3-9-11, LABEL ELECTRO-WASH VZ (ES6119) CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0980	HEAT SHIELD COMPOUND, PASTE, IN A ONE QUART CAN. PREVENTS WELDING, BRAZING, SOLDERING HEAT DAMAGE. ABSORBS AND DISSIPATES HEAT TO ELIMATE	0	0 400		TECH SPRAY, INC. LA-CO INDUSTRIES, INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL PRECISION V FLUX REMOVER ANTI-HEAT 24002 CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0982	HEAT SHIELD COMPOUND, PASTE, IN A 10 OR 11 OUNCE TUBE. PREVENTS WELDING, BRAZING, SOLDERING HEAT DAMAGE. ABSORBS AND DISSIPATES HEAT TO ELIMINATE DAMAGE AND DISCOLORATION. PROTECTS PAINTED OR FINISHED	17	0 400		LA-CO INDUSTRIES, INC. NU-CALGON NYCTA	CCSS-001, REV I, 3-9-11, LABEL BLOC-IT-HEAT ABSORB PASTE 11511 THERMO TRAP PASTE #4371-36 CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1020	CLEANER, STEAM CLEANING SOLUTION, NON-EMULSIFYING FORMULA (RUN OFF WATER SOLUTION MUST SEPARATE INTO TWO PHASES WITHIN MINUTES), FOR CLEANING ENGINES AND OTHER ITEMS WITH PRESSURE WASHING		400		COSCO ENTERPRISES, DIAMOND CHEMICAL GRIGNARD COMPANY NYCTA	CCSS-001 REV I 3-9-11 LABEL MEGAPOWER 2289 MEGAPOWER 2289 PURESAFE CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1025	CLEANER, STEAM CLEANING SOLUTION, NON-EMULSIFYING FORMULA (RUN OFF WATER	0	0 400		COSCO ENTERPRISES, DIAMOND CHEMICAL GRIGNARD COMPANY	CCSS-001, REV I, 3-9-11, LABEL MEGAPOWER 2289 MEGAPOWER 2289 PURESAFE STEAM CLEANER

QUALIFIED PRODUCTS LIST

6/23/2025 39

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	SOLUTION MUST SEPARATE INTO TWO PHASES WITHIN MINUTES), FOR CLEANING ENGINES, BRAKE PARTS, OTHER PARTS AND INSPECTION PITS				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1032	CLEANER, HAND, WATER BASED LIQUID, ANTI-BACTERIAL, FOR USE AS EMPLOYEE LAVATORY HAND SOAP, IN 16 OZ, PUMP BOTTLE, CONTAINS BENZALKONIUM CHLORIDE, AN ANTI-MICROBIAL AGENT, TO HELP REDUCE BACTERIA; CONTAINS NO ALKALIES,	477	445	400	NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
					ZEP INC.	CCSS-001, REV I, 3-9-11, LABEL ACCLAIM W/BENZALKCHLORIDE 314916
70-17-1034	CLEANER, HAND, WATER BASED LIQUID, WHITE LOTION. FOR USE AS EMPLOYEE LAVATORY HAND SOAP, IN A PLASTIC QUART CONTAINER. CLEANS AND MOISTURIZES. PH BETWEEN 6.5-7.5. PACKAGED 12	58671	26374	400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					ZEP INC.	CCSS-001, REV I, 3-9-11, LABEL
70-17-1143	DEFOAMER, FOR USE WITH MOTOR CLEANER IN SPRAY WASH TANK AND STEAM CLEANING OPERATION TO CONTROL FOAM LEVEL; LIQUID, ACTIVE INGREDIENT CONTENT 1.7% MINIMUM, PH TO BE 6.0 TO 8.0;	160	50	400	NATIONWIDE CHEMICAL CO., INC. NYCTA	VELVET LOTION SOAP #95801 TA1039 KNOCK-OUT DEFOAMER CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1170	CLEANER, LIQUID, WATER BASED BIOSURFACANT, CONSISTING OF BIODEGRADABLE WETTING AGENTS AND SURFACTANTS. FOR CLEANING GREASY/OILY/ DIRTY PARTS IN DIP/AGITATING AND SPRAY WASH TANKS; NON-FOAMING; LOW ODOR;	40	0	400	MOON CHEMICAL PRODUCTS NYCTA	CCSS-001, REV I, 3-9-11, LABEL ENVIROCLEAN CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1185	CLEANER, MOTOR AND MOTOR PARTS, LIQUID, MUST CONTAIN A			400	SYNTHETIC LABS INC COMSTAR INTERNATIONAL INC.	CCSS-001, REV I, 3-9-11, LABEL BIOSOLVE MO-CLEAN

QUALIFIED PRODUCTS LIST

6/23/2025 40

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	MINIMUM ACTIVE INGREDIENT CONTENT OF 15%; PH OF CONCENTRATE MUST BE BETWEEN 7.0-10.0, MUST BE FREE FROM SILICATES AND PHOSPHATES & HAVE LOW FOAM ; MUST NOT				NATIONAL CHEMICAL LAB OF PA. NATIONWIDE CHEMICAL CO., INC. NYCTA	TRACTION MOTOR CLEANER 216 TA512 BRITE GLO CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1305	CLEANER, MULTI-PURPOSE, WATER BASED, NEUTRAL PH. SUPPLIED IN 1 GALLON PLASTIC BOTTLES. FOR CLEANING RAILCAR INTERIOR SURFACES; FIBERGLASS SEATS, CEILINGS. PH IS 6.9 - 7.1. MIX 1/4 CUP	63677	25306	400	U.S. POLYCHEMICAL CORPORATION COLGATE-PALMOLIVE NYCTA	TMC1185 FABULOSOALLPRPSCLNRLIQL AV153058 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1307	CLEANER, MULTIPURPOSE, FOR CLEANING RAILCAR INTERIOR SURFACES (FLOOR, WALLS,SEATS, AND CEILINGS); PH TO BE 8.5 TO 9.5; SPECIFIC GRAVITY TO BE 1.00 TO	0	42	400	GRIFFIN WOW NYCTA	TRUTH EI PLUS CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1310	CLEANER, AND POLISH, STAINLESS STEEL, AEROSOL, MINERAL OIL EMULSION; MUST MEET NYSDEC VOC REGULATIONS FOR METAL POLISHERS/CLEANERS WITH MAXIMUM ALLOWABLE VOC OF 30% BY WEIGHT; NON- FLAMMABLE ACCORDING TO ASTM D-3065 USA	1170	785	400	AMREP, INC. APOLLO INDUSTRIES MINNESOTA, MINING & MANUFACTUR NYCTA	"MISTY 142" 17.5 OZ IN 20 OZ CAN APOLLO BRIGHT SHINE S/S #2390 STAINLESS STEEL CLNR 48011- 14002 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
					SPRAYON PRODUCTS	CD 885 STSTEELCLNR S00885

QUALIFIED PRODUCTS LIST

6/23/2025 41

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1311	CLEANER, STAINLESS STEEL; CLEANING & POLISHING TOWELS; WITH CITRUS SCENT; 9.75" X 10.50" TOWELS, 30 TOWELS PER CONTAINER, 6 CONTAINERS PER CASE, 1 CONTAINER = 1 EACH.	15	21 400		ITW PRO BRANDS NYCTA	SCRUBS STSTEEL CLNR TOWELS 91930 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1312	POLISH, FOR POLYCARBONATE ON FIND SYSTEM ON R160 CARS. CLEAR PLASTIC POLISH TO REDUCE FINE OR HAIRLINE SCRATCHES. RESTORES OPTIC CLARITY TO CLEAR PLASTICS.	0	0 400		MEGUIAR'S USA NYCTA	M10 PLASTIC POLISH M1008 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1315	CLEANER, ALKALINE LIQUID EMULSIFYING CONCENTRATE, COLORLESS, MILD SOAPY ODOR, IN FIVE GALLON PLASTIC CONTAINERS, WITH METAL SWING HANDLE AND FULL PLASTIC LID WITH SPOUT, PRODUCT TO BE USED AT A DILUTION RATE OF TEN PARTS		400		ARROW CHEMICAL CORP. COMSTAR INTERNATIONAL INC. COSCO ENTERPRISES, INC. DIAMOND CHEMICAL NATIONAL CHEMS NYCTA	MUNICIPAL CONCRETE CLEANER KYMKARE BIO-CLEANER MEGAPOWER 3IN1 SUPER CONCENTRATE MEGAPOWER 3IN1 SUPER CONCENTRATE 463 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1327	CLEANER, ALL PURPOSE, COLLOIDAL. SUPPLIED IN 5-GALLON CONTAINERS. TO BE USED ON TILE AND CONCRETE SURFACES. ALSO SAFE FOR USE ON COPPER COMPONENTS. TO BE USED TO CLEAN RAILCAR A/C COILS, CONDENSERS, EVAPORATORS. NON-		400		GEMTEK PRODUCTS NATIONAL CHEMICAL LAB OF PA. NYCTA	SC-1000 COLLOIDAL CLEANER #5222 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1328	CLEANER, ALL PURPOSE, COLLOIDAL.	14850	7480 400		GEMTEK PRODUCTS	SC-1000

QUALIFIED PRODUCTS LIST

6/23/2025 42

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1400	SUPPLIED IN 55-GALLON DRUMS. SAFE FOR USE ON COPPER COMPONENTS. TO BE USED TO CLEAN RAILCAR A/C COILS, CONDENSERS, EVAPORATORS. NON- TOXIC, NON-FLAMMABLE, NON- CLEANER, SOAP, LIQUID, ALKALINE. FOR BUS EXTERIOR WASH. TO BE USED ON THE FIRST ARCH OF BUS WASH SYSTEM WITH A DILUTION RATIO OF 1 PART CLEANER TO 100 PARTS FRESH WATER. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPEC			400	NATIONAL CHEMICAL LAB OF PA. NYCTA	COLLOIDAL CLEANER #5222 CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					CORCRAFT/DEPT. OF CORRECT.SERV COSCO ENTERPRISES, DIAMOND CHEMICAL GRIGNARD COMPANY	GRIGNARD BWC-BUS WASH CLEANER F03022 BUS WASH F03022 BUS WASH GRIGNARD-BWC-BUS WASH CLEANER
					NYCTA	S-70-01-04 REV. F CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1405	CLEANER, SOAP, LIQUID, ALKALINE, FOR BUS EXTERIOR WASH. TO BE USED ON THE FIRST ARCH OF BUS WASH SYSTEM WITH A DILUTION RATIO OF 1 PART CLEANER TO 100 PARTS FRESH WATER. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPEC			400	WEST PENETONE CORCRAFT/DEPT. OF CORRECT.SERV COSCO ENTERPRISES, DIAMOND CHEMICAL GRIGNARD COMPANY	CCSS-001, REV I, 3-9-11, LABEL PENTRANS 1503C GRIGNARD BWC-BUS WASH CLEANER F03022 BUS WASH F03022 BUS WASH GRIGNARD BWC-BUS WASH CLEANER
						TOTE SPEC
					NYCTA	S-70-01-04 REV. F CCSS-003 REV E 9/11/17 RESTR SUB
					WEST PENETONE	CCSS-001, REV I, 3-9-11, LABEL PENTRANS1503C

QUALIFIED PRODUCTS LIST

6/23/2025 43

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1410	CLEANER, SOAP, LIQUID, ALKALINE. FOR BUS EXTERIOR WASH. TO BE USED ON THE FIRST ARCH OF BUS WASH SYSTEM WITH A DILUTION RATIO OF 1 PART CLEANER TO 100 PARTS FRESH WATER. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPEC			400	CORCRAFT/DEPT. OF CORRECT.SERV COSCO ENTERPRISES, DIAMOND CHEMICAL GRIGNARD COMPANY NYCTA	GRIGNARD BWC-BUS WASH CLEANER FO3022 BUS WASH FO3022 BUS WASH GRIGNARD BWC-BUS WASH CLEANER S-70-01-04 REV. F CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL PENTRANS 1503C
70-17-1415	CLEANER, SOAP, ALKALINE, FOR BUS EXTERIOR WASH. APPLIED THROUGH FIRST ARCH OF BUS WASH WITH FRESH WATER AT A DILUTION RATIO OF 1:200. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPECIFICATIONS S-70-01-04 REVISION			400	WEST PENETONE COSCO ENTERPRISES, GRIGNARD COMPANY NYCTA	FO 3058 BUS WASH DIRRECT POWER BLUE 200 DIRRECT POWER BLUE S-70-01-04-REV. G CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1416	CLEANER, SOAP, ALKALINE, FOR BUS EXTERIOR WASH. APPLIED THROUGH FIRST ARCH OF BUS WASH WITH FRESH WATER AT A DILUTION RATIO OF 1:200. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPECIFICATION S-70-01-04 REVISION			400	ZEP MANUFACTURING COMPANY COSCO ENTERPRISES, GRIGNARD COMPANY NYCTA ZEP MANUFACTURING COMPANY	ENVIROEDGE TRUCK WASH FO 3058 BUS WASH DIRRECT POWER BLUE 200 DIRRECT POWER BLUE S-70-01-04, REV. G CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL ENVIROEDGE TRUCK WASH

QUALIFIED PRODUCTS LIST

6/23/2025

44

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1417	CLEANER, SOAP, ALKALINE, FOR BUS EXTERIOR WASH. APPLIED THROUGH FIRST ARCH OF BUS WASH WITH FRESH WATER AT A DILUTION RATIO OF 1:200. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPECIFICATION S-70-01-04 REVISION			400	COSCO ENTERPRISES, GRIGNARD COMPANY NYCTA ZEP MANUFACTURING COMPANY	FO 3058 BUS WASH DIRRECT POWER BLUE 200 DIRRECT POWER BLUE S-70-01-04, REV. G CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL ENVIROEDGE TRUCK WASH
70-17-1423	TRACTION ENHANCER, RAIL, GEL; CONTAINS QUARTZ; PH IS 9-10; SPECIFIC GRAVITY IS 1.35 TO 1.45; VISCOSITY @ 77 F (VIA BROOKFIELD VISCOMETER SPINDLE RV6 @ 20 RPM) IS 13500 TO 14500 CP; FOR USE			400	LB FOSTER RAIL TECHNOLOGIES INC NYCTA	ALLEVIATE TRACTION GEL CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1465	CLEANER/DEGREASER, USED FOR GRAFFITI REMOVAL ON HARD SURFACES. NON-PETROLEUMNON-CHLORINATED, NON-BUTYL, BIODEGRADABLE, TEST PATCH ALL SURFACES BEFORE GENERAL USE. MAY DAMAGE SOME PLASTIC AND/OR PAINTED SURFACES,			400	COSCO ENTERPRISES, DIAMOND CHEMICAL MICROBLEND LLC. NYCTA ZEP MANUFACTURING COMPANY	CCSS-001, REV I, 3-9-11, LABEL ENVIROSOLV ORANGE ENVIROSOLV ORANGE CITRI-CLENZ CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL BIG ORANGE - E 485
70-17-1469	CLEANER, INTERIOR RAILCAR, LIQUID, ALKALINE, PH=10-10.5 MAXIMUM (UNDILUTED), MINIMUM ACTIVE INGREDIENT CONTENT=13%, LOW FOAMING, COMPLETELY SOLUBLE IN WATER, MUST NOT LEAVE RESIDUE ON SURFACE WHEN USED			400	COSCO ENTERPRISES, DIAMOND CHEMICAL NATIONWIDE CHEMICAL CO., INC. NYCTA	FO 1101 MOD FO 1101 MOD TA222 TUFF GUY 222 CCSS-003 REV E 9/11/17 RESTR SUB 3020-MATL-83, REV E

QUALIFIED PRODUCTS LIST

6/23/2025

45

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1472	CLEANER, GRAFFITI REMOVER, VISCOUS, IN FIVE GALLON PLASTIC CONTAINERS TO BE USED BY DIVISION OF STATIONS' HIGH PRESSURE CLEANING SYSTEM. PRODUCT APPLIED TO SURFACE BY BRUSH UTILIZING HOT WATER			400	DIAMOND CHEMICAL NATIONAL CHEMICAL LAB OF PA. NYCTA	FO 2104 NCL 234 GRAFFITI REMOVER CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1483	CLEANER, FOR COILS, CONDENSERS, DOOR OPERATORS, LIQUID, MILD ALKALINE. MUST CONTAIN MINIMUM ACTIVE INGREDIENT CONTENT OF 11% INCLUDING, BUT NOT LIMITED TO CARBONATES, SALTS OF ORGANIC ACIDS, LOW FOAMING SURFACTANTS, MAXIMUM	10	3 400		COSCO ENTERPRISES, INC. DIAMOND CHEMICAL NYCTA	MEGAPOWER COIL/CONDENSER CLNR MOD MEGAPOWER COIL/CONDENSER CLNR MOD CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1496	CLEANER, COMPOUND, LIQUID, INTERIOR GRAFFITI REMOVER, IN ONE GALLON PLASTIC CONTAINERS, 4 OR 6 GALLONS TO A CARTON WITH STOCK NUMBER ON CARTON	0	0 400		PENETONE DIAMOND CHEMICAL NATIONAL CHEMICAL LAB OF PA. NYCTA	PENBLITZ 208LM F.O. 1120 NCL 333 GRAFFITI REMOVER CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1515	CLEANER, GRAFFITI REMOVER, LIQUID WITH CITRUS ODOR. HEAVY DUTY FOR CLEANING OF STATIONS. PH 4 MIN. 110 DEGREE F TCC (TAG CLOSED CUP), D-LIMONENE BASED INCLUDING SURFACTANTS,	64	20 400		NYCTA PENETONE	0001-2000 DATED OCT 2000 PALLET SPEC CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL CITRIKLEEN GR

QUALIFIED PRODUCTS LIST

6/23/2025 46

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1517	REMOVER, GRAFFITI, PREMOISTENED TOWELS, D'LIMONENE BASED, TWO 12" X 16.75" TOWELS PER PACKET, FLASH POINT OF GRAFFITI REMOVER SOLUTION IS ABOVE 140 DEGREES F.	3186	1202	400	GETEX CORPORATION NYCTA	GRAFFITI FREE GENIE WIPES CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1520	REMOVER, GUM, GRAFFITI, STICKER ADHESIVES; LIQUID; 100% ACTIVE INGREDIENT CONTENT CONSISTING OF D'LIMONENE/TERPENES, METHYL PYRROLIDONE AND SUCH OTHER INGREDIENTS FOR THE REMOVAL OF GUM, GRAFFITI PAINT, MARKING	125	11	400	COSCO-FO NATIONAL CHEMICAL LAB OF PA. NATIONWIDE CHEMICAL CO., INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL ENVIROSOLV LR-V GUM REMOVER #4159 TA503 GUM REMOVER CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1521	REMOVER, GUM, GRAFFITI, STICKER ADHESIVES; LIQUID; 100% ACTIVE INGREDIENT CONTENT CONSISTING OF D'LIMONENE/TERPENES, METHYL PYRROLIDONE AND SUCH OTHER INGREDIENTS FOR THE REMOVAL OF GUM, GRAFFITI PAINT, MARKING	3397	609	400	COSCO-FO NATIONAL CHEMICAL LAB OF PA. NATIONWIDE CHEMICAL CO., INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL ENVIROSOLV LR-V GUM REMOVER #4159 TA503 GUM REMOVER CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1565	CLEANER, HIGHLY CONCENTRATED SOLUTION WITH CHELATED AGENT, FOR USE IN MEMBRANE CLEANING, PACKAGED IN 5 GALLON CONTAINERS	0	0	400	DYNATEC SYSTEMS, INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MEMCLEEN CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1584	GRAFFITI REMOVER, LIQUID, NON FLAMMABLE, ZERO VOC, NON-VISCOUS, NO/LOW ODOR, NON CAUSTIC, IN 5 GALLON CONTAINER.	2447	763	400	NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 47

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1632	PPE REQUIRED: CHEMICAL SPLASH REMOVER, GRAFFITI, IN ONE GALLON PLASTIC CONTAINERS, 4 GALLONS TO A CARTON, WITH STOCK NUMBER ON CARTON.	21	8 400		THIS STUFF WORKS COSCO ENTERPRISES, DIAMOND CHEMICAL NYCTA	TSW9 PLASTI-MASTER F0974 FO974 SMD 30-2-83 CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1640	CLEANER, FOR METAL PARTS, (STEEL PARTS ONLY-NOT FOR USE WITH ALUMINUM, BRASS OR COPPER), LIQUID, ALKALINE SOLUTION, IN 55 GALLON DRUMS. USED IN DIP/ AGITATING CLEANING TANKS AND SPRAY WASH TANKS, HEATED TO 160			400	CHEMETALL USA, INC. COSCO ENTERPRISES, DIAMOND CHEMICAL NYCTA	CCSS-001, REV I, 3-9-11, LABEL LOW HEAT CLEANER #3 ZZ STRIP LF ZZ STRIP LF CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1670	CLEANER, DRAIN, POWDERED HYDROXIDE BASED; MUST CONTAIN 60-70% HYDROXIDE (AS MEASURED BY ASTM D514) AND 2-4% ALUMINUM (AS MEASURED BY ICP-INDUCTABLY COUPLED PLASMA EMISSION SPECTROSCOPY); ALL OF THE PRODUCT TO PASS THROUGH A #4	1589	969 400		ASTM COMSTAR INTERNATIONAL INC. FED. SPEC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL D514 PIRANHA II PIPE CLEANER CID AA1911 CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1685	CLEANER, DEGREASER FOR RAILCAR DOOR HANGERS, WATER RINSABLE, LEAVES NO RESIDUE, BIODEGRADABLE, PH 8-9, NON-VOLATILE CONTENT 48-52%, VOC FREE FOR GENERAL CLEANING CAN	158	67 400		UTILITY/WONDER CORTEC CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL DRY DRAIN-A-MATIC ECOLINE CLNR DEGREASER #35903568 CCSS-003 REV E 9/11/17 RESTR SUB
70-17-2120	CLEANER, TOUCH SCREEN, SPRAYER BOTTLE, 500 ML/16.9 FLUID OUNCE,	1624	1153 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025

48

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	WATER BASED, 12 PER BOX					
70-17-3030	CLEANER, HAND, LIQUID, SOLVENT FREE, NOT PETROLEUM DERIVATIVE BASED, PH BETWEEN 4.9 AND 5.3; ACTIVE INGREDIENT CONTENT BETWEEN 39-42%; VISCOSITY BETWEEN 16,000-28,000 CPS.	5173	1587	400	WHOOSH INC NYCTA	CCSS-001, REV I, 3-9-11, LABEL MC500EN CCSS-003 REV E 9/11/17 RESTR SUB
70-17-3038	DETERGENT, DISHWASHING LIQUID (NON-CONCENTRATED) IN A 25 OZ. PLASTIC BOTTLE. FOR USE IN APPLYING 3M 4-PLY MYLAR WINDOW SHIELDS. THREE TO EIGHT DROPS OF	20100	9342	400	JOY SUDS NYCTA	CCSS-001, REV I, 3-9-11, LABEL SOLOPOL CLASSIC PN98318706 JOY NON-ULTRA LEMON CCSS-003 REV E 9/11/17 RESTR SUB
70-17-3042	CLEANER, HAND, WATERLESS, PETROLEUM DERIVATIVE BASED, PH BETWEEN 7.0 AND 9.0; 55% MINIMUM ACTIVE INGREDIENT CONTENT; MUST NOT CAUSE SKIN IRRITATION.	2523	1405	400	CRITZAS NYCTA	CCSS-001, REV I, 3-9-11, LABEL GOOP HAND CLEANER CCSS-003 REV E 9/11/17 RESTR SUB
70-17-3050	CLEANER, HAND, LIQUID, WITH PUMICE FOR REMOVING STUBBORN INKS, RESINS, PAINTS, ADHESIVES, TAR, CARBON AND ASPHALT.	23	40	400	NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
70-17-3080	ALMOND FRAGRANCE. MUST BE PACKAGED IN ONE GALLON FLAT TOP CLEANER, FOR SAFETY GLASS LENSES, SAFETY GOGGLES AND EYE GLASSES, TO COME IN CORRUGATED CARDBOARD LENS CLEANING STATION CONSISTING OF AN 8 OZ. SPRAY BOTTLE OF CLEANER AND 600	2941	842	400	ZEP MANUFACTURING COMPANY MAGIC SAFETY NYCTA	CCSS-001, REV I, 3-9-11, LABEL ZEP REACH MAGICPR LNSCL ANTSTATANTFOG600PS CCSS-003 REV E 9/11/17 RESTR SUB
70-17-3084	EYEWASH, STERILE SOLUTION, IN 8	2177	847	400	HONEYWELL	CCSS-001, REV I, 3-9-11, LABEL 32-000445

QUALIFIED PRODUCTS LIST

6/23/2025 49

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	OZ. PLASTIC BOTTLE. FOR FIRST AID USE ONLY. SINGLE USE ONLY. BOTTLE SEALED TO PREVENT TAMPERING. INSTRUCTIONS AND EXPIRATION				NYCTA	CCSS-063 REV E 9/11/17 RESTR SUB
70-17-3086	ADDITIVE, EYE WASH, ANTI- BACTERIAL AND WATER PRESERVATIVE, MUST MEET REQUIREMENTS OF OSS SPECIFICATION E7 EXCEPT THE PRODUCT MUST BE LIQUID AND IS	1262	458 400		ENCON/MIDLAND SAFETY PRODUCTS NYCTA	CCSS-001, REV I, 3-9-11, LABEL HYDROSEP 01110764 CCSS-003 REV E 9/11/17 RESTR SUB
70-17-3160	SANITIZER, HAND, INSTANT, ANTIBACTERIAL GEL, USED WITHOUT WATER. MUST HAVE A MINIMUM ETHYL ALCOHOL CONTENT OF 60%. SAFETY DATA SHEET MUST STATE 60% OR GREATER ETHANOL CONTENT. KILLS 99.99% OF COMMON GERMS. CONTAINS MOISTURIZER	742	10 400		GOJO INDUSTRIES, INC. KIMBERLY CLARK NYCTA	CCSS-001, REV I, 3-9-11, LABEL PURELL ADVANCED SANITIZE 9652-12 KLEENEX HAND SANITIZER 93060 CCSS-003 REV E 9/11/17 RESTR SUB
70-17-3162	SANITIZER, HAND, INSTANT, ANTIBACTERIAL GEL, USED WITHOUT WATER. MUST HAVE A MINIMUM ETHYL ALCOHOL CONTENT OF 60%. SAFETY DATA SHEET MUST STATE 60% OR GREATER ETHANOL CONTENT. KILLS 99.99% OF COMMON GERMS. CONTAINS MOISTURIZERS	15430	4275 400		SAFETEC OF AMERICA, INC GOJO INDUSTRIES, INC. NYCTA SAFETEC OF AMERICA, INC TRIPLE S	CCSS-001, REV I, 3-9-11, LABEL INSTANT HAND SANITIZE FRESH17370 PURELL ADVANACED SANITIZE 965124 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL INSTANT HAND SANITIZE FRESH17350 TRIPLE S HAND SANITIZER 44154
70-17-3172	SANITIZER, HAND, MINIMUM 60% ETHANOL BY WEIGHT; MINIMUM 70%	24	3 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 50

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-3500	ETHANOL BY VOLUME; CERTIFICATE OF ANALYSIS COVERING % ETHANOL BY WEIGHT MUST ACCOMPANY EACH BATCH SHIPPED: PACKAGED IN 500-CLEANER, METAL PARTS (STEEL, ALUMINUM), ODORLESS, CRYSTALLINE POWDER, IN 55 LB. PAIL. MUST CONTAIN 100% ACTIVE INGREDIENTS WITH A MINIMUM OF 10% SURFACTANTS. MUST BE 100%			400	ZEP INC. GREEN POWER CHEM SCIENCES NYCTA	CCSS-001, REV I, 3-9-11 LABEL INSTANT HAND SANITIZER GEL 70% GREEN POWER NO FOAM NC CCSS-003 REV E 9/11/17 RESTR SUB
70-17-3515	CLEANER, METAL PARTS(STEEL, ALUMINUM, BRASS); ODORLESS, LIQUID, IN 5-GALLON PAIL. MUST CONTAIN ACTIVE INGREDIENTS OF CARBONATE, BICARBONATE, SURFACTANT AND RUST	245	65	400	GREEN POWER CHEM SCIENCES NYCTA	CCSS-001, REV I, 3-9-11, LABEL HEAVY DUTY LOW FOAM 0011-HDLF CCSS-003 REV E 9/11/17 RESTR SUB
70-18-0830	CLEANER, DEGREASER, DEODORIZER, MULTI-PURPOSE, LIQUID, CONCENTRATED, HYDROGEN PEROXIDE BASED. GREEN SEAL CERTIFIED. SUPPLIED IN ONE GALLON CONTAINERS, FOUR GALLONS PER CASE. USED FOR GENERAL CLEANING AND LIGHT	6059	2387	400	CHARLOTTE PRODUCTS LTD NY STATE NYCTA	CCSS-001 REV I, 3-9-11, LABEL SUPER H2O2 CLEANER CONC ES71 EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB
70-18-0912	REMOVER, FLOOR FINISH AND WAX REMOVER IN 5 GALLON PAILS. USE DILUTION RATIO 16 OUNCE OF SOLUTION TO 1 GALLON OF WATER OR 64 OUNCES OF SOLUTION TO 1 GALLON OF WATER FOR HEAVY DUTY	580	270	400	ZEP MANUFACTURING COMPANY AMERICAN CLEANING SOLUTIONS NY STATE NYCTA	CCSS-001, REV I, 3-9-11, LABEL ZEP VERDIZA 4556, FOCUS FS 22 FLOOR STRIPPER EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 51

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	CLEANING					
70-18-1000	CLEANER, WASHROOM, TO CLEAN BOWLS, URINALS, CHROMES, SINKS, TUBS, TILES, AND OTHER RESTROOM FIXTURES. IN ONE GALLON CONTAINERS, 4 GALLONS TO A CASE. 6 OZ OF CLEANER SOLUTION TO BE MIXED WITH ONE GALLON OF WATER	23290	9501 400		HILLYARD INDUSTRIES NATIONAL CHEMICAL LAB OF PA. NY STATE NYCTA	CCSS-001, REV I, 3-9-11, LABEL GREEN SELECT CLEANER #962 EARTH SENSE #20 WASHROOM CLEANER EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB
70-18-1125	CLEANER, CREAM CLEANSER SCOURING COMPOUND, ONE QUART BOTTLE. GENERAL PURPOSE CLEANER FOR CLEANING TILES, SINKS, TOILETS, URINALS, PORCELAIN, CERAMIC, STAINLESS STEEL, CHROME, FIBERGLASS. REMOVES SOAP SCUM, GREASE,	1845	508 400		CHARLOTTE PRODUCTS NY STATE NYCTA	CCSS-001, REV I, 3-9-11, LABEL CREAM CLEANSER ES53 EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB
70-18-1310	CLEANER, LOW RESIDUE FOR AUTO FLOOR SCRUBBER MACHINES. ENVIRONMENTALLY PREFERRED, NEUTRAL PH DAILY FLOOR AND SURFACE CLEANER. PACKAGED IN ONE GALLON CONTAINERS. RATIO 1 OUNCE PER 1 GALLON OF COLD WATER. ITEM MUST BE ON THE	4164	2616 400		SEALED AIR DIVERSEY DIVERSEY, INC. JOHNSON DIVERSEY, INC MISCO PRODUCTS NY STATE NYCTA	CCSS-001, REV I, 3-9-11, LABEL EMEREL PLUS #94496138 STRIDE CITRIS 903904 2CXU6 E07 ALL SURFACE CLEANER EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB
70-18-1332	CLEANER, MULTI-PURPOSE CLEANER AND DEGREASER, CONCENTRATED,	288	44 400		NY STATE	CCSS-001, REV I, 3-9-11, LABEL EXECORDER 134 NY STATE COMPLIANT

QUALIFIED PRODUCTS LIST

6/23/2025 52

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-18-1333	WATER BASE, CLEANS WALLS, FLOORS, CONCRETE, CERAMIC TILES AND TERRAZZO, 5 GALLON PLASTIC CAN. GREEN SEAL CERTIFIED. MUST BE DILUTED WITH WATER FOR USE ACCORDING TO	231	98 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					ZEP MANUFACTURING COMPANY	CCSS-001, REV I, 3-9-11, LABEL MULTI-CLEAN GREEN 124939
	CLEANER, MULTI-PURPOSE CLEANER AND DEGREASER, CONCENTRATED, WATER BASE, CLEANS WALLS, FLOORS, VINYL, RUBBER, CONCRETE. CERAMIC TILE AND TERRAZZO, ONE GALLON CONTAINER. FOUR PER				AMERICAN CLEANING SOLUTIONS NYCTA	FOCUS MP 11 CLEANER #2101 CCSS-003 REV E 9/11/17 RESTR SUB
70-18-1334	CLEANER, MULTI-PURPOSE CLEANER AND DEGREASER, CONCENTRATED, WATER BASED; CLEANS WALLS, FLOORS, CONCRETE, CERAMIC TILES AND TERRAZZO, 55-GALLON DRUM.	330	55 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
70-18-1345	FINISH, FLOOR, ACRYLIC CO- POLYMER, NON-SKID FLOOR FINISH IN 5 GALLON CONTAINER (MUST BE GREEN SEAL OR ECOLOGO CERTIFIED OR ON THE NYS OGS LIST OF APPROVED FLOOR FINISH PRODUCTS. CERTIFICATE OF ANALYSIS AND CERTIFICATE	1265	412 400		ZEP INC.	CCSS-001, REV I, 3-9-11, LABEL MULTI-CLEAN GREEN
					AMERICAN CLEANING SOLUTIONS DIVERSEY, INC. NY STATE	FOCUS ZF33, SEAL & FINISH #2622 COMPLETE EXECORDER 134 NY STATE COMPLIANT
					NYCTA	CCSS-003 REV D 12/2/15 RESTR SUB
70-18-1461	CLEANER, GENERAL PURPOSE, LIQUID, CONCENTRATED; USED FOR GENERAL CLEANING AND LIGHT DEGREASING ON ALL SURFACE AND FLOORS. GREEN SEAL CERTIFIED. USED FOR CLEANING RAILCAR	1045	433 400		NY STATE	CCSS-001, REV I, 3-9-11, LABEL EXECORDER 134 NY STATE COMPLIANT
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 53

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-18-1472	FLOORS & INTERIOR SURFACES, OFFICE FLOORS & WALLS, SHOP GRAFFITI, REMOVER, ENVIRONMENTALLY FRIENDLY, PHOSPHATE FREE, CLEAR, CAN BE USED UNDILUTED OR DILUTED. GREEN SEAL CERTIFIED. IN QUART			400	SEALED AIR DIVERSEY CARE CLAIRE MANUFACTURING NYCTA	GENERAL PURPOSE CLNR15 #93172668 CG310 CCSS-003 REV E 9/11/17 RESTR SUB
70-18-1475	GRAFFITI REMOVER, LIQUID, IN ONE- GALLON CONTAINERS. REMOVES PAINT, INK, PERMANENT MARKER FROM BRICK, STONE, CONCRETE, METAL, PLASTIC, PAINTED SURFACES. CAN BE USED IN CONCENTRATED FORM OR DILUTED WITH WATER (1 PART	0	0 400		ECO CONCEPTS, INC. NY STATE NYCTA	CCSS-001, REV I, 3-9-11, LABEL GREEN CONCEPTS GRAF REMOVER #10 EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB
70-18-1540	HANDSOAP, GREEN CERTIFIED FOAM HAND CLEANER, 1200ML REFILL CARTRIDGE, 2 PER CASE. FIT IN DISPENSER ALREADY IN THE SYSTEM, USE (STOCK #61-18-3134 FOR DISPENSER). MUST BE GREEN SEAL CERTIFIED	159	63 400		GOJO INDUSTRIES, INC. NY STATE NYCTA	CCSS-001, REV I, 3-9-11, LABEL 5665-02 EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB
70-18-1635	CLEANER, CONCENTRATED FOR GLASS, WINDOWS, POLYCARBONATE, PLASTIC, STAINLESS STEEL SURFACES. GREEN SEAL CERTIFIED. TWENTY OR THIRTY GALLON DRUMS. MUST BE DILUTED WITH WATER FOR USE ACCORDING TO LABEL INSTRUCTIONS.			400	AMERICAN CLEANING SOLUTIONS NY STATE NYCTA ZEP MANUFACTURING COMPANY	CCSS-001, REV I, 3-9-11, LABEL FOCUS GC 55 GLASS CLNR #2102 EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 103649 GREEN LINK CONC GLASS CLR

QUALIFIED PRODUCTS LIST

6/23/2025 54

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-18-1638	CLEANER, CONCENTRATED FOR GLASS, WINDOWS, POLYCARBONATE, PLASTIC, STAINLESS STEEL SURFACES. GREEN SEAL CERTIFIED. ONE GALLON CONTAINERS. FOUR GALLONS PER CASE. MUST BE DILUTED WITH WATER FOR USE ACCORDING TO LABEL	945	444	400	AMERICAN CLEANING SOLUTIONS NY STATE NYCTA ZEP MANUFACTURING COMPANY	FOCUS GC 55 GLASS CLNR #2102 EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 103623 GREEN LINK CONC GLASS CLR
70-18-1700	GRAFFITI REMOVER, TOWELETES PRE-MOISTENED, TO BE USED TO REMOVE GRAFFITI FROM METALS: STEEL, ALUMINUM, GALVANIZED BRASS COPPER, ANODIZED ALUMINUM ZINC, GLASS: POLISH PLASTIC: FIBERGLASS,			400	GRAFFITI REMOVAL INC. NY STATE NYCTA	MAX-SWIPE GRAFFITI REMOVER EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-21-1018	DEODORIZER, AEROSOL, HYDROCARBON PROPELLANT, DRY SPRAY, USE TO FRESHEN AIR WITH NO WETNESS, NO STAINS, NO RESIDUE; MUST BE VOC COMPLIANT WITH A LEVEL OF 1.84 LBS/GAL OR 28.17%	2814	1078	400	NYCTA ZEP MANUFACTURING COMPANY	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-21-1022	ODOR ELIMINATOR, LIQUID, CONCENTRATED, ONE TO TWO DROPS OF PRODUCT IS REQUIRED TO ELIMINATE ODORS. ONE-OUNCE BOTTLE. THIS IS NOT A CLEANER. THIS PRODUCT IS ONLY INTENDED TO BE	5508	3222	400	CUSTOM ESSENCE, INC. NYCTA	MICROMIST FRESH SCENT 243 SPICE FRESH CE-13020 CE-162017/SPICE CCSS-003 REV E 9/11/17 RESTR SUB
70-21-1027	ODOR ELIMINATOR, BACTERIA FREE, USED TO ELIMINATE ODORS FROM	0	0	400	NATIONAL CHEMICAL LAB OF PA.	CCSS-001, REV I, 3-9-11, LABEL 912 ODOR ELIMINATOR SOLUTION

QUALIFIED PRODUCTS LIST

6/23/2025 55

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-21-1028	NYCT SUBWAY STATIONS. MUST UTILIZE ENZYME ACTION WHILE CONTAINING NO BACTERIA. MUST ELIMINATE ODOR CAUSING ORGANIC MATTER FROM FOOD AND BODY WASTE, IMPARTING A	5508	1547	400	NATURE PLUS	BACTERIA-FREE ODOR ELIMINATOR
					NYCTA	CCSS-003 REV E 9//11/17RESTR SUB
70-21-1030	ODOR ELIMINATOR, LIQUID WATER BASED, MILD PINE OR MINT ODOR, CONTAINS 25% ACTIVE INGREDIENTS (MIN.) OF WHICH 12% IS ORGANIC PERFUME; PH IS 6 TO 8; MUST NOT CONTAIN PETROLEUM DISTILLATES, DEODORANT, WATER BASED, LEMON FRAGRANCE THAT COVERS AND ELIMINATES UNPLEASANT ODORS FROM A VARIETY OF SOURCES, GUARANTEED SHELF LIFE 2 YRS, IN 55 GAL NON-RETURNABLE DRUMS.			400	NATIONWIDE CHEMICAL CO., INC.	CCSS-001, REV I, 3-9-11, LABEL TA514 SPRING AIR
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-21-1032	ELIMINATOR, ODOR, LIQUID, STRAWBERRY/ CITRUS FRAGRANCE, WATER BASED, MUST NOT CONTAIN ANY CHLORINATED SOLVENTS, PETROLEUM DISTILLATES, D'LIMONENE. MINIMUM 25 PERCENT ACTIVE INGREDIENTS AND AT LEAST 12 PERCENT MUST BE ORGANIC	15948	5800	400	ALPHA CHEMICAL	CCSS-001, REV I, 3-9-11, LABEL LEMON DEORDORANT 5528
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-21-1036	DEODORANT, ODOR, COUNTERACTANT, BIO DEGRADABLE CONCENTRATED WATER SOLUBLE	0	0	400	POSITIVE ATTITUDE	CCSS-001, REV I, 3-9-11, LABEL LEMON-ODOR COUNTERACTANT 145
					ZEP MANUFACTURING COMPANY	1621
					NATIONAL CHEMICAL LAB OF PA.	CCSS-001, REV I, 3-9-11, LABEL NCL 430 STRAWBERRY/CITRUS
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					U.S. POLYCHEMICAL CORPORATION	CCSS-001, REV I, 3-9-11, LABEL POLYCHEM 1020
					FOSTER & CO.	DAWN TO DUSK-8380117
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 56

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-21-1054	USED TO CLEAN ELEVATOR SHAFTS. TO BE SUPPLIED IN CLEARLY LABELED ODOR BLOCKER, LIQUID, READY TO USE. ELIMINATES ODORS FROM GARBAGE CANS, DUMPSTERS, TRASH BINS, URINALS, RAILCARS.	2429	1182	400	ALPHA CHEMICAL NYCTA	CCSS-001, REV I, 3-9-11, LABEL ODOR OUT PLUS 5520 CCSS-003 REV E 9/11/17 RESTR SUB
70-21-1056	ELIMINATES URINE, VOMIT, AND ODOR BLOCKER, LIQUID, READY TO USE. ELIMINATES ODORS FROM GARBAGE CANS, DUMPSTERS, TRASH BINS, URINALS, RAILCARS.	0	0	400	ALPHA CHEMICAL NYCTA	CCSS-001, REV I, 3-9-11, LABEL ODOR OUT PLUS 5520 CCSS-003 REV E 9/11/17 RESTR SUB
70-22-4010	ELIMINATES URINE, VOMIT AND FLUID, LEAK DETECTING, BUBBLE- GENERATING; FOR DETECTING LEAKS IN RAILCAR AIR SUPPLY PIPING AND JOINTS AND AIR CONDITIONING SYSTEMS; MUST GENERATE SUFFICIENT LEVEL OF BUBBLING FOR	65	40	400	NATIONWIDE CHEMICAL CO., INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL TA901 CCSS-003 REV E 9/11/17 RESTR SUB
70-23-1130	DISINFECTANT AND DETERGENT, QUATERNARY AMMONIA TYPE; QUATERNARY AMMONIA CONTENT TO BE 1.5% TO 1.8%; PH TO BE 10-12; MUST BE REGISTERED USEPA DISINFECTANT FOR USE AGAINST	82	20	400	AMERICAN CLEANING SOLUTIONS NYCTA	CCSS-001, REV I, 3-9-11, LABEL LEMON E DISINFECTANT CCSS-003 REV E 9/11/17 RESTR SUB
70-23-1200	DISINFECTANT, SODIUM HYPOCHLORITE SOLUTION (HOUSEHOLD BLEACH), NAOCL CONTENT TO BE 5% TO 6% BY WEIGHT, % WEIGHT BY ALKALI AS NAOH TO BE 0.12% TO 0.50%; SPECIFIC GRAVITY TO BE 1.04 TO 1.10; PH TO BE 10.5 TO 12.5; CLEAR	126655	44266	400	JAMES AUSTIN CO. NYC SPEC NYCTA	CCSS-001 REV I, 3-9-11, LABEL ELITE PROFESSIONAL BLEACH AUSTIN A-1 BLEACH COMMERCIAL 5-S-26 94 TYPE B PALLET SPEC CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 57

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-23-1270	DISINFECTANT SPRAY, ANY SCENT, ACCEPTABLE, NEEDED FOR OFFICE USE AND LOCKER ROOM. TO ELIMINATE THE FOLLOWING BACTERIA= E-COLI, FUNGI=MOLD & MILDEW AND VIRUS= INFLUENZA ON	11588	6124	400	ROCHESTER-MIDLAND NYCTA	CCSS-001, REV I, 3-9-11, LABEL CHLORGUARD 2 "5.25%" CCSS-003 REV E 9/11/17 RESTR SUB
70-23-1305	BIOCIDE COMPOUND, FOR TREATING DIESEL FUEL TANKS. ELIMINATES FUNGUS, BACTERIA, MICROORGANISMS. SUPPLIED IN ONE GALLON CONTAINERS. NON-FLAMMABLE, BIODEGRADABLE. TREATMENT RATIO IS 1 GALLON OF			400	RECKITT BENCKISER DOW CHEMICAL CO.	CCSS-001, REV I, 3-9-11, LABEL PRO LYSOL BRAND III DIS SPRAY KATHON FP 1.5 MICROBIOCIDE FQS 1.5 MICROBIOCIDE CCSS-003 REV E 9/11/17 RESTR SUB
70-28-1005	ELECTROLYTE SOLUTION, BATTERY; POTASSIUM HYDROXIDE BASED; FOR USE IN SAFT SRM-F3 (140 AH) NICKLE CADMIUM BATTERIES; SPECIFIC GRAVITY TO BE 1.20 TO 1.22; TOTAL HYDROXIDE ION CONCENTRATION TO			400	NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV D 12/2/15 RESTR SUB
70-28-1007	ELECTROLYTE SOLUTION, BATTERY, POTASSIUM HYDROXIDE BASED; FOR USE IN SAFT "SMRX-F3" NI-CD BATTERY CELLS; TOTAL HYDROXIDE CONCENTRATION TO BE 106.2 +/- 3 G	0	0	400	SAFT AMERICA INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL BATTERY ALK LIQ ELECTROLYTE E13 CCSS-003 REV E 9/11/17 RESTR SUB
70-29-1016	COMPOUND, EPOXY, AMINE, TWO-PART, THIXOTROPIC, FOR USE IN REPAIRING/ BONDING ARMATURES AND OTHER ELECTRICAL EQUIPMENT.	31	15	400	HENKEL LOCTITE CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL BATTERY ALK LIQ ELECTROLYTE #41 LOCTITE EAE-20NS CR5OMLEN237119 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 58

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-29-1020	PACKAGED IN 50-ML DUAL CARTRIDGES. MUST BE TACK FREE IN EPOXY, TWO COMPONENT BALANCING COMPOUND, USED TO CORRECT IMBALANCES IN ELECTRIC MOTORS, CONSISTS OF PART A AND PART B, 100% SOLIDS, CAN BE AIR KIT, COATING FOR STEEL, TWO COMPONENT EPOXY MASTIC, SAFETY YELLOW, GLOSS, HIGH SOLIDS (83% +/-4%). EACH KIT CONSISTS OF TWO PARTS: 0.8 GALLON OF PART A RESIN IN A 1 GALLON CAN & 0.2 GALLON OF COATING, FOR STEEL, TWO COMPONENT EPOXY MASTIC, SAFETY RED, GLOSS, HIGH SOLIDS (83%+/- 4%). EACH KIT CONSISTS OF TWO PARTS: 0.8 GALLON OF PART A RESIN IN A 1 GALLON CAN & 0.2 GALLON OF PART B CATALYST IN A QUART CAN. KIT, COATING FOR STEEL, TWO COMPONENT EPOXY MASTIC, SAFETY GREEN, GLOSS, HIGH SOLIDS(83% +/- 4%). EACH KIT CONSISTS OF TWO PARTS: 0.8 GALLON OF PART A RESIN IN A 1 GALLON CAN & 0.2 GALLON OF COATING FOR STEEL, TWO COMPONENT EPOXY MASTIC, SAFETY BLUE, GLOSS, HIGH SOLIDS (83% +/- 4%). EACH KIT CONSISTS OF TWO PARTS: 0.8 GALLON OF PART A RESIN	6	7 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
70-29-1300			400		STAR TECHNOLOGY, INC. GARRON PRODUCTS	CCSS-001, REV I, 3-9-11, LABEL BC-22(PARTS A & B) GARONTIGERSTEEL29255SAFE TYYELLOW
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-29-1302			400		GARON PROD.	CCSS-001, REV I, 3-9-11, LABEL GARON TIGERSTEEL29255SAFETY RED
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-29-1306			400		GARRON PRODUCTS	CCSS-001 REV I, 3-9-11, LABEL GARONTIGERSTEEL29255SAFE TYGREEN
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-29-1308			400		GARRON PRODUCTS	CCSS-001, REV I, 3-9-11, LABEL GARON TIGERSTEEL29255SAFETYBLUE
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 59

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-29-1310	IN A 1 GALLON CAN & 0.2 GALLON OF PART B CATALYST IN A QUART CAN. COATING, FOR STEEL, TWO COMPONENT EPOXY MASTIC, BLACK, GLOSS, HIGH SOLIDS (83%+/- 4%).EACH KIT CONSISTS OF TWO PARTS: 0.8 GALLON OF PART A RESIN IN A 1 GALLON CAN & 0.2 GALLON OF FILLER, LIGHTWEIGHT POLYESTER WITH CREAM HARDENER, USED FOR AUTOMOTIVE BODY AND FENDER WORK; PACKAGED IN 1 GALLON CAN, TUBE OF CREAM HARDENER MUST BE TAPED TO GALLON OF FILLER,			400	GARON PROD. NYCTA	CCSS-001, REV I, 3-9-11 LABEL GARON TIGERSTEEL 29255 BLACK CCSS-003 REV E 9/11/17 RESTR SUB
70-30-1000	FILLER, LIGHTWEIGHT POLYESTER WITH CREAM HARDENER, USED FOR AUTOMOTIVE BODY AND FENDER WORK; PACKAGED IN 1 GALLON CAN, TUBE OF CREAM HARDENER MUST BE TAPED TO GALLON OF FILLER,	7	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
70-30-1004	FILLER, BODY, LIGHTWEIGHT PASTE WITH CREAM HARDENER, USED FOR REPAIRS ON RAILCAR SEATS. PACKAGED IN 1 GALLON CANS, 4 CANS PER CASE. EACH CAN MUST BE SUPPLIED WITH TUBE OF CREAM			400	PPG INDUSTRIES MINNESOTA, MINING & MANUFACTUR NYCTA	CCSS-001, REV I, 3-9-11, LABEL DF700 & DF708 CREAM HARDENER 3M BONDO FILLER 7010362873 CCSS-003 REV E 9/11/17 RESTR SUB
70-30-1560	BODY FILLER, POLYESTER RESIN FOR USE ON METAL OR PLASTIC SURFACES, PACKAGED IN ONE GALLON CANS. MINIMUM REQUIRED SHELF LIFE AT TIME OF RECEIPT IS 9	173	33 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
70-30-1594	FILLER, BODY, HEAVYWEIGHT PASTE WITH CREAM HARDENER USED FOR ALL TYPICAL REPAIRS; PACKAGED IN 1 GALLON CAN, 4 GALLONS TO A CASE, TUBE OF CREAM HARDENER MUST BE TAPED TO GALLON OF FILLER; PRODUCT MUST MEET ALL	0	0 400		THE CLAUSEN COMPANY NYCTA QUEST AUTOMOTIVE PRODUCTS	CCSS-001, REV I, 3-9-11, LABEL "CLASSIC PLASTIC" CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 7110-FACIL-00 REV. A BULK, BODYFILLER WHITE #10005

QUALIFIED PRODUCTS LIST

6/23/2025 60

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-30-1595	FILLER, BODY, LIGHTWEIGHT PASTE WITH CREAM HARDENER FOR SMALL REPAIRS. PACKAGED 4 GALLONS PER BOX, 1 GALLON CAN MUST BE SUPPLIED WITH TUBE OF CREAM HARDENER; PRODUCT MUST MEET ALL REQUIREMENTS UNDER NYCT	0	0	400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-30-1750	PUTTY, TWO COMPONENT EPOXY, STEEL FILLED, USED IN FILLING ROUGH OR PITTED METAL SURFACES ON SUBWAY CARS. PACKAGED IN ONE POUND CANS, MUST MEET ALL REQUIREMENTS SET UP UNDER NYCT	51	31	400	QUEST AUTOMOTIVE PRODUCTS ITW DEVCON NYCTA	CCSS-001, REV I, 3-9-11, LABEL 7111-FACIL-00 REV. A BC/CC EXTRA GAL(PR)#16060P PLASTIC STEEL PUTTY 10110 CCSS-003 REV E 9/11/17 RESTR SUB
70-30-2151	COMPOUND, FILLING, WOOD FILLER, CELLULOSE FIBER WOOD, USED TO REPAIR WOOD SURFACES, COLOR: NATURAL, IN 4 OZ. CAN. 12 CANS PER BOX. SOLVENT BASED. MINIMUM	56	34	400	DAP INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL 7099-FACIL-99 PLASTICWOOD 70798 21502 CCSS-003 REV E 9/11/17 RESTR SUB
70-31-1485	POWDER, COMPOUND, FIRE EXTINGUISHER. POWDER MUST BE MULTI-PURPOSE, FOR ALL CLASS OF FIRE; A, B, & C, MONO AMMONIUM PHOSPHATE BASE, FOR DRY	5000	0	400	AMEREX CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL 550 PALLET SPEC CCSS-003 REV E 9/11/17 RESTR SUB
70-33-3557	CHEMICAL EXTINGUISHERS. POWDER REFRIGERANT, GAS, R438A, FOR RAILCAR AIR CONDITIONING UNITS, 25 POUND CYLINDER, COMPATIBLE WITH ALKYBENZENE, MINERAL OIL & POLYOLESTER LUBRICANTS, PPE REQUIREMENTS; WEAR CHEMICAL SPLASH GOGGLES AND NEOPRENE	0	0	400	CHEMOURS DUPONT NYCTA	CCSS-001, REV I, 3-9-11, LABEL FREON MO99 REFRIGERANT ISCEON MO99 REFRIGERANT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 61

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-33-3562	GAS, REFRIGERANT, R453A (RS44B), FLUOROCARBON REFRIGERANTS, IN 30 LB. DISPOSABLE CYLINDER WITH 24 LB NET WEIGHT REFRIGERANT. CERTIFICATION THAT MATERIAL MEETS THE REQUIREMENTS AHRI	53	0 400		COMSTAR INTERNATIONAL INC. NYCTA	RS44B(R453A)HFC BLEND CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-33-3568	GAS, INDUSTRIAL FREON #22, "HCFC22", MONOCHLORODIFLUOROMETHANE REFRIGERANT, IN 30 LB. DISPOSABLE CYLINDER. CERTIFICATION THAT MATERIAL MEETS THE REQUIREMENTS OF COMMERCIAL ITEM DESCRIPTION A-A-58060 AND AHRI STANDARD	1272	434 400		AIRGAS INC/AIRGAS REFRIGERANTS ARKEMA COMMERCIAL ITEM DUPONT HONEYWELL INTERNATIONAL NATIONAL REFRIGERANTS INC NYCTA	ASPEN 22/HALOCARBON 22 FORANE 22 A-A-58060 FREON 22 GENETRON 22 R-22 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-33-3569	GAS, REFRIGERANT, RECLAIMED INDUSTRIAL R22, "HCFC22", MONOCHLORODIFLUOROMETHANE REFRIGERANT IN 30 LB. DISPOSABLE CYLINDER. PURITY MUST BE 99.5% MINIMUM. EPA CERTIFICATION & A REFRIGERANT ANALYSIS REPORT THAT	0	0 400		AHRI AIRGAS INC/CFC REFIMAX LLC COOLGAS INC HUDSON TECHNOLOGIES COMPANY NATIONAL REFRIGERANTS INC NOVENT REFRIGERANT SERVICES IN NYCTA	AHRI STANDARD 700-2011 ASPEN R-22 R-22 R-22 R-22 R-22 R-22 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 62

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-34-1400	SEALANT, FAST DRYING, HARD SETTING, FOR GASKET SEAL ON PERMANENT, RIGID ASSEMBLIES WITHSTANDING 5000 PSI. COLOR: REDDISH-BROWN, IN 11 OZ. TUBE. VENDOR TO SUPPLY CERTIFICATE OF ANALYSIS AND CERTIFICATE OF	24	1 400		REFRIGERANTS INC MIL SPEC NYCTA	CCSS-001, REV I, 3-9-11, LABEL R-22 MIL-S-45180D TYPE I CCSS-003 REV E 9/11/17 RESTR SUB
70-34-1410	SEALANT, SLOW DRYING, FLEXIBLE SETTING FOR GASKET SEAL ON NON-RIGID, VIBRATING, SEMI-PERMANENT AND PERMANENT ASSEMBLIES. WITHSTANDS PRESSURE TO 5000 PSI. BROOKFIELD VISCOSITY 550000-650000 MPAS. COLOR: BLACK, IN 7-11 OZ TUBE.	44	13 400		PERMATEX HENKEL CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL 1C FORM-A-GASKET#1 11 OZ #80003 LOCTITE MR GS2 SEALANT #30515 CCSS-003 REV E 9/11/17 RESTR SUB
70-34-1420	SEALANT AND GASKET COMPOUND; EPDM (ETHYLENE PROPYLENE DIENE MONOMER) RUBBER, FOR USE ON LOCOMOTIVE DOOR FRAME GASKETS. IMPROVES GASKET SEAL IN CLOSE FITTING PARTS. SEALS AND REPAIRS CUT GASKETS AND UNEVEN FLANGE	6	2 400		PERMATEX MIL SPEC NYCTA	CCSS-001, REV I, 3-9-11, LABEL 2C FORM-A-GASKET#2 SEALANT 80011 MIL-S-45180D TYPE 3 CCSS-003 REV E 9/11/17 RESTR SUB
70-34-1430	SEALANT AND GASKET COMPOUND; FOR USE ON GE GEAR BOXES AND EPDM (ETHYLENE PROPYLENE DIENE MONOMER) RUBBER LOCOMOTIVE DOOR FRAME GASKETS. IMPROVES GASKET SEAL IN CLOSE FITTING	1	0 400		NYCTA PERMATEX CO.	CCSS-001, REV I, 3-9-11, LABEL AVIATION FORM-A-GASKET #3H CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL AVIATION FORM-A-GASKET #3D

QUALIFIED PRODUCTS LIST

6/23/2025 63

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-34-1445	SEALANT, GASKET, HIGH TACK, 16 OZ., BRUSH TOP CAN. DRIES QUICKLY TO A HIGH TACKY FILM. SEALS OR BONDS RUBBER, CORK FELT, PAPER AND METAL GASKET. SEALS THREADED CONNECTIONS, HOSE			400	NYCTA	CCSS-003 REV E 9/17/17 RESTR SUB
					PERMATEX, INC.	CCSS-001, REV I, 3-9-11, LABEL 98D HIGH TACK GASKET SEAL #80063
70-37-2201	ADHESIVE, WOOD GLUE, POLYVINYL ACETATE EMULSION, FOR BONDING WOOD JOINTS AND WOOD ASSEMBLIES. PACKAGED IN 16-OZ (PINT) BOTTLES	40	18 400		COMMERCIAL ITEM ELMERS	A-A-3001 ELMER'S CARPENTER'S WOOD GLUE
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-38-2000	GROUT, CHEMICAL FOAM, SINGLE COMPONENT, LIQUID SEAL WATERPROOFING COMPOUND, HYDROPHILLIC, NON CORROSIVE. SUITABLE FOR PRESSURE INJECTION USE IN WET OR DRY CONDITIONS. PRODUCT SHALL SEAL AFTER INJECTION VIA NOZZLE INTO	2040	2640 400		AVANTI INTERNATIONAL DE NEEF CONSTRUCTION CHEMICALS	CCSS-001, REV I, 3-9-11, LABEL AV-330 SAFEGUARD
					FOX INDUSTRIES, INC.	HYDRO ACTIVE SEALFORM FX-1 JET SET
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-39-1265	COATING, PROTECTIVE CREAM, FOR HANDS; PROTECTS AGAINST OIL/GREASE, WATER BASED AND SOLVENT BASED PRODUCTS; SUPPLIED IN 100 ML TUBES, 12 TUBES PER CASE. PH IS 6.5 TO 7.5, ACTIVE	707	347 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
					S.C. JOHNSON	CCSS-001, REV I, 3-9-11, LABEL
70-42-1025	VARNISH, INSULATING, TWO-COMPONENT POLYESTER KIT; FOR VACUUM PRESSURE IMPREGNATION AND DIP APPLICATION ON SUBWAY CAR MOTORS, ARMATURES AND			400	NYCTA	STOKODERM PROTECT PURE CCSS-003 REV E 9/11/17 RESTR SUB
					VON ROLL USA INC	CCSS-001, REV I, 3-9-11, LABEL PERMAFIL 707A & 707B

QUALIFIED PRODUCTS LIST

6/23/2025 64

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-42-1054	COMPOUND, SILICONE, HEAT SINK, WHITE PASTE IN 5 OZ.TUBE. USE FOR HEAT SINK IN ELECTRONIC DEVICES SUCH AS DIODES AND TRANSISTORS. CERTIFICATE OF ANALYSIS TO INCLUDE WORKED PENETRATION OF COMPOUND.	124	35 400		DOW CORNING MIL SPEC NYCTA TRANSLITE VAPOR WESTINGHOUSE HENKEL CORPORATION	340 HEAT SINK COMPOUND MIL-DTL-47113E CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL AH2668-2 67110049 6247D49H02
70-42-1110	ADHESIVE, EPOXY, SEALANT, OFF-WHITE, 4 OZ TWO-PART (RESIN AND HARDENER) KIT. HIGH VISCOSITY, CHEMICALLY RESISTANT; BONDS, SEALS, AND REPAIRS A WIDE VARIETY OF MATERIALS INCLUDING METALS,	1442	579 400		NYCTA	LOCTITE EA 1C (A&B) #1373425 CCSS-003 REV E 9/11/17 RESTR SUB
70-42-1124	ADHESIVE, SEALANT, SILICONE RUBBER, RTV, ONE COMPONENT THIXOTROPIC PASTE, GENERAL PURPOSE SEALING AND BONDING, CLEAR/TRANSLUCENT, 4.7 OZ. TUBE. CERTIFICATE OF ANALYSIS AND	6631	2631 400		DOW CORNING MILITARY NYCTA	CCSS-001, REV I, 3-9-11, LABEL 732 CLEAR MIL-A-46106B CCSS-003 REV E 9/11/17 RESTR SUB
70-42-1130	SEALANT, SILICONE ELECTRONIC GRADE, APPLIED WITH A CAULKING GUN; PACKAGED IN 10.1 FL OZ. CARTRIDGES. MUST MEET REQUIREMENTS OF MILITARY SPECIFICATION MIL-A-46146B, TYPE I.	17	2 400		DOW CORNING MILITARY NYCTA	CCSS-001, REV I, 3-9-11, LABEL 738 ELECTRICAL SEALANT MIL-A-46146B TYPE I CCSS-003 REV E 9/11/17 RESTR SUB
70-42-1305	COATING, SYNTHETIC RUBBER, FOR ELECTRICAL INSULATION, 4-OZ. BRUSH-IN-CAP CAN. COLOR: BLACK. 6 CANS PER CASE. BRUSHED ON	18	26 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 6/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 65

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-42-1950	ELECTRICAL CONNECTIONS TO INSULATE AND PROTECT. USED ON L-INHIBITOR, CORROSION, LIQUID, FOR USE IN HIGH PRESSURE SPRAY WASHERS TO PROTECT PUMP PARTS, PIPING AND TANK INTERIOR, NON-NITRITE BASED, PH BETWEEN 7.5 AND THINNER, POT-LIFE EXTENDER, FOR VPI TANK VARNISH (AVAILABLE UNDER STOCK #70-42-1025). PACKAGED IN FIVE (5) GALLON CLOSED HEAD PAILS. MUST BE VINYL TOLUENE GRADE 50T, VT STABILIZED.	495	330	400	PLASTI DIP INTERNATIONAL CASTROL INDUSTRIAL NYCTA	LIQUID TAPE F-825 #LET14Z03 TECHNICLEAN XHP CCSS-003 REV E 9/11/17 RESTR SUB
70-42-1996	KIT, SHALLOW REPAIR EPOXY MORTAR, FLOOR PATCHING AND RESURFACING; KIT CONSISTS OF A FIVE GALLON PAIL CONTAINING 1 PINT PART A & 1-1/2 PINTS PART B PRIMER AND 3 PARTS EPOXY MORTAR COMPOUND, ANTI-SEIZE AND LUBRICATING GREASE CONTAINING FINE METALLIC (COPPER) AND GRAPHITE PARTICLES. FOR USE ON THREADED MACHINE PARTS, METAL FITTINGS, CONNECTORS, ETC. PACKAGED IN ONE OZ. TUBES.	75	125	400	DELTECH NYCTA	CCSS-001, REV I, 3-9-11, LABEL VINYL TOLUENE CCSS-003 REV E 9/11/17 RESTR SUB
70-43-0207	COMPOUND, ANTI-SEIZE AND LUBRICATING GREASE CONTAINING FINE METALLIC (COPPER) AND GRAPHITE PARTICLES. FOR USE ON THREADED MACHINE PARTS, METAL FITTINGS, CONNECTORS, ETC. PACKAGED IN ONE OZ. TUBES.	0	0	400	VON ROLL ISOLA USA, GARON PROD. NYCTA	CCSS-001, REV I, 3-9-11, LABEL 774 VINYL TOLUENE GARONCLAD MORTAR PARTS A & B CCSS-003 REV E 9/11/17 RESTR SUB
70-43-1000	LIQUID, FRICTION MODIFIER, USED TO MODIFY FRICTION BETWEEN TRAIN WHEELS AND RAILS THEREBY MINIMIZING SLIPPAGE. SUPPLIED IN 5 GALLON PAILS. DELIVERY TO BE MADE ON OPEN TOP EQUIPMENT ON	191	117	400	HENKEL LOCTITE CORPORATION MIL SPEC NYCTA	CCSS-001, REV I, 3-9-11, LABEL C5A COPPER BASE ANTISEIZE(51001) MIL-907E CCSS-003 REV E 9/11/17 RESTR SUB
70-44-1500				400	LB FOSTER RAIL TECHNOLOGIES INC NYCTA	CCSS-001, REV I, 3-9-11, LABEL KELTRACK TRANSIT EX CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 66

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-48-1000	NEUTRALIZER, LIQUID, HOMOGENEOUS ALKALINE SOLUTION FOR NEUTRALIZATION OF ACIDIC CAR WASH EFFLUENTS. PRODUCT MUST CONTAIN A MINIMUM OF 7% ALKALINE SALTS. PRODUCT MUST NOT CONTAIN PHOSPHATES, SILICATES, FREE CAUSTIC OR ANY			400	COSCO ENTERPRISES, DIAMOND CHEMICAL NATIONAL CHEMICAL LAB OF PA. NATIONWIDE CHEMICAL CO., INC. NYCTA	FO 1142 FO 1142 NEUTRALIZER #4138 TA X494 NEUTRALIZER DF CCSS-003 REV E 9/11/17 RESTR SUB 1302-C-88
70-48-1010	NEUTRALIZER, ALKALINE LIQUID, FOR NEUTRALIZING ACIDIC BASED CAR WASHER SOLUTIONS. DELIVERED IN 2000-3000 GALLON WATER TANKER			400	PENETONE CORP COSCO ENTERPRISES, DIAMOND CHEMICAL NYCTA	NEUTRALIZER C F03027 FO3027 CCSS-003 REV E 9/11/17 RESTR SUB
70-48-1015	NEUTRALIZER, COMPOUND, TO BE USED TO NEUTRALIZE ANY RESIDUE FROM THE CLEANER THAT HAS BEEN USED TO REMOVE RUST STAINS FROM RAILCAR STAINLESS STEEL SURFACES	6	15 400		COSCO ENTERPRISES, NYCTA	FO 3027 CCSS-003 REV E 9/11/17 RESTR SUB
70-48-2000	NEUTRALIZER, ACID BASED, FOR NEUTRALIZING ALKALINE PARTS WASHING SOLUTIONS, CONSISTS OF 70% GLYCOLIC ACID.	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
70-57-1050	PRIMER, POLYSILANE BASED, CLEAR, 250 ML BOTTLE, 12 PER CASE. APPLIED TO METAL, PLASTICS, GLASS PRIOR TO USING ADHESIVE/SEALANT TO ASSIST IN BONDING. USED TO IMPROVE ADHESION OF 3M HYBRID	0	0 400		THE CHEMOURS COMPANY MINNESOTA, MINING & MANUFACTUR NYCTA	CCSS-001, REV I, 3-9-11, LABEL GLYCOLIC ACID 70% TECH SOLUTION METAL PRIMER P592 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 67

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-58-0705	PUTTY, FIRE-RESISTANT, HAND-MOLD, USE TO FILL SMALL OPENINGS IN WALLS AND FLOORS, MEET SPECIFICATION UL1479, CAN BE EASILY FORM AND MOLDED, PACKAGED IN STICK FORM OF 10-	126	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-58-1010	COMPOUND, FILLING, PUTTY, ACRYLIC RESIN ELASTOMER BASED, USED FOR FILLING SMALL HOLES AND SCRATCHES IN PRIMED AUTOMOTIVE, BUS AND RAILCAR SURFACES, GREEN, 14.5 OZ. TUBE. DENSITY	0	0 400		RECTORSEAL CORPORATION MINNESOTA, MINING & MANUFACTUR NYCTA	CCSS-001, REV I, 3-9-11, LABEL METACAUULK FIRE RATED PUTTY 66345 ACRYL-GREEN SPOT PUTTY 05096 CCSS-003 REV E 9/11/17 RESTR SUB
70-60-0582	CHILLING AGENT, AEROSOL, CONTAINS 100% TETRAFLUOROETHANE, USED FOR CHECKING PROPER OPERATION OF HEATER THERMOSTAT IN RAILCARS., IN 10 OZ. CANS 10-12 CANS PER CASE	217	92 400		GC ELECTRONICS ITW CHEMTRONICS, INC MICROCARE CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL GC FREEZE MIST #19-8410-10 FREEZ-IT #ES1050 MICROFREEZE CIRCUIT COOL MCC-FRZ CCSS-003 REV E 9/11/17 RESTR SUB
70-60-1060	REPELLENT, INSECT, SPRAY, MUST CONTAIN 25-30% DEET, MUST BE REGISTERED WITH EPA AND ASSIGNED A EPA NUMBER OR LISTED ON EPA APPROVED DEET INSECT REPELLENT. PACKAGED IN 6 OZ.	4982	1463 400		TECHSPRAY, L.P. NYCTA	CCSS-001, REV I, 3-9-11, LABEL FREEZER 1672-10S CCSS-003 REV E 9/11/17 RESTR SUB
70-60-5007	ADHESIVE, RETAINING COMPOUND, USED ON R142 CARS FOR SECURING DOOR OPERATOR BUSING SUPPORT ASSEMBLIES. METHACRYLATE ESTER	0	0 400		S.C. JOHNSON HENKEL CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL DEEP WOODS INSECT REPELLENT V LOCTITE 620 RETAIN COMP #62070 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025

68

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-60-5010	BASED ANAEROBIC, HIGH VISCOSITY, MEDIUM TO HIGH STRENGTH. 250 ML ADHESIVE, RETAINING COMPOUND, SINGLE COMPONENT, ANAEROBIC, HIGH STRENGTH AND VISCOSITY, ROOM TEMPERATURE CURING, USED TO JOIN FITTED CYLINDRICAL PARTS, RETAINING AND MOUNTING SLEEVES, PULLEYS, GEARS, ROTORS AND FANS	9	12 400		ND INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL 54150 HIGH STRENGTH-SLIP FIT
70-60-5012	ADHESIVE, RETAINING COMPOUND, USED ON R142 CARS TO ADHERE THE BEARING ON THE CONDENSER FAN MOTOR SHAFT. URETHANE METHACRYLATE BASED ANAEROBIC, HIGH STRENGTH, LOW VISCOSITY, USED ON R142A CARS FOR SECURING THE BALANCING HARDWARE TO THE ROTOR ON TRACTION MOTORS. FOR BONDING OF CYLINDRICAL FITTING PARTS. 50 ML BOTTLE. URETHANE		400		NYCTA PERMATEX SAF-T-LOK HENKEL CORPORATION	CCSS-001, REV I, 3-9-11, LABEL BEARING MOUNT 50 ML 68050 R35 LOCTITE 603 RETAIN COMP #21441 CCSS-003 REV E 9/11/17 RESTR SUB
70-60-5015	ADHESIVE, RETAINING COMPOUND, USED ON R142A CARS FOR SECURING THE BALANCING HARDWARE TO THE ROTOR ON TRACTION MOTORS. FOR BONDING OF CYLINDRICAL FITTING PARTS. 50 ML BOTTLE. URETHANE	0	0 400		HENKEL CORPORATION MILITARY NYCTA	CCSS-001, REV I, 3-9-11, LABEL 640 RETAINING COMPOUND #64031 MIL-R-46082B CCSS-003 REV E 9/11/17 RESTR SUB
70-60-5020	ADHESIVE, BONDING RESIN, USED ON R142A CARS FOR HOLDING THE ENDS OF THE TOP LAYER OF INSULATION ON THE COILS AND CONNECTIONS ON THE WIRED STATOR ON THE TRACTION MOTOR		400		ELANTAS PDG., INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL RANVAR B553 BONDING RESIN CCSS-003 REV E 9/11/17 RESTR SUB
70-63-3100	RESIN, FIBREGLASS, WITH LIQUID HARDENER USED FOR METAL AND FIBERGLASS REPAIRS; RESIN	40	23 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 69

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-0500	PACKAGED IN 1 GALLON CAN AND HARDENER IN 2 OZ. TUBE; MUST MEET ALL REQUIREMENTS UNDER NYCT SPECIFICATION 7112-FACIL-00 REV. A. MINIMUM SHELF ADHESIVE, SEALANT, COLOR: CLEAR, IN 3 OUNCE TUBE, USED IN CONJUNCTION WITH AMP CONNECTOR, AMP SOLDER CUP CONTACT, RAYCHEM BOOT AND RESISTOR TO CONSTRUCT	15	10 400		QUEST AUTOMOTIVE PRODUCTS DOW CORNING FEDERAL SPECIFICATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL 7112-FACIL-00 RESIN & HARD*GAL #58020 RTV-3145 MIL-A-46146 CCSS-003 REV E 9/11/17 RESTR SUB
70-67-0760	ADHESIVE, INSTANT, ONE-PART BLACK GEL, 20 GRAM TUBE. FOR BONDING METALS, PLASTICS, RUBBER. GEL TOUGHENED WITH ELASTOMERS FOR IMPACT AND PEEL STRENGTH ALONG WITH IMPROVED	8	0 400		HENKEL CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL LOCTITE 426 BLACK INSTANT #18398 CCSS-003 REV E 9/11/17 RESTR SUB
70-67-0850	SEALANT, HEAT RESISTANT, NON-SLUMPING SILICONE ELASTOMER, RED, 10.1 FL. OZ. CARTRIDGES, DESIGNED FOR SEALING AND BONDING APPLICATIONS EXPOSED TO TEMPERATURES AS HIGH AS 315 DEGREES CENTIGRADE OR 600		400		DOW CORNING FEDERAL NYCTA	CCSS-001, REV I, 3-9-11, LABEL 736 HEAT RESISTANT SEALANT MIL-A-46106A CCSS-003 REV E 9/11/17 RESTR SUB
70-67-0852	SEALANT, FAST CURE THREAD, FOR THREADED FITTINGS IN PNEUMATIC AND HYDRAULIC SYSTEMS. 50 ML TUBE. METHACRYLATE ESTER BASED. VISCOSITY 15,000-40,000	0	0 400		HENKEL LOCTITE CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL 5452 THREAD SEALANT #1265769 CCSS-003 REV E 9/11/17 RESTR SUB
70-67-0882	CP(BROOKFIELD); SHEAR STRENGTH ADHESIVE, SEALANT, PERMANENT THREAD LOCKER, HIGH STRENGTH,	90	49 400		FEDERAL	CCSS-001, REV I, 3-9-11, LABEL MIL-S-46163A TYPE II GRADE 0

QUALIFIED PRODUCTS LIST

6/23/2025 70

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-0884	FOR LOCKING ALL FASTENERS THAT MUST WITHSTAND HEAVY SHOCK AND VIBRATION, EXTREME CHEMICAL OR ENVIRONMENTAL CONDITIONS, FOR BOLTS RANGE 3/8" TO 1", COLOR-RED, 45-50 MIL	0	0 400		HENKEL CORPORATION	LOCTITE 262 THREADLOCKER 26231
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					PERMABOND	CCSS-001, REV I, 3-9-11, LABEL PERMABOND HM-118
					SAF-T-LOK	T62
70-67-0884	ADHESIVE, SEALANT, LOW VISCOSITY THREAD LOCKER, WICKING GRADE, PENETRATES PRE-ASSEMBLED FASTENERS, TORQUE, FOR ADJUSTABLE POTENTIOMETERS, COLOR IS GREEN, IN 9 TO 10 ML. BOTTLES MINIMUM SHELF LIFE REQUIRED AT	0	0 400		FEDERAL SPECIFICATION	MIL-S-46163A TYPE III GRADE R
					HENKEL CORPORATION	LOCTITE THREADLOCKER #29021
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					SAF-T-LOK	CCSS-001, REV I, 3-9-11, LABEL S90
70-67-0885	ADHESIVE, INSTANT, SUPERBONDER, HIGH VISCOSITY (400-4000 CPS), FOR BONDING METAL, PLASTIC AND VINYL PARTS, GAP FILLING ABILITY UP TO 0.010". 1.0 FLUID OUNCE NET WEIGHT BOTTLE. MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT IS	2782	1125 400		FEDERAL SPECIFICATION	MIL-A-46050C, TYPE II, CLASS 3
					HENKEL CORPORATION	LOCTITE INSTANT ADHESIVE #41650
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					PERMABOND	CCSS-001, REV I, 3-9-11, LABEL PERMABOND 200-1 FL. OZ
70-67-0950	COMPOUND, ANTI-SEIZE, SILVER GRADE, HIGH TEMPERATURE, FOR USE ON DRAWBAR COMPONENTS OF R142 AND R142A; TYPICAL COEFFICIENT OF FRICTION AT @ 68F TO BE ABOUT .077; MUST PROVIDE	342	149 400		HENKEL CORPORATION	LOCTITE LB8150SV ANTISEIZE 76764
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 71

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-1110	SEALANT, FOR COIL CONNECTIONS, PERMANENTLY SOFT, THUMBGRADE, FOR USE ON SPLIT CAM MODIFICATON FOR GE CONTROLLERS ON RAILCARS, IN ONE LB. PACKAGES, PACKED 50 LBS PER			400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					SEALERS, INC.	CCSS-001, REV I, 3-9-11, LABEL 7123-FACIL-00 1003 SEALER
70-67-1202	SEALANT, SEAM SEALANT, SYNTHETIC ELASTOMER, WATER BASED NON-SAG WHITE PASTE; USED TO REPAIR CAR BODY DAMAGE; MUST HAVE FLASH POINT OF 200F MINIMUM; % SOLIDS BY WEIGHT IS 80-87; (ASTM D2834);	0	0 400		MINNESOTA, MINING & MANUFACTUR NYCTA	ALL-AROUND AUTOBODY SEALANT#8500 CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1320	SEALER, EDGE, ACRYLIC/ALKYD, RESIN BASED, CLEAR, PACKAGED IN 8 OZ. CAN WITH FELT DAUBER APPLICATOR; SOLIDS CONTENT TO BE 43% TO 49%; VISCOSITY TO BE 300 TO 500 CP; FOR USE IN SEALING EDGES	37	321 400		MINNESOTA, MINING & MANUFACTUR NYCTA	CCSS-001, REV I, 3-9-11, LABEL SCOTCHCAL BRAND EDGE SEALER 3950 CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1370	RESIN, ACRYLIC, LOCKING AND SEALING COATING FOR THREADED FASTENERS. A SPECIAL BLEND OF ACRYLIC RESINS TO PREVENT FASTENERS FROM LOOSENING.	115	0 400		ND INDUSTRIES NYCTA	CCSS-001, REV I, 3-9-11, LABEL VIBRA-TITE #21330 CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1425	SEALANT, GASKET AND THREAD; FOR USE IN AIR CONDITIONING EQUIPMENT; SYNTHETIC REFRIGERATION OIL BASED; MAXIMUM HELIUM LEAK RATE .05 OZ/YEAR; VISCOSITY @ 25 DEGREES	145	4 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1635	JOINT COMPOUND, FLEXIBLE FILLER FOR EXPANSION JOINTS, TWO-	2	2 400		REFRIGERATION TECHNOLOGIES NPI FOR GARON	CCSS-001, REV I, 3-9-11, LABEL NYLOG BLUE RT201B GARON JOINT GUARD 163010

QUALIFIED PRODUCTS LIST

6/23/2025 72

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	COMPONENT POLYMER CONTAINING EPOXY & URETHANE RESINS. TWO GALLON KIT: 1 GALLON PART A RESIN, 1 GALLON PART B HARDENER. MIX 1				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1679	SEALANT, PIPE JOINT, FOR AIR CONDITIONING SYSTEMS; USED TO SEAL THREADED JOINTS, FLANGE JOINTS AND ALL METAL AND PLASTIC PIPING SURFACES; MUST MEET REQUIREMENTS OF NYCT SPEC. 7109-	393	209 400		HIGH SIDE CHEMICAL NYCTA	CCSS-001, REV I, 3-9-11, LABEL "LEAK LOCK" CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1680	SEALANT, PIPE JOINT, FOR AIR CONDITIONING SYSTEMS; USED TO SEAL THREADED JOINTS, FLANGE JOINTS AND ALL METAL AND PLASTIC PIPING SURFACES; MUST MEET REQUIREMENTS OF NYCT SPEC. 7109-	277	79 400		HIGH SIDE CHEMICAL NYCTA	CCSS-001, REV I, 3-9-11, LABEL 7109-FACIL-00 REV A LEAK LOCK 10004 CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1700	SEALANT, INSULATING, EXPANDING POLYURETHANE FOAM, TACK FREE TIME - 5 MINUTES, CUT THRU TIME- 60 MINUTES, USED TO SEAL AND INSULATE AROUND WINDOW AND DOOR FRAMES, PACKAGED IN 12 OZ.	912	341 400		ICP AMERICA NYCTA	CCSS-001, REV I, 3-9-11, LABEL 7109-FACIL-00 REV A HANDI-FOAM WINDOW & DOOR CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1702	SEALANT, INSULATING MULTI-PURPOSE, LATE FOAM, EXPANDING. TACK FREE TIME-10 MINUTES, FULL CURE TIME- 24 HOURS, FLEXIBLE AND PAINTABLE WHEN CURED. USED TO SEAL AND INSULATE AROUND	65	20 400		DAP INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL DAPTEX PLUS FOAM SEALANT 18836 CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1725	SEALANT, THREADLOCKER, MEDIUM STRENGTH ADHESIVE WITH INCREASED RELIABILITY TO	41	11 400		HENKEL CORPORATION NEW FLYER CO.	CCSS-001, REV I, 3-9-11, LABEL LOCTITE 243 THREADLOCKER 1329467 081034(REF ONLY)

QUALIFIED PRODUCTS LIST

6/23/2025 73

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	WITHSTAND HIGH TEMPERATURE, VIBRATION, MINOR SURFACE CONTAMINATION, USED WITH FASTENERS, NUTS, BOLTS, SCREWS				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1802	SEALANT, SILICONE CONSTRUCTION GRADE, CLEAR; USED TO SEAL BUILDING JOINTS TO PREVENT THE PENETRATION OF RAIN, AIR AND NOISE; MUST MEET THE	122	84 400		MOMENTIVE AMER IND NYCTA	CCSS-001, REV I, 3-9-11, LABEL SCS 1201 12R CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1812	SEALANT, ADHESIVE, HIGH TEMPERATURE SILICONE (POLYSILOXANE OR DIMETHTHYSILOXANE) BASED. USED FOR MAKING "FORMED-IN-PLACE" GASKETS, FOR MECHANICAL	201	115 400		LOCTITE CORP NORTH AMER. GROUP NYCTA	CCSS-001, REV I, 3-9-11, LABEL RTVSILICONE SEALANT #59630 CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1814	COMPOUND, GASKET, SILICONE, RTV, ONE COMPONENT, TO FORM GASKET SEALS IN MECHANICAL ASSEMBLIES, ULTRA BLUE PASTE, IN 70 ML. TUBE. TACK FREE TIME IS LESS THAN 1 HOUR, CURE TIME IS ABOUT 24	74	31 400		HENKEL CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL LOCTITE SI587 RTV SILICONE 58730 CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1838	SEALANT, FIRE BARRIER, ONE-COMPONENT SILICONE ELASTOMER; USED TO SEAL CRACKS OR HOLES AROUND PIPES OR IN SUBWAY FLOORS; PACKAGED IN 10.3 OZ CARTRIDGES; SHALL MEET THE	0	0 400		MINNESOTA, MINING & MANUFACTUR NYCTA	CCSS-001, REV I, 3-9-11, LABEL 3M FIREBARRIER 2000+ CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1839	PUTTY, FIRESTOPPING, ONE-PART, TWO-STAGE INTUMESCENT, NON-HARDENING COMPOUND. 36 CUBIC INCH BAR PACKAGED IN 0.6 LITER TUBE. USED TO SEAL THROUGH-	8	8 400		ASTM NYCTA	CCSS-001, REV I, 3-9-11, LABEL E814 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 74

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-1840	PENETRATIONS AS WELL AS CONSTRUCTION GAPS AND BLANK SEALANT, RTV SILICONE, GRAY, FOR USE IN SEALING FLANGES AND GE GEAR UNITS; TO HAVE EXCELLENT OIL AND CHEMICAL RESISTANCE; SHORE HARDNESS MEASURED VIA ASTM D2240 DUROMETER A TO BE 45 TO 75;	472	215 400		SPECIFIED TECHNOLOGIES INC. HENKEL LOCTITE CORPORATION NYCTA	SPEC SEAL FIRESTOP PUTTY SSP100 LOCTITE SI 5699 GREY 18581 CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1842	SEALANT, SILICONE, USED FOR FORMED-IN- PLACE GASKETING, COLOR: BLACK, PACKAGED IN 10.1 FL OZ. CARTRIDGES; MUST MEET ALL REQUIREMENTS SET UP IN NYCT SPECIFICATION 7115-FACIL-00.	72	54 400		MOMENTIVE AMER IND NYCTA	CCSS-001, REV I, 3-9-11, LABEL RTV 1473-CRTRG CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1880	SEALANT, SYNTHETIC RUBBER BASED, FOR RE-INSTALLATION OF RUBBER GASKETS ON R142 RAILCAR DOORS. REDUCES SOUND AND VAPOR TRANSMISSION. COLOR-BLACK. IN		400		MANUS PRODUCTS, INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL 7115-FACIL-00 MANUS-BOND 52-A (BLACK) CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1900	SEALANT, COMPOUND, PIPE JOINT SEALANT ON THREADED METAL PIPES (NOT FOR USE ON PLASTIC PIPES), MUST MEET ALL REQUIREMENTS UNDER NYCT SPEC 7093-FACIL-99; PACKAGED IN 8 OZ. BRUSH IN CAP	132	66 400		HERCULES CHEMICAL NYCTA	CCSS-001, REV I, 3-9-11, LABEL PRO DOPE #15-420 CCSS-003 REV E 9/11/17 RESTR SUB
70-67-2110	ADHESIVE, SEALANT, HIGH STRENGTH THREAD LOCKER, FOR LOCKING ALL FASTENERS UP TO 1" DIAMETER WHERE HIGH LOAD OR HIGH VIBRATION IS PRESENT, COLOR: RED, 50 ML BOTTLE; 6 TO 10 BOTTLES PER	555	168 400		FEDERAL SPECIFICATION HENKEL CORPORATION ND INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL 7093-FACIL-99 MIL-S-46163A TYPE I GRADE K LOCTITE 271 THREADLOCKER 27131 14050 HIGH STRENGTH THREADLOCKER

QUALIFIED PRODUCTS LIST

6/23/2025 75

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	CARTON. MINIMUM SHELF LIFE REQUIRED AT TIME OF				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					PERMABOND	CCSS-001, REV I, 3-9-11, LABEL PERMABOND HM 128-50 ML BOTTLE
70-67-2135	SEALANT, GASKET ELIMINATOR, REPLACES PRE-CUT OR FORMED-IN- PLACE GASKETS, ROOM TEMPERATURE CURING, PROVIDES TOUGH RESILIENT SOLVENT AND TEMPERATURE RESISTANT SEAL, COLOR: RED, 10.15 FL. OZ. CARTRIDGE, PACKAGED 10 PER CASE.	349	259 400		SAF-T-LOK HENKEL CORPORATION	T70 LOCTITE 518 GASKET ELIMINATOR
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					PERMATEX, INC.	CCSS-001, REV I, 3-9-11, LABEL ANAEROBICGASKETMAKER 300ML 51845
70-67-2139	ACTIVATOR, PRIMER TO SPEED THE CURE OF ANAEROBIC ADHESIVES AND SEALANTS, ONE COMPONENT NON-CFC SOLVENT BASED SURFACE ACTIVATOR, 4.25 - 4.5 FL. OZ. AEROSOL CAN. MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT IS 9	24	10 400		HENKEL CORPORATION	LOCTITE SF 7649 PRIMER 21348
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					SAF-T-LOK	CCSS-001, REV I, 3-9-11, LABEL PRIMER N AEROSOL
70-67-2143	ACTIVATOR/PRIMER, USED TO SPEED THE CURE OF ANAEROBIC ADHESIVES AND SEALANTS. ESPECIALLY FOR APPLICATIONS WITH PASSIVE METALS, INERT SURFACES AND WITH LARGE BOND GAPS. SPECIFICALLY	0	30 400		HENKEL CORPORATION	LOCTITE SF 7471 PRIMER 19267
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-67-2147	SEALANT, GASKET SEALING, IN 3.5 OZ TUBE WITH NOZZLE. FOR SEALING THE END CAP TO THE HOUSING ON	0	0 400		HYLOMAR LTD/VALCO	CCSS-001, REV I, 3-9-11, LABEL HYLOMAR ADVANCEDFORMULA 710XX301

QUALIFIED PRODUCTS LIST

6/23/2025 76

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-2151	CONDENSER MOTOR FANS ON R142 RAILCARS. NON-SETTING, NON- HARDENING COMPOUND WITH EXCELLENT RESISTANCE TO JOINT ADHESIVE, SEALANT, THREADLOCKER; FOR SCREWS, NUTS, BOLTS LESS THAN 1/4", LOW STRENGTH, HAND TOOL REMOVABLE, COLOR: PURPLE, IN 50 ML BOTTLES. MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT IS NINE MONTHS. CERTIFICATE OF ANALYSIS TO	28	9 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					FEDERAL SPECIFICATION	MIL-S-46163A TYPE II GRADE M
					HENKEL CORPORATION	LOCTITE 222MS
					ND INDUSTRIES	THREADLOCKER 22231
70-67-2152	ADHESIVE, SEALANT, THREADLOCKER; FOR SCREWS, NUTS, BOLTS LESS THAN 1/4", LOW STRENGTH, HAND TOOL REMOVABLE, COLOR: PURPLE, IN 10 ML BOTTLES. VENDOR TO SUPPLY CERTIFICATE OF ANALYSIS & CERTIFICATE OF CONFORMANCE FOR EACH	162	45 400		NYCTA	11150 LOW STRENGTH THREADLOCKER CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					PERMABOND	PERMABOND LM 113-50ML BOTTLE
					SAF-T-LOK	T22
					FEDERAL SPECIFICATION	MIL-S-46163A TYPE II GRADE M
70-67-2153	ADHESIVE, SEALANT, LOW VISCOSITY, SUPER BONDER, GENERAL PURPOSE	75	60 400		HENKEL CORPORATION	LOCTITE 222MS
					ND INDUSTRIES	THREADLOCKER 22221
						11110 LOW STRENGTH
					NYCTA	THREADLOCKER CCSS-003 REV E 9/11/17 RESTR SUB
					PERMABOND	CCSS-001, REV I, 3-9-11, LABEL PERMABOND LM113-10ML BOTTLE
					SAF-T-LOK	T22
					FEDERAL SPECIFICATION	MIL-A-46050C TYPE II CLASS 1

6/23/2025 77

[illegible]

QUALIFIED PRODUCTS LIST

6/23/2025 78

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-2172	SEALANT, PIPE SEALANT WITH TEFLON FOR USE ON METAL PIPE THREADS, FITTINGS AND FLANGES, ESPECIALLY STAINLESS STEEL. ALSO USED ON TRACTION GEAR UNIT ASSEMBLY; NOT FOR USE ON PLASTIC PIPES. WHITE PASTE IN A 50 ML TUBE. PROVIDES	1117	602	400	HENKEL CORPORATION NYCTA PERMABOND PERMATEX, INC.	LOCTITE 567 TB 50ML EN 2087067 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL PERMABOND LH-150-50ML TUBE 59235 HITEMP THREAD SEALANT 50ML
70-67-2173	SEALANT, PIPE, WITH TEFLON, FOR USE ON METAL PIPE THREADS, FITTINGS AND FLANGES, ESPECIALLY STAINLESS STEEL, ALSO USED ON TRACTION GEAR UNIT ASSEMBLY. NOT FOR USE ON PLASTIC PIPES, WHITE	51	41	400	HENKEL CORPORATION NYCTA	LOCTITE 567 TB 250ML EN 2087069 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-67-2179	SEALANT, PIPE SEALANT WITH TEFLON, FOR USE ON METAL PIPE THREADS, FITTINGS AND FLANGES; ALSO USED ON GE CONTROLLER #17KC76AE2; NOT FOR USE ON PLASTIC PIPES. WHITE PASTE IN A 50 ML TUBE. PROVIDES IMMEDIATE LOW PRESSURE SEALING	2351	1247	400	HENKEL CORPORATION NYCTA PERMABOND	LOCTITE PST PIPE SEALANT 59231 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL PERMABOND LH-050-50ML TUBE LH050
70-67-2300	SEALANT, ADHESIVE, ELASTOMERIC PREMIUM GRADE HIGH PERFORMANCE, MOISTURE CURED, 1 COMPONENT, POLYURETHANE BASE NON-SAG SEALANT IN 10.3 FL. OZ.	16	0	400	NYCTA SIKAFLEX	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 1A BLACK
70-67-5170	SEALANT, PIPE, NON-HARDENING TYPE WITH TEFLON; SMOOTH PASTE;	542	194	400	HENKEL CORPORATION	LOCTITE 5113 THREAD SEALANT

QUALIFIED PRODUCTS LIST

6/23/2025 79

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	FOR USE ON THREADED METAL PIPES, FITTINGS AND FLANGES; NON-HARDENING FOR EASY DISASSEMBLY; NOT FOR USE ON PLASTIC PIPES;				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-67-7005	DETECTOR, GAS LEAK SOLUTION, NON-TOXIC, NON-FLAMMABLE, BIODEGRADABLE. FOR USE IN DETECTING GAS LEAK IN	580	380 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
	TEMPERATURE RANGE 35 TO 177 DEGREES FAHRENHEIT. PACKAGED IN				REFRIGERATION TECHNOLOGIES	CCSS-001, REV I, 3-9-11, LABEL BIG BLU RT100S
70-68-0100	COMPOUND, ELECTRICAL JOINT, CONDUCTIVE, HIGH TEMPERATURE, FOR USE IN ALUMINUM TO	37	2 400		ALCOA FUJIKURA LTD	ELECTRIC JOINT COMPOUND NO. 2
	ALUMINUM AND/OR ALUMINUM TO COPPER CONNECTIONS, PACKAGED				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	IN 7-OZ SQUEEZE TUBE, 10 TUBES IN A					CCSS-001, REV I, 3-9-11, LABEL
70-70-1000	LUBRICANT, SLIDING COMPOUND WITH SILICONE; MULTI-PURPOSE; USED FOR INSTALLING WINDOW	33	17 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	GLASS; MINIMUM MELTING POINT 50 DEGREES C, SPECIFIC GRAVITY 0.8 TO					CCSS-001, REV I, 3-9-11, LABEL
	SOAP, MILLED TOILET CAKE, 3-OZ., MUST MEET THE PROPERTIES OF A				SLIPIT INDUSTRIES INC	SLIPIT SLIDING COMPOUND
70-71-1200	MILLED TOILET SOAP GIVEN IN NYC SPECIFICATION 5-S-25:85, TABLE I +	18458	5580 400		CORCRAFT/DEPT. OF CORRECT.SERV	MILLED TOILET BAR SOAP UO15579CO
	II, TO BE PACKAGED 200 UNWRAPPED CAKES PER CASE. EACH CASE TO				NYC SPEC	5-S-25:85
	HAVE MANUFACTURER'S NAME				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	SOAP, LEAK DETECTOR, FOR					CCSS-001, REV I, 3-9-11, LABEL
70-71-1525	DETECTING LEAKS IN PNEUMATIC PARTS. MUST PROVIDE VISIBLE	495	165 400		NATIONWIDE CHEMICAL CO., INC.	TA900 LIQUID HAND SOAP
	BUBBLING ACTION WHEN DILUTED AT				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 80

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-71-1530	5:1 WITH WATER AND APPLIED TO LEAKING PNEUMATIC PARTS RUN CLEANER, HEAVY DUTY ALKALINE. PRODUCT MUST BE NON-STREAKING, SELF RINSING, SOLUBLE IN COLD WATER, LOW FOAM, NON-TOXIC & NON-FLAMMABLE, TO BE PACKED IN 5 GAL. CONTAINERS WITH INSTRUCTIONS FOR USE AND	0	0 400		NATIONWIDE CHEMICAL CO., INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL "BLOCK BUSTER" 110 (R-3) PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR SUB
70-72-1201	CLEANER, DEGREASER, FOR REMOVAL OF GREASE, RUBBER RESIDUES, WAX, ADHESIVE. PACKAGED IN 12-16 OZ NET. WEIGHT AEROSOL CAN. CONTAINS D- LIMONENE, TECHNICAL GRADE, ALIPHATIC HYDROCARBONS,	33065	15309 400		CRC INDUSTRIES, INC. ITW CHEMTRONICS, INC NYCTA	CCSS-001, REV I, 3-9-11, LABEL CITRUS DEGREASER #14170 MAX-KLEEN CITRUS HF ES2291 CCSS-003 REV E 9/11/17 RESTR SUB
70-72-1202	CLEANER AND DEGREASER, USED ON R142 CARS FOR CLEANING/DEGREASING THE CONDENSER FAN MOTOR SHAFT PRIOR TO APPLYING ADHESIVE TO ADHERE BEARING. HYDROCARBON	0	0 400		HENKEL CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL LOCKTITE ODC-FREE CLNR/DEGREASER CCSS-003 REV E 9/11/17 RESTR SUB
70-72-1711	DESICCANT, FOR KNORR AIR BRAKE DUAL CHAMBER AIR DRYER UNIT TYPE LTZ 012-H, MOLECULAR SIEVE, SODIUM ALUMINOSILICATE ADSORBENT, 8 X 12 BEADS. APPARENT DENSITY 50 LBS/FT3	0	0 400		KNORR BRAKE CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL 810532 CCSS-003 REV E 9/11/17 RESTR SUB
70-72-1713	DESICCANT KIT, FOR KNORR AIR BRAKE DUAL CHAMBER AIR DRYER UNIT TYPE LTZ 012-H, KIT CONTAINS TWO FIVE POUND BAGS OF	0	0 400		KNORR BRAKE CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL 810533 CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 81

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-72-1715	DESICCANT, FOR KNORR AIR BRAKE AIR DRYER UNIT VV-120. MOLECULAR SIEVE, SODIUM ALUMOSILICATE ADSORBENTS, 8 X 12 BEADS. APPARENT DENSITY 50 LBS/FT3 MINIMUM, CRUSH STRENGTH 12 LBS MINIMUM, WATER CAPACITY @ 25 DEGREES C 19.5%	0	0 400		KNORR BRAKE CORPORATION NYCTA	810532/9.7 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-003 REV D 12/2/15 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-72-1716	DESICCANT KIT, FOR KNORR AIR BRAKE DRYER UNIT VV-120. KIT CONTAINS TWO 9.7 POUND BAGS OF MOLECULAR SIEVE 8 X 12 BEAD DESICCANT, FOUR O-RINGS AND INSTRUCTION SHEET. DESICCANT	0	0 400		KNORR BRAKE CORPORATION NYCTA	806544/151 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-72-1717	DESICCANT, ABSORBENT, ACTIVATED ALUMINA(BASF-"F-200"). FOR GRAHAM WHITE AIR DRYER ASSEMBLY UNIT #995-200 USED IN RAILCAR AIR BRAKE COMPRESSOR; 1/8" BEAD	669	53 400		GRAHAM WHITE NYCTA	5995-038 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-72-1718	DESICCANT KIT, FOR GRAHAM WHITE AIR DRYER ASSEMBLY UNIT #995-200 USED IN RAILCAR AIR BRAKE COMPRESSORS. KIT CONTAINS A THREE POUND BAG OF ACTIVATED		400		GRAHAM WHITE NYCTA	RM995-1 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-77-1195	TESTING COMPOUND, FLUORESCENT MAGNETIC PARTICLE PREPARED BATH; REFINED PETROLEUM DISTILLATE BASED FLUID; FLASH POINT TO BE OVER 200 DEGREES F; MAXIMUM VISCOSITY TO BE 3 CST @	300	145 400		MAGNAFLUX NYCTA	14AM MAGNAGLO PREPARED BATH CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-77-1252	KIT, TEST, ACID, IS USED ON ALL REFRIGERATION OILS, TO DETERMINE	0	0 400		COMSTAR INTERNATIONAL INC.	90-311

QUALIFIED PRODUCTS LIST

6/23/2025 82

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	THE LEVEL OF ACID WITHIN REFRIGERATION UNIT, BIODEGRADABLE, NON-FLAMMABLE, EACH ACID TEST KIT CONSISTS OF A				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
71-09-1030	PAINT, LATEX, FLAT, BLACK, EXTERIOR, ACRYLIC EMULSION, IN 5 GAL. CANS. VISCOSITY 75 KU MINIMUM; 60 DEGREE SPECULAR GLOSS IS LESS THAN 10 DEGREES; DRY TO TOUCH TIME IS 1 HOUR MAXIMUM, VOC = 340 G/L (2.84	0	0 400		MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL NYCTA TT-P-19B BLACK CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-09-1050	PAINT, ALKYD EXTERIOR ENAMEL, BLACK GLOSS IN ONE GALLON CAN. USED TO PAINT TRUCK FRAMES AND MOTORS ON SUBWAY CARS AND LOCOMOTIVE ENGINES AND ALSO SHOP DOORS AND TRIM. COLOR: NYCT FEDERAL GLOSS BLACK. WEIGHT PERCENT SOLIDS MUST	112	129 400		MERCURY PAINT CORP/AMSTERDAM M NYCTA	CCSS-001, REV I, 3-9-11, LABEL INDUSTL MAINT M12 BLACK CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-09-1100	PAINT, LATEX, ENAMEL, BLACK GLOSS, EXTERIOR/INTERIOR, IN ONE GALLON CAN. USED TO PAINT MOTOR FRAMES AND SHELLS. APPLIED BY SPRAY, BRUSH AND DIPPING. COLOR: NYCT LATEX BLACK. MUST MEET	633	598 400		MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL LATENBLCK CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-09-1456	COMMERCIAL ITEM DESCRIPTION A-A- PAINT, LATEX, TAN, GLOSS INTERIOR/ EXTERIOR, IN ONE GALLON CANS. USED ON INTERIOR AND EXTERIOR SOP AND CLEANING BOOTH WALLS. TRISTIMULUS VALUES: L*73.06M A*7.98, B*17.29; DELTA E=2.00 MAX);	0	1 400		FEDERAL STD. MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL AA-2246 LATEX EN LIGHT FAWN TAN CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F

QUALIFIED PRODUCTS LIST

6/23/2025 83

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	MUST MEET REQUIREMENTS OF					
71-09-1605	PAINT, ENAMEL, BLUE, GLOSS, AIR DRY, IN 5 GALLON CAN. USED TO PAINT SHOP WALLS AND LINES ON SHOP FLOORS TO INDICATE HARD HAT AREAS. COLOR: NYCT PENNANT BLUE (TRISTIMULUS VALUES: L* 49.23, A*-25.88, B*-19.65; DELTA E=3.00 MAX).	80	10 400		MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL IMC M12 PENNANT BLUE 71091605 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-09-1690	PAINT, ALKYD, ENAMEL, CHOCOLATE BROWN, GLOSS, IN ONE GALLON CAN. USED TO PAINT WALLS AND TRIMS. COLOR: NYCT GLOSS	0	0 400		MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL IND MAINT CHOCOBROWN#20099 CCSS-003 REV E 9/11/17 RESTR SUB
71-09-2310	PAINT, ALKYD, ENAMEL, BATTLESHIP GRAY FLOOR AND DECK, GLOSS, IN FIVE GALLON CAN. USED TO PAINT SHOP FLOORS. COLOR: NYCT BATTLESHIP GRAY (TRISTIMULUS VALUES: L* 48.03, A* -3.41, B* -0.61; DELTA E= 2.50). MUST MEET REQUIREMENTS	230	150 400		FEDERAL SPECIFICATION MERCURY PAINT CO. NYCTA	TT-E-487 INDUSTL MAINT TTE487#16187 GRAY PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-09-8020	PAINT, NYCT, SILVER WHITE, LATEX EXTERIOR GLOSS, IN FIVE GALLON CAN. THE PAINT COLOR PROVIDED MUST CONFORM TO THE FOLLOWING CIELAB VALUES NYCT SILVER WHITE LATEX USING SPECIFIED(45/0 OR 0/45). STD ILLUMINANT=D65. STD	80	120 400		MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL LATEX GLOSS SLIVER WHITE #2530 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R.PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 84

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-09-8033	PAINT, ALKYD, ENAMEL, ANTIQUE SATIN, GLOSS, IN ONE GALLON CAN. USED TO PAINT OFFICE AND SHOP WALLS. COLOR: NYCT ANTIQUE SATIN	0	0	400	MERCURY PAINT CO.	TT-E-489J ANTIQUE SATIN #2486
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
71-09-8035	PAINT, ALKYD, ENAMEL, SNOW MIST, GLOSS, IN ONE GALLON CAN. USED TO PAINT OFFICE AND SHOP WALLS. COLOR: NYCT SNOW MIST (TRISTIMULUS VALUES: L*93.41, A*-1.65, B*5.59; DELTA E=3.00 MAX).	299	74	400	MERCURY PAINT CO.	IMC M12 SNOW MIST/71-09-8035
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 9/21 G.R.PAINTS REV. F
71-09-8200	PAINT, ALKYD, ENAMEL, MOUNTAIN MARIGOLD, SEMI-GLOSS. IN FIVE GALLON CAN. USED TO PAINT LINES ON SHOP FLOORS AND WALLS. COLOR: NYCT MOUNTAIN MARIGOLD(TRISTIMULUS VALUES; L*70.06, A*23.65, B*63.53; DELTA E=2.00	0	0	400	ASTM	D 562
					MERCURY PAINT CO.	INDUSTLMMAINT M12
					NYCTA	MOUNTNMARIGOLD
						CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL
71-10-1180	PAINT, SPRAY, COLOR DULL ALUMINUM, INTERIOR/EXTERIOR, USED TO TOUCH UP WOOD, METAL, NET WEIGHT 12 OZ (11 OZ) 6 TO A CASE	2	2	400	KRYLON PRODUCTS GROUP	METALLICS DULL ALUMINUM 1403
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL
71-10-1242	PAINT, ACRYLIC GLOSS, COLOR: FEDERAL BLUE. IN FIVE GALLON CAN, PER NYCT SPEC STA-1242-1224			400	MERCURY PAINT CO.	DTM71101242
					NYCTA	STA-1242-1224
						CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 85

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
						CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1257	PAINT, ACRYLIC GLOSS, COLOR: EBONY BLACK, IN FIVE GALLON CAN. PER NYCT SPEC STA-1257-1224			400	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL B66LB332 DTM71101257 STA-1257-1224 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1277	PAINT, ACRYLIC GLOSS, COLOR: LIDO BEIGE, IN FIVE GALLON CAN. PER NYCT SPEC STA-1277-0225			400	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL B66BB330 DTM71101277 STA-1277-0225 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1285	PAINT, ALKYD ENAMEL, GLOSS, INTERIOR/ EXTERIOR. IN 5-GALLON CAN. USED TO PAINT INTERIOR/EXTERIOR WALLS. COLOR: NYCT MAYFAIR TAN. TRISTIMULUS VALUES: L* 61.51, A* 9.13, B*16.94 DELTA E=3.00 MAX. MUST COMPLY	620	0 400		SHERWIN WILLIAMS ASTM MERCURY NYCTA	CCSS-001, REV I, 3-9-11, LABEL B66HB331 D 476 IMC M12 MAYFAIR TAN/71-10- 1285 CCSS-003 REV E 9/11/17 RESTR SUB
71-10-1316	PAINT, ACRYLIC GLOSS, COLOR: SILVER FERN. IN FIVE GALLON CAN.			400	MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL DTM71101316 STA-1316-1023

QUALIFIED PRODUCTS LIST

6/23/2025 86

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	PER NYCT SPEC STA-1316-1023					CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1322	PAINT, ACRYLIC GLOSS, COLOR: SILVER WHITE, IN FIVE GALLON CAN. PER NYCT SPEC STA-1322-0724			400	MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL DTM71101322 STA-1322-0724 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1327	PAINT, ACRYLIC LATEX, ALUMINUM, HIGH GLOSS, (TRISTIMULUS VALUES; L*43.84, A* 1.14, B*4.19, DELTA E=3.0 MAX) FOR USE ON R68 RAILCAR BONNETS, IN ONE GALLON CONTAINERS, SELF PRIMING, VISCOSITY; 70-90 KU; MINIMUM 40 WEIGHT PERCENT	102	52	400	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL B66WB331 SERIES 2150 DTM R68 BONNET GREY CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1332	PAINT, ACRYLIC GLOSS, COLOR: TURKISH TILE, IN FIVE GALLON CAN. PER NYCT SPEC STA-1332-0523			400	MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL DTM71101332 STA-1332-0522 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-10-1337	PAINT, ACRYLIC GLOSS, COLOR:			400	MERCURY PAINT CO.	CCSS-001, REV I, 3-9-11, LABEL DTM71101337

QUALIFIED PRODUCTS LIST

6/23/2025 87

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	WEIMER GRAY, IN FIVE GALLON CAN. PER NYCT SPEC STA-1337-0522				NYCTA	STA-1337-0522 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-10-1340	PAINT, OIL BASED, COLOR: WOODLAND NIGHT, IN FIVE GALLON CAN. PER NYCT SPEC STA-1340-0523			400	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL B66AB330 IMC M12 WOODLAND NIGHT STA-1340-0523 CCSS-003 REV E 9/11/17 RESTR SUB
71-10-1345	PAINT, OIL BASED, COLOR, SAFETY RED, IN FIVE GALLON CAN, PER NYCT SPEC STA-1345-0823			400	ASTM FEDERAL MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL D 476 TT-E 506K TT-E 489J 71-10-1345-MP STA-1345-0823 NYCTA MARKING CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-10-1355	PAINT, OIL BASED, COLOR: COSMOS BLUE. IN FIVE GALLON CAN, PER NYCT SPEC STA-1355-1224			400	SHERWIN WILLIAMS ASTM FEDERAL	CCSS-001, REV I, 3-9-11, LABEL B54RZ0431 D476 TT-E 506K TT-E 489J

QUALIFIED PRODUCTS LIST

6/23/2025 88

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-10-1360	PAINT, OIL BASED, COLOR: EMBER RED, IN FIVE GALLON CAN, PER NYCT SPEC STA-1360-0424			400	MERCURY PAINT CO.	IMCM12COSMOSBLUE71101355
					NYCTA	STA-1355-1224
						CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1360	PAINT, OIL BASED, COLOR: EMBER RED, IN FIVE GALLON CAN, PER NYCT SPEC STA-1360-0424			400	SHERWIN WILLIAMS	CCSS-001, REV I, 3-9-11, LABEL B66LB331
					ASTM	D476
					FEDERAL	TT-E 506K
					MERCURY PAINT CO.	NYCTA IMCM12 EMBERRED 71-10-1360
71-10-1360	PAINT, OIL BASED, COLOR: EMBER RED, IN FIVE GALLON CAN, PER NYCT SPEC STA-1360-0424			400	NYCTA	STA-1360-0424
						CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1367	PAINT, ACRYLIC GLOSS, COLOR: FOREST SHADE. IN FIVE GALLON CAN. PER NYCT SPEC STA-1367-1023			400	MERCURY PAINT CO.	CCSS-001, REV I, 3-9-11, LABEL DTM71101367
					NYCTA	STA-1367-1023
						CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1372	PAINT, ACRYLIC GLOSS, COLOR: GINGER TAN.IN FIVE GALLON CAN.			400	MERCURY PAINT CO.	CCSS-001, REV I, 3-9-11, LABEL DTM71101372
					NYCTA	STA-1372-1023

QUALIFIED PRODUCTS LIST

6/23/2025 89

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	PER NYCT SPEC STA-1372-1023					CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1375	PAINT, OIL BASED, COLOR: BLACK, IN FIVE GALLON CAN, PER NYCT SPEC STA-1375-0924			400	ANSI FEDERAL MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL Z34.2 TT.P-0061E IMC M12 BLACK/71-10-1375 STA-1375-0924 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1380	PAINT, OIL BASED, COLOR: SAFETY YELLOW, IN FIVE GALLON CAN, PER NYCT SPEC STA-1380-1224			400	SHERWIN WILLIAMS ANSI ASTM MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL B53T1054 Z34.2 D476 71-10-1380-MP STA-1380-1224 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1470	PAINT, ENAMEL, ALKYD, FLAT BLACK, SPRAY CAN, 12 OZ. NET WEIGHT), 6 CANS PER CASE. [NOTE: FLASHPOINT	2003	731	400	SHERWIN WILLIAMS KRYLON PRODUCTS GROUP NYCTA	CCSS-001, REV I, 3-9-11, LABEL B66YB331 COLORMAXX FLAT BLACK 5546 PALLET SPEC.

QUALIFIED PRODUCTS LIST

6/23/2025 90

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	REQUIREMENT OF NYCTA SPECIFICATION CCSS-002(GENERAL REQUIREMENTS FOR PAINTS) IS NOT APPLICABLE.] STORE IN FLAMMABLE					CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1475	PAINT, ENAMEL, ALKYD, GLOSS, BLACK, SPRAY CAN 12 OZ. NET WEIGHT, 6 CANS PER CASE. [NOTE: FLASHPOINT REQUIREMENT OF NYCTA SPECIFICATION CCSS- 002(GENERAL REQUIREMENTS FOR PAINTS) IS NOT APPLICABLE.]STORE IN	5552	2258 400		KRYLON PRODUCTS GROUP NYCTA	CCSS-001, REV I, 3-9-11, LABEL KRYLON COLORMAXX GLOSSBLACK 5505 PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1530	PAINT, ENAMEL, GLOSS YELLOW, 12 OUNCE NET WEIGHT SPRAY CAN. COLOR: OSHA SAFETY YELLOW. MEETS COMMERCIAL ITEM DESCRIPTION A-A-1585 WITH EXCEPTIONS TO SOLID CONTENTS AND SPECULAR GLOSS. THE SOLID CONTENTS SHOULD BE MIN 45-50G AND	2606	1306 400		FEDERAL SPECIFICATION KRYLON NYCTA	CCSS-001, REV I, 3-9-11, LABEL A-A-1585 KRYLON OSHA SAFETY YELLOW 1813N CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1532	PAINT, AEROSOL, ACRYLIC LACQUER, SMOKE GRAY, 12 OUNCE NET WEIGHT IN 16-OUNCE CAN, 6 PER CASE. INTERIOR/EXTERIOR INDUSTRIAL MAINTENANCE PAINT. USED TO PAINT R142/142A VALVES AT THE CI PNEUMATIC SHOP	155	46 400		KRYLON NYCTA	CCSS-001, REV I, 3-9-11, LABEL KRYLONCOLORMAXGLOSSSM OKEGRAY5539 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 91

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-10-1540	PAINT, ENAMEL, GLOSS, RED, 12 OUNCE NET WEIGHT SPRAY CAN. COLOR: OSHA SAFETY RED. MEETS COMMERCIAL ITEM DESCRIPTION A-A-1585 WITH EXCEPTIONS TO SOLID CONTENTS AND SPECULAR GLOSS. THE SOLID CONTENTS SHOULD BE MIN 45-50G AND THE	464	189 400		FEDERAL SPECIFICATION KRYLON PRODUCTS GROUP NYCTA NYCTA/MABSTOA	A-A-1585 KRYLON OSHA SAFETY RED 2116 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1619	PAINT, EASYTHANE, BLACK, #14, COATED METAL PANEL PRODUCT REQUIREMENTS L*=7.39, A*=-1.34, B*=-0.81; GLOSS 60 DEG. +/-7 DEG., 60 DEG. GLOSS METER, WEIGHT PER GALLON: 8.50 LBS. +/-0.5 LBS., NON-VOLATILE BY WEIGHT: 35.00%	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL WA1003-1
71-10-1629	PAINT, SINGLE COMPONENT, WATERBORNE, ACRYLIC, ALUMINUM, COATING FORMULATED FOR DIRECT APPLICATION TO PRE-FINISHED METAL AND FIBERGLASS SURFACES, FOR PAINTING R68 FIBERGLASS BONNETS, PACKAGED IN ONE GALLON CONTAINER. MUST	244	0 400		STERLING LACQUER NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL B71S200 BOND PLEX ALUMINUM
71-10-1703	PAINT, ACRYLIC GLOSS, COLOR: EARTHEN GOLD. IN FIVE GALLON CAN, PER NYCT SPEC STA-1703-1023		400		MERCURY PAINT CO. NYCTA	DTM71101703 STA-1703-1023 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 92

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-10-1709	PAINT, ACRYLIC GLOSS, COLOR: NEWPORT GREEN, IN FIVE GALLON CAN. PER NYCT SPEC STA-1709-0423			400	MERCURY PAINT CO. NYCTA	DTM71101709 STA-1709-0423 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-10-1711	PAINT, ACRYLIC GLOSS, COLOR: PURPLE GRAPE. IN FIVE GALLON CAN. PER NYCT SPEC STA-1711-1023			400	MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL DTM7110711 STA-1711-1023 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1716	PAINT, ACRYLIC GLOSS COLOR: GARNET. IN FIVE GALLON CAN. PER NYCT SPEC STA-1716-0323			400	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL B66LB333 DTM71101716 STA-1716-0323 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-10-1800	PAINT, ACRYLIC GLOSS, COLOR: GUN METAL GREY, IN FIVE GALLON CAN. PER NYCT SPEC STA-1800-0323			400	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL B66RB330 DTM ACRYLIC GLOSS GUN METAL GREY STA-1800-0323 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 93

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
						CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1805	PAINT, ACRYLIC GLOSS, COLOR: DARK SHADOW, IN FIVE GALLON CAN. PER NYCT SPEC STA-1805-0823			400	MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL DTM ACRYLIC GLOSS DARK SHADOW STA-1805-0823 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-5039	PAINT, ALKYD, ENAMEL, RED, GLOSS, IN ONE GALLON CAN. USED TO PAINT FIRE BOX AREAS AND FIRE EXTINGUISHER LOCATIONS. COLOR: NYCT RED GLOSS (TRISTIMULUS VALUES: L* 31.06, A* 46.14, B* 37.98: DELTA E=3.75 MAX). WEIGHT PERCENT	0	14	400	MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL IMC ALKYD HI-GLOSS RED #11136 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-6022	PAINT, ENAMEL, GLOSSY WHITE, 16 OUNCE SPRAY CANS, NET WT. 12 OZ. MEETING COMMERCIAL ITEM DESCRIPTION A-A-1585 WITH THE EXCEPTION TO SOLID CONTENTS AND SPECULAR GLOSS. THE SOLID CONTENTS SHOULD BE 60-65 G AND THE SPECULAR	1456	684	400	FEDERAL SPECIFICATION KRYLON NYCTA	CCSS-001, REV I, 3-9-11, LABEL A-A-1585 KRYLON COLORMAX GLOSS WHITE 5545 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-6030	PAINT, 100% ACRYLIC WATER EMULSION, TRAFFIC AND AIRFIELD	69	18	400	BENJAMIN MOORE PAINTS	CCSS-001, REV I, 3-9-11, LABEL GT 56210 NYCTA WHT LX TRAF PNT

QUALIFIED PRODUCTS LIST

6/23/2025 94

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	MARKING WHITE IN FIVE GALLON CAN. USED TO PAINT TRIP COCKS, WHEEL AXLE AND INSPECTION LINES. COLOR: NYCT WHITE LATEX TRAFFIC MARKING PAINT WHITE (TRISTIMULUS				FED. SPEC. MERCURY PAINT CO. NYCTA	TT-P-1952E LEAD FREE FAST DRY TRAFFIC PAINT PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-6031	PAINT, ENAMEL, ALKYD, GLOSS SWEET CREAM, SPRAY CAN 12 OZ. NET WEIGHT, 6 CANS PER CASE. USED TO PAINT VALVES IN THE MOTORMAN'S CAB AND BRAKE VALVES IN THE CONEY ISLAND PNEUMATIC SHOP. SOLIDS CONTENT MINIMUM 14.2 AND SPECULAR	0	0 400		KRYLON PRODUCTS GROUP NYCTA	COLORMAXX GLOSS SWEET CREAM 5542 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-6032	PAINT, WATER BASE, COLOR: LATEX GARDENIA WHITE, IN FIVE GALLON CAN. PER NYCT SPEC STA-6032-0623			400	MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL LTX SG GARDENIA/71106032 STA-6032-0623 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-10-6035	PAINT, 100% ACRYLIC WATER EMULSION, TRAFFIC AND AIRFIELD MARKING WHITE IN ONE GALLON CAN. USED TO PAINT TRIP COCKS, WHEEL AXLE AND INSPECTION LINES.	147	55 400		FEDERAL SPECIFICATION MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL TT-P-1952E LEAD FREE FAST DRY TRAFFIC PAINT CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 95

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	COLOR: NYCT WHITE LATEX TRAFFIC MARKING PAINT WHITE (TRISTIMULUS VALUES:					CCSS-002 9/21 G.R. PAINTS REV. F
71-10-6060	PAINT, WATER BASE, COLOR: CELESTE BLUE. IN FIVE GALLON CAN. PER NYCT SPEC STA-6060-0823			400	MERCURY PAINT CORP/AMSTERDAM M NYCTA	CCSS-001, REV I, 3-9-11, LABEL 71-10-6060 STA-6060-0823 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-10-6062	PAINT, ACRYLIC LATEX, COLOR: GREY, IN FIVE GALLON CAN, PER NYCT SPEC. STA-6062-0823			400	MERCURY PAINT CORP/AMSTERDAM M NYCTA	CCSS-001, REV I, 3-9-11, LABEL 71-10-6062 STA 6062-0823 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-10-6064	PAINT, ACRYLIC LATEX, COLOR: SEED PEARL, IN FIVE GALLON CAN. PER NYCT SPEC STA-6064-0324			400	MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL 71-10-6064 STA-6064-0324 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-10-7010	PAINT, ALKYD, ENAMEL, HIGH	0	0	400	FED. SPEC.	CCSS-001, REV I, 3-9-11, LABEL TT-E-489J

QUALIFIED PRODUCTS LIST

6/23/2025 96

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	VISIBILITY YELLOW GLOSS, IN ONE GALLON CAN. USED TO PAINT SAFETY LINES ON FLOORS AND WALLS. COLOR: NYCT ENAMEL GLOSS TTE-489 HIGH VIS YELLOW (TRISTIMULUS VALUES; L*79.65, A* 15.05, B*89.33; DELTA				MERCURY PAINT CO. NYCTA	INDUSTL MAINT HI-VISIBILITY YEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-7022	PAINT, ALKYD, ENAMEL, TARGET YELLOW, GLOSS, IN ONE GALLON CAN. USED TO PAINT SAFEY ZONE ON SHOP FLOORS AND WALLS, TRACK FLOORS AND EXTERIOR LOCOMOTIVES. COLOR, NYCT HIGH GLOSS YELLOW (TRISTIMULUS VALUES; L* 72.38, A*21.35,	152	88 400		MERCURY PAINT CO. NYCTA	IMC M12 TARGET YELLOW #13538 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-7030	PAINT, LATEX COLOR: TRAFFIC YELLOW. IN FIVE GALLON CAN, PER NYCT SPEC STA-7030-0223	935	955 400		AMSTERDAM PAINT MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL TT-P-1952 REV B TYPE II TZWBYEL STA-7030-0223 PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-7033	PAINT, LATEX, COLOR: EXTERIOR LATEX GLOSS SAFETY ORANGE, IN FIVE GALLON CAN PER NYCT SPEC STA-7033-0709			400	MERCURY PAINT CORP/AMSTERDAM M NYCTA	CCSS-001, REV I, 3-9-11, LABEL LATEX-GLOSS SAFETY ORANGE STA-7033-0709 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 97

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
						CCSS-002 1/05 G.R.PAINTS REV. E
71-11-9020	PAINT, ALKYD, ENAMEL, WHITE, GLOSS IN ONE GALLON CANS. USE TO PAINT OFFICE WALLS AND SHOP PITS. COLOR, NYCT SUPER WHITE (TRISTIMULUS VALUES; L* 94.90, A* - 1.81, B* 8.56; DELTA E=1.70 MAX).	0	0 400		MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL IMC TTP 102-E WHITE/71-11- 9020 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-14-2900	PAINT, BRIGHT SILVER ALUMINUM, ENAMEL, IN 16 OZ. SPRAY CANS, NET WT. 11 OZ., MEETING COMMERCIAL ITEM DESCRIPTION A-A-1585 WITH EXCEPTIONS TO THE SOLID CONTENTS AND SPECULAR GLOSS. THE SOLID CONTENTS SHOULD BE 25- 30G AND THE	314	299 400		FEDERAL SPECIFICATION KRYLON NYCTA	A-A-1585 METALLICS BRIGHT SILVER 1401 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-14-7320	PAINT, WATER BASED ACRYLIC ENAMEL, JOHN DEERE GREEN, ONE GALLON CAN, HIGH GLOSS. VOC LESS THAN 250 G/L (2.08 LBS/GAL). SOLID CONTENT BY WEIGHT 36-49%; DENSITY 8.7-10 LBS/GAL; FLASH	0	0 400		NYCTA RUST-OLEUM	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL INDUSTRIAL CHOICE DTM #5234402
71-19-8300	PAINT, ALKYD, ENAMEL, SEMI-GLOSS WHITE. IN ONE GALLON CANS. USED TO PAINT EXTERIOR WALLS AT SHOPS. COLOR NYCT OIL BASED ALKYD WHITE (TRISTIMULUS VALUES: L*95.01, A*-1.47, B*9.20, DELTA	0	0 400		COMMERICAL MERCURY PAINT CO. NYCTA	A-A-3067 TTP-102 TYPE II ASG WHITE CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E

QUALIFIED PRODUCTS LIST

6/23/2025 98

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-19-9600	E=2.0 MAXIMUM) MUST MEET REQUIREMENTS OF PAINT, PRESERVATIVE, RED, STEEL, AIR DRY IN ONE GALLON CAN, USED FOR METAL, USED TO PAINT STEEL BEAMS, COLUMNS AND PLATES. COLOR: NYCT RED STEEL PRESERVATIVE KEY CHARACTERISTIC: VISCOSITY 70 KU MIN; TOTAL SOLIDS BY	280	55 400		MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL IMC #6073 RED STEEL PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-22-0001	PAINT KIT, SAFETY YELLOW, TWO COMPONENT URETHANE, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS. GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER AND SPRAY APPLICATON; COLOR: NYCT POLYLON SAFETY YELLOW	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-22-0002	(TRISTIMULUS VALUES: L* 74.81, PAINT KIT, SAFETY YELLOW, TWO COMPONENT URETHANE, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS. GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER AND SPRAY APPLICATION. COLOR: NYCT POLYON SAFETY YELLOW	0	0 400		SHERWIN-WILLIAMS NYCTA	CCSS-001, REV I, 3-9-11, LABEL HP POLYURETHANE B 65W525 YELLOW CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-22-0006	(TRISTIMULUS VALUES; L*76.28, A* PAINT KIT, BEIGE, TWO COMPONENT URETHANE, INTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER AND SPRAY APPLICATION. COLOR: NYCT POLYLON BEIGE	0	0 400		NYCTA/MABSTOA SHERWIN-WILLIAMS NYCTA	CCSS-001, REV I, 3-9-11, LABEL POLY-LON 1441-88 LOCOMOT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 99

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0013	(TRISTIMULUS VALUES: L*70.55, A*2.88, PAINT KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT, FOR BRUSH, ROLLER & SPRAY APPLICATION. COLOR: NYCT POLY STAINLESS STEEL (TRISTIMULUS VALUES: L*66.60, A*			400	NYCTA	BW65W525 BEIGE & B65V525 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-22-0018	PAINT KIT, TWO COMPONENT URETHANE; WHITE, INTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER & SPRAY APPLICATION. COLOR: NYCT POLY WHITE (TRISTIMULUS VALUES: L*92.4, A*-1.15, B*0.86, DELTA			400	NYCTA	CCSS-001, REV I, 3-9-11, LABEL 1075-C-86 REV.J, MAR. 1990 POLY-LON 516-87 SIMULATE CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-22-0028	PAINT KIT, TWO-COMPONENT POLYURETHANE PRIMER SURFACER, LIGHT GRAY, FOR FILLING PINHOLES AND ROUGH SURFACES OF FIBERGLASS SURFACES OR REWORK SURFACES. EACH KIT SHALL CONTAIN 3/4 GALLON OF PRIMER, 1 PINT OF	0	0	400	DEFT, INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL 1075-C-86 REV.J, MAR. 1990 HP POLYURETHANE B 65W525 WHITE 09GY024, 80X040 & IS300 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-003 06/16/00 RESTRICTED SUB
71-22-0034	PAINT KIT, GRAY, TWO COMPONENT URETHANE, EXTERIOR/INTERIOR FULL GLOSS TOPCOAT FOR RAILCARS; GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER, AND SPRAY APPLICATION, COLOR: NYCT:	0	0	400	NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 100

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	POLYLON GRAY (TRISTIMULUS VALUES: L * 29.91, A*				SHERWIN-WILLIAMS	HP POLYURETHANE B 65W525 GRAY
71-22-0037	ACCELERATOR, FOR POLYURETHANE PAINTS. THIS PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENTS OF CCSS-002, REV. D AND HAS BEEN APPROVED BY OSS FOR USE IN THE DESIGNATED PAINT BOOTH AREAS. PACKAGED IN ONE	24	6 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-22-0066	PAINT, KIT, PRIMER, TWO COMPONENT URETHANE, FOR BUS EXTERIOR GLOSS TOPCOAT. EACH INDIVIDUAL KIT SHALL CONTAIN 3 QUARTS OF BASE IN A ONE GALLON CAN(PART A) AND A 1 QUART CAN OF ACTIVATOR(PART B)IN A SEPARATE		400		PPG INDUSTRIES ALBERT KEMPERLE, INC. NYCTA	CCSS-001, REV I, 3-9-11 LABEL MX195 ULTLOVOCSE02SEALER/AKZSE 02VOC ACT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-22-0071	PAINT, KIT, BLUE, TWO COMPONENT URETHANE, BUS EXTERIOR GLOSS TOPCOAT, GRAFFITI REMOVER RESISTANT, FOR SPRAY APPLICATION. EACH INDIVIDUAL KIT SHALL CONTAIN 1-1/2 PINTS OF BASE (PART A) IN A ONE QUART CAN AND 8 OZ. OF ACTIVATOR		400		PPG INDUSTRIES NYCTA	CCSS-001, REV I, 3-9-11, LABEL GRAY 09GY007E-K/36X194CAT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-22-0073	PAINT, KIT, BLACK, TWO COMPONENT URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION,		400		PPG INDUSTRIES NYCTA	CCSS-001, REV I, 3-9-11, LABEL BLUE 36BL015E-K/36X194CAT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E

QUALIFIED PRODUCTS LIST

6/23/2025 101

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	EACH KIT SHALL CONTAIN 1-1/2 PINTS OF BASE(PART A) IN A ONE QUART CAN AND 8 OZ. OF ACTIVATOR (PART				PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL BLACK 36BK001E-K/36X194CAT
71-22-0075	PAINT, KIT, WHITE, TWO COMPONENT URETHANE, BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, FOR SPRAY APPLICATION. EACH INDIVIDUAL KIT SHALL CONTAIN 3 QUARTS OF BASE IN A ONE GALLON CAN(PART A) AND 1 QUART CAN OF			400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
					PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL
71-22-0077	PAINT, KIT, BLUE THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT. SPRAY APPLICATION, EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE, A ONE PINT CAN OF ACTIVATOR, AND A ONE PINT CAN OF			400	NYCTA	WHITE 36W021E-K/36X194CAT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV F.
					PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL BLUE/ESSS989436/ESX520/ES H200
71-22-0090	KIT, TOUCH-UP, BLUE ACRYLIC TOPCOAT, CONSISTING OF 2 COMPONENTS(BASE AND CATALYST) FOR USE BY DOB IN PAINT SPRAY BOOTH. ZERO VOC COATING. MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT IS SIX MONTHS. THIRD PARTY ANALYSIS LIMITS	2	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
					PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL
71-22-0092	KIT, TOUCH-UP, BLACK ACRYLIC TOPCOAT, CONSISTING OF 2 COMPONENTS(BASE AND CATALYST) FOR USE BY DOB IN PAINT SPRAY	1	0 400		NYCTA	BLUE 36BLO15E-T/36X194CAT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F

QUALIFIED PRODUCTS LIST

6/23/2025 102

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0094	BOOTH, ZERO VOC COATING MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT IS SIX MONTHS. THIRD PARTY	0	0 400	NYCTA	PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL BLACK 36BK001E-T/36X194CAT
	KIT, TOUCH-UP, GREY PRIMER/SURFACER CONSISTING OF 2 COMPONENTS (BASE AND CATALYST) FOR USE BY DOB IN PAINT SPRAY BOOTH. ZERO VOC COATING MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT IS SIX MONTHS. THIRD PARTY ANALYSIS LIMITS				PPG INDUSTRIES	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
	KIT, TOUCH-UP, WHITE ACRYLIC TOPCOAT, CONSISTING OF 2 COMPONENTS(BASE AND CATALYST)FOR USE BY DOB IN PAINT SPRAY BOOTH. ZERO VOC COATING MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT IS SIX MONTHS. THIRD PARTY ANALYSIS LIMITS				PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL GRAY 09GY007E-T/36X194CAT
71-22-0096	KIT, TOUCH-UP, WHITE ACRYLIC TOPCOAT, CONSISTING OF 2 COMPONENTS(BASE AND CATALYST)FOR USE BY DOB IN PAINT SPRAY BOOTH. ZERO VOC COATING MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT IS SIX MONTHS. THIRD PARTY ANALYSIS LIMITS	5	1 400	NYCTA	PPG INDUSTRIES	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
	PAINT KIT, TWO COMPONENT URETHANE, SEAT BLUE, INTERIOR FULL GLOSS TOPCOAT FOR R142, R142A & R143 RAILCAR SEATS, GRAFFITI REMOVER RESISTANT FOR BRUSH; ROLLER AND SPRAY APPLICATION. COLOR: NYCT SEAT BLUE, (TRISTIMULUS VALUES:				PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL WHITE 36W021E-T/36X194CAT
	PAINT KIT, THREE COMPONENT URETHANE, SEAT BLUE, INTERIOR FULL GLOSS TOPCOAT FOR R160 RAILCAR SEATS, GRAFFITI REMOVER				PPG INDUSTRIES	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-22-0126	PAINT KIT, TWO COMPONENT URETHANE, SEAT BLUE, INTERIOR FULL GLOSS TOPCOAT FOR R142, R142A & R143 RAILCAR SEATS, GRAFFITI REMOVER RESISTANT FOR BRUSH; ROLLER AND SPRAY APPLICATION. COLOR: NYCT SEAT BLUE, (TRISTIMULUS VALUES:	0	0 400	NYCTA	DEFT, INC.	BLUE(36BL047)& CATALYST(80X022)
	PAINT KIT, TWO COMPONENT URETHANE, SEAT BLUE, INTERIOR FULL GLOSS TOPCOAT FOR R142, R142A & R143 RAILCAR SEATS, GRAFFITI REMOVER RESISTANT FOR BRUSH; ROLLER AND SPRAY APPLICATION. COLOR: NYCT SEAT BLUE, (TRISTIMULUS VALUES:				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
	PAINT KIT, THREE COMPONENT URETHANE, SEAT BLUE, INTERIOR FULL GLOSS TOPCOAT FOR R160 RAILCAR SEATS, GRAFFITI REMOVER				NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-22-0129	PAINT KIT, TWO COMPONENT URETHANE, SEAT BLUE, INTERIOR FULL GLOSS TOPCOAT FOR R142, R142A & R143 RAILCAR SEATS, GRAFFITI REMOVER RESISTANT FOR BRUSH; ROLLER AND SPRAY APPLICATION. COLOR: NYCT SEAT BLUE, (TRISTIMULUS VALUES:	54	0 400	NYCTA	DEFT, INC.	BLUE(36BL047)& CATALYST(80X022)
	PAINT KIT, TWO COMPONENT URETHANE, SEAT BLUE, INTERIOR FULL GLOSS TOPCOAT FOR R142, R142A & R143 RAILCAR SEATS, GRAFFITI REMOVER RESISTANT FOR BRUSH; ROLLER AND SPRAY APPLICATION. COLOR: NYCT SEAT BLUE, (TRISTIMULUS VALUES:				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
	PAINT KIT, THREE COMPONENT URETHANE, SEAT BLUE, INTERIOR FULL GLOSS TOPCOAT FOR R160 RAILCAR SEATS, GRAFFITI REMOVER				NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F

QUALIFIED PRODUCTS LIST

6/23/2025 103

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0130	RESISTANT FOR BRUSH; ROLLER AND SPRAY APPLICATION. COLOR: NYCT SEAT BLUE, (L*54.66, A*-0.28, B* - 13.17, PAINT, KIT, LIGHT BLUE, TWO COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT, GRAFFITI REMOVER RESISTANT, SPRAY APPLICATON, EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE (PART A) AND ONE QUART CAN OF		400		PPG INDUSTRIES NYCTA	CCSS-001, REV I, 3-9-11 LABEL BLUEESSS989473,ESH200,ESX 510 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-22-0132	PAINT, KIT, MEDIUM BLUE TWO COMPONENT, URETHANE BUS EXTERIOR GLOSS TOP COAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 QUART OF BASE (PART A) AND A 1/2 PINT CAN OF ACTIVATOR		400		PPG INDUSTRIES NYCTA	CCSS-001, REV I, 3-9-11, LABEL 36BL031E-K/36X194CAT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-22-0134	PAINT, KIT, DARK BLUE TWO COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE (PART A)AND A ONE QUART CAN OF		400		PPG INDUSTRIES NYCTA	CCSS-001, REV I, 3-9-11, LABEL 36BL019E-K/36X194CAT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-22-0136	PAINT, KIT, YELLOW TWO COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT. SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 QUART OF BASE (PART A) AND A 1/2 PINT CAN OF ACTIVATOR		400		PPG INDUSTRIES NYCTA	CCSS-001, REV I, 3-9-11, LABEL 36BLO18E-K/36X194CAT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
					PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL 36Y210E-K/36X194CAT

QUALIFIED PRODUCTS LIST

6/23/2025 104

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0150	PAINT KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT, FOR BRUSH, ROLLER & SPRAY APPLICATION. COLOR: OEM WHITE (TRISTIMULUS VALUES: L* 88.9, A* -1.3,	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL OEM N0006 WHITE CCA976469
71-22-0152	PAINT KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT, FOR BRUSH, ROLLER & SPRAY APPLICATION. COLOR: OEM YELLOW (TRISTIMULUS VALUES; L*59.1, A*-33.3,	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL OEM SAFETY YELLOW CCA976425
71-22-0154	PAINT KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT, FOR BRUSH, ROLLER & SPRAY APPLICATION. COLOR: OEM BLACK (TRISTIMULUS VALUES: L*23.7, A* -0.2,	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL OEM NYCT LG BLACK CCA950368
71-22-0156	PAINT, KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT, FOR BRUSH, ROLLER & SPRAY APPLICATION. COLOR: OEM GREEN (TRISTIMULUS VALUES: L*66.6, A*21.2,	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL OEM SAFETY GREEN CCA911742
					PPG INDUSTRIES	
					PPG INDUSTRIES	
					PPG INDUSTRIES	
					PPG INDUSTRIES	

QUALIFIED PRODUCTS LIST

6/23/2025 105

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0160	PAINT, KIT, DARK BLUE, THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE, A ONE PINT CAN OF ACTIVATOR AND A ONE PINT CAN OF			400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL DKBLUE/ESSS989431/ESX520/ ESH200
71-22-0162	PAINT, KIT, LIGHT BLUE THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT, GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE, AS ONE PINT CAN OF ACTIVATOR, AND ONE PINT CAN OF HARDENER			400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV F. CCSS-001, REV I, 3-9-11, LABEL LTGBLUE/ESSS989432/ESX520 /ESH200
71-22-0164	PAINT, KIT, BLACK THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE, A ONE PINT CAN OF ACTIVATOR, AND A ONE PINT CAN OF			400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV F. CCSS-001, REV I, 3-9-11, LABEL BLACK/ESSS989435/ESX520/E SH200
71-22-0166	PAINT, KIT, WHITE, THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT. SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE, A ONE PINT CAN OF ACTIVATOR, AND ONE PINT CAN OF HARDENER			400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL WHITE/ESSS989434/ESX520/E SH200

QUALIFIED PRODUCTS LIST

6/23/2025 106

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0168	PAINT, KIT, YELLOW, THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT, GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE, A ONE PINT CAN OF ACTIVATOR, AND A ONE PINT CAN OF			400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV F. CCSS-001, REV I, 3-9-11, LABEL YELLOW/ESSS989433/ESX520/ESH200
71-22-0170	PAINT KIT, THREE COMPONENT URETHANE, YELLOW, INTERIOR FULL GLOSS TOPCOAT FOR R160 RAILCAR SEATS, GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER AND SPRAY APPLICATION. COLOR: YELLOW,(TRISTIMULUS VALUES:L*=0.26, A*=0.52,B*=3.02, DELTA	54	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL YELLOW ESSS943707&ESH200&ESX510 YELLOW ESSS943707 & HARDENER ESH
71-22-0172	PAINT KIT, THREE COMPONENT URETHANE, ORANGE, INTERIOR FULL GLOSS TOPCOAT FOR R160 RAILCAR SEATS, GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER AND SPRAY APPLICATION. COLOR: ORANGE, (TRISTIMULUS VALUES; L*=0.19, A*=0.40,	14	4 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL ORANGE ESSS944327&ESH200&ESX510
71-22-0174	PAINT KIT, THREE COMPONENT URETHANE, RED, INTERIOR FULL GLOSS TOPCOAT FOR R160 RAILCAR SEATS, GRAFFITI REMOVER	14	4 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F

QUALIFIED PRODUCTS LIST

6/23/2025 107

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	RESISTANT: FOR BRUSH, ROLLER AND SPRAY APPLICATION. COLOR: RED, (TRISTIMULUS VALUES: L*=0.22, A*=0.50, B*=0.19,				PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL RED ESSS945867&ESH200&ESX510
71-22-0180	PAINT, KIT, FOR FLOORS, TWO COMPONENTS WATER BASED EPOXY POLYAMINE TYPE, DECK GREY- FEDERAL COLOR STANDARD (595A) #26008, GLOSS. EACH KIT IS TO BE PACKAGED INDIVIDUALLY AND CONSISTS OF TWO PARTS: 1 GALLON OF PART A RESIN AND	20	254 400	NYCTA		CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-22-0182	PAINT, KIT, FOR FLOORS, TWO COMPONENTS WATER BASED EPOXY POLYAMINE TYPE, HAZE GRAY - FEDERAL COLOR STANDARD (595A) #36270, GLOSS. EACH KIT IS TO BE PACKAGED INDIVIDUALLY AND CONSISTS OF TWO PARTS; 1 GALLON OF PART A RESIN AND	0	8 400	NYCTA	SHERWIN WILLIAMS	CCSS-001, REV I, 3-9-11, LABEL PART A B70A8101& PART B B70V8100 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-22-0184	PAINT, KIT, FOR FLOORS, TWO COMPONENTS WATER BASED EPOXY POLYAMINE TYPE, SAFETY YELLOW - FEDERAL COLOR STANDARD (595A) #13591, GLOSS. EACH KIT IS TO BE PACKAGED INDIVIDUALLY AND CONSISTS OF TWO PARTS: 1 GALLON OF PART A RESIN AND	186	64 400	NYCTA	SHERWIN WILLIAMS	CCSS-001, REV I, 3-9-11 LABEL PART A B70A8100& PART B B70V8100 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-22-0186	PAINT, KIT, FOR FLOORS, TWO COMPONENTS WATER BASED EPOXY	195	6 400	NYCTA		CCSS-001, REV I, 3-9-11, LABEL PART A B70Y8100& PART B B70V8100 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 108

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	POLYAMINE TYPE, SAFETY RED - FEDERAL COLOR STANDARD (595A) #11120, GLOSS. EACH KIT IS TO BE PACKAGED INDIVIDUALLY AND CONSISTS OF TWO PARTS: 1 GALLON OF PART A RESIN AND				SHERWIN WILLIAMS	CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL PART A B70R8101& PART B B70V8100
71-22-0188	PAINT, KIT, FOR FLOORS, TWO COMPONENTS WATER BASED EPOXY POLYAMINE TYPE, BLUE-FEDERAL COLOR STANDARD (595A) #15102, GLOSS. EACH KIT IS TO BE PACKAGED INDIVIDUALLY AND CONSISTS OF TWO PARTS: 1 GALLON OF PART A RESIN AND	4	2 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-22-6045	PAINT, KIT, PRIMER THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE. A ONE PINT CAN OF ACTIVATOR AND A		400		THE SHERWIN WILLIAMS CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL PART A TINT TO BLUE &B B70V8100 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-24-2000	PAINT, PRESERVATIVE, TIRE, BLACK FLAT, READY MIX. 1 GALLON CANS	11	4 400		PPG INDUSTRIES CONVENTRY COATINGS NYCTA	CCSS-001, REV I, 3-9-11, LABEL 09GY051/80X040/DS-300 SA-70083 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-26-8000	PAINT, ALKYD, WHITE, SATIN FINISH IN 5 GALLON CAN. USED TO PAINT SHOP AND OFFICE WALLS. TRIP COCK AND CONTROL RAIL MATERIALS.	0	0 400		MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL IMC M12 SATFIN SILV WH(T489MOD) CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 109

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-28-3010	COLOR: NYCT WHITE SATIN FINISH ALKYD (TRISTIMULUS VALUES; L* 87.29, A*-0.66, B*8.73; DELTA E=3 MAX),	27	4 400	NYCTA		CCSS-002 9/21 G.R. PAINTS REV. F
	PAINT, EXTERIOR, SILVER BRITE ALUMINUM, HIGH TEMPERATURE MAINTENANCE COATING, GLOSS TOPCOAT FOR CAR BONNETS, READY MIXED, FOR BRUSH AND ROLLER APPLICATION, IN ONE GALLON CANS. MUST COMPLY WITH NYSDEC REGULATIONS 6NYCRR				NYCTA/MABSTOA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
					SHERWIN WILLIAMS/DIVERSIFIED	CCSS-001, REV I, 3-9-11, LABEL SILVR-BRITE ALUMINUM PAINT B59S2
71-30-5110	ADDITIVE, ANTI-SLIP, FOR EPOXY BASED FLOOR COATINGS. PROVIDES TRACTION ENCHANCEMENT, ALUMINUM OXIDE BASED, PACKAGED AS FIVE POUNDS IN A ONE-QUART CAN. COVERAGE IS 100 SQUARE FOOT PER POUND. [SAFETY	0	0 400	NPI FOR GARON NYCTA		GARON GRIT 240 #32601 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-30-5200	COATING, FOR FLOORS, TWO COMPONENT EPOXY, ADMIRAL BLUE, GLOSS, HIGH SOLIDS (91%). EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF PART A RESIN IN A 1 GALLON CAN & 1/2 GALLON OF PART B CATALYST IN A 1/2 GALLON CAN. PROTECTIVE COATING	0	0 400	NPI FOR GARON		CCSS-001, REV I, 3-9-11, LABEL GARON GUARD 80117 ADMIRAL BLUE
				NYCTA		CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-30-5202	COATING, FOR FLOORS, TWO COMPONENT EPOXY, TILE RED, GLOSS, HIGH SOLIDS(93%). EACH KIT CONSISTS OF TWO PARTS: 1 GALLON	0	0 400	NPI FOR GARON		CCSS-001, REV I, 3-9-11, LABEL GARON GUARD 80117 TILE RED
				NYCTA		CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 110

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	OF PART A RESIN IN A 1 GALLON CAN & 1/2 GALLON OF PART B CATALYST IN A 1/2 GALLON CAN.					CCSS 002 1/05 G.R. PAINTS REV. E
71-30-5204	COATING, FOR FLOORS, TWO COMPONENT EPOXY, SAFETY RED, GLOSS HIGH SOLIDS (89%). EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF PART A RESIN IN A 1 GALLON CAN & 1/2 GALLON OF PART B CATALYST IN A 1/2 GALLON CAN. PROTECTIVE COATING	0	0 400		NPI FOR GARON NYCTA	CCSS 001, REV I, 3-9-11, LABEL GARON GUARD 80117 SAFETY RED CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-30-5206	COATING, FOR FLOORS, TWO COMPONENT EPOXY, CHARCOAL GRAY, GLOSS, HIGH SOLIDS(93%). EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF PART A RESIN IN A 1 GALLON CAN & 1/2 GALLON OF PART B CATALYST IN A 1/2 GALLON CAN.	0	0 400		NPI FOR GARON NYCTA	CCSS-001, REV I, 3-9-11, LABEL GARON GUARD 80117 CHARCOAL GRAY CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-30-5208	COATING, FOR FLOORS, TWO COMPONENT EPOXY, DARK GRAY, GLOSS, HIGH SOLIDS (93%+/-0.5). EACH KIT CONSISTS OF TWO PARTS: 1 GAL OF PART A RESIN IN A 1 GAL CAN & 1/2 GAL OF PART B CATALYST IN A 1/2 GAL CAN. PROTECTIVE COATING FOR	0	0 400		NPI FOR GARON NYCTA	CCSS-001, REV I, 3-9-11, LABEL GARON GUARD 80117 DARK GRAY CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-30-5210	COATING, FOR FLOORS, TWO COMPONENT EPOXY, TRAFFIC YELLOW, GLOSS, HIGH SOLIDS (93% +/- SOLIDS TYPICAL). EACH KIT	0	0 400		NPI FOR GARON NYCTA	CCSS-001, REV I, 3-9-11, LABEL GARON GUARD 80117 TRAFFIC YELLOW CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 111

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-30-5212	CONSISTS OF TWO PARTS; 1 GALLON OF PART A RESIN IN A 1 GALLON CAN & 1/2 GALLON OF PART B CATALYST IN A 1/2 GAL					CCSS-002 1/05 G.R. PAINTS REV. E
	COATING, FOR FLOORS, TWO COMPONENT EPOXY, WHITE, GLOSS, HIGH SOLIDS (93%), EACH KIT	0	0 400		NPI FOR GARON	CCSS-001, REV I, 3-9-11, LABEL
	CONSISTS OF TWO PARTS: 1 GALLON OF PAR A RESIN IN A 1 GALLON CAN & 1/2 GALLON OF PART B CATALYST IN A 1/2 GALLON CAN. PROTECTIVE COATING FOR				NYCTA	GARON GUARD 80117 WHITE CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-31-0900	PAINT, TRAFFIC YELLOW, SIGNALOCK WATERBORNE IN ONE QUART CAN. THE PAINT MUST CONFORM TO THE FOLLOWING: WEIGHT PERCENT SOLID 45% MIN; WEIGHT PER GALLON - 10.00 LBS/GAL. MIN; VOC- 250 GMS/LTR MAX. GRIND - 3 HEGMAN UNITS	604	570 400		MERCURY PAINT CO.	CCSS-001, REV I, 3-9-11, LABEL SIG WATERBORNE HIGH DIELECT-YELO CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
					NYCTA	
71-31-0915	PAINT, BLACK, ACRYLIC COPOLYMER, WATERBOURNE IN ONE GALLON CAN. THE PAINT MUST CONFORM TO THE FOLLOWING: WEIGHT PERCENT SOLIDS 50% MIN: VOC-250 GMS/LTR MAX. INDUSTRIAL MAINTENANCE COATING, EXEMPT FROM NYS DEC PART 205	150	0 400		MERCURY PAINT CO.	CCSS-001, REV I, 3-9-11, LABEL HIGH DIELECTRIC BARR COAT-BLK CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
					NYCTA	
71-31-1000	PAINT, EASYTHANE, #10 WHITE, CODE WA-3787 WHITE, COATED METAL PANEL PRODUCT REQUIREMENTS. GLOSS 54 DEG., +/-7 DEG., 60 DEG.	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E

QUALIFIED PRODUCTS LIST

6/23/2025 112

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-31-1005	GLOSS METER, WEIGHT PER GALLON: 10.50 LBS, +/-0.5 LBS., NON-VOLATILE BY WEIGHT: 48.00% +/-2.0%, PAINT, EASYTHANE, BLUE #12, COATED METAL PANEL PRODUCT REQUIREMENTS. GLOSS 60 DEG. +/-7 DEG., 60 DEG. GLOSS METER, WEIGHT PER GALLON: 8.80 LBS., +/-0.5 LBS., NON-VOLATILE BY WEIGHT: 36.05% +/- 3.0%, NON-VOLATILE BY VOLUME; 30.72%	0	0 400		STERLING LACQUER NYCTA	CCSS-001, REV I, 3-9-11, LABEL WA-3787 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-31-1010	PAINT, WHITE, FOR TOUCH-UP OF TRANSIT AUTHORITY BUS EXTERIOR COATINGS. 12 OUNCE NET WEIGHT IN A 16 OUNCE SPRAY CAN	59	314 400		STERLING LACQUER NYCTA	CCSS-001, REV I, 3-9-11, LABEL WA-3816 EASYTHANE #12 BLUE CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-31-1015	PAINT, BLUE, FOR TOUCH-UP OF TRANSIT AUTHORITY BUS EXTERIOR COATINGS. 12 OUNCE NET WEIGHT IN A 16 OUNCE SPRAY CAN	1	235 400		SEYMOUR OF SYCAMORE INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL NT-1010 WHITE CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-31-1020	PAINT, EASYTHANE, #20 CHARCOAL GRAY, CODE WA-3977, COATED METAL PANEL PRODUCT REQUIREMENTS, GLOSS 33 DEG. +/-7	0	0 400		SEYMOUR OF SYCAMORE INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL NT-1015 BLUE CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E

QUALIFIED PRODUCTS LIST

6/23/2025 113

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-32-1010	DEG., 60 DEG, GLOSS METER, WEIGHT PER GALLON 8.80 LBS, +/-0.5 LBS, NON-VOLATILE BY WEIGHT; 37.00% +/- 2.0%, PRIMER, ONE-COMPONENT, ACRYLIC LOW VOC, OFF-WHITE, USED TO PRIME THE SURFACES OF SUBWAY CARS; MUST PROVIDE EXCELLENT HIDING AND CORROSION RESISTANCE WHEN APPLIED OVER STEEL, ALUMINUM AND FIBERGLASS,	1	9 400		STERLING LACQUER NYCTA	CCSS-001, REV I, 3-9-11, LABEL WA-3977 EASYTHANE #20 CHAR GRY CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-32-1020	PRIMER,TWO COMPONENT WATER BASED EPOXY SEALER/PRIMER,54% +/- 0.5,CLEAR/TAN TRANSLUCENT TO OPAQUE,FOR COATING CONCRETE OR MASONRY.MIX 1 GAL OF PART A RESIN W/1/2 GAL OF PART B CATALYST.PACKAGED AS 3 GAL KIT CONSIST	0	0 400		SHERWIN-WILLIAMS NPI FOR GARON NYCTA	CCSS-001, REV I, 3-9-11, LABEL PRO-CRYL PRIMER B66W310 GARON TIGERPRIME A&B #18603 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-32-1030	PRIMER, TWO COMPONENT WHITE EPOXY PRIMER. EACH KIT IS TO BE PACKAGED INDIVIDUALLY. KIT CONSISTS OF TWO PARTS; 1 GALLON OF PART A RESIN AND 2 QUARTS OF PART B HARDENER. DENSITY OF PART A IS 12.27 +/-0.3 LBS/GAL, DENSITY	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-32-1032	PRIMER, TWO COMPONENT GRAY EPOXY PRIMER. EACH KIT IS TO BE PACKAGED INDIVIDUALLY. KIT CONSISTS OF TWO PARTS; 1 GALLON	0	0 400		PPG INDUSTRIES NYCTA	CCSS-001, REV I, 3-9-11, LABEL CRE-121 2.1 VOC WHITEEPOXYPRIMER CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F

QUALIFIED PRODUCTS LIST

6/23/2025 114

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	OF PART A RESIN AND 2 QUARTS OF PART B HARDENER. DENSITY OF PART A IS 12.02 +/- 0.3 LBS/GAL,				PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL CRE321 2.1 VOC GRAY EPOXY PRIMER
71-32-2000	PAINT, TWO-COMPONENT, WHITE PRIMER, USED TO PRIME THE SURFACES OF SUBWAY CARS; MUST PROVIDE EXCELLENT HIDING AND CORROSION RESISTANCE WHEN APPLIED OVER STEEL, ALUMINUM AND FIBERGLASS, EACH PAINT KIT IS TO BE PACKAGED	50	0 400	NYCTA		CCSS-003 REV 3 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
					PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL ESU481(PRIMER); ESU489(HARDENER)
71-32-2005	PAINT, TWO-COMPONENT, GRAY PRIMER, USED TO PRIME THE SURFACES OF SUBWAY CARS. MUST PROVIDE EXCELLENT HIDING AND CORROSION RESISTANCE WHEN APPLIED OVER STEEL, ALUMINUM AND FIBERGLASS. EACH PAINT KIT IS TO BE PACKAGED	50	0 400	NYCTA		CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
					PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL ESU480(PRIMER); ESU489(HARDENER)
71-32-3251	PRIMER, WHITE PIGMENTED, WATER BASED STAIN KILLER IN ONE GALLON CAN. FOR USE AS AN INTERIOR BONDING PRIMER. COLOR: NYCT WHITE PRIMER, STAINKILLER. MUST HAVE FLASH POINT 100 DEGREES F MINIMUM, VISCOSITY MUST BE 80-100 KU; WEIGHT	0	0 400	MERCURY PAINT CO.		AQUAZOOM ACRYL STAINKILLER WHITE
				NYCTA		CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-33-7400	PRIMER, PAINT, OIL BASED, RED/BROWN PIGMENT. USED AS RUST INHIBITING PRIMER ON METAL STRUCTURAL SURFACES; PACKED IN	0	0 400	NYCTA		CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E

QUALIFIED PRODUCTS LIST

6/23/2025 115

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-34-2060	ONE GALLON CAN. SOLIDS CONTENT - 73-77% WEIGHT, VISCOSITY 80-90 KU; DRY TO TOUCH TIME 2-4 HOURS, TACK FREE DRY PAINT, WATER BASED, COLOR: WHITE PRIMER, IN FIVE GALLON CAN. PER NYCT SPEC STA-2060-0323			400	NYCTA/MABSTOA	CCSS-001, REV I, 3-9-11, LABEL
					SHERWIN WILLIAMS	E41 N1 KROMIK METAL PRIMER
					MERCURY	TTP-650 LATEX PRIMER WHITE
					NYCTA	STA-2060-0815
						STA-2060-0323
71-34-7300	PRIMER, SEALER, RUDDY BROWN, SPRAY CAN 12 OZ/CAN	653	428	400		CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 1/05 G.R.PAINTS REV. E
					SHERWIN-WILLIAMS	CCSS-001, REV I, 3-9-11, LABEL B51W00450
					KRYLON	RUST TOUGH RUDDY BROWN (RTA9204)
71-50-2999	PAINT, LACQUER, CRYSTAL CLEAR, ACRYLIC, 16 OZ. SPRAY CANS, NET WT. 12 OZ. , MEETING COMMERCIAL ITEM DESCRIPTION A-A-1585 WITH EXCEPTIONS TO SOLID CONTENTS AND SPECULAR GLOSS. THE SOLID CONTENTS SHOULD BE MIN 20-25G AND THE	153	97	400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 9/21 G.R. PAINTS REV. F
					FEDERAL SPECIFICATION	CCSS-001, REV I, 3-9-11, LABEL A-A-1585
					KRYLON	CLRMSRW/CVMXTECACRCRYC LRGLS51301
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 116

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-63-0100	PRIMER AND RUST CONVERTER, WATER BASED ACRYLIC EMULSION; MUST CONTAIN MINIMUM OF 34 PERCENT OF RESIN SOLID BY WEIGHT; VISCOSITY=15-28 SECS. PACKAGED IN ONE GALLON CONTAINERS. MINIMUM SHELF LIFE AT TIME OF RECEIPT IS 9 MONTHS.	208	112 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL 7137-FACIL-01 BLUE STEEL PRIMER
71-65-0010	COATING, UNDERCOAT AND PRIMER; WATER BASED RUBBERIZED ACRYLIC COATING; FOR SEALING ROOFS, WALLS AND DECKS; ESPECIALLY FOR USE ON RAILCAR ROOFS; USED IN CONJUNCTION WITH MOBILE COAT MC5. THICK LIGHT GRAY; 34% SOLIDS BY	0	0 400		PROTEK PAINT LTD KST COATINGS MANUFACTURING INC NYCTA	ELASTO-SEAL KST 0000ES-20 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-65-0012	COATING, RUBBERIZED, MODIFIED ACRYLIC; PROTECTIVE; FOR WATERPROOFING, MAINTAINING AND REPAIRING RAILCAR ROOFS; CREAMY WHITE LIQUID; 32% SOLIDS BY VOLUME; 25% RESIN BY WEIGHT, 28% PIGMENT BY WEIGHT; SPECIFIC GRAVITY	0	0 400		KST COATINGS MANUFACTURING INC NYCTA	MOBILE COAT KST0000MC-20 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-65-0200	COATING, WATER BASED ACRYLIC; LIGHT GRAY, FOR USE AS COATING TO SEAL LEAKS ON CAR ROOFS. APPLY BY BRUSH AND ROLL, REMOVE DIRT, RUST AND OTHER CONTAMINANTS ON SURFACES BEFORE APPLY BY BRUSH OR ROLL; PACKAGED IN FIVE	0	0 400		MINNESOTA, MINING & MANUFACTUR NYCTA	WATERBASED PROTECT SEALANT 320 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LIST

6/23/2025 117

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-65-0300	COATING, THREE COMPONENT EPOXY,99% SOLIDS,DARK GRAY,SELF-LEVELING CONCRETE FLOOR RESURFACER.FILLS AND COATS OVER CRACKS,GOUGES,ROUGH SPOTS.DRY FILM THICKNESS 62 MILS.EACH KIT CONSISTS OF THREE PARTS:1 GALLON OF PART A RESIN IN	0	0 400		NPI FOR GARON	GARON POURNWALK 15370 DARK GRAY
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 1/05 G.R. PAINTS REV. E
71-65-0925	CATALYST, PAINT ACTIVATOR, FOR USE WITH ZERO VOC DEFT PAINTS: GRAY PRIMER (09GY007E), BLACK TOP COAT(36BK001E), BLUE TOP COAT (36BL015K)AND WHITE TOP COAT(36WO21E)	0	0 400		DEFT NYCTA	CCSS-001, REV I, 3-9-11, LABEL 80-X-022
						CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 1/05 G.R. PAINTS REV. E
71-65-0927	CATALYST, PAINT ACTIVATOR, ONE GALLON CAN, FOR USE WITH ZERO VOC DEFT PAINTS			400	DEFT NYCTA	CCSS-001, REV I, 3-9-11, LABEL 80-X-022
						CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 1/05 G.R. PAINTS REV. E
71-65-2015	REDUCER, FOR PPG TWO-COMPONENT EPOXY PRIMER (COMMODITY #71-32-1030/1032), COMPOSITION IS METHYL, AMYL KETONE, PACKAGED IN 1 GALLON CONTAINER	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL
						CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 9/21 G.R. PAINTS REV. F
					PPG INDUSTRIES	CCSS-001 1/05 LABEL
						Q70 METHYL AMYL KETONE REDUCER
71-65-2100	THINNER, POLYURETHANE GRADE, 1 GALLON, CONTAINERS, HIGH	2	19 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCTS LIST

6/23/2025 118

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-66-3505	FLASHPOINT (MIN 100 DEG.F BY TAG CLOSED CUP), TO BE USED WITH ALL TWO-COMPONENT POLYURETHANE PAINTS COVERED UNDER SPEC. NYCTA 1075-C-86, REV.F.	0	0 400	NYCTA	SHERWIN-WILLIAMS	CCSS-002 9/21 G.R. PAINTS REV. F
	THINNER, FOR CLEANING SPRAY PAINT EQUIPMENT; REMOVES TWO- COMPONENT POLYURETHANE PAINT RESIDUE FROM SPRAY GUNS, HOSES, POTS AND OTHER ASSOCIATED SPRAY					CCSS-001, REV I, 3-9-11, LABEL R7K132 REDUCER#132 CCSS-003 REV E 9/11/17 RESTR SUB
	THINNER, FOR PPG TWO- COMPONENT POLYACRYLIC PAINTS(COMMODITY # 71-22- 0126/0128); COMPOSITION OF THIS THINNER IS ACETONE AND 4-CHLORO- A,A,A- TRIFLUOROTOLUENE, PACKAGED IN QUART CAN;					CCSS-002 1/05 G.R. PAINTS REV. E REDUCER 58/R7K58 CCSS-003 REV E 9/11/17 RESTR SUB
71-68-4010	THINNER, FOR PPG TWO- COMPONENT POLYACRYLIC PAINTS(COMMODITY # 71-22- 0126/0128); COMPOSITION OF THIS THINNER IS ACETONE AND 4-CHLORO- A,A,A- TRIFLUOROTOLUENE, PACKAGED IN QUART CAN;	0	0 400	NYCTA	SHERWIN-WILLIAMS	CCSS-002 1/05 G.R. PAINTS REV. E
71-68-4015	THINNER, FOR PPG TWO- COMPONENT EPOXY PRIMER (COMMODITY # 71-32-1030/1032); COMPOSITION IS METHYL ETHYL KETONE, PACKAGED IN 1 GALLON CONTAINER	0	0 400	NYCTA	PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL REDUCER DS-279 CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11 LABEL Q60 METHYL ETHYL KETONE THINNER
71-72-8190	THINNER, FOR RED(STOCK # 71-86- 3998) AND CLEAR(STOCK # 71-86- 3550/3551) INSULATING VARNISHES; NOMINALLY 100% TOLUENE; PACKAGED IN 1-GALLON CAN; MINIMUM FLASHPOINT 35 DEGREES F(TCC). NOTE: FLASHPOINT AND VOC	0	0 400	NYCTA	SHERWIN-WILLIAMS	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
						CCSS-001, REV I, 3-9-11, LABEL TOLUENE SW R2K1

QUALIFIED PRODUCTS LIST

6/23/2025 119

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-86-3551	VARNISH, ALKYD RESIN AND SOLVENT BASED, CLEAR, INSULATING, AIR DRYING; FOR USE AS A DIELECTRIC INSULATING COATING FOR RAILCAR ELECTRICAL EQUIPMENT. PACKAGED IN 1-GALLON CANS. MUST BE FAST DRYING, HAVE EXCELLENT OIL,	0	0	400	GLYPTAL NYCTA	1202 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-86-3553	VARNISH, RESIN AND WATER BASED, CLEAR, HIGH GLOSS INSULATING, AIR DRYING; FOR USE AS A DIELECTRIC INSULATING COATING FOR RAILCAR SHOE BEAMS AND ELECTRICAL EQUIPMENT. PACKAGED IN BLACK PLASTIC QUART-SIZED CONTAINER. MUST HAVE	766	320	400	GLYPTAL NYCTA	1202E SPECIAL SAMPLE B HI GLOSS CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001 REV I, 3-9-11, LABEL
71-86-3995	VARNISH, RED AEROSOL DIELECTRIC INSULATING; POLYURETHANE BASED; MUST HAVE DIELECTRIC STRENGTHS AS MEASURED BY ASTM D115 MINIMUM 1770 VOLTS/MIL (DRY) AND MINIMUM 1,140 VOLTS/MIL(WET); MUST DRY TO TOUCH WITHIN 60 MINUTES;	318	140	400	ASTM JOHN C. DOLPH NYCTA	D115 ER-44 PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-86-3998	VARNISH, ALKYD, RESIN AND SOLVENT BASED, RED, INSULATING, AIR DRYING; FOR USE AS A DIELECTRIC INSULATING COATING FOR RAIL CAR ELECTRICAL EQUIPMENT. PACKAGED IN 1-QUART CANS. MUST BE FAST DRYING, HAVE	0	0	400	GLYPTAL NYCTA	1201 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-86-4005	VARNISH, WATER BASED URETHANE,	43	27	400	GLYPTAL	1201E SPECIAL

QUALIFIED PRODUCTS LIST

6/23/2025 120

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	RED, USED AS AN INSULATING COATING ON ARMATURES AND COILS, PACKAGED IN ONE-GALLON CONTAINERS. MEETS REQUIREMENTS OF MILITARY SPECIFICATION MIL-E-22118B, WITH THE EXCEPTIONS OF				MIL SPEC NYCTA	MIL-E-22118B CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL 1201E SPECIAL-QT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-86-4010	VARNISH, WATER BASED URETHANE, RED, USED AS AN INSULATING COATING ON ARMATURE, COILS AND SIGNAL INSULATED RAIL JOINT. PACKAGED IN BLACK PLASTIC QUART SIZE CONTAINER. MEETS REQUIREMENTS OF MILITARY	2580	830 400		GLYPTAL NYCTA	CCSS-001, REV I, 3-9-11, LABEL 1201E SPECIAL-QT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-98-1250	STRIPPER, FOR REMOVING PAINT, CONSISTS OF ALKALINE PASTE AND LAMINATED CLOTH, ONE GALLON CAN. FOR REMOVING LAYERS OF PAINT FROM WOOD, BRICK, CONCRETE, STONE, STUCCO, PLASTER, CAST IRON STEEL, MARBLE,	0	0 400		DUMOND CHEMICALS, NYCTA	CCSS-001, REV I, 3-9-11, LABEL PEEL AWAY 1 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
72-15-1128	TEST STRIP, EXTENDED LIFE COOLANT, USED TO CHECK INHIBITOR LEVEL OF EXTENDED LIFE COOLANT (70-07-2015, 70-07-2022 OR 70-07-2023), MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT IS 24 MONTHS, 25 STRIPS PER BOTTLE	7	1 400		OLD WORLD INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL
74-11-8000	BRAKE BLOCK, FRONT STANDARD, MATERIAL MUST CONFORM TO FMSI	0	0 400		ABEX NEW FLYER CO.	FXATK3 MC4228FD 6305671

QUALIFIED PRODUCTS LIST

6/23/2025 121

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
74-43-8002	BRAKE BLOCK, FRONT, STANDARD NON-SYMMETRICAL, FOR THIRD GENERATION DESIGN, MATERIAL MUST CONFORM TO FMSI 4690D	0	0 400		ABEX CORP.	MC4690D
74-43-8502	BRAKE BLOCK, REAR, STANDARD, NON-SYMMETRICAL, FOR THIRD GENERATION DESIGN, MATERIAL MUST CONFORM TO FMSI 4691D	2	0 400		ABEX CORP.	MC4691D
74-87-8000	BRAKE BLOCK, FRONT, STANDARD, WITH WEAR INDICATOR, EDGE CODED "EE" & "FF"	60	12 400		FEDERAL MOGUL	MC4715AD
74-87-8001	BRAKE BLOCK, FRONT, 1/16" OVERSIZED, WITH WEAR INDICATOR, EDGE CODED "EE" & "FF"	0	0 400		FEDERAL MOGUL	MC4715ADX
76-57-0126	AIR SPRING ASSEMBLY, REAR	0	0 400		FIRESTONE GOODYEAR NOVA BUS INC.	WO1-358-9017 1R10-089 G1019358
76-65-0003	AIR BAG, FRONT, TAG AND DRIVE AXLES, MCI 1998 THRU 2002 AND DRIVE AND TAG AXLES MCI 2005	14	4 400		FIRESTONE GOODYEAR MCI	W01-653-95-71 1R12-396 12L-1-140
77-20-0011	NUT, FRONT WHEEL DRUM, 7/8"-14 (INNER) AND ENGINE WHEEL (MULT- PURPOSE)	1	0 400		MCI MERITOR HEAVY VEHICLE SYSTEMS NEW FLYER CO.	15C-3-8 NL-114-1 5960281
80-01-0052	DRUM, BRAKE, HEAVY DUTY, FRONT AXLE. MATERIAL MUST BE GREY CAST IRON WHICH CONFORMS TO SAE J431	0	0 400		NYCTA ORION WEBB	BRAKEDRUMS PALLET SPEC. H0102527AD 66374J
80-11-0006	CAMSHAFT, RIGHT HAND, 1-1/2" - 10 SPLINE, FRONT	0	0 400		MCI MERITOR HEAVY VEHICLE SYSTEMS	4J-1-8 2210-K-6303

QUALIFIED PRODUCTS LIST

6/23/2025 122

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
80-11-0010	CAMSHAFT, LEFT HAND, 1-1/2" - 10 SPLINE, FRONT	0	0 400		MCI MERITOR HEAVY VEHICLE SYSTEMS	4J-1-7 2210-L-6304
80-19-8007	DRUM, FRONT BRAKE, MATERIAL MUST BE GREY CAST IRON WHICH CONFORMS TO SAE J431 - GRADE G11H20B. NOTE: THE DRUMS ARE	133	11 400		MERITOR HEAVY VEHICLE SYSTEMS NYCTA WEBB	 85123561002 BRAKEDRUMS PALLET SPEC. 66364J
80-65-0057	DRUM, BRAKE, TRAILING AXLE, MATERIAL MUST BE GREY CAST IRON	0	0 400		NYCTA WEBB	BRAKEDRUMS PALLET SPEC. 65119J
80-75-0010	DRUM, BRAKE, HEAVY DUTY, FRONT AXLE. MATERIAL MUST BE GREY CAST IRON WHICH CONFORMS TO SAE J431-	0	4 400		MCI NYCTA WEBB	15L-2-58 BRAKEDRUMS PALLET SPEC. 65600C
80-83-0003	CAMSHAFT, RH	0	0 400		MCI MERITOR HEAVY VEHICLE SYSTEMS	2099860 2210-W-5535
80-83-0004	CAMSHAFT, LH	0	0 400		MCI MERITOR HEAVY VEHICLE SYSTEMS	15526041 2210-X-5536
80-87-0105	CAMSHAFT, FRONT, LEFT HAND ROTATION	65	28 400		MERITOR HEAVY VEHICLE SYSTEMS NEW FLYER CO. ORION	 2210-Z-8398 6329815 F0102519AB
80-87-0106	CAMSHAFT, FRONT, RIGHT HAND ROTATION	66	37 400		MERITOR HEAVY VEHICLE SYSTEMS ORION	 2210-Y-8397 F0102519AD
82-37-0028	PLATE, LOCK UP CLUTCH, INTERNAL SPLINED	0	0 400		ALLISON TRANSMISSION	23048511
82-37-0218	PLATE, SECOND CLUTCH, EXTERNAL TANGED	0	0 400		ALLISON TRANSMISSION	6834488
82-43-0159	KIT, POWER TAKE OFF, DRIVE, V731 AND V731RH TRANSMISSION.	0	0 400		ALLISON TRANSMISSION	29502597

QUALIFIED PRODUCTS LIST

6/23/2025 123

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
84-55-0600	PEDAL ASSEMBLY, ACCELERATOR, ELECTRONIC	0	1 400		NEW FLYER CO. NOVA BUS INC. ORION WILLIAMS AIR CONTROL	6367555 G1017868 051219526 403662
85-19-0014	CAMSHAFT, LH	22	22 400		MERITOR HEAVY VEHICLE SYSTEMS ORION	2210V8628 G0202509AB
85-19-0015	CAMSHAFT, RH	27	23 400		MERITOR HEAVY VEHICLE SYSTEMS ORION	2210U8627 G0202509AC
85-61-0107	SPIDER ASSEMBLY, REAR BRAKE, RIGHT HAND	0	0 400		MERITOR HEAVY VEHICLE SYSTEMS NOVA BUS INC. TRUCK TRAILER	A-3211-H-3414 2041841 T-4143
85-75-0014	DRUM, BRAKE, HEAVY DUTY, REAR AXLE. MATERIAL MUST BE GREY CAST IRON WHICH CONFORMS TO SAE J431-	0	2 400		MCI NYCTA WEBB	15L-3-57 BRAKEDRUMS PALLET SPEC. 64125B
85-75-0027	DRUM, BRAKE, HEAVY DUTY, TAG AXLE, MATERIAL MUST BE GREY CAST IRON WHICH CONFORMS TO SAE J431-	12	0 400		MCI NYCTA WEBB	15L-3-44 BRAKE DRUM PALLET 65153B
85-83-0004	CAMSHAFT, LH	0	0 400		MERITOR HEAVY VEHICLE SYSTEMS MOHAWK MFG. SUPPLY MUNCIE RECLAMATION	2210-Q-4905 2032431 MR3358
85-83-0005	CAMSHAFT, RIGHT HAND	0	0 400		MERITOR HEAVY VEHICLE SYSTEMS MOHAWK MFG. SUPPLY NEW FLYER CO.	2210-R-4906 2032432 5960314
85-87-0065	DRUM, BRAKE, REAR. MATERIAL MUST BE GREY CAST IRON WHICH	127	25 400		NYCTA WEBB	BRAKEDRUMS PALLET SPEC. 64051J
86-43-6700	BLADE ASSEMBLY, 26", WINDSHIELD WIPER, NOTE; WINDSHIELD WIPERS	12149	5589 400		ANCO MCI	52-27 3J-34-5 (REF ONLY)

QUALIFIED PRODUCTS LIST

6/23/2025 124

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
88-07-8101	SHALL BE MADE N ACCORDANCE TO				MOHAWK	792070
	SAE J 198 STANDARDS AND FMVSS				NEW FLYER CO.	8112552 (REF ONLY)
	104; ELEMENT SHALL BE NATURAL OR				ORION	C1201501AH (REF ONLY)
	SYNTHETIC RUBBER. ALL SUB				SPRAGUE	S-1137-7
88-07-8101	COMPUTER, ON BOARD-VEHICLE			400	STRATEGIC MAPPING	
	LOGIC UNIT, USED WITH THE DIGITAL					
	INFORMATION SCREENS(DIS)					
						OBU3210
88-07-8102	MONTIOR, 24" LCD PANEL, USED FOR			400	STRATEGIC MAPPING	
	THE DIGITAL INFORMATION SCREENS					
	(DIS) SYSTEM					LCD24SP
88-07-8104	MONITOR, 37" WIDE SCREEN			400	STRATEGIC MAPPING	
	DISPLAY, USED FOR THE DIGITAL					
	INFORMATION SCREENS (DIS)					
	SYSTEM					DE37SS
88-29-0963	MONITOR, PRIMARY, 24" DISPLAY KIT,			400	CLEVER DEVICES	
	ALL IN ONE - 24" LED BACKLIT LCD					
	PANEL, MEDIA PLAYER, SSD					
	ENCLOSURE CONFIGURATION AND					
	ON BOARD SOFTWARE, DIGITAL					
	INFORMATION SCREENS (DIS)					
	SYSTEM					141-300-0001
88-29-0964	MONITOR, SECONDARY, 24" DISPLAY,			400	CLEVER DEVICES	
	USED FOR THE DIGITAL INFORMATION					
	SCREENS (DIS)SYSTEM					
						3843

QUALIFIED PRODUCTS LIST

6/23/2025 125

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
88-29-0966	MONITOR, PRIMARY, 37" DISPLAY KIT, ALL IN ONE - 37" LED BACKLIT LCD PANEL MEDIA PLAYER, SSD, ENCLOSURE CONFIGURATION AND ON BOARD SOFTWARE, DIGITAL INFORMATION SCREENS (DIS) SYSTEM	0	0	400	CLEVER DEVICES	141-300-0008
88-29-0967	MONITOR, SECONDARY, 37" DISPLAY, USED FOR THE DIGITAL INFORMATION			400	CLEVER DEVICES NEW FLYER CO.	4196 695062
88-33-0821	COMPUTER, INFOTAINMENT SERVER MS-700 INCL SW. USED WITH THE DIGITAL INFORMATION SCREENS (DIS)SYSTEM			400	VIANOVA TECHNOLOGIES	MS-700-NYCT-01
88-33-0822	MONITOR, 18.6" COLOR RAL 7035 DOUBLE DISPLAY MODULE, USED FOR THE DIGITAL INFORMATION SCREENS (DIS) SYSTEM			400	VIANOVA TECHNOLOGIES	IDM-18-D-AX-02
88-61-0610	ALTERNATOR REPAIR KIT	19	13	400	DELCO	10514967
91-43-4183	KIT, REAR DOOR CYLINDER	0	0	400	VAPOR CORP.	58220750
92-86-5493	KIT, ELEMENT, ORION SERIES 50 ENGINE, OIL SEPARATOR, CONSISTING OF 2 EACH, MINI COALESCENT ELEMENT AND 1 EACH, WATER FILTER ELEMENT	0	11	400	AIR & POWER TRANSMISSION	5094RK-KIT
92-88-8886	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM, CONTAINS: ONE INFOTAINMENT SERVER AND TWO 18.6" DOUBLE DISPLAY MODULES, COLOR RAL 7035			400	VIANOVA TECHNOLOGIES	VP-BUS-40-NYCT-01

QUALIFIED PRODUCTS LIST

6/23/2025 126

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
92-88-8888	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM, CONTAINS: ONE 37" PRIMARY MONITOR AND ONE 37" SECONDARY MONITOR			400	CLEVER DEVICES	
92-88-8890	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM, CONTAINS: ONE INFOTAINMENT SERVER AND FOUR 18.5" SCREENS FOR PREVOST BUSES			400	VIANOVA TECHNOLOGIES	141-311-0003
92-88-8892	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM CONTAINS: ONE INFOTAINMENT SERVER AND FOUR 20" SCREENS FOR PREVOST BUSES			400	CLEVER DEVICES	BUS-NY-COACH-01
92-88-8893	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM, CONTAINS: ONE 37" PRIMARY DISPLAY, ONE 37" SECONDARY DISPLAY AND ONE 29" SECONDARY DISPLAY FOR NEW FLYER AND NOVA ARTICULATED BUSES			400	CLEVER DEVICES	100-311-0023
92-88-8896	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM, CONTAINS: ONE INFOTAINMENT SERVER, TWO 18.5" DOUBLE SCREENS AND ONE 28.6" (32:9 STRETCH) SCREEN FOR NEW FLYER AND NOVA ARTICULATED BUSES			400	VIANOVA TECHNOLOGIES	100-311-0022
97-24-5016	LIFT, PORTABLE, HYDRAULIC, WHEEL			400	ROTARY LIFT CO.	BUS-NY-ARTIC-02 MCH418D100

QUALIFIED PRODUCTS LIST

6/23/2025 127

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	ENGAGING MOBILE BUS LIFT SYSTEM,				STERTIL KONI	ST-1085 RSA NYT2

Applied filters:ADJUSTED_BUYER is 400