

July 2026

MTA - NEW YORK CITY TRANSIT

3 Stone Street

New YORK, N.Y. 10004

BID RECEPTION DESK

<https://www.mta.info/doing-business-with-us/procurement/new-york-city-transit/qpl-item-listings>

THIS PACKAGE CONTAINS THE QUALIFIED PRODUCTS LIST (QPL) ITEMS FOR THE BELOW STATED PROCUREMENT UNIT WHICH INCLUDES THE NYCT STOCK NUMBER, ITEM DESCRIPTIONS, AND ESTIMATED USAGE.

**QUALIFIED PRODUCTS LIST
(QPL)**

Bus Parts

PROCUREMENT UNIT: 400

Bus Parts: Items including, but are not limited to, the following:

Brake lining, undercarriage, wheels, muffler & exhaust system, front & rear parts, steering & related parts, cooling & heating, system, fuel injection, transmission, windows & bus body parts.

QUALIFIED PRODUCT LIST

7/7/2026 1

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
15-44-0325	BRAKE SHOE, COMPOSITION WITH FLANGE, (VB 03-06)			400	NYCTA	2093-PROD-97 REV. E
15-79-0013	BRAKE SHOE, FLANGELESS, SHOE - 14 INCH COBRA			400	RAILROAD FRICTION NYCTA	COBRA V-224 2093-PROD-97 REV. E
18-42-5618	BRAKE SHOE, FLANGELESS, COMPOSITE, (VB			400	RAILROAD FRICTION WABTEC CORPORAT ION	V-847 V000847 2093-PROD-97 REV. E
33-05-1800	BATTERIES, LEAD ACID, SINGLE UNIT CELLS, 200			400	WABCO ENERSYS INC. NYCTA	V435 REV. E EA-5M 18J200, 11/25/15
36-06-3777	SHOE, BRAKE, COMPOSITION, LOW FRICTION, W/W675 MATERIAL FLANGED BACKING PLATE AND INSERTS, U/W LOCOMOTIVES			400	RAILROAD FRICTION	
43-20-6155	BEARING, .8750" X 1.8750" X 5.000",	500	60 400		FAFNIR WABCO	V577 S9-KDD 560667

QUALIFIED PRODUCT LIST

7/7/2026 2

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
59-10-0918	ADAPTER, FILL, FOR 2 1/2 LB FIRE EXTINGUISHER	0	0	400	AMEREX CORP.	1720
59-10-0920	ADAPTER, FILL, FOR 20 LB AND 10 LB FIRE EXTINGUISHER	0	0	400	AMEREX CORP.	2141
59-10-3205	CHAIN, NYLON FOR RING PIN, USED ON ALL SIZED FIRE EXTINGUISHERS	1224	1056	400	AMEREX CORP.	0532
59-10-6405	GAUGE, FOR 195 PSI, FOR USE WITH 2-1/2 LB AND 6 LB FIRE EXTINGUISHERS	0	0	400	AMEREX CORP.	3103
59-10-6407	GAUGE, FOR 195 PSI, FOR USE WITH 10 LB AND 20 LB FIRE EXTINGUISHERS	2000	150	400	AMEREX CORP.	03965
59-10-6982	HOSE AND ALUMINUM HORN ASSEMBLY, FOR USE WITH 10 LB FIRE EXTINGUISHER	0	0	400	AMEREX CORP.	5564

QUALIFIED PRODUCT LIST

7/7/2026 3

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
59-10-6984	HOSE AND HORN ASSEMBLY, FOR USE WITH 6 LB FIRE EXTINGUISHER	0	0	400	AMEREX CORP.	5248
59-10-6986	HOSE AND HORN ASSEMBLY, FOR USE WITH 20 LB FIRE EXTINGUISHER	0	0	400	AMEREX CORP.	3339
59-10-6987	HOSE AND HORN ASSEMBLY, FOR USE WITH 10 LB FIRE EXTINGUISHER	0	0	400	AMEREX CORP.	1178
59-10-7730	HANGER LOOP, WITH SCREW, USED ONLY FOR 20 LB FIRE EXTINGUISHER	0	0	400	AMEREX CORP.	15363
59-10-7805	NOZZLE, FOR 2- 1/2 LB FIRE EXTINGUISHER	0	0	400	AMEREX CORP.	1926
59-10-8550	O-RING, COLLAR, FOR 20 LB FIRE EXTINGUISHER	0	3000	400	AMEREX CORP.	5240

QUALIFIED PRODUCT LIST

7/7/2026 4

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
59-10-8660	O-RING, HOSE GASKET, USED ONLY WITH 20 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	6978
59-10-8820	VALVE STEM O- RING, FOR USE WITH 2-1/2 LB FIR EXTINGUISHER	0	0 400		AMEREX CORP.	5235
59-10-8824	HOSE GASKET O RING, USED ONLY WITH 6 LB FIRE EXTINGUISHERS	0	0 400		AMEREX CORP.	1532
59-10-8920	DOWNTUBE AND RETAINER ASSEMBLY, FOR USE WITH 2-1/2 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	1075
59-10-8936	O-RING, COLLAR, FOR 2-1/2 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	5241
59-10-8987	DOWNTUBE AND RETAINER ASSEMBLY, USED ONLY WITH THE 20 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	1667

QUALIFIED PRODUCT LIST

7/7/2026 5

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
59-10-8988	DOWNTUBE AND ALUMINUM RETAINER ASSEMBLY FOR USE WITH 10KB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	1519
59-10-8989	DOWNTUBE AND RETAINER ASSEMBLY, USED ONLY WITH THE 6 LB FIRE EXTINGUISHER	0	0 400		AMEREX CORP.	
59-10-9065	LOCK WIRE SEAL, TO BE USED ON ALL SIZE FIRE EXTINGUISHERS	10418	6080 400		AMEREX AMEREX CORP. E.J. BROOKS NEW FLYER CO.	3397 01387 1387 630000-6 6337595
59-10-9310	SPRING, FOR 2- 1/2 LB FIRE EXTINGUISHER	0	0 400		NOVA BUS INC. AMEREX CORP.	19504570 1074
59-10-9312	SPRING, FOR 20 LB AND 10 LB FIRE EXTINGUISHERS	0	0 400		AMEREX CORP.	0383

QUALIFIED PRODUCT LIST

7/7/2026 6

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
59-10-9540	STRAP AND HOSE CLIP ASSEMBLY, FOR 6 LB FIRE EXTINGUISHER	0	0	400	AMEREX CORP.	15747
59-10-9550	CLIP, STRAP AND HOSE, USED ONLY FOR THE 20 LB FIRE EXTINGUISHERS	3	205	400	AMEREX CORP.	14778
59-10-9705	VALVE STEM ASSEMBLY, FOR USE WITH 2-1/2 LB FIRE EXTINGUISHER	0	0	400	AMEREX CORP.	6092
59-10-9707	VALVE ASSEMBLY, FOR USE WITH 2-1/2 LB AND 6 B FIRE EXTINGUISHES ONLY	0	0	400	AMEREX CORP.	11823
59-10-9709	VALVE STEM ASSEMBLY, FOR USE WITH 10 LB AND 20 LB FIRE EXTINGUISHERS ONLY	0	0	400	AMEREX CORP.	6093

QUALIFIED PRODUCT LIST

7/7/2026 7

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
59-10-9711	VALVE ASSEMBLY, FOR USE WITH 10 LB AND 20 LB FIRE EXTINGUISHERS	0	0 400		AMEREX CORP.	
59-50-2705	MAT, RUBBER, INSULATING, 36" WIDE X 22' LONG, WITH A TOLERANCE IN LENGTH OF (-0 INCHES TO + 24 INCHES), TO BE MANUFACTURED IN ACCORDANCE WITH NYCT STANDARD	1800	0 400		BILTRITE RIPLEY OPERATIO N NYCTA	11952 6123-75-22 SECTION 31, 2/11/15
69-02-2500	OIL, KEROSENE, REFINED PETROLEUM DISTILLATE, UNDYED. TO BE A HOMOGENEOUS MIXTURE OF HYDROCARBONS , TO BE FREE FROM WATER, INORGANIC ACIDIC AND		400		RAVASCO TRANSMIS SION PACKING PVT LTD DAVID WEBER OIL CO. NYCTA	T1C2 US-NYCT ULTRA LOW SULFUR KEROSENE CCSS-003 REV E 9/11/17 RESTR SUB
69-05-0660	GRAPHITE, FLAKED; BULK DRY; 85% TO 95%	0	0 400		SPRAGUE ASBURY GRAPHITE	CCSS-001, REV I, 3-9-11, LABEL KEROSENE (UNDYED) NAT FLAKE GRAPHITE:99+C ARBN 3243

QUALIFIED PRODUCT LIST

7/7/2026 8

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-05-0700	OF FLAKES CAN PASS THROUGH A 200 MESH SCREEN; PACKAGED IN 25- LB PAILS; CERTIFICATE OF LUBRICANT,	114	64 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	GRAPHITE IN AEROSOL 16-OZ. CANS(9 OZ NET WEIGHT), 12 CANS PER CASE; FOR OUTSIDE MIRROR JOINTS & BRAKE SHOE ROLLERS & LUBRICANT, FOR				MIRACLE POWER PROD	CCSS-001, REV I, 3-9-11, LABEL DGF 123
	ROLLER DRIVE AND CONVEYOR CHAINS, AEROSOL, 12 OZ. NET WEIGHT IN A 16 OUNCE CAN. MINERAL OIL BASED; USED TO LUBRICATE COMPOUND,				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-05-0702	LAPPING, 320 GRIT, SILICON CARBIDE, GREASE MIX, ONE POUND CAN.	20	0 400		CRC INDUSTRIE S, INC.	CCSS-001, REV I, 3-9-11, LABEL FOOD GRADE CHAIN LUBE 03055
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-05-0705		34	5 400		HENKEL CORPORAT ION	CCSS-001, REV I, 3-9-11, LABEL CLOVER SILICON CARBIDE 39510
					NYCTA	NYCTA MARKING CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 9

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-10-1725	GREASE, ELECTRIC MOTOR BEARING, NLGI # 2 GRADE, HIGH TEMPERATURE, LITHIUM COMPLEX BASED, MINIMUM FLASHPOINT TO	18	9 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL UNIREX N2 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-1735	GREASE, ELECTRIC MOTOR BEARING, NLGI #2 GRADE, HIGH TEMPERATURE, LITHIUM COMPLEX BASED, MINIMUM FLASHPOINT TO	833	467 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL UNIREX N2 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-1857	GREASE, ASSEMBLY, BARIUM COMPLEX THICKENED; WORKED PENETRATION TO BE 245-275 MM/10; MINIMUM DROPPING POINT	0	0 400		KLUBER LUBRICATI ON NA LP NYCTA	CCSS-001, REV I, 3-9-11, LABEL STABURAGS NBU 30 PTM CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 10

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-10-1915	GREASE, FOR BEARINGS; 14.5 OZ. CARTRIDGES. USED FOR LUBRICATING TURNTABLE BEARINGS AND PBM SWIVEL JOINT ON STINGRAY	40	0 400		LUBRIPLAT E LUBRICANT S CO. NYCTA	LUBRIPLATE NO 1444 #L0227- 098 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-10-2403	GREASE, EXTREME PRESSURE, MULTI-PURPOSE, LITHIUM BASED; FOR BEARINGS; MUST HAVE #2 NLGI CONSISTENCY GRADE, PENETRATION	109	132 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-10-3130	GREASE, SILICONE, FOR MASKING ELECTRIC MOTORS PRIOR TO APPLYING VARNISH; MUST MEET THE REQUIREMENTS OF COMMERCIAL ITEM	120	0 400		PHILLIPS 66 LUBRICANT S COMMERCIAL ITEM NYCTA	DYNALIFE 220 #2 A-A-59173-II CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-10-3137	DESCRIPTION A- GREASE, BEARING,		400		SYNCO CHEMICAL DDP DUPONT	SYNCOSIL SILICONE GREASE MOLYKOTE BG- 20

QUALIFIED PRODUCT LIST

7/7/2026 11

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-10-3140	SYNTHETIC; LITHIUM THICKENED, POLYESTER BASED; CONTAINS OXIDATION GREASE, DI-	0	12 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	ELECTRIC, NON- CURING SILICONE, FOR USE IN SEALING, LUBRICATING, PROTECTING AND INSULATING ELECTRICAL CONNECTORS				CRC INDUSTRIE S, INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL DI-ELECTRIC GREASE (03082) CCSS-003 REV E 9/11/17 RESTR SUB
	GREASE, HIGH GRADE, SOAP BASE, THICKENED, RUST AND OXIDATION INHIBITOR TYPE GREASE. FOR LUBRICATING JOURNAL BEARINGS ON R10- TO R62 CARS, IN 120 LB NON-					CCSS-001, REV I, 3-9-11, LABEL
69-10-3161	GREASE, HIGH GRADE, SOAP BASE, THICKENED, RUST AND OXIDATION INHIBITOR TYPE GREASE. FOR LUBRICATING JOURNAL BEARINGS ON R10- TO R62 CARS, IN 120 LB NON-	6360	2160 400		ASSOC. OF AMERICAN RAILROAD EXXON MOBIL CORP. NYCTA	M-942-88 ARAPEN RB 320 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-3163	GREASE, EXTREME PRESSURE, (RAIL -----		400		DAVID WEBER OIL CO.	CCSS-001, REV I, 3-9-11, LABEL CURVEGARD O

QUALIFIED PRODUCT LIST

7/7/2026 12

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-10-3165	CURVE) NLGI				NYCTA	CCSS-003 REV
	GRADE O. TO BE					E 9/11/17
	MANUFACTURED					RESTR SUB
	IN ACCORDANCE					
69-10-3165	WITH NYCTA					CCSS-001, REV
	SPECIFICATIONS					I, 3-9-11, LABEL
	SECTION 48				SUMMIT	ABBALUBE
	TRACK AND				LUBRICANT	NYC#5 RAIL
69-10-3165	STRUCTURES				S	CURVE
	MATERIALS WITH					GREASE
	THE VARIABILITY				NYCTA	CCSS-003 REV
	GREASE, WHEEL	0	0 400			E 9/11/17
69-10-3165	FLANGE & R142A					RESTR SUB
	BRAKE HANGER;					
	LITHIUM SOAP					CCSS-001, REV
	THICKENED;					I, 3-9-11, LABEL
69-10-3200	CONTAINS EP				SOPUS	SHEL GADUSRAI
	ADDITIVES AND				PRODUCTS	LS2
	MOLYBDENUM					WHEELFLANGG
	DISULFIDE; NLGI					RESE0
69-10-3200	GRADE O;				ESSO	
	WORKED				IMPERIAL	
	GREASE,	2	0 400		OIL	EPIC EP 102
	RAILCAR BRAKE				EXXON	
69-10-3200	CYLINDER, NLGI				MOBIL	
	GRADE #1.5;				CORP.	EPIC EP 102
	BASE OIL IS A				NYCTA	CCSS-003 REV
	BLEND OF					E 9/11/17
69-10-3200	MINERAL OIL AND					RESTR SUB
	SYNTHETIC					
	HYDROCARBON					CCSS-001, REV
	FLUID WITH					I, 3-9-11, LABEL
69-10-3200	LITHIUM					
	COMPLEX					
	THICKENER:					

QUALIFIED PRODUCT LIST

7/7/2026 13

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-10-3202	GREASE, RAILCAR BRAKE CYLINDER, NLGI GRADE # 1.5; BASE OIL IS A BLEND OF MINERAL OIL AND SYNTHETIC HYDROCARBON FLUID WITH			400	EXXON MOBIL CORP. NYCTA	EPIC EP 102 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-10-3400	GREASE, LITHIUM BASED, EP-2, WITH MOLYBDENUM DISULFIDE; TO HAVE A WORKED(X60 STROKES) PENETRATION OF 265 TO 295 MM/10; TO HAVE A MINIMUM 4- BALL WELD POINT AS			400	CITGO EXXON MOBIL CORP. NYCTA	MYSTIK LITHOPLEX MULTIPURPOS E #2 "MOBILGREASE XHP 222 SPECIAL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-10-3402	GREASE, LITHIUM BASED, EP-2, WITH MOLYBDENUM DISULFIDE; TO HAVE A WORKED (X60) STROKES)PENET RATION OF 265 TO 295 MM/10; TO HAVE A MINIMI IM			400	CITGO EXXON MOBIL CORP. NYCTA	MYSTIK LITHOPLEX MULTIPURPOS E #2 GREASE XHP222 SPECIAL CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 14

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-10-3405	4-BALL WELD POINT AS MEASURED VIA GREASE, MULTIPURPOSE, LITHIUM BASED, EXTREME PRESSURE, NLGI #2; FOR BEARINGS, GEARS, COUPLINGS, AND HEAVY DUTY APPLICATIONS; HAS GOOD GREASE, LITHIUM BASED, EP-1; TO HAVE AN UNWORKED PENETRATION OF 310 TO 340 AS MEASURED VIA ASTM D217, TO HAVE A WORKED (60X) GREASE, WHITE LITHIUM BASED, AEROSOL, MULTIPURPOSE; MUST HAVE #2 NLGI CONSISTENCY GRADE; DROPPING POINT 370-390	21840	8760 400		CHEVRON EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL CHEVRON MULTIFAK EP2 MOBILUX EP 2 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-10-3406		402	215 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBILUX EP-1 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-3986		0	0 400		ITW PERMATEX NYCTA	CCSS-001, REV I, 3-9-11, LABEL WHITE LITHIUM GREASE 81981 CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 15

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-10-4785	GREASE, E/M KRONAPLATE, ALL-SEASON, IN TWO (2) GALLON CANS	0	0 400		CADILLAC OIL COMPANY LONE STAR LUBRICANT S	RLI-100AW LS-333R CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-10-4855	GREASE, LUBRIPLATE NO. 5555, PETROLEUM LUBRICATING GREASE. SEMI- FLUID, MILD EXTREME PRESSURE, WATER REPELLENT LUBRICANT,	471	168 400		LUBRIPLAT E LUBRICANT S CO. NYCTA	L0109-007 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-10-4955	GREASE, EXTREME PRESSURE FORMULATED #2, LITHIUM-BASED, PACKAGED IN 14 OZ/397 GRAM CARTRIDGES, USED ON	748	385 400		EXXON MOBIL CORP. NYCTA	MOBILUX EP2 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 16

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-10-5060	GREASE, LUBRICANT, POLGLYCOL BASE OIL, LITHIUM- COMPLEX, NLGI #2, FOR NEW FLYER XCELSIOR MAN KING PIN LUBRICATION	0	0	400	FUCHS LUBRICANT S NYCTA	RENOLITH LX- OTP 2 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001 REV I, 3-9-11, LABEL
69-10-5061	GREASE, LUBRICANT, POLYGLYCOL BASE OIL LITHIUM- COMPLEX, NLGI #2, FOR NEW FLYER XCELSIOR MAN KING PIN LUBRICATION			400	FUCHS LUBRICANT S NYCTA	RENOLIT LX- OTP2 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-10-5063	GREASE, LUBRICANT, POLYGLYCOL BASE OIL, LITHIUM- COMPLEX, NLGI #2, FOR NEW FLYER XCELSIOR MAN KINGPIN LUBRICATION	-117	-297	400	FUCHS LUBRICANT S NYCTA	RENOLIT LX- OTP2 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-10-5167	GREASE, HIGH TEMPERATURE BALL & ROLLER BEARING; NLGI #2; POLYUREA BASED (0.100%)	50	70	400	CHEVRON NYCTA	BLACK PEARL SRI 2 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 17

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-10-5195	BASED (6-10%) TO HAVE A WORKED (X60) PENETRATION GREASE, SYNTHETIC BASE OIL; FOR LUBRICATING R32 THROUGH R68A DOOR SYSTEMS; PACKAGED IN 35 LB. CONTAINERS; MUST MEET ALL REQUIREMENTS GREASE, SYNTHETIC BASE; FOR LUBRICATING R142, R142A, & R143 DOOR OPERATOR SCREW DRIVES ONLY. HAS FLUID, CUTTING, METALWORKING FLUID CONCENTRATE (FOR BRIDGEPORT MILLING MACHINES), CONTAINS A OIL, STEAM CYLINDER AND WORM GEAR; AGMA STANDARD 3344-2001	980	560 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBILTEMP SHC 32 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 7127-FACIL-00 CCSS-003 REV E 9/11/17 RESTR SUB
69-10-5196		140	30 400		NYCTA	
69-12-0105		0	0 400		SYNTECH LTD. MILACRON CO NYCTA	CCSS-001, REV I, 3-9-11, LABEL NS-3844-TG CIMSTAR 60XL CCSS-003 REV E 9/11/17 RESTR SUB
69-12-0675		0	0 400		ANSI CHEVRON PRODUCT COMPANY	CCSS-001, REV I, 3-9-11, LABEL 9005-D94 CYLINDER OIL W ISO 460

QUALIFIED PRODUCT LIST

7/7/2026 18

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-0677	9005-D94, LUBRICANT NO 7,7 COMP.(COMPOU NDED WITH ACIDLESS TALL OIL OIL, WORM GEAR + CYLINDER; TO HAVE A VISCOSITY RANGE OF 125 TO 150 SUS @ 210 DEGREES F; TO HAVE A VISCOSITY OF 380 CST +/- 10%	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					EXXON MOBIL CORP. NYCTA	MOBIL 600 W CYLINDER OIL CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1025	FLUID, CUTTING, COOLANT, METAL WORKING FLUID, SYNTHETIC, WATER SOLUBLE. USED IN CUTTING, FORMING AND GRINDING OPERATIONS	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					SENTINEL LUBRICANT S CORP.	CF51 MWF 13260
69-12-1050	OIL, CUTTING, SULFURIZED, LIGHT GRADE, MUST MEET REQUIREMENTS UNDER NYC 30-C- 1:67 SPECIFICATION FOR CUTTING OIL TYPE III.	0	4 400		CASTOLEU M CORP. NYC SPEC NYCTA	TRIZOL #2080 30-C-1:67 CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 19

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1185	PACKAGED IN OIL, SAE GRADE 10W-30; USED TO LUBRICATE FORKLIFTS, CRANE CAR DIESEL ENGINES (DEUTZ "913" ENGINES) AND VARIOUS OTHER EQUIPMENT; VISCOSITY @ 100	90	20 400		EXXON MOBIL CORP.	"NU-CLEAR" MOBIL DELVAC 1300 SUPER 10W-30
69-12-1410	OIL, GEAR CASE, SAE GRADE 80W- 90; FOR RAILCAR TRACTION MOTOR GEAR CASES; MAXIMUM POUR POINT TO BE -10 DEGREES F; VISCOSITY @ 100 DEGREES C TO BE 13.5 TO 24.0 CST; MINIMUM FLASH POINT TO BE 329 DEGREES F; MAXIMUM CHANNELING POINT VIA	192840	125400 400		NYCTA CHEVRON CITGO EXXON MOBIL CORP. NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL DELO EP-5 80W- 90 PREMIUM GEAR OIL MP 80W-90 MOBILUBE HD PLUS 80 W 90 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-12-1414	OIL, HYDRAULIC, ISO 46, ZINC FREE		400		PHILLIPS 66 LUBRICANT S CHEVRON	MP GEAR LUBE SAE 80W-90 CLARITY HYDAULIC OIL AW ISO 46

QUALIFIED PRODUCT LIST

7/7/2026 20

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1416	FORMULATION. FOR USE IN R162 ONE-TON CRANE CARS. SUPPLIED IN 55-GALLON DRUM.				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	VISCOSITY @ 12-50 OIL, GEAR CASE, SYNTHETIC, SAE GRADE 75W-90; FOR USE IN R255 LOCOMOTIVE GEAR CASES; MAXIMUM POUR POINT TO BE -40 DEGREES C; VISCOSITY @ 100 DEGREES C TO			400	EXXON MOBIL CORP.	CCSS-001, REV I, 3-9-11, LABEL MOBIL DELVAC 1 GEAR OIL 75W-90
	AND SPINDLE; PROVIDES OXIDATION RESISTANCE AND RUST/CORROSIO N PREVENTION; MINIMUM FLASH POINT TO BE 350				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1481	OIL, AIR TOOL AND SPINDLE; PROVIDES OXIDATION RESISTANCE AND RUST/CORROSIO N PREVENTION; MINIMUM FLASH POINT TO BE 350	26	11 400		EXXON MOBIL CORP.	CCSS-001, REV I, 3-9-11, LABEL MOBIL VELOCITE OIL NO. 6
69-12-1491	OIL, HEAVY HYDRAULIC, ISO GRADE 150; USED IN AXLE LATHE AND RAILCAR WHEEL BORER HYDRAULIC	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					CHEVRON	CCSS-001, REV I, 3-9-11 LABEL
					CITGO	REGAL R&O 150 PACEMAKER 150
					EXXON MOBIL CORP.	TERESSTIC 150

QUALIFIED PRODUCT LIST

7/7/2026 21

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1492	HYDRAULIC SYSTEMS; API GRAVITY TO BE 26.8 TO 30; VISCOSITY @ 40 DEGREES C TO BE 135 TO 165 OIL, WAY, ISO GRADE 68, USED FOR LUBRICATION OF THE HORIZONTAL & VERTICAL RAM, TABLE MAIN SHAFT OF CAR WHEEL BORER MACHINES; API OIL, HYDRAULIC, ISO GRADE 46, ANTI-WEAR, PROVIDES PROTECTION AGAINST RUST AND OXIDATION; CONTAINS ZINC; API GRAVITY @ 60 DEGREES F TO BE 28 TO 34; VISCOSITY @ 40 DEGREES C TO BE 41.4 TO 50.6 CST; MINIMUM VISCOSITY INDEX	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					EXXON MOBIL CORP.	MOBIL VACTRA OIL #2
69-12-1493		440	110 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					CHEVRON	CHEVRON RANDO HD 46
					EXXON MOBIL CORP.	NUTO H-46 MOBIL DTE 25 ULTRA
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					PHILLIPS 66 LUBRICANTS	MEGAFLOW AW HYDRAULIC OIL 46

QUALIFIED PRODUCT LIST

7/7/2026 22

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	TO BE				TOTAL	
					SPECIALT	
					ES USA INC	
69-12-1494	OIL, HEAVY-MEDIUM HYDRAULIC, ISO GRADE 68, ANTI-WEAR, ZINC CONTENT 225-750 PPM; USED IN HYDRAULIC SYSTEMS OF VARIOUS PIECES OF EQUIPMENT; API GRAVITY TO BE 27.5 TO 33; VISCOSITY @ 40 DEGREES C TO BE 61.2 TO 74.8 CST;	55	220 400		CHEVRON/TEXACO	EQUIVIS ZS 46 CHEVRON RANDO HD 68 CHEVRON HYDRAULIC OIL AW ISO 68 D A LUBRICANTS PRESURFLO 68 NUTO H 68 MOBIL DTE 26 ULTRA GULF HARMONY AW HYD 68 NYCTA CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11 LABEL
69-12-1495	OIL, HYDRAULIC, ISO GRADE 32; FOR VOITH L2R4 TRANSMISSION ON VAKTRAK VACUUM TRAIN AND VARIOUS PIECES OF SHOP EQUIPMENT; API GRAVITY TO BE	0	0 400		EXXON MOBIL CORP. NYCTA	MOBIL DTE 24 ULTRA CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 23

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1496	OIL, HYDRAULIC, ISO GRADE 32, PACKAGED IN 55 GALLON DRUMS. MUST CONTAIN A VISCOSITY INDEX IMPROVER COPOLYMER ADDITIVE TO GIVE A HIGH VISCOSITY INDEX WITHOUT EXCESSIVE LOSS			400	CHEVRON PRODUCT COMPANY EXXON MOBIL CORP. NYCTA	RANDO HDZ 32 UNIVIS N32 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11 LABEL
69-12-1497	OIL, HYDRAULIC, ISO GRADE 22 PARAFFINIC BASED; USED TO LUBRICATE SEFAC "M225BF" HYDRAULIC JACK SYSTEMS; VISCOSITY @ 40 DEGREES C TO	0	0 400		EXXON MOBIL CORP. NYCTA	DTE 10 EXCEL 22 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-12-1501	OIL, HYDRAULIC, BIODEGRADABLE , FOR USE ON TAMPERS. FOR HYDRAULIC SYSTEMS OPERATING WITH OIL TEMPERATURES IN THE RANGE	0	0 400		EXXON MOBIL CORP. NYCTA	MOBIL EAL224H CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-12-1514	OIL, HYDRAULIC ELEVATOR, ISO 32, PETROLEUM -----	2395	540 400		EXXON MOBIL CORP.	583195- 00/NUTO H 32

QUALIFIED PRODUCT LIST

7/7/2026 24

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1519	BASED, TO BE SHIPPED IN RESEALABLE 5 GALLON PAILS; USED ON HYDRAULIC ELEVATORS OIL, HYDRAULIC, ISO 100 GRADE, ANTI-WEAR, ASHLESS (ZINC-FREE); FOR NILFISK/ALTO/KEW 5003 V STEAM CLEANER/ PRESSURE WASHER & OIL, FOR VACUUM PUMPS IN ROBINAIR 178002K/178012K REFRIGERANT RECOVERY MACHINES; VISCOSITY @ 40 DEGREES C TO BE 27.9 TO 34.3 CST; VISCOSITY @ 100 DEGREES C TO BE 4.5 TO 6.0; AEROSOL LUBRICANT, POLYDIMETHYLSILOXANE SILICONE-BASED, IN 9-16 OZ CANS. 2% SILICONE BY	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					CHEVRON	CCSS-001, REV I, 3-9-11, LABEL CLARITY HYDRAULIC OIL AW 100
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1521	OIL, FOR VACUUM PUMPS IN ROBINAIR 178002K/178012K REFRIGERANT RECOVERY MACHINES; VISCOSITY @ 40 DEGREES C TO BE 27.9 TO 34.3 CST; VISCOSITY @ 100 DEGREES C TO BE 4.5 TO 6.0; AEROSOL LUBRICANT, POLYDIMETHYLSILOXANE SILICONE-BASED, IN 9-16 OZ CANS. 2% SILICONE BY	9	2 400		LUBRICATING TECHNOLOGIES	CCSS-001, REV I, 3-9-11, LABEL ROBINAIR PREMIUMHI VACUUMPUMP OIL
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1524	OIL, FOR VACUUM PUMPS IN ROBINAIR 178002K/178012K REFRIGERANT RECOVERY MACHINES; VISCOSITY @ 40 DEGREES C TO BE 27.9 TO 34.3 CST; VISCOSITY @ 100 DEGREES C TO BE 4.5 TO 6.0; AEROSOL LUBRICANT, POLYDIMETHYLSILOXANE SILICONE-BASED, IN 9-16 OZ CANS. 2% SILICONE BY	4434	2620 400		OLYMPIC	CCSS-001, REV I, 3-9-11, LABEL VACUUM PUMP OIL
					ASTM	D3539 D1640
					CASTOLEUM CORP.	TRIZOL SILICONE SPRAY LUBRICANT

QUALIFIED PRODUCT LIST

7/7/2026 25

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	3% SILICONE BY WEIGHT MIN; VOC BY WEIGHT 60% MAX; KINEMATIC VISCOSITY(D-445)200-400 CST@40 DEG. C; POUR POINT(D97)-40 DEG. F MAX.				NY STATE DEPT OF ENVIRON CONS. NYCTA	PART 235-3 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL STATE CHEMICAL SPW (SPECIAL PURPOSE WAX 43040)
69-12-1526	LUBRICANT, PENETRANT, RUST PREVENTIVE, MOISTURE DISPLACER AND CLEANER, AEROSOL, USED FOR FREEING AND LUBRICATING RUSTED PARTS	30474	14799 400		CRC INDUSTRIE S, INC. NYCTA	#3005 AEROSOL 336 MULTI-PURP CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-12-1527	LUBRICANT, SILICONE, AEROSOL; 16 OZ. CAN (NET WEIGHT 10 OZ.). COMES WITH MOVABLE PLASTIC STRAW APPLICATOR PERMANENTI V	2693	1527 400		WD-40 COMPANY CRC INDUSTRIE S, INC. NYCTA	WD-40 11 OZ CAN FOOD GRADE SILICONE 03040 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 26

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1532	OIL, FOR VACUUM PUMPS IN ROBINAIR 178002K/178012K REFRIGERANT RECOVERY MACHINES; VISCOSITY @ 40 DEGREES C TO BE 27.9 TO 34.3 CST; VISCOSITY @ 100 DEGREES C TO BE 4.5 TO	209	165	400	LUBRICATI ON TECHNOLO GIES NYCTA	ROBINAIR PREMIUMHI VACUUMPUMP OIL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL VACUUM PUMP OIL
69-12-1534	OIL, COMPRESSOR, HIGHLY REFINED, WAX AND WATER FREE, NAPHTHENIC MINERAL OIL BLEND, USED FOR	60	41	400	CHEVRON PRODUCT COMPANY NYCTA	CAPELLA WF 68 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-12-1537	LUBRICATION IN OIL, FOR LUBRICATING RAIL CAR AIR CONDITIONER COMPRESSORS; ISO VISCOSITY. GRADE 32; MUST BE COMPATIBLE WITH R-22 REGRIGERANT. PACKAGED IN ONE (1) GALLON	4	0	400	CHEVRON PRODUCT COMPANY NYCTA NYCTA/MA BSTOA	CAPELLA WF 32 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 7090-FACIL-99

QUALIFIED PRODUCT LIST

7/7/2026 27

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1546	CANS, SIX CANS TO A CASE OIL, SEMI- SYNTHETIC, MECHANICAL PUMP FLUID. FOR USE IN VACUUM PUMP THAT IS USED TO EVACUATE MOISTURE FROM RAILCAR A/C SYSTEM	0	0 400		SONNEBO RN, LLC CAMBRIDG E MILL PRODUCTS	SUNISO 3GS CMP19 ULTRA HT
69-12-1548	LUBRICANT, PENETRANT, RUST PREVENTATIVE, MOISTURE DISPLACER AND CLEANER, AEROSOL 2.75 OZ.(NET FILL) CAN USED FOR OIL,	40669	21098 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-12-1576	COMPRESSOR, DIESTER BASED, ISO 68 GRADE, FOR ROTARY SCREW TYPE COMPRESSORS; MINIMUM FLASH POINT TO BE 235 DEGREES C; VISCOSITY @ 40 DEGREES C TO		400		WD-40 COMPANY NYCTA SUMMIT INDUSTRIA L PRODUCTS INC	WD-40 (2.75-OZ CAN) #49035 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL DSL68

QUALIFIED PRODUCT LIST

7/7/2026 28

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1577	OIL, SYNTHETIC DIESTER COMPRESSOR OIL, SAE 20W40, FOR INGERSOLL- RAND RECIPROCATING AIR COMPRESSORS (MODELS "242- 50" "25T2" "5HF"	0	0 400		INGERSOL L-RAND	ALL SEASON T30 SELECT(384367 21)
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1578	OIL, COMPRESSOR, MINERAL BASED, ISO VISCOSITY GRADE 100 (VISCOSITY TO BE 90 TO 110 CST @40 DEGREES C); MUST PASS	0	0 400		CHEVRON	CCSS-001, REV I, 3-9-11, LABEL REGAL R&O ISO 100
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1585	OIL, DIESTER BASED, FOR RECIPROCATING TYPE AIR COMPRESSORS(I NGERSOLL-RAND "XLE"); ISO GRADE 100; VISCOSITY @ 40 DEGREES C TO BE 90-110 CST; VISCOSITY @ 100 DEGREES C TO BE 9.4 TO 14;	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
					SUMMIT INDUSTRIA L PRODUCTS INC	CCSS-001, REV I, 3-9-11, LABEL DSL100
					ULTRACHE M INC.	CHEMLUBE 501

QUALIFIED PRODUCT LIST

7/7/2026 29

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1615	OIL, SYNTHETIC COMPRESSOR, FOR USE IN ATLAS COPCO GA55 ROTARY SCREW TYPE AIR COMPRESSORS, IN 5 GALLON CONTAINERS. SYNTHETIC BASED	32	55	400	ATLAS COPCO AIRPOWER	ROTO EXTENDED DUTY FLUID
69-12-1630	OIL, COMPRESSOR, SYNTHETIC, ALKYLBENZENE, USED FOR LUBRICATION, IN REFRIGERATION AND RAILCAR AIR CONDITIONING SYSTEMS. SUBSTITUTE FOR			400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
						CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001 REV I, 3-9-11, LABEL
					SHRIEVE CHEMICAL PRODUCTS	
69-12-1705	OIL, PARAFFINIC BASED FOR RECIPROCATING COMPRESSORS, ISO GRADE 68; CONTAINS RUST AND OXIDATION INHIBITORS; VISCOSITY @ 40 DEGREES C TO BE 61-75; MINIMUM	8141	3795	400	CHEVRON PRODUCT COMPANY CITGO EXXON MOBIL CORP. NYCTA	ZEROL 300 REGAL R&O 68 PACEMAKER T68 TERRESTIC 68 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 30

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1708	VISCOSITY INDEX TO BE 90; MINIMUM FLASH POINT TO BE 395 DEGREES OIL, FOR USE IN SOME SIMMONS WHEEL TRUING MACHINE BEARINGS AND GEARS; TO HAVE A VISCOSITY RANGE OF 400 TO 600 SUS @ 100 DEGREES F. OIL, FOR CAR WASHER PUMPS, PARAFINIC BASED; ISO VISCOSITY GRADE 46 (VISCOSITY 41.4 TO 50.6 @ 40 DEGREES CY-TIME TO 3 MI OIL, GEAR, AGMA #6EP, ISO VISCOSITY GRADE 320 (VISCOSITY OF 288 TO 352 CST @ 40 DEGREES F.)	0	0 400		PHILLIPS 66 LUBRICANT S EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MULTIPURPOS E R&O OIL 68 MOBIL DTE OIL HEAVY CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1709		0	0 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL DTE OIL MEDIUM CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1753		0	0 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBIL GEAR 600 XP 320 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 31

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1755	@ 40 DEGREES C); PARAFINIC BASED; API GRAVITY TO BE OIL, GEAR, ISO GRADE 220. FOR GEAR BOXES ON WHEEL TRUING MACHINES AND OTHER EQUIPMENT OPERATING UNDER HEAVY OR SHOCK	494	114 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBILGEAR 600XP 220 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1770	OIL, GEAR, ISO GRADE 100. FOR GEAR BOXES ON SIMMONS WHEEL TRUING MACHINES, (NOT INCLUDING #54 SERIES).	0	0 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBILGEAR 600 XP 100 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1772	EXTREME PRESSURE (3 OIL, GEAR, #4 EP; ISO VISCOSITY GRADE 150 (VISCOSITY OF 135 TO 165 CST @ 40 DEGREES C); API GRAVITY TO BE	0	0 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBIL GEAR 600 XP 150 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-1811	APPROXIMATELY OIL, SYNTHETIC, LUBRICATING,	725	300 400		MOBIL OIL CO	CCSS-001, REV I, 3-9-11, LABEL SHC632

QUALIFIED PRODUCT LIST

7/7/2026 32

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1815	ISO320, USED ON ESCALATOR EXTERNAL GEARBOXES. TO BE SUPPLIED IN 5 GALLON PLASTIC DANS ACTM	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	OIL, SYNTHETIC, DIESTER BASED COMPRESSOR; ISO GRADE 68; OXIDATION RESISTANT, FOR USE IN RECIPROCATING COMPRESSORS & OTHER APPLICATIONS; VISCOSITY @ 100 DEGREE C TO BE				CHEVRON	CCSS-001, REV I, 3-9-11, LABEL CETUS DE ISO 68
	OIL, LIGHT MACHINE, PARAFFINIC BASED, ISO VISCOSITY GRADE 32, TO CONTAIN RUST AND OXIDATION INHIBITORS, MUST BE				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	OIL, SYNTHETIC POLYOLESTER, FOR ROBINAIRCOMPR ESSORS IN REFRIGERANT/R ECOVEDY UNITS					CCSS-001, REV I, 3-9-11, LABEL
69-12-1822		10	0 400		PHILLIPS 66 LUBRICANT S	CCSS-001, REV I, 3-9-11, LABEL SYNDUSTRIAL R&O OIL 68
					CHEVRON PRODUCT COMPANY	REGAL R&O 32
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
69-12-1828		0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 33

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-1855	RECOVERY UNITS, MODELS 170002K/170012K. OIL, COMPRESSOR, PAO(POLYALPHA OLEFIN) BASED; ISO GRADE 46; FOR USE ON R156 LOCOMOTIVE AIR COMPRESSORS; VISCOSITY @ 40 DEGREES C TO BE 41.4 TO 50.6 CST; MINIMUM VISCOSITY INDEX TO BE 127; OIL, LUBRICANT, SYNTHETIC, METALLIC ENGINE/CRANKCA SE OIL. ENGINEERED TO PERFORM SATISFACTORILY FOR 40,000 MILES OR LUBRICANT, SYNTHETIC POLYOL ESTER, FOR USE IN REFRIGERATION AND AIR CONDITIONING COMPRESSORS USING REC	55	55 400		ULTRACHE M INC. NYCTA	RPOE22 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-12-1877		0	0 400		SENTINEL LUBRICANT S CORP. SUMMIT INDUSTRIA L PRODUCTS INC NYCTA	SC0-10/20 SH-46 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-12-1920		0	0 400		SENTINEL LUBRICANT S CORP. LUBRIZOL CPI ENGINEERI NG SERVICES NYCTA	SENTINEL'S SUPER 5W40 LE EMKARATE RL 68H CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 34

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-2172	REFRIGERANTS; VISCOSITY @ 40 OIL, DIESEL ENGINE, SAE 10W-30 GRADE; SYNTHETIC BASED; MUST MEET API CJ-4 SERVICE CATEGORY; KINEMATIC VISCOSITY @ 100 DEGREES C TO OIL, ENGINE, SAE GRADE 30; USED FOR 100-HOUR BREAK IN FOR KNORR AIR COMPRESSORS; VISCOSITY @ 100 DEGREES C TO BE 9.3 TO 12.49 CST. FOR FOAM OIL, RE-REFINED, LUBRICATING, API CK-4, SAE 15W-40 FORMULATED WITH A LUBRIZOL ADDITIVE, IN BULK, FOR DIESEL ENGINES DDC SERIES 50, 60, CATERPILLAR C-13. CUMMINS ISB. ISL AND	0	110 400		EXXON MOBIL CORP. NYCTA	CCSS-001 REV I 3-9-11 LABEL MOBIL DELVAC EXTREME 10W- 30 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2176				400	EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBIL DELVAC 1630 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2188				400	ADVANCED LUBRICATI ON SPECIALTI ES INC NYCTA	CCSS-001, REV I, 3-9-11, LABEL TECHSELECT SYNTHETIC BLEND HD CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 35

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	VOLVO D13. MUST MEET DETROIT DIESEL 93K222, CATERPILLAR				PHILLIPS 66 LUBRICANT S SAFETY- KLEEN STSTEMS	FIREBIRD HD EC DIESEL MOTOR OIL ECOPOWER 15W 40 CK-4
69-12-2189	OIL, RE-REFINED, LUBRICATING, API CK-4, SAE 15W-40, FORMULATED WITH LUBRIZOL ADDITIVE, IN 55 GALLON DRUMS, FOR DIESEL ENGINES, DDC SERIES 50, 60, CATERPILLAR C- 13. CUMMINS ISB, ISL AND VOLVO D13. MUST MEET DETROIT DIESEL			400	ADVANCED LUBRICATI ON SPECIALTI ES INC NYCTA	TECHSELECT SYNTHETIC BLEND HD CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
					PHILLIPS 66 LUBRICANT S SAFETY- KLEEN STSTEMS	FIREBIRD HD EC DIESEL MOTOR OIL ECOPOWER 15W 40 CK-4
69-12-2191	OIL, LUBRICATING, API CJ-4, SAE 15W-40, FORMULATED WITH A LUBRIZOL ADDITIVE PACKAGE IN			400	CONOCOP HILLIPS CORPORAT ION NYCTA	FLEET SUPREME EC (LUBRIZOL ADD) CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 36

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-2192	PACKAGE, IN BULK, FOR DIESEL ENGINES, DDC SERIES 50, 60, CATERPILLAR C-13, CUMMINS ISB AND ISL. OIL, LUBRICATING, API CJ-4, SAE 15W-40, FORMULATED WITH A LUBRIZOL ADDITIVE PACKAGE, IN 55 GALLON DRUMS, FOR DIESEL ENGINES DDC OIL, DIESEL ENGINE; SAE 15W-40 GRADE; SYNTHETIC BLEND; FOR USE IN THE DIESEL ENGINES IN R255 LOCOMOTIVES; TO MEET CUMMINS CES OIL, HEAVY DUTY HYPOID GEAR; SAE GRADE 85W- 140; API GL-5 LEVEL PERFORMANCE; FOR USE IN SHOPS FOR JETS			400	CONOCOP HILLIPS CORPORAT ION NYCTA	CCSS-003 REV D 12/2/15 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL FLEET SUPREME EC (LUBRIZOL ADD) CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2193				400	NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003,REV E 9/11/17 RESTR SUB
69-12-2212		0	0	400	SHELL EXXON MOBIL CORP. NU-TIER GULF	CCSS-001, REV I, 3-9-11. LABEL ROTELLA T4 TRIPLEPROTEC TION15W40 MOBILUBE HD PLUS 85W-140 GULF MLTIPURPSE GEAR LUB 85W- 140

QUALIFIED PRODUCT LIST

7/7/2026 37

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-2220	SHOP FORKLIFTS AND SHOP CRANES; VISCOSITY @ 40 DEGREES C TO BE 360 CST +/- 36 CST; VISCOSITY OIL, WORM GEAR, MINERAL OIL BASED; ISO VISCOSITY GRADE 680, AGMA GRADE 8 COMPOUNDED. (3% TO 10% NATURAL OIL	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					CHEVRON	CCSS-001, REV I, 3-9-11, LABEL CYLINDER OIL W ISO 680
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2480	OIL, HYDRAULIC, ELEVATOR, ISO 68, PETROLEUM BASED, TO BE SHIPPED IN RESEALABLE 5 GALLON PAILS AND TO BE LABELED "ISO 68 - USE ON	0	0 400		EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL NUTO H 68 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2515	LUBRICANT, SILICONE, WATER-BASED, EMULSION, MINIMUM OF 5% USDA GRADE H1 SILICONE, FLASH POINT OF AT LEAST 140 DEGREES F, MINIMUM	16	7 400		ITW PRO BRANDS NYCTA	CCSS-001, REV I, 3-9-11, LABEL LPS HEAVY- DUTY SILICONE CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL 7119-FACIL-00

QUALIFIED PRODUCT LIST

7/7/2026 38

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-2549	LUBRICANT, ANTI-SEIZE, COPPER; TO HAVE A BROOKFIELD VISCOSITY(TD@5 RPM@25 DEGREES C), OF 135,000 TO 235,000 MPAS; FOR USE ON STAINLESS			400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	LUBRICANT, DRY FILM; MULTI-PURPOSE; CONTAINS MOLYBDENUM DISULFIDE; MUST HAVE EFFECTIVE TEMPERATURE RANGE OF -20 DEGREES F TO	0	0	400	PERMATEX, INC.	CCSS-001, REV I, 3-9-11, LABEL COPPER ANTI-SEIZE LUBRICANT09128
69-12-2550	LUBRICANT, DRY FILM; MULTI-PURPOSE; CONTAINS MOLYBDENUM DISULFIDE; MUST HAVE EFFECTIVE TEMPERATURE RANGE OF -20 DEGREES F TO				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	LUBRICANT, RUBBER LUBRICANT LIQUID EMULSION, IN 475-ML CONTAINERS; 6 CONTAINERS/BOX. USED TO AID THE	22	21	400	VALSPAR CORPORATION	CCSS-001, REV I, 3-9-11, LABEL DRI-SLIDE MULTI-PURPOSE
69-12-2590	LUBRICANT, RUBBER LUBRICANT LIQUID EMULSION, IN 475-ML CONTAINERS; 6 CONTAINERS/BOX. USED TO AID THE				INTERNATIONAL PRODUCTS CORP.	P-80 #P-5391-06
	ATTACHMENT/IN OIL, 3 IN 1, NAPHTHENIC	25468	13522	400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2605	ATTACHMENT/IN OIL, 3 IN 1, NAPHTHENIC				CASTOLEUM CORP.	CCSS-001, REV I, 3-9-11, LABEL TRIZOL GP #1011

QUALIFIED PRODUCT LIST

7/7/2026 39

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-2640	BASED, FOR CLEANING, LUBRICATING AND PROVIDING RUST PREVENTION FOR VARIOUS SHOP MACHINERY AND RAIL CAR PARTS. OIL, RAW, CASTOR, USED TO LUBRICATE RAILCAR WHEELS AND AXLES; APPLIED BY BRUSH; MUST MEET REQUIREMENTS OF ASTM D960-79 STANDARD	145	35 400		MC GEE INDUSTRIE S NYCTA	MCLUBE 31MP CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL D960-79 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-2648	OIL, WHITE, MINERAL, PARAFFINIC BASED; CLEAR, FOR USE IN CAR WASHER PUMPS AND OTHER EQUIPMENT; VISCOSITY @ 40 DEGREES C TO	0	0 400		WELCH, HOLME & CLARK NYCTA	#1 INDUSTRIAL CASTOR OIL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
69-12-2981	OIL, HYDRAULIC, ISO GRADE 32. FOR HYDRAULIC -----	145	80 400		NYE LUBRICANT S, INC. CITGO	NYOIL A/W HYDRAULIC OIL 32

QUALIFIED PRODUCT LIST

7/7/2026 40

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-3100	SYSTEMS, OPERATING AT HIGH SPEEDS, TEMPERATURES AND PRESSURES. FORMULATED FROM HIGH- QUALITY REFINED PARAFFIN BASE OIL, PENETRATING, USED TO LOOSEN METALLIC PARTS DUE TO CORROSION. MUST HAVE 16.5- 25 CST VISCOSITY @ 40 DEGREES C. 0.85- 1.0 SPECIFIC GRAVITY @ 20	178	51 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					PHILLIPS 66 LUBRICANT S	MEGAFLOW AW HYDRAULIC OIL 32
					CASTOLEU M CORP.	TRIZOL PENETRATING LUBR. #PL1100
69-12-3110	OIL, PENETRATING, SYNTHETIC BASED; NON- SOLVENT AND NON- PROPELLENT, COMPLETELY BIODEGRADABLE MUST BE USED WITH ALL				CHESTERT ON NYCTA	690 FG LUBRICANT CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL 7097-FACIL-99
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					SUPERIOR	CCSS-001, REV I, 3-9-11, LABEL SLIP 2000 SYNTHETIC LUBRICANT

QUALIFIED PRODUCT LIST

7/7/2026 41

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-3175	SOLVENT, PENETRATING, USED TO PENETRATE RUSTED METAL PARTS; BOLTS AND MACHINERY; SPECIFIC GRAVITY TO BE 0.79 TO 1.25; MINIMUM 130 DEGREE F FLASH POINT AS MEASURED BY	38405	14690	400	CASTOLEU M CORP.	TRIZOL PENETRATING SOLVNT TPS100
					MC GEE INDUSTRIE S	MCLUBE UNLOCK IT
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
69-12-3185	SOLVENT, PENETRATING, LOW VISCOSITY, INDUSTRIAL STRENGTH, FOR USE TO LOOSEN AND FREE SEIZED, BOUND OR FROZEN FASTENERS; MUST COMPLY	1428	520	400	CRC INDUSTRIE S, INC.	KNOCK'ER LOOSE SOLVENT 03020
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
69-12-3400	LUBRICANT, SYNTHETIC HYDROCARBON, ALKYL BENZENE, ISO GRADE 68 VISCOSITY, FOR USE IN REFRIGERANT	0	0	400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL 7134-FACIL-01

QUALIFIED PRODUCT LIST

7/7/2026 42

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-3500	REFRIGERANT RECOVERY UNITS, MUST MEET THE REQUIREMENTS OF NYCT SPEC. OIL, LINSEED, BOILED; MUST MEET THE REQUIREMENTS OF ASTM D 260 TYPE I REGULAR BOILED; PACKAGED IN FIVE GALLON CONTAINERS.	5	0 400	ADM	SYN OILS & LUBRICANTS OF TEXAS	RF 300/ISO 68 SCIBOIL/DGMDL INSEDOILW/DRI 001030
69-12-3525	CERTIFICATE OF LUBRICANT, PASTE METALWORKING, NON-CORROSIVE, FREE OF HALOGENS, HEAVY METALS AND SILICONE.	2	0 400	NYCTA	ASTM NYCTA	D 260 CCSS-003 REV E 9/11/17 RESTR SUB
69-12-3535	LUBRICANT, PENETRATING OIL, CONTAINS PTFE ADDITIVE, DESIGNED FOR USE IN WIRE PULLING TO ENSURE SMOOTH AND EASY WIRE PULL	0	0 400	ORELUBE CORP. IDEAL INDUSTRIES NYCTA	ORELUBE CORP. IDEAL INDUSTRIES NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
						BOELUBE 70305 YELLOW77PLU S WIRE PULL LUBRICANT CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 43

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
69-12-5196	OIL, SYNTHETIC HYBRID BASE OIL, FOR LUBRICATING R142, R142A, AND R143 DOOR OPERATOR DRIVE SCREWS	805	175 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					SYNTECH LTD.	CCSS-001, REV I, 3-9-11, LABEL NS-2716-F
69-14-2262	OIL, HYDRAULIC, SAE 10W-20, ISO 46, BIODEGRADABLE BASE OIL, VISCOSITY @ 40 DEGREES C IS 42.75 - 52.25 CST; VISCOSITY @ 100 DEGREES C IS	715	165 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					SENTINEL LUBRICANT S CORP.	CCSS-001, REV I, 3-9-11, LABEL BIOSYNHO46
70-02-1020	ABSORBENT COMPOUND, FOR ABSORBING OIL, WATER AND CHEMICALS; COMPOSED OF NATURAL AND/OR RECYCLED ORGANIC MATERIALS;		400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					XORB CORPORAT ION/DMS&D ASSOC.	
70-02-1022	CEMENT ABSORBENT & ENCAPSULATING COMPOUND, FOR	311	212 400		AMERICAN PRODUCTS	SORBITAL GM HTP

QUALIFIED PRODUCT LIST

7/7/2026 44

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-02-1023	OIL AND DIESEL FUEL, PEAT BASED WITH OIL DIGESTING MICROBES, (NOT FOR USE WITH WATER BASED FLOCCULATING/S	24	0 400	NYCTA	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	EPARATING AGENT, FOR USE IN WATER FILTRATION SYSTEM FOR TREATMENT OF RAILCAR AIR					CCSS-001, REV I, 3-9-11, LABEL
	CONDITIONED ABSORBENT, OIL, GREASE, WATER ABSORBING COMPOUND, INCINERABLE BASE OF NATURAL AND/OR RECYCLED ORGANIC MATERIALS					CCSS-003 REV E 9/11/17 RESTR SUB
70-02-1040	ADHESIVE, POLYURETHANE, TWO-COMPONENT ADHESIVE FOR USE WITH NORAMENT RUBBER FLOORING SYSTEMS IT	0	0 400	NYCTA	WYO-BEN, INC. ABSORPTI ON CORPORAT ION NYCTA	CLEAR TREAT 2300GRP-5
						SPILL-SORB
						CCSS-003 REV E 9/11/17 RESTR SUB
70-04-0121		44	18 400	NYCTA	NORA SYSTEMS INC NYCTA	CCSS-001, REV I, 3-9-11, LABEL
						NORA 310 (PARTS A & B)
						CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 45

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-04-0127	ADHESIVE, TWO-COMPONENT POLYURETHANE, FOR USE WITH NORAMENT RUBBER FLOORING SYSTEMS. IT SHALL HAVE VISCOSITY /RV	0	0	400	NORA SYSTEMS INC	NORA 310 (PARTS A & B)
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-04-1031	SEALANT, SILICONE RUBBER, RTV, BLACK, ONE-COMPONENT GENERAL PURPOSE PASTE, IN 10.1 OUNCE CARTRIDGES, FOR USE ON SUBWAY CARS AND HOUSE MAINTENANCE. MUST MEET REQUIREMENTS OF MILITARY	785	449	400	DOW-CORNING	CCSS-001, REV I, 3-9-11, LABEL 732
					MIL SPEC MOMENTIV E	MULTIPURPOSE BLACK MIL-A-46106
					PERFORMANCE MATERIAL	RTV 103-BLACK-CRTRG
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-04-1038	ADHESIVE, SEALANT, THREAD LOCKER, GENERAL PURPOSE HIGH STRENGTH ADHESIVE FOR USE WITH			400	HENKEL CORPORATION	CCSS-001, REV I, 3-9-11, LABEL LOCTITE 2700 NA
					NYCTA	THREADLOCKER CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 46

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-04-1042	USE WITH BOLTS,NUTS,STU DS,FASTENERS TO ADHESIVE/SEALA NT, HIGH PERFORMANCE ELASTOMERIC MUST EXHIBIT EXCELLENT ADHESION TO SUBSTRATES INCLUDES METALS GLASS ADHESIVE, SEALANT, 1- COMPONENT, ELASTOMERIC, WHITE, 290 ML CARTRIDGE, 12 PER CASE. USED FOR FLOORING INSTALLATION ON R46 RAILCARS.			400	MANUS PRODUCTS , INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MANUS-BOND 75-AM CCSS-003 REV E 9/11/17 RESTR SUB
70-04-1044	ADHESIVE, SEALANT, 1- COMPONENT, ELASTOMERIC, WHITE, 290 ML CARTRIDGE, 12 PER CASE. USED FOR FLOORING INSTALLATION ON R46 RAILCARS.	19	13 400		MINNESOT A, MINING & MANUFACT UR NYCTA	CCSS-001, REV I, 3-9-11, LABEL HYBRID ADHESIVE SEALANT 760 CCSS-003 REV E 9/11/17 RESTR SUB
70-04-1342	BONDS FLOORS COMPOUND, RETAINING, FAST CURING ANAEROBIC RESIN FOR BONDING GAPS UP TO 0.004" IN CYLINDRICAL MATING PARTS (SHAFTS, BEARINGS PINS	20	26 400		HENKEL CORPORAT ION HERNON MFG MIL SPEC NYCTA	CCSS-001, REV I, 3-9-11, LABEL LOCTITE 609 RETAIN COMP #60921 CYLINLOCK 822 MIL-R-46082B TYPE I CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 47

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-04-1344	PERMABOND, Inc., CAPS & PLUGS). COLOR GREEN IN 10CC. CERTIFICATE OF ANALYSIS TO INCLUDE: VISCOSITY AND COMPOUND, RETAINING FAST CURING ANAEROBIC RESIN FOR BONDING GAPS UP TO 0.004" IN CYLINDRICAL MATING PARTS (SHAFTS, BEARINGS, PINS, CAPS & PLUGS). COLOR GREEN IN 250 ML BOTTLES. CERTIFICATE OF ANALYSIS TO ADHESIVE, STRUCTURAL, 2 PART EPOXY, NON- FLAMMABLE, GRAY, FOR USE ON RUBBER, WOOD, PLASTICS AND MASONRY PRODUCTS; VISCOSITY OF BASE 75 000-	26	4 400		PERMABOND LLC SAF-T-LOK HENKEL CORPORATION HERNON MFG MILITARY NYCTA	CCSS-001, REV I, 3-9-11, LABEL PERMABOND HL 138 R01 LOCTITE 609 RETAIN COMP #60941 CYLINLOCK 822 MIL-R-46082B TYPE 1 CCSS-003 REV E 9/11/17 RESTR SUB
70-04-1426		0	0 400		SAF-T-LOK MINNESOTA, MINING & MANUFACTUR NYCTA	CCSS-001, REV I, 3-9-11, LABEL R01 #20141 SCOTCHWELD 2216 B/A CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 48

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-04-1710	ADHESIVE, INSTANT, SUPERBONDER, MEDIUM VISCOSITY (65- 125 CPS), FOR BONDING METAL, PLASTIC AND VINYL PARTS, GAP FILLING ABILITY UP TO 0.005", CLEAR, IN 1 OZ. BOTTLES, FOR R62 CARS. MINIMUM SHELF LIFE REQUIRED	3096	1316	400	GSA SPEC. ND INDUSTRIE S NYCTA	A-A-3097 31428 INSTANT SUPERGLUE CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL PERMABO ND PERMABOND 102 SAF-T-LOK IB 100 INSTANT BONDER
70-04-1810	ADHESIVE, EPOXY, TWO- COMPONENT, FAST CURING, HIGH STRENGTH, FOR PERMANENT BONDING METALS, CERAMICS, CONCRETE	1602	318	400	HENKEL CORPORAT ION NYCTA	LOCTITE EA 9017 (A&B) #1324007 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-07-2011	ANTIFREEZE, COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG) IN NEW 55 GALLON DRUMS. MUST CONFORM TO			400	NYCTA	S-79-18-07 REV. E CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 49

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	CONFORM TO NYCT S-79-18-07 REV. E				OLD WORLD INDUSTRIE S PRESTONE	FLEET CHARGE COOLANT 50% PRESTONE COMMAND HD PRED 50/50
70-07-2012	ANTIFREEZE, COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG) IN BULK. MUST CONFORM TO NYCT S-79-18-07 REVISION E		400		NYCTA	S-79-18-07 REV. E CCSS-003 REV E 9/11/17 RESTR SUB
					OLD WORLD INDUSTRIE S PRESTONE	FLEET CHARGE COOLANT 50% PRESTONE COMMAND HD PRED 50/50
70-07-2013	ANTIFREEZE, COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG), PACKAGED IN A SINGLE WALL PLASTIC CUBE WITH METAL CAGE GUARD 275 GALLON RETURNABLE		400		NYCTA	S-79-18-07 REV. E CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
					OLD WORLD INDUSTRIE S	FLEET CHARGE COOLANT 50%

QUALIFIED PRODUCT LIST

7/7/2026 50

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-07-2015	TOTE WITH 6 INCH OPENING, FREE FROM ANY ANTIFREEZE, EXTENDED LIFE COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG). NITRITE, SILICATE, BORATE, AND AMINE FREE ORGANIC ACID TECHNOLOGY (OAT). CONTAINS NO 2-ETHYL-HEXANOIC ACID.	400			PRESTONE	PRESTONE COMMAND HD PRED 50/50
					KOST USA INC.	ES COMPLEAT EG PREMIX 50- 50
70-07-2016	ANTIFREEZE SOLUTION, RV TYPE, PROPYLENE GLYCOL/WATER MIXTURE (ABOUT 30% PROPYLENE GLYCOL, 70% WATER); PH TO BE ABOUT 9.2; FREEZING POINT MAXIMUM TO BE 10 DEGREES F: 1-	400			NYCTA	S-79-22-20 REV. B CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV 1, 3-9-11 LABEL
					OLD WORLD INDUSTRIE S	FCGLOBAL 50/50 PREDILANTIFRZ COOL
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					PRESTONE PRODUCTS CORPORAT ION	
						RV ANTIFREEZE

QUALIFIED PRODUCT LIST

7/7/2026 51

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-07-2020	DEICER, PROPYLENE GLYCOL, INDUSTRIAL GRADE, SUPPLIED IN 55 GALLON PALLETIZED NON RETURNABLE PLASTIC DRUMS. DELIVERIES TO STOREROOMS 28,62,67 AND 69 SHALL BE MADE			400	MIDWEST INDUSTRIA L SUPPLY, INC NYCTA	ICE FREE SWITCH-PG (NYCTA) CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-07-2022	ANTIFREEZE, EXTENDED LIFE COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG). NITRATE, SILCATE, BORATE, AND AMINE: FREE ORGANIC ACID TECHNOLOGY			400	SILOGRAM LUBRICANT CORP. NYCTA	SILOGRAM PROPYLENE GLYCOL S-79-22-20 REV.B CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-07-2023	ANTIFREEZE, EXTENDED LIFE COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG). NITRITE, SILCATE			400	OLD WORLD INDUSTRIE S NYCTA	FCGLOBAL 50/50 PREDILANTIFRZ COOL S-79-22-20 REV. B CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 52

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-11-1950	SILICATE, BORATE, AND AMINE FREE ORGANIC ACID TECHNOLOGY COMPOUND, CAULKING, ACRYLIC LATEX WITH SILICONE USED FOR CAULKING AND SEALING WINDOWS AND DOORS FRAMES. MUST MEET ASTM C-920, SIIPPI IFD IN 10 1	233	107 400		OLD WORLD INDUSTRIE S ASTM NYCTA	FCGLOBAL 50/50 PREDILANTIFRZ COOL C-920 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL RED DEVIL LIFETIME ADHESIVE SEALANT(0856)
70-11-1977	ADHESIVE, SEALANT, SILICONE RUBBER, RTV, ONE COMPONENT THIXOTROPIC PASTE, GENERAL PURPOSE SEALING AND BONDING, CLEAR/TRANSLU CENT. 10.1 TO	4581	2050 400		DOW CORNING MIL SPEC MOMENTIV E AMER IND NYCTA	732 MIL-A-46106B RTV 108 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-11-1980	ADHESIVE, SEALANT, SILICONE RUBBER, RTV, ONE COMPONENT THIXOTROPIC	160	54 400		DOW CORNING MIL SPEC MOMENTIV E AMER IND	732 ALUMINUM MIL-A-46106 RTV 109

QUALIFIED PRODUCT LIST

7/7/2026 53

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-11-1982	THIXOTROPIC PASTE, GENERAL PURPOSE SEALING AND BONDING, ALUMINUM, IN 10.1 TO 10.3 ADHESIVE, RTV SEALANT, USED ON R142 CARS TO ADHERE/SEAL A STEEL PLATE ON THE END CAP ON TRACTION MOTOR. WHITE SILICONE. WITHSTANDS EXTREME SEALANT, ADHESIVE, ONE- COMPONENT SILICONE RUBBER, ROOM TEMPERATURE VULCANIZING (RTV); FOR USE IN OVERHAUL OF RAILCAR HVAC UNITS; MINIMUM CURED TENSILE ADHESIVE, MULTI- PURPOSE, FAST DRYING, FOR BONDING	44	0 400		NYCTA HENKEL CORPORAT ION NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL LOCTITESI594 SPRFLX WHTRTV193998 CCSS-003 REV E 9/11/17 RESTR SUB
70-11-1984		60	0 400		MOMENTIV E PERFORMA NCE MATERIAL NYCTA	CCSS-001, REV I, 3-9-11, LABEL RTV 157 CCSS-003 REV E 9/11/17 RESTR SUB
70-13-1320		0	0 400		COMMERCIAL ITEM ITW DEVCON	CCSS-001, REV I, 3-9-11 LABEL A-A-529A DUCO CEMENT 6245

QUALIFIED PRODUCT LIST

7/7/2026 54

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-13-1930	POROUS AND				NYCTA	CCSS-003 REV
	NON-POROUS					E 9/11/17
	MATERIALS					RESTR SUB
	SUCH AS					
70-13-1930	CERAMICS,					CCSS-001, REV
	MARBLE, GLASS,					I, 3-9-11, LABEL
	ADHESIVE, FAST	110	233 400		MINNESOTA, MINING	
	DRYING NITRILE				& MANUFACTUR	NITRILE HIGH
70-13-1930	RUBBER BASE,					PERFORMANCE
	STRONG					847
	FLEXIBLE				NYCTA	CCSS-003 REV
	BONDS, USE					E 9/11/17
70-13-3593	BETWEEN					RESTR SUB
	RUBBER AND					
	GASKETING					CCSS-001, REV
	MATERIALS WITH					I, 3-9-11, LABEL
70-13-3593	SUBSTRATES					
	KIT, FLOOR	439	264 400		NPI FOR	GARON
	PATCHING,					TREFLITE 40015
	EPOXY WITH				NYCTA	CCSS-003 REV
70-13-3593	COARSE					E 9/11/17
	AGGREGATE; KIT					RESTR SUB
	CONSISTS OF A 5-					
	GALLON PAIL					CCSS-001, REV
70-13-3596	CONTAINING 35-					I, 3-9-11, LABEL
	40 LBS. OF					
	COARSE					GARON ARTIC
	COMPOUND,	0	2 400		NPI FOR	FREEZITE
70-13-3596	PATCHING,					47082
	THREE-				NYCTA	CCSS-003 REV
	COMPONENT,					E 9/11/17
	100% SOLIDS					RESTR SUB
70-13-3596	EPOXY MORTAR.					
	FOR					

QUALIFIED PRODUCT LIST

7/7/2026 55

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-15-0810	FOR APPLICATION IN TEMPERATURES AS LOW AS -10F WIPES, DISPOSABLE HAND SANITIZER, OF AT LEAST 60% ALCOHOL BY VOLUME CONTAINED IN EACH PRE-MOISTENED WIPE. WIPES MUST BE EASY TO USE, NO WATER, SOAP, OR TOWEL REQUIRED. FRAGRANCE AND DYE FREE. WIPES MUST CONTAIN MOISTURIZERS. THE	8204	4107 400		GOJO INDUSTRIE S, INC. NICE-PAK PRODUCTS, INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL 9022-10 PURELL HAND WIPE D43600 SANI-HANDS WIPES CCSS-003 REV E 9/11/17 RESTR SUB
70-15-0812	WIPES, HAND SANITIZING, MINIMUM 70% ETHANOL CONTENT BY WEIGHT IN EACH PREMOISTENED WIPE; EACH WIPE IS 9 INCHES X 7 INCHES.	0	0 400		SAFETEC OF AMERICA, INC VERIDIEN CORPORAT ION GRIFFIN WOW NYCTA	CCSS-001, REV I, 3-9-11, LABEL 34400 PAWS 25500 VIRAGUARD ANTIMICROBIAL DERMAFRESH HANDSNTZR WIPES2350W CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 56

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-15-0830	WIPES, DISINFECTANT, DISPOSABLE, TEXTURED SURFACE, MADE OF CLOTH MATERIAL, PRE- SATURATED WITH DISINFECTANT SOLUTION, SUPPLIED IN RESEALABLE CANISTERS. WIPES MUST BE EPA REGISTERED	1960	300 400		JOHNSON DIVERSEY, INC NYCTA VERIDIEN CORPORAT ION WEXFORD LABS, INC	4599516 OXIVIR TB WIPES CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 10160 VIRAGUARD HOSP. TOWELETTE 3130M-6, 3130M- 12 CLEAN-CIDE
70-15-0834	WIPE, DISINFECTANT, DISPOSABLE, TEXTURED SURFACE, MADE OF CLOTH MATERIAL, PRE- SATURATED WITH DISINFECTANT	611	225 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-15-1251	ALCOHOL, PROPRIETARY SOLVENT; MUST NOT CONTAIN MORE THAN 0.2% WATER; MUST MEET THE REQUIREMENTS		400		PDI NICE- PAK FEDERAL GREENFIEL D PHARMCO	SUPER SANI- CLOTH WIPES #P86984 TITLE 27 CFR SEC 21.32 TITLE 27 CFR SEC 20.113 PROP SOLV NO 1-3, 200 PROOF

QUALIFIED PRODUCT LIST

7/7/2026 57

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-15-1274	REQUIREMENTS OF TITLE 27 CODE OF FEDERAL REGULATIONS SECTION 20.113 AND BE ALCOHOL SOLUTION, ISOPROPYL; TO BE MINIMUM 64.7% ISOPROPYL ALCOHOL BY WEIGHT(MINIMU M 70% ISOPROPYL ALCOHOL BY VOLUME) WITH THE REMAINDER	1522	984 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					JNJ INDUSTRIE S, INC.	GLOBALTECH ISOPALC W/DIWATR7030 %
70-15-1276	ISOPROPYL ALCOHOL BY WEIGHT(MINIMU M 70% ISOPROPYL ALCOHOL BY VOLUME) WITH THE REMAINDER ALCOHOL SOLUTION, ISOPROPYL; TO BE MINIMUM 64.7% ISOPROPYL ALCOHOL BY WEIGHT (MINIMUM 70% ISOPROPYL ALCOHOL BY VOLUME) WITH THE REMAINDER	43977	24036 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					TECHSPRA Y, L.P.	1608-G
70-15-3016	DEICER, LIQUID, 30% MAGNESIUM CHLORIDE	55	110 400		JNJ INDUSTRIE S, INC.	GLOBALTECH ISOPALC W/DIWATR7030 %
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					TECHSPRA Y, L.P.	1608-P
					MELTSNO W COM	MAGNESIUM CHLORIDE AQ. SLTN 30%

QUALIFIED PRODUCT LIST

7/7/2026 58

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	SOLUTION, SPECIFIC GRAVITY TO BE ABOUT 1.3; PACKAGED IN 55 GAL DRUMS				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001 REV I, 3-9-11, LABEL
70-17-0250	CLEANER, ORGANIC SOLVENT BLEND, ALL- PURPOSE, USED TO REMOVE GREASE FROM MOTOR PARTS; MUST BE CLEAR, WATER-WHITE CLEANER, DEGREASER, ALL PURPOSE, WATER-BASED GREEN LIQUID, IN 5 GAL PAIL. USED FOR CLEANING METAL PARTS IN WASH TANK. NON-	50	30 400		PARTSMAS TER NYCTA	CHINOOK ANTI- ICING AGENT CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					PPG INDUSTRIE S	CFX436
70-17-0503	CLEANER, DEGREASER, ALL PURPOSE, WATER-BASED GREEN LIQUID, IN 5 GAL PAIL. USED FOR CLEANING METAL PARTS IN WASH TANK. NON-	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					ZEP INC.	ZEP Z-GREEN #184839
70-17-0504	CLEANER, DEGREASER, ALL PURPOSE, NON- TOXIC, BIODEGRADABLE , NON-BUTYL. NON- PHOSPHATE, NON-		400		CORCRAFT /DEPT. OF CORRECT. SERV	CORCRAFT U01GRNCL 160
					COSCO ENTERPRI SES, INC.	ENVIROSOLV 2192

QUALIFIED PRODUCT LIST

7/7/2026 59

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	NON- FLAMMABLE, NON- ABRASIVE WATER-BASED, CONTAINS NO HAZARDOUS INGREDIENTS AS DEFINED BY 29 CFR 1900.1200 OR 40 CFR PART 216 UNDER				DIAMOND CHEMICAL GRIGNARD COMPANY NATIONAL CHEMICAL LAB OF PA. NYCTA	ENVIROSOLV 2192 PURE CLEAN 3000 NCL160 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-0505	CLEANER, DEGREASER, ALL PURPOSE, WATER-BASED GREEN LIQUID. IN 55 GALLON DRUMS. USED FOR CLEANING METAL PARTS IN WASH TANK.	37	5 400		ZEP MANUFACT URING COMPANY NYCTA	Z-GREEN 1848 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-0512	DEFINERED IN CLEANER, DEGREASER,	0	0 400		ZEP MANUFACT URING COMPANY FOSTER & CO.	ZEP Z-GREEN #184886 17-88

QUALIFIED PRODUCT LIST

7/7/2026 60

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-0515	DEODORIZER, CITRUS INDUSTRIAL STRENGTH CLEANER, USED TO DEGREASE MOTORS IN CLEANER, DEGREASER USED FOR CLEANING SHOP FLOORS AND THE WALLS AND FLOORS OF INSPECTION				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
				400	COSCO ENTERPRI SES, INC.	CCSS-001, REV I, 3-9-11, LABEL FO 2276 ODORLESS RTU
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0525	CITRUS CAN BE CLEANER, DEGREASER, 1 GALLON CONAINER, ALL PURPOSE NON- TOXIC, BIODEGRADABLE , NO COLOR OR SCENT ADDED, NON			400	NYCTA	CCSS-001 REV I, 3-9-11 LABEL CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
70-17-0610	CLEANER, DEGREASER, FOR REMOVAL OF GREASE, RUBBER RESIDUES, WAX, ADHESIVE. PACKAGED IN 5 GALLON CONTAINERS	0	0 400		SUNSHINE MAKERS, INC.	043318000188
					CHEMTRO NICS	MAX-KLEEN CITRUS HF # ES591
					CRC INDUSTRIE S, INC.	CITRUS DEGREASER HF#14175
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 61

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-0611	CONTAINER. CONTAINS D-LIMONENE, TECHNICAL CLEANER, DEGREASER, FOR REMOVAL OF GREASE, RUBBER RESIDUES, WAX, ADHESIVE. 53-55 GALLONS PACKAGED IN 55 GALLON DRUMS.	0	0	400	CHEMTRO NICS	CCSS-001, REV I, 3-9-11, LABEL MAX-KLEEN CITRUS HF # ES5591
					CRC INDUSTRIE S, INC.	CITRUS DEGREASER HF #14176
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0612	CONTAINS D-LIMONENE, TECHNICAL CLEANER, DEGREASER, FOR REMOVAL OF GREASE, RUBBER RESIDUES, WAX, ADHESIVE.			400	CHEMTRO NICS	CCSS-001, REV I, 3-9-11, LABEL MAX-KLEEN CIRTUS HF #ES191
	CLEANING RAILCAR PARTS. PACKAGED IN 1-				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0803	CLEANER, EXTERIOR RAILCAR, SPECIFIC FOR IRON OXIDE OR BROWN STAIN REMOVAL FROM RAILCARS. FOR USE IN CAR			400	COSCO ENTERPRISES, INC.	CCSS-001, REV I, 3-9-11, LABEL FO 479C
					DIAMOND CHEMICAL	FO 479C
					GRIGNARD COMPANY	GRIGNARD PCTW TRAIN WASH

QUALIFIED PRODUCT LIST

7/7/2026 62

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	USE IN CAR WASHERS. TO CLEAN AND BRIGHTEN THE EXTERIOR STEEL, STAINLESS STEEL AND ALUMINUM SURFACES OF RAILCARS.				NATIONWI DE CHEMICAL CO., INC. NYCTA	X561A RAILCAR CLEANER CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0820	CLEANER, INTERIOR RAILCAR CLEANER, POWDER, IN A 4- OZ. COLD WATER SOLUBLE PVA POLYMER PACKET. USED AT A NOMINAL DILUTION RATIO OF ONE 4-OZ. PACKET TO 320- OZ. (CA 2.5 GALLONS) OF CLEANER, TO REMOVE RUST FROM RAILCAR STAINLESS STEEL SURFACES (EXTERIORS AND DOORS). FOR MANUAL APPLICATION			400	COSCO ENTERPRI SES, INC. DIAMOND CHEMICAL NYCTA	1207-C-84-REV. C, APRIL 1987 MEGAPOWER REDI-KLEEN #11 MOD MEGAPOWER REDI-KLEEN #11 MOD CCSS-003 REV E 9/11/17 RESTR SUB
70-17-0823		693	643	400	COSCO ENTERPRI SES, INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL 3062-MATL-93 REV. B FO 479HD RTU CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 63

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-0850	CLEANER, FLOOR, POWDERED; PACKAGED IN 2.2- OZ PACKETS; CONTAINS BLEACH; CONCENTRATED POWDER; PRODUCT TO BE USED AT A	111403	52368	400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	CLEANER, FLOOR AND MULTIPURPOSE, IN 3- 4 OZ PLASTIC PACKETS WITH TEAR OPEN STRIP.	185606	119318	400	PROCTOR & GAMBLE	CCSS-001, REV I, 3-9-11, LABEL SPIC&SPAN FLR CLNR W/BLEACH 4-45
70-17-0855	CLEANER, FLOOR AND MULTIPURPOSE, IN 3- 4 OZ PLASTIC PACKETS WITH TEAR OPEN STRIP.	185606	119318	400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	CONCENTRATED CLEANER/POLISH , STAINLESS STEEL, LIQUID EMULSION, CONTAINING ALIPHATIC HYDROCARBONS , MINERAL OIL, EMULSIFIERS AND/OR ORGANOMODIFIER	334	321	400	PROCTOR & GAMBLE	CCSS-001, REV I, 3-9-11, LABEL 84895469 SPIC & SPAN
70-17-0904	CLEANER/POLISH , STAINLESS STEEL, LIQUID EMULSION, CONTAINING ALIPHATIC HYDROCARBONS , MINERAL OIL, EMULSIFIERS AND/OR ORGANOMODIFIER	334	321	400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	DISINFECTANT, QUATERNARY AMMONIUM CHLORIDE TYPE, MINIMUM ACTIVE	21757	13544	400	TMA	CCSS-001, REV I, 3-9-11, LABEL NUSHEEN MLTISRFC CLEANER&POLI SH
70-17-0913	DISINFECTANT, QUATERNARY AMMONIUM CHLORIDE TYPE, MINIMUM ACTIVE	21757	13544	400	NATIONAL CHEMICAL LAB OF PA.	LEMON QUAT DISINFECTANT 0235

QUALIFIED PRODUCT LIST

7/7/2026 64

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-0940	MINIMUM ACTIVE				NYCTA	CCSS-003 REV
	INGREDIENT					E 9/11/17
	CONTENT TO BE					RESTR SUB
	4% OF WHICH A					
70-17-0940	MINIMUM OF 2%					CCSS-001, REV
	MUST BE					I, 3-9-11, LABEL
	QUATERNARY	90	90 400		COSCO	
	CLEANER, ANTI-				ENTERPRI	
70-17-0940	STATIC, LIQUID,				SES, INC.	FO 1143
	FOR CLEANING				DIAMOND	
	PLASTIC, GLASS				CHEMICAL	F.O. 1143
	AND STAINLESS				NATIONWI	
70-17-0940	STEEL				DE	
	SURFACES,				CHEMICAL	TA501 LENS
	USED				CO., INC.	CLEANER
	ESPECIALLY FOR				NYCTA	CCSS-003 REV
70-17-0972	RAILCAR LIGHT					E 9/11/17
	LENSES AND					RESTR SUB
	OTHER INTERIOR					
	RAILCAR					
70-17-0972	SURFACES TO					CCSS-001, REV
	PREVENT DUST					I, 3-9-11, LABEL
	AND DIRT FROM					
	CLEANER,	24	0 400		ITW	
70-17-0972	LIQUID, TUNER				CHEMTRO	ELECTRO-
	AND CONTROL,				NICS, INC	WASH VZ
	WITH NEEDLE,					(ES6119)
	PACKAGED IN 16-				NYCTA	CCSS-003 REV
70-17-0972	19 OZ. NET					E 9/11/17
	WEIGHT SPRAY					RESTR SUB
	CANS					
						CCSS-001, REV
70-17-0972						I, 3-9-11, LABEL
					TECH	
					SPRAY,	PRECISION V
					INC.	FLUX
70-17-0972						REMOVER

QUALIFIED PRODUCT LIST

7/7/2026 65

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-0980	HEAT SHIELD COMPOUND, PASTE, IN A ONE QUART CAN. PREVENTS WELDING, BRAZING, SOLDERING HEAT DAMAGE. ABSORBS AND	0	0	400	LA-CO INDUSTRIE S, INC. NYCTA	ANTI-HEAT 24002 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-0982	HEAT SHIELD COMPOUND, PASTE, IN A 10 OR 11 OUNCE TUBE. PREVENTS WELDING, BRAZING, SOLDERING HEAT DAMAGE. ABSORBS AND DISSIPATES HEAT TO	12	12	400	LA-CO INDUSTRIE S, INC. NU- CALGON NYCTA	BLOC-IT-HEAT ABSORB PASTE 11511 THERMO TRAP PASTE #4371-36 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001 REV I 3-9-11 LABEL
70-17-1020	CLEANER, STEAM CLEANING SOLUTION, NON- EMULSIFYING FORMULA (RUN OFF WATER SOLUTION MUST SEPARATE INTO TWO PHASES WITHIN MINUTES), FOR CLEANING			400	COSCO ENTERPRI SES, INC. DIAMOND CHEMICAL GRIGNARD COMPANY NYCTA	MEGAPOWER 2289 MEGAPOWER 2289 PURESAFE CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 66

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1025	ENGINES AND OTHER ITEMS WITH PRESSURE CLEANER, STEAM CLEANING SOLUTION, NON- EMULSIFYING FORMULA (RUN OFF WATER SOLUTION MUST SEPARATE INTO TWO PHASES WITHIN MINUTES), FOR CLEANING ENGINES, BRAKE PARTS, OTHER PARTS AND CLEANER, HAND, WATER BASED LIQUID, ANTI- BACTERIAL, FOR USE AS EMPLOYEE LAVATORY HAND SOAP, IN 16 OZ, PUMP BOTTLE, CONTAINS REFINISHED CLEANER, HAND, WATER BASED LIQUID, WHITE LOTION. FOR USE AS EMPLOYEE LAVATORY HAND SOAP, IN 16 OZ, PUMP BOTTLE, CONTAINS REFINISHED	0	0 400		COSCO ENTERPRISES, INC. DIAMOND CHEMICAL GRIGNARD COMPANY NYCTA	CCSS-001, REV I, 3-9-11, LABEL MEGAPOWER 2289 MEGAPOWER 2289 PURESAFE STEAM CLEANER CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1032		590	115 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1034		57723	30452 400		ZEP INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL ACCLAIM W/BENZALKCHL ORIDE 314916 CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 67

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	SOAP, IN A PLASTIC QUART CONTAINER. CLEANS AND DEFOAMER, FOR USE WITH MOTOR CLEANER IN SPRAY WASH TANK AND STEAM CLEANING OPERATION TO CONTROL FOAM LEVEL; LIQUID, ACTIVE CLEANER, LIQUID, WATER BASED BIOSURFACANT, CONSISTING OF BIODEGRADABLE WETTING AGENTS AND SURFACTANTS. FOR CLEANING GREASY/OILY/ DIRTY PARTS IN DIP/AGITATING AND SPRAY CLEANER, MOTOR AND MOTOR PARTS, LIQUID, MUST CONTAIN A MINIMUM ACTIVE INGREDIENT CONTENT OF				ZEP INC.	VELVET LOTION SOAP #95801
70-17-1143		140	125 400		NATIONWI DE CHEMICAL CO., INC. NYCTA	TA1039 KNOCK-OUT DEFOAMER CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1170		28	32 400		MOON CHEMICAL PRODUCTS NYCTA	CCSS-001, REV I, 3-9-11, LABEL ENVIROCLEAN CCSS-003 REV E 9/11/17 RESTR SUB
					SYNTHETIC LABS INC	CCSS-001, REV I, 3-9-11, LABEL
70-17-1185			400		COMSTAR INTERNATIONAL INC. NATIONAL CHEMICAL LAB OF PA.	BIOSOLVE MO-CLEAN TRACTION MOTOR CLEANER 216

QUALIFIED PRODUCT LIST

7/7/2026 68

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	CONTENT OF 15%; PH OF CONCENTRATE MUST BE BETWEEN 7.0- 10.0, MUST BE FREE FROM SILICATES AND PHOSPHATES & HAVE LOW FOAM ; MUST NOT				NATIONWI DE CHEMICAL CO., INC. NYCTA	TA512 BRITE GLO CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1305	CLEANER, MULTI- PURPOSE, WATER BASED, NEUTRAL PH. SUPPLIED IN 1 GALLON PLASTIC BOTTLES. FOR CLEANING RAILCAR INTERIOR	56177	23071	400	U.S. POLYCHEM ICAL CORPORAT ION COLGATE- PALMOLIVE NYCTA	TMC1185 FABULOSOALL PRPSCLNRLIQL AV153058 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1307	CLEANER, MULTIPURPOSE, FOR CLEANING RAILCAR INTERIOR SURFACES (FLOOR, WALLS, SEATS, AND CEILINGS)	61	30	400	GRIFFIN WOW NYCTA	TRUTH EI PLUS CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 69

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1310	CLEANER, AND POLISH, STAINLESS STEEL, AEROSOL, MINERAL OIL EMULSION; MUST MEET NYSDEC VOC REGULATIONS FOR METAL POLISHERS/CLEA NERS WITH MAXIMUM ALLOWABLE VOC OF 30% BY WEIGHT; NON- FLAMMABLE ACCORDING TO ASTM D-3065 USA	1341	768 400		AMREP, INC. APOLLO INDUSTRIE S MINNESOT A, MINING & MANUFACT UR NYCTA	"MISTY 142" 17.5 OZ IN 20 OZ CAN APOLLO BRIGHT SHINE S/S #2390 STAINLESS STEEL CLNR 48011-14002 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL CD 885 STSTEELCLNR S00885
70-17-1311	CLEANER, STAINLESS STEEL; CLEANING & POLISHING TOWELS; WITH CITRUS SCENT; 9.75" X 10.50" TOWELS, 30 TOWELS PER CONTAINER, 6 CONTAINERS	95	10 400		ITW PRO BRANDS NYCTA	SCRUBS STSTEEL CLNR TOWELS 91930 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1312	POLISH, FOR POLYCARBONAT	0	0 400		MEGUIAR'S USA	M10 PLASTIC POLISH M1008

QUALIFIED PRODUCT LIST

7/7/2026 70

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1315	E ON FIND				NYCTA	CCSS-003 REV
	SYSTEM ON R160					E 9/11/17
	CARS. CLEAR					RESTR SUB
	PLASTIC POLISH					
	TO REDUCE FINE					
	OR HAIRLINE					CCSS-001, REV
	SCABATCHES					I, 3-9-11, LABEL
	CLEANER,			400	ARROW	MUNICIPAL
	ALKALINE LIQUID				CHEMICAL	CONCRETE
	EMULSIFYING				CORP.	CLEANER
70-17-1327	CONCENTRATE,				COMSTAR	
	COLORLESS,				INTERNATI	KYMKARE BIO-
	MILD SOAPY				ONAL INC.	CLEANER
	ODOR, IN FIVE				COSCO	
	GALLON PLASTIC				ENTERPRI	MEGAPOWER
	CONTAINERS,				SES, INC.	3IN1 SUPER
	WITH METAL					CONCENTRATE
	SWING HANDLE				DIAMOND	
	AND FULL				CHEMICAL	MEGAPOWER
	PLASTIC LID					3IN1 SUPER
70-17-1327	WITH SPOUT,					CONCENTRATE
	PRODUCT TO BE				NATIONAL	
	USED AT A				CHEMS	463
	DILUTION RATE				NYCTA	CCSS-003 REV
	OF TEN PARTS					E 9/11/17
						RESTR SUB
						CCSS-001, REV
						I, 3-9-11, LABEL
70-17-1327	CLEANER, ALL			400	GEMTEK	
	PURPOSE,				PRODUCTS	
70-17-1327	COLLOIDAL.					SC-1000

QUALIFIED PRODUCT LIST

7/7/2026 71

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1328	SUPPLIED IN 5-GALLON CONTAINERS. TO BE USED ON TILE AND CONCRETE SURFACES. ALSO SAFE FOR USE ON COPPER COMPONENTS. TO BE USED TO CLEAN RAILCAR CLEANER, ALL PURPOSE, COLLOIDAL.	14905	3575	400	NATIONAL CHEMICAL LAB OF PA.	COLLOIDAL CLEANER #5222
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					GEMTEK PRODUCTS	SC-1000
70-17-1400	SUPPLIED IN 55-GALLON DRUMS. SAFE FOR USE ON COPPER COMPONENTS. TO BE USED TO CLEAN RAILCAR A/C COILS, CONDENSERS, EVAPORATORS. NON-TOXIC. NON-CLEANER, SOAP, LIQUID, ALKALINE. FOR BUS EXTERIOR WASH. TO BE USED ON THE FIRST ARCH OF BUS WASH SYSTEM WITH A DILUTION RATIO OF 1 PART			400	NATIONAL CHEMICAL LAB OF PA.	COLLOIDAL CLEANER #5222
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					CORCRAFT /DEPT. OF CORRECT. SERV	GRIGNARD BWC-BUS WASH CLEANER
					COSCO ENTERPRISES, INC.	FO3022 BUS WASH
					DIAMOND CHEMICAL	F03022 BUS WASH

QUALIFIED PRODUCT LIST

7/7/2026 72

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1405	CLEANER TO 100 PARTS FRESH WATER. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPEC			400	GRIGNARD COMPANY	GRIGNARD-BWC-BUS WASH CLEANER
					NYCTA	S-70-01-04 REV. F
						CCSS-003 REV E 9/11/17
						RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
70-17-1405	CLEANER, SOAP, LIQUID, ALKALINE, FOR BUS EXTERIOR WASH. TO BE USED ON THE FIRST ARCH OF BUS WASH SYSTEM WITH A DILUTION RATIO OF 1 PART CLEANER TO 100 PARTS FRESH WATER. PRODUCT SUBJECT TO INSPECTION AND TESTING PER			400	WEST PENETONE	PENTRANS 1503C
					CORCRAFT /DEPT. OF CORRECT. SERV	GRIGNARD BWC-BUS WASH CLEANER
					COSCO ENTERPRISES, INC.	F03022 BUS WASH
					DIAMOND CHEMICAL	F03022 BUS WASH
					GRIGNARD COMPANY	GRIGNARD BWC-BUS WASH CLEANER
70-17-1405	CLEANER, SOAP, LIQUID, ALKALINE, FOR BUS EXTERIOR WASH. TO BE USED ON THE FIRST ARCH OF BUS WASH SYSTEM WITH A DILUTION RATIO OF 1 PART CLEANER TO 100 PARTS FRESH WATER. PRODUCT SUBJECT TO INSPECTION AND TESTING PER			400	NYCTA	TOTE SPEC S-70-01-04 REV. F

QUALIFIED PRODUCT LIST

7/7/2026 73

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	NYCT SPEC					CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
				WEST PENETONE	PENTRANS1503 C	
70-17-1410	CLEANER, SOAP, LIQUID, ALKALINE. FOR BUS EXTERIOR WASH. TO BE USED ON THE FIRST ARCH OF BUS WASH SYSTEM WITH A DILUTION RATIO OF 1 PART CLEANER TO 100 PARTS FRESH WATER. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPEC			400	CORCRAFT /DEPT. OF CORRECT. SERV	GRIGNARD BWC-BUS WASH CLEANER
				COSCO ENTERPRI SES, INC.	FO3022 BUS WASH	
				DIAMOND CHEMICAL	FO3022 BUS WASH	
				GRIGNARD COMPANY	GRIGNARD BWC-BUS WASH CLEANER	
				NYCTA	S-70-01-04 REV. F	
						CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 74

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1415	CLEANER, SOAP, ALKALINE, FOR BUS EXTERIOR WASH. APPLIED THROUGH FIRST ARCH OF BUS WASH WITH FRESH WATER AT A DILUTION RATIO OF 1:200. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPECIFICATIONS S-70-01-04 REVISION		400		WEST	
					PENETONE	PENTRANS 1503C
					COSCO	
					ENTERPRISES, INC.	FO 3058 BUS WASH
					GRIGNARD COMPANY	DIRRECT POWER BLUE 200
						DIRRECT POWER BLUE
					NYCTA	S-70-01-04-REV. G
						CCSS-003 REV E 9/11/17
						RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
70-17-1416	CLEANER, SOAP, ALKALINE, FOR BUS EXTERIOR WASH. APPLIED THROUGH FIRST ARCH OF BUS WASH WITH FRESH WATER AT A DILUTION RATIO OF 1:200. PRODUCT		400		ZEP	
					MANUFACTURING COMPANY	ENVIROEDGE TRUCK WASH
					COSCO	
					ENTERPRISES, INC.	FO 3058 BUS WASH
					GRIGNARD COMPANY	DIRRECT POWER BLUE 200
						DIRRECT POWER BLUE
					NYCTA	S-70-01-04, REV. G

QUALIFIED PRODUCT LIST

7/7/2026 75

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	PROBES. SUBJECT TO INSPECTION AND TESTING PER NYCT SPECIFICATION S- 70-01-04 REVISION					CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1417	CLEANER, SOAP, ALKALINE, FOR BUS EXTERIOR WASH. APPLIED THROUGH FIRST ARCH OF BUS WASH WITH FRESH WATER AT A DILUTION RATIO OF 1:200. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPECIFICATION S- 70-01-04 REVISION		400		ZEP MANUFACT URING COMPANY COSCO ENTERPRI SES, INC. GRIGNARD COMPANY NYCTA	ENVIROEDGE TRUCK WASH FO 3058 BUS WASH DIRRECT POWER BLUE 200 DIRRECT POWER BLUE S-70-01-04, REV. G CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL ZEP MANUFACT URING COMPANY ENVIROEDGE TRUCK WASH

QUALIFIED PRODUCT LIST

7/7/2026 76

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1423	TRACTION ENHANCER, RAIL, GEL; CONTAINS QUARTZ; PH IS 9- 10; SPECIFIC GRAVITY IS 1.35 TO 1.45; VISCOSITY @ 77 F (VIA BROOKFIELD VISCOMETER SPINDLE RV6 @ CLEANER/DEGRE ASER, USED FOR GRAFFITI REMOVAL ON HARD SURFACES. NON- PETROLEUMNON- CHLORINATED, NON-BUTYL, BIODEGRADABLE , TEST PATCH ALL SURFACES BEFORE GENERAL USE. MAY DAMAGE SOME PLASTIC AND/OR PAINTED SURFACES,			400	LB FOSTER RAIL TECHNOLO GIES INC NYCTA	ALLEVIATE TRACTION GEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1465				400	COSCO ENTERPRI SES, INC. DIAMOND CHEMICAL MICROBLE ND LLC. NYCTA	ENVIROSOLV ORANGE ENVIROSOLV ORANGE CITRI-CLENZ CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1469	CLEANER, INTERIOR RAILCAR, LIQUID, ALKALINE, PH=10- 10.5 MAXIMUM (UNLIMITED)			400	ZEP MANUFACT URING COMPANY COSCO ENTERPRI SES, INC. DIAMOND CHEMICAL	BIG ORANGE - E 485 FO 1101 MOD FO 1101 MOD

QUALIFIED PRODUCT LIST

7/7/2026 77

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1472	(UNDILUTED), MINIMUM ACTIVE INGREDIENT CONTENT=13%, LOW FOAMING, COMPLETELY SOLUBLE IN WATER, MUST NOT LEAVE RESIDUE ON CLEANER, GRAFFITI REMOVER, VISCIOUS, IN FIVE GALLON PLASTIC CONTAINERS TO BE USED BY DIVISION OF STATIONS' HIGH PRESSURE CLEANING SYSTEM. PRODUCT CLEANER, FOR			400	NATIONWI DE CHEMICAL CO., INC. NYCTA	TA222 TUFF GUY 222 CCSS-003 REV E 9/11/17 RESTR SUB 3020-MATL-83, REV E
70-17-1483	COILS, CONDENSERS, DOOR OPERATORS, LIQUID, MILD ALKALINE. MUST CONTAIN MINIMUM ACTIVE INGREDIENT CONTENT OF 11% INCLUDING, BUT NOT LIMITED	14	4 400		DIAMOND CHEMICAL NATIONAL CHEMICAL LAB OF PA. NYCTA COSCO ENTERPRI SES, INC. DIAMOND CHEMICAL NYCTA	FO 2104 NCL 234 GRAFFITI REMOVER CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL MEGAPOWER COIL/CONDENS R CLNR MOD MEGAPOWER COIL/CONDENS R CLNR MOD CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 78

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1496	TO CARBONATES, CLEANER, COMPOUND, LIQUID, INTERIOR GRAFFITI REMOVER, IN ONE GALLON PLASTIC CONTAINERS, 4 OR 6 GALLONS TO A CARTON WITH STOCK NUMBER ON CARTON	0	0 400		PENETONE DIAMOND CHEMICAL NATIONAL CHEMICAL LAB OF PA. NYCTA	PENBLITZ 208LM F.O. 1120 NCL 333 GRAFFITI REMOVER CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 0001-2000 DATED OCT 2000
70-17-1515	CLEANER, GRAFFITI REMOVER, LIQUID WITH CITRUS ODOR. HEAVY DUTY FOR CLEANING OF STATIONS. PH 4 MIN. 110	59	12 400		NYCTA	PALLET SPEC CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-17-1517	DEGREE F TO C REMOVER, GRAFFITI, PREMOISTENED TOWELS, D'LIMONENE BASED, TWO 12" X 16 75" TOWELS	2284	846 400		PENETONE GETEX CORPORAT ION NYCTA	CITRIKLEEN GR GRAFFITI FREE GENIE WIPES CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 79

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1520	X 10.75 TOWELS PER PACKET, FLASH POINT OF GRAFFITI REMOVER, GUM, GRAFFITI, STICKER ADHESIVES; LIQUID; 100% ACTIVE INGREDIENT CONTENT CONSISTING OF D'LIMONENE/TER PENES, METHYL PYRROLIDONE AND SUCH OTHER INGREDIENTS FOR THE REMOVAL OF	80	265 400		COSCO-FO NATIONAL CHEMICAL LAB OF PA. NATIONWI DE CHEMICAL CO., INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL ENVIROSOLV LR-V GUM REMOVER #4159 TA503 GUM REMOVER CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1521	REMOVER, GUM, GRAFFITI, STICKER ADHESIVES; LIQUID; 100% ACTIVE INGREDIENT CONTENT CONSISTING OF D'LIMONENE/TER PENES, METHYL PYRROLIDONE AND SUCH OTHER	940	148 400		COSCO-FO NATIONAL CHEMICAL LAB OF PA. NATIONWI DE CHEMICAL CO., INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL ENVIROSOLV LR-V GUM REMOVER #4159 TA503 GUM REMOVER CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 80

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1565	INGREDIENTS FOR THE REMOVAL OF CLEANER, HIGHLY CONCENTRATED SOLUTION WITH CHELATED AGENT, FOR USE IN MEMBRANE CLEANING, PACKAGED IN 5 GALLON CARTRIDGE	0	0 400		DYNATEC SYSTEMS, INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MEMCLEEN CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1584	GRAFFITI REMOVER, LIQUID, NON FLAMMABLE, ZERO VOC, NON- VISCIOUS, NO/LOW ODOR, NON CAUSTIC, IN 5 GALLON CONTAINER PPE	1895	956 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
70-17-1632	REMOVER, GRAFFITI, IN ONE GALLON PLASTIC CONTAINERS, 4 GALLONS TO A CARTON, WITH STOCK NUMBER ON CARTON.	16	8 400		THIS STUFF WORKS COSCO ENTERPRI SES, INC. DIAMOND CHEMICAL NYCTA	CCSS-001, REV I, 3-9-11, LABEL TSW9 PLASTI- MASTER F0974 F0974 SMD 30-2-83 CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 81

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-1640	CLEANER, FOR METAL PARTS, (STEEL PARTS ONLY-NOT FOR USE WITH ALUMINUM, BRASS OR COPPER), LIQUID, ALKALINE SOLUTION, IN 55 GALLON DRUMS. USED IN DIP/ AGITATING CLEANING TANKS AND SPRAY			400	CHEMETAL L USA, INC.	LOW HEAT CLEANER #3
					COSCO ENTERPRI SES, INC.	ZZ STRIP LF
					DIAMOND CHEMICAL NYCTA	ZZ STRIP LF CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
70-17-1670	CLEANER, DRAIN, POWDERED HYDROXIDE BASED; MUST CONTAIN 60-70% HYDROXIDE (AS MEASURED BY ASTM D514) AND 2-4% ALUMINUM (AS MEASURED BY ICP- INDUCTABLY COUPLED PLASMA EMISSION CLEANER, DEGREASER FOR RAILCAR DOOR HANGERS, WATER	1903	1039	400	ASTM COMSTAR INTERNATI ONAL INC. FED. SPEC.	D514 PIRANHA II PIPE CLEANER CID AA1911 CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					UTILITY/W ONDER CORTEC CORPORAT ION	DRY DRAIN-A- MATIC ECOLINE CLNR DEGREASER #35903568
70-17-1685		198	15	400		

QUALIFIED PRODUCT LIST

7/7/2026 82

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-2120	WATER RINSABLE, LEAVES NO RESIDUE, BIODEGRADABLE , PH 8-9, NON- VOLATILE CLEANER,	2394	193 400	NYCTA	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	TOUCH SCREEN, SPRAYER BOTTLE, 500 ML/16.9 FLUID OUNCE, WATER BASED, 12 PER BOX					CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
70-17-3030	CLEANER, HAND, LIQUID, SOLVENT FREE, NOT PETROLEUM DERIVATIVE BASED, PH BETWEEN 4.9 AND 5.3; ACTIVE INGREDIENT CONTENT	4153	2597 400	NYCTA	WHOOSH INC	MC500EN CCSS-003 REV E 9/11/17 RESTR SUB
70-17-3038	DETERGENT, DISHWASHING LIQUID (NON- CONCENTRATED) IN A 25 OZ. PLASTIC BOTTLE. FOR USE IN APPLYING 3M 4- DIV MVI AD	19543	9972 400	SC JOHNSON DEB	JOY SUDS	CCSS-001, REV I, 3-9-11, LABEL SOLOPOL CLASSIC PN98318706
				NYCTA		JOY NON- ULTRA LEMON CCSS-003 REV E 9/11/17 RESTR SUB
70-17-3042	CLEANER, HAND, WATERLESS,	3412	1684 400	CRITZAS		CCSS-001, REV I, 3-9-11, LABEL GOOP HAND CLEANER

QUALIFIED PRODUCT LIST

7/7/2026 83

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-3050	PETROLEUM DERIVATIVE BASED, PH BETWEEN 7.0 AND 9.0; 55% MINIMUM ACTIVE INGREDIENT	74	39 400	NYCTA	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	CLEANER, HAND, LIQUID, WITH PUMICE FOR REMOVING STUBBORN INKS, RESINS, PAINTS, ADHESIVES, TAR, CARBON AND ASPHALT.					CCSS-001, REV I, 3-9-11, LABEL
	ALMOND FRAGRANCE CLEANER, FOR SAFETY GLASS LENSES, SAFETY GOGGLES AND EYE GLASSES, TO COME IN CORRUGATED CARDBOARD LENS CLEANING STATION					CCSS-001, REV I, 3-9-11, LABEL
70-17-3080	CONSISTING OF EYEWASH, STERILE SOLUTION, IN 8 OZ. PLASTIC BOTTLE. FOR FIRST AID USE	2087	1237 400		ZEP MANUFACT URING COMPANY MAGIC SAFETY	ZEP REACH MAGICPR LNSCL ANTSTATANTF OG600PS
70-17-3084		2420	1001 400	NYCTA	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					HONEYWE LL NYCTA	32-000445 CCSS-063 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 84

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-3086	FIRST AID USE ONLY. SINGLE USE ONLY. BOTTLE SEALED ADDITIVE, EYE WASH, ANTI-BACTERIAL AND WATER PRESERVATIVE, MUST MEET REQUIREMENTS OF OSS SPECIFICATION E7 EXCEPT THE PRODUCT MUST BE LIQUID AND IS	1085	555 400		ENCON/MILAND SAFETY PRODUCTS	CCSS-001, REV I, 3-9-11, LABEL HYDROSEP 01110764
70-17-3160	SANITIZER, HAND, INSTANT, ANTIBACTERIAL GEL, USED WITHOUT WATER. MUST HAVE A MINIMUM ETHYL ALCOHOL CONTENT OF 60%. SAFETY DATA SHEET MUST STATE 60% OR GREATER ETHANOL CONTENT. KILLS 99.99% OF COMMON GERMS. CONTAINS	625	649 400		NYCTA GOJO INDUSTRIES, INC. KIMBERLY CLARK NYCTA SAFETEC OF AMERICA, INC	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL PURELL ADVANCED SANITIZE 9652-12 KLEENEX HAND SANITIZER 93060 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL INSTANT HAND SANITIZE FRESH17370

QUALIFIED PRODUCT LIST

7/7/2026 85

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-3162	SANITIZER, HAND, INSTANT, ANTIBACTERIAL GEL, USED WITHOUT WATER. MUST HAVE A MINIMUM ETHYL ALCOHOL CONTENT OF 60%. SAFETY DATA SHEET MUST STATE 60% OR GREATER ETHANOL CONTENT. KILLS 99.99% OF COMMON GERMS. CONTAINS	14312	4488 400		GOJO INDUSTRIE S, INC. NYCTA SAFETEC OF AMERICA, INC TRIPLE S	PURELL ADVANACED SANITIZE 965124 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL INSTANT HAND SANITIZE FRESH17350 TRIPLE S HAND SANITIZER 44154
70-17-3172	SANITIZER, HAND, MINIMUM 60% ETHANOL BY WEIGHT; MINIMUM 70% ETHANOL BY VOLUME; CERTIFICATE OF ANALYSIS COVERING %	66	28 400		NYCTA ZEP INC.	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11 LABEL INSTANT HAND SANITIZER GEL 70%
70-17-3500	CLEANER, METAL PARTS (STEEL, ALUMINUM), ODORLESS, CRYSTALLINE POWDER, IN 55 LB DAIL MUST		400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 86

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-17-3515	LB. PAIL. MUST CONTAIN 100% ACTIVE INGREDIENTS WITH A MINIMUM CLEANER, METAL PARTS(STEEL, ALUMINUM, BRASS); ODORLESS, LIQUID, IN 5- GALLON PAIL. MUST CONTAIN ACTIVE INGREDIENTS OF CARBONATE CLEANER, DEGREASER, DEODORIZER, MULTI-PURPOSE, LIQUID, CONCENTRATED, HYDROGEN PEROXIDE BASED. GREEN SEAL CERTIFIED. SUPPLIED IN ONE GALLON CONTAINERS, FOUR GALLONS PER CASE. USED FOR GENERAL CLEANING AND LIGHT	155	5 400		SKYREX GREEN POWER CHEM SCIENCES NYCTA	GREEN POWER NO FOAM NC NYCT FORM HEAVY DUTY LOW FOAM 0011-HDLF CCSS-003 REV E 9/11/17 RESTR SUB
70-18-0830		6073	2875 400		CHARLOTT E PRODUCTS LTD NY STATE NYCTA	CCSS-001 REV I, 3-9-11, LABEL SUPER H2O2 CLEANER CONC ES71 EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					ZEP MANUFACT URING COMPANY	ZEP VERDIZA

QUALIFIED PRODUCT LIST

7/7/2026 87

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-18-0912	REMOVER, FLOOR FINISH AND WAX REMOVER IN 5 GALLON PAILS. USE DILUTION RATIO 16 OUNCE OF SOLUTION TO 1 GALLON OF WATER OR 64 OUNCES OF SOLUTION TO 1 GALLON OF WATER FOR	554	345	400	AMERICAN CLEANING SOLUTION S NY STATE NYCTA	4556, FOCUS FS 22 FLOOR STRIPPER EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-18-1125	CLEANER, CREAM CLEANSER SCOURING COMPOUND, ONE QUART BOTTLE. GENERAL PURPOSE CLEANER FOR CLEANING TILES, SINKS, TOILETS, URINALS, PORCELAIN, CERAMIC, STAINLESS STEEL, CHROME, FIBERGLASS. REMOVES SOAP	1786	1019	400	CHARLOTT E PRODUCTS LTD NY STATE NYCTA SEALED AIR DIVERSEY CARE	CREAM CLEANSER ES53 EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL EMEREL PLUS #94496138
70-18-1310	CLEANER, LOW RESIDUE FOR	5913	3493	400	DIVERSEY, INC.	STRIDE CITRIS 903904

QUALIFIED PRODUCT LIST

7/7/2026 88

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-18-1332	AUTO FLOOR SCRUBBER MACHINES. ENVIRONMENTAL LY PREFERRED, NEUTRAL PH DAILY FLOOR AND SURFACE CLEANER. PACKAGED IN ONE GALLON CONTAINERS. RATIO 1 OUNCE PER 1 GALLON OF COLD WATER. ITEM MUST BE	145	82 400		JOHNSON DIVERSEY, INC	2CXU6
	CLEANER, MULTI- PURPOSE CLEANER AND DEGREASER, CONCENTRATED, WATER BASE, CLEANS WALLS, FLOORS, CONCRETE, CERAMIC TILES AND TERRAZZO, 5 GALLON PLASTIC CAN.				MISCO PRODUCTS	E07 ALL SURFACE CLEANER
	GREEN SEAL CLEANER, MULTI- PURPOSE CLEANER AND DEGREASER, CONCENTRATED				NY STATE	EXECORDER 134 NY STATE COMPLIANT
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-18-1333		234	98 400			CCSS-001, REV I, 3-9-11, LABEL
					NY STATE	EXECORDER 134 NY STATE COMPLIANT
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					ZEP MANUFACT URING COMPANY	MULTI-CLEAN GREEN 124939
					AMERICAN CLEANING SOLUTION S	FOCUS MP 11 CLEANER #2101

QUALIFIED PRODUCT LIST

7/7/2026 89

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-18-1334	CONCENTRATED, WATER BASE, CLEANS WALLS, FLOORS, VINYL, RUBBER, CONCRETE.	330	220 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	CERAMIC TILE CLEANER, MULTI- PURPOSE				NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
	CLEANER AND DEGREASER, CONCENTRATED, WATER BASED; CLEANS WALLS, FLOORS, CONCRETE				ZEP INC.	CCSS-001, REV I, 3-9-11, LABEL MULTI-CLEAN GREEN
70-18-1345	FINISH, FLOOR, ACRYLIC CO- POLYMER, NON- SKID FLOOR FINISH IN 5 GALLON CONTAINER (MUST BE GREEN SEAL OR ECOLOGO CERTIFIED OR ON THE NYS OGS LIST OF APPROVED FLOOR FINISH PRODUCTS.	840	635 400		AMERICAN CLEANING SOLUTION S DIVERSEY, INC. NY STATE	FOCUS ZF33, SEAL & FINISH #2622 COMPLETE EXECORDER 134 NY STATE COMPLIANT
70-18-1461	CLEANER, GENERAL PURPOSE,	967	472 400	NY STATE	NYCTA	CCSS-003 REV D 12/2/15 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL EXECORDER 134 NY STATE COMPLIANT

QUALIFIED PRODUCT LIST

7/7/2026 90

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-18-1472	LIQUID, CONCENTRATED; USED FOR GENERAL CLEANING AND LIGHT DEGREASING ON ALL SURFACE AND FLOORS. GREEN SEAL CERTIFIED. USED GRAFFITI, REMOVER, ENVIRONMENTAL LY FRIENDLY, PHOSPHATE FREE, CLEAR, CAN BE USED UNDILUTED OR DILUTED. GREEN SEAL CERTIFIED GRAFFITI REMOVER, LIQUID, IN ONE- GALLON CONTAINERS. REMOVES PAINT, INK, PERMANENT MARKER FROM BRICK, STONE, CONCRETE, METAL, PLASTIC, PAINTED SURFACES. CAN BE USED IN			400	NYCTA SEALED AIR DIVERSEY CARE CLAIRE MANUFACT URING NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL GENERAL PURPOSE CLNR15 #93172668 CG310 CCSS-003 REV E 9/11/17 RESTR SUB
70-18-1475		0	0	400	ECO CONCEPTS , INC. NY STATE NYCTA	CCSS-001, REV I, 3-9-11, LABEL GREEN CONCEPTS GRAF REMOVER #10 EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 91

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-18-1540	HANDSOAP, GREEN CERTIFIED FOAM HAND CLEANER, 1200ML REFILL CARTRIDGE, 2 PER CASE. FIT IN DISPENSER ALREADY IN THE SYSTEM, USE (STOCK #61-18- 3134 FOR DISPENSER). CLEANER, CONCENTRATED FOR GLASS, WINDOWS, POLYCARBONAT E, PLASTIC, STAINLESS STEEL SURFACES. GREEN SEAL CERTIFIED. TWENTY OR THIRTY GALLON DRUMS. MUST BE DILUTED WITH WATER FOR USE ACCORDING TO LABEL	202	99 400		GOJO INDUSTRIE S, INC. NY STATE NYCTA	5665-02 EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-18-1635	CLEANER, CONCENTRATED FOR GLASS, WINDOWS, POLYCARBONAT E, PLASTIC, STAINLESS STEEL SURFACES. GREEN SEAL CERTIFIED. TWENTY OR THIRTY GALLON DRUMS. MUST BE DILUTED WITH WATER FOR USE ACCORDING TO LABEL		400		AMERICAN CLEANING SOLUTION S NY STATE NYCTA ZEP MANUFACT URING COMPANY	FOCUS GC 55 GLASS CLNR #2102 EXECORDER 134 NY STATE COMPLIANT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 103649 GREEN LINK CONC GLASS CLR
70-18-1638	CLEANER, CONCENTRATED FOR GLASS, WINDOWS, POLYCARBONAT	969	506 400		AMERICAN CLEANING SOLUTION S	FOCUS GC 55 GLASS CLNR #2102

QUALIFIED PRODUCT LIST

7/7/2026 92

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-18-1700	POLYCARBONATE, PLASTIC, STAINLESS STEEL SURFACES. GREEN SEAL CERTIFIED. ONE GALLON CONTAINERS. FOUR GALLONS PER CASE. MUST BE DILUTED WITH WATER FOR USE			400	NY STATE	EXECORDER 134 NY STATE COMPLIANT
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					ZEP MANUFACTURING COMPANY	103623 GREEN LINK CONC GLASS CLR
70-21-1018	GRAFFITI REMOVER, TOWELETES PRE-MOISTENED, TO BE USED TO REMOVE GRAFFITI FROM METALS: STEEL, ALUMINUM, GALVANIZED BRASS COPPER, ANODIZED ALUMINUM ZINC. DEODORIZER, AEROSOL, HYDROCARBON PROPELLANT, DRY SPRAY, USE TO FRESHEN AIR WITHIN	2334	1277	400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					GRAFFITI REMOVAL INC.	MAX-SWIPE GRAFFITI REMOVER
					NY STATE	EXECORDER 134 NY STATE COMPLIANT
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-21-1018	ALUMINUM ZINC. DEODORIZER, AEROSOL, HYDROCARBON PROPELLANT, DRY SPRAY, USE TO FRESHEN AIR WITHIN	2334	1277	400		CCSS-001, REV I, 3-9-11, LABEL
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 93

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-21-1022	WITH NO WETNESS, NO STAINS, NO RESIDUE; MUST BE VOC. ODOR ELIMINATOR, LIQUID, CONCENTRATED, ONE TO TWO DROPS OF PRODUCT IS REQUIRED TO ELIMINATE ODORS. ONE-QUARTZ BOTTLE	5777	2863	400	ZEP MANUFACTURING COMPANY	MICROMIST FRESH SCENT 243
70-21-1027	ODOR ELIMINATOR, BACTERIA FREE, USED TO ELIMINATE ODORS FROM NYCT SUBWAY STATIONS. MUST UTILIZE ENZYME ACTION WHILE CONTAINING NO BACTERIA. MUST ELIMINATE ODOR CAUSING ORGANIC	0	0	400	NYCTA	CE-13020 CE-162017/SPICE CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-21-1028	ODOR ELIMINATOR, LIQUID WATER BASED, MILD	5277	3289	400	NATIONAL CHEMICAL LAB OF PA. NATURE PLUS NYCTA	912 ODOR ELIMINATOR SOLUTION BACTERIA-FREE ODOR ELIMINATOR CCSS-003 REV E 9//11/17RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
					NATIONWI DE CHEMICAL CO., INC.	TA514 SPRING AIR

QUALIFIED PRODUCT LIST

7/7/2026 94

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-21-1030	PINE OR MINT				NYCTA	CCSS-003 REV
	ODOR, CONTAINS					E 9/11/17
	25% ACTIVE					RESTR SUB
	INGREDIENTS					
	(MIN.) OF WHICH					CCSS-001, REV
70-21-1030	12% IS ORGANIC					I, 3-9-11, LABEL
	PERFUME. PH IS			400	ALPHA	LEMON
	DEODORANT,				CHEMICAL	DEODORANT
	WATER BASED,				SERVICES	5528
	LEMON				NYCTA	CCSS-003 REV
70-21-1032	FRAGRANCE					E 9/11/17
	THAT COVERS					RESTR SUB
	AND ELIMINATES					
	UNPLEASANT					CCSS-001, REV
	ODORS FROM A					I, 3-9-11, LABEL
70-21-1032	VARIETY OF					LEMON-ODOR
	SOURCES,				POSITIVE	COUNTERACTA
	GUARANTEED				ATTITUDE	NT 145
	SHELF LIFE 2					
	YRS, IN 55 GAL				ZEP	
70-21-1032	NON-				MANUFACT	
	RETURNABLE				URING	
	DRUMS.				COMPANY	1621
	ELIMINATOR,	13569	7467	400	NATIONAL	
	ODOR, LIQUID,				CHEMICAL	NCL 430
70-21-1032	STRAWBERRY/				LAB OF PA.	STRAWBERRY/
	CITRUS					CITRUS
	FRAGRANCE,				NYCTA	CCSS-003 REV
	WATER BASED,					E 9/11/17
	MUST NOT					RESTR SUB
70-21-1032	CONTAIN ANY					
	CHLORINATED					CCSS-001, REV
	SOLVENTS,					I, 3-9-11, LABEL
	PETROL FLUM					

QUALIFIED PRODUCT LIST

7/7/2026 95

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-21-1036	PERFUMES DISTILLATES, D'LIMONENE. MINIMUM 25 PERCENT ACTIVE INGREDIENTS DEODORANT, ODOR, COUNTERACTAN T, BIO DEGRADABLE CONCENTRATED WATER SOLUBLE USED TO CLEAN ELEVATOR	0	0 400		U.S. POLYCHEM ICAL CORPORAT ION	POLYCHEM 1020
70-21-1054	ODOR BLOCKER, LIQUID, READY TO USE. ELIMINATES ODORS FROM GARBAGE CANS, DUMPSTERS, TRASH BINS, URINALS, RAIL CARS	2160	871 400		FOSTER & CO. NYCTA	DAWN TO DUSK- 8380117 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-21-1056	ODOR BLOCKER, LIQUID, READY TO USE. ELIMINATES ODORS FROM GARBAGE CANS, DUMPSTERS, TRASH BINS, URINALS, RAIL CARS	4	0 400		ALPHA CHEMICAL SERVICES NYCTA	ODOR OUT PLUS 5520 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 96

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-22-4010	FLUID, LEAK DETECTING, BUBBLE- GENERATING; FOR DETECTING LEAKS IN RAILCAR AIR SUPPLY PIPING AND JOINTS AND AIR	60	20 400		NATIONWI DE CHEMICAL CO., INC. NYCTA	TA901 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-23-1130	CONDITIONING DISINFECTANT AND DETERGENT, QUATERNARY AMMONIA TYPE; QUATERNARY AMMONIA CONTENT TO BE 1.5% TO 1.8%; PH TO BE 10-12;	33	19 400		AMERICAN CLEANING SOLUTION S NYCTA	LEMON E DISINFECTANT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001 REV I, 3-9-11, LABEL
70-23-1200	MIST RE DISINFECTANT, SODIUM HYPOCHLORITE SOLUTION (HOUSEHOLD BLEACH), NAOCL CONTENT TO BE 5% TO 6% BY WEIGHT, % WEIGHT BY ALKALI AS NAOH TO BE 0.12% TO 0.50%: SPECIFIC	104193	40018 400		JAMES AUSTIN CO. NYC SPEC NYCTA	ELITE PROFESSIONAL BLEACH AUSTIN A-1 BLEACH COMMERCIAL 5-S-26 94 TYPE B PALLET SPEC CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 97

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	GRAVITY TO BE 1.04 TO 1.10; PH TO BE 10.5 TO 12.5; CLEAR				ROCHESTER-MIDLAND	CCSS-001, REV I, 3-9-11, LABEL CHLORGUARD 2 "5.25%"
70-23-1270	DISINFECTANT SPRAY, ANY SCENT, ACCEPTABLE, NEEDED FOR OFFICE USE AND LOCKER ROOM. TO ELIMINATE THE FOLLOWING BACTERIA= F- BIOCIDES	13295	6557 400	NYCTA		CCSS-003 REV E 9/11/17 RESTR SUB
70-23-1305	COMPOUND, FOR TREATING DIESEL FUEL TANKS. ELIMINATES FUNGUS, BACTERIA, MICROORGANIS MS. SUPPLIED IN ONE GALLON CONTAINERS. NON- FLAMMABLE, BIODEGRADABLE ELECTROLYTE SOLUTION, BATTERY;		400		RECKITT BENCKISER DOW CHEMICAL CO. FUEL QUALITY SERVICES INC NYCTA	CCSS-001, REV I, 3-9-11, LABEL PRO LYSOL BRAND III DIS SPRAY KATHON FP 1.5 MICROBIOCIDES FQS 1.5 MICROBIOCIDES CCSS-003 REV E 9/11/17 RESTR SUB
70-28-1005			400	NYCTA		CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV D 12/2/15 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 98

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-28-1007	POTASSIUM HYDROXIDE BASED; FOR USE IN SAFT SRM-F3 (140 AH) NICKLE CADMIUM BATTERIES; SPECIFIC ELECTROLYTE SOLUTION, BATTERY, POTASSIUM HYDROXIDE BASED; FOR USE IN SAFT "SMRX- F3" NI-CD BATTERY CELLS; TOTAL	0	0 400		SAFT AMERICA INC.	CCSS-001, REV I, 3-9-11, LABEL BATTERY ALK LIQ ELECTROLYTE E13
70-29-1016	HYDROXIDE COMPOUND, EPOXY, AMINE, TWO-PART, THIXOTROPIC, FOR USE IN REPAIRING/ BONDING ARMATURES AND OTHER ELECTRICAL EQUIPMENT EPOXY, TWO COMPONENT BALANCING COMPOUND, USED TO CORRECT IMBALANCES IN	15	16 400		NYCTA SAFT AMERICA INC. HENKEL LOCTITE CORPORAT ION NYCTA	CCSS-001, REV I, 3-9-11, LABEL BATTERY ALK LIQ ELECTROLYTE #41 LOCTITE EAE- 20NS CR5OMLEN2371 19 CCSS-003 REV E 9/11/17 RESTR SUB
70-29-1020		12	5 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 99

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-29-1300	IMBALANCES IN ELECTRIC MOTORS, CONSISTS OF KIT, COATING FOR STEEL, TWO COMPONENT EPOXY MASTIC, SAFETY YELLOW, GLOSS, HIGH SOLIDS (83% +/- 4%). EACH KIT CONSISTS OF TWO PARTS: 0.8 GAL LION OF PART			400	STAR TECHNOLO GY, INC. GARRON PRODUCTS	BC-22(PARTS A & B) GARONTIGERS TEEL29255SAF ETYYELLOW
70-29-1302	COATING, FOR STEEL, TWO COMPONENT EPOXY MASTIC, SAFETY RED, GLOSS, HIGH SOLIDS (83%+/- 4%). EACH KIT CONSISTS OF TWO PARTS: 0.8 GAL LION OF PART			400	NYCTA GARON PROD.	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL GARON TIGERSTEEL29 255SAFETY RED
70-29-1306	COATING FOR STEEL, TWO COMPONENT EPOXY MASTIC, SAFETY GREEN, GLOSS, HIGH SOLIDS(83% +/- 4%). EACH KIT CONSISTS OF TWO PARTS: 0.8 GAL LION OF PART			400	NYCTA GARRON PRODUCTS	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001 REV I, 3-9-11, LABEL GARONTIGERS TEEL29255SAF ETYGREEN
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 100

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-29-1308	COATING FOR STEEL, TWO COMPONENT EPOXY MASTIC, SAFETY BLUE, GLOSS, HIGH SOLIDS (83% +/- 4%). EACH KIT CONSISTS OF TWO PARTS: 0.8 GALLON OF PART			400	GARRON PRODUCTS	GARON TIGERSTEEL29 255SAFETYBLUE
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-29-1310	COATING, FOR STEEL, TWO COMPONENT EPOXY MASTIC, BLACK, GLOSS, HIGH SOLIDS (83%+/-4%).EACH KIT CONSISTS OF TWO PARTS: 0.8 GALLON OF PART			400	GARON PROD.	GARON TIGERSTEEL 29255 BLACK
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-30-1000	FILLER, LIGHTWEGHT POLYESTER WITH CREAM HARDENER, USED FOR AUTOMOTIVE BODY AND FENDER WORK; PACKAGED IN 1	0	0	400	NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
70-30-1004	FILLER, BODY, LIGHTWEIGHT PASTE WITH CREAM HARDENER, USED FOR			400	PPG INDUSTRIES MINNESOTA, MINING & MANUFACTUR	CCSS-001, REV I, 3-9-11, LABEL DF700 & DF708 CREAM HARDENER 3M BONDOP FILLER 7010362873

QUALIFIED PRODUCT LIST

7/7/2026 101

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-30-1560	USED FOR REPAIRS ON RAILCAR SEATS. PACKAGED IN 1 GALLON CANS, 4 CANS PER CASE. EACH CAN MUST BODY FILLER, POLYESTER RESIN FOR USE ON METAL OR PLASTIC SURFACES, PACKAGED IN ONE GALLON CANS. MINIMUM REQUIRED	52	73 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	FILLER, BODY, HEAVYWEIGHT PASTE WITH CREAM HARDENER USED FOR ALL TYPICAL REPAIRS; PACKAGED IN 1 GALLON CAN, 4 GALLONS TO A CASE, TUBE OF CREAM HARDENER MUST BE TAPED TO FILLER, BODY, LIGHTWEIGHT PASTE WITH -----				ADVANCE COATINGS COMPANY NYCTA	CCSS-001, REV I, 3-9-11, LABEL 15281 CCSS-003 REV E 9/11/17 RESTR SUB
70-30-1594	FILLER, BODY, HEAVYWEIGHT PASTE WITH CREAM HARDENER USED FOR ALL TYPICAL REPAIRS; PACKAGED IN 1 GALLON CAN, 4 GALLONS TO A CASE, TUBE OF CREAM HARDENER MUST BE TAPED TO FILLER, BODY, LIGHTWEIGHT PASTE WITH -----	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
70-30-1595	FILLER, BODY, LIGHTWEIGHT PASTE WITH -----	0	0 400		QUEST AUTOMOTI VE PRODUCTS	CCSS-001, REV I, 3-9-11, LABEL 7110-FACIL-00 REV. A BULK, BODYFILLER WHITE #10005
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 102

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-30-1750	CREAM HARDENER FOR SMALL REPAIRS. PACKAGED 4 GALLONS PER BOX, 1 GALLON CAN MUST BE SUPPLIED WITH TUBE OF CREAM HARDENER; PRODUCT MUST PUTTY, TWO COMPONENT EPOXY, STEEL FILLED, USED IN FILLING ROUGH OR PITTED METAL SURFACES ON SUBWAY CARS. PACKAGED IN ONE POUND COMPOUND, FILLING, WOOD FILLER, CELLULOSE FIBER WOOD, USED TO REPAIR WOOD SURFACES, CONCRETE POWDER, COMPOUND, FIRE	61	46 400	400	QUEST AUTOMOTI VE PRODUCTS ITW DEVCON NYCTA	CCSS-001, REV I, 3-9-11, LABEL 7111-FACIL-00 REV. A BC/CC EXTRA GAL(PR)#16060 P PLASTIC STEEL PUTTY 10110 CCSS-003 REV E 9/11/17 RESTR SUB
70-30-2151		42	30 400	400	DAP INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL 7099-FACIL-99 PLASTICWOOD 70798 21502 CCSS-003 REV E 9/11/17 RESTR SUB
70-31-1485		0	0 400	400	AMEREX CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL 550 PALLET SPEC

QUALIFIED PRODUCT LIST

7/7/2026 103

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-33-3557	EXTINGUISHER. POWDER MUST BE MULTI- PURPOSE, FOR ALL CLASS OF FIRE; A, B, & C, MONOCHLORODIFLUOROMETHANE REFRIGERANT, GAS, R438A, FOR RAILCAR AIR CONDITIONING UNITS, 25 POUND CYLINDER, COMPATIBLE WITH ALKYBENZENE, MINERAL OIL & POLYOL ESTER GAS, REFRIGERANT, R453A (RS44B), FLUOROCARBON REFRIGERANTS, IN 30 LB. DISPOSABLE CYLINDER WITH 24 LB NET WEIGHT	0	0 400		CHEMOUR S DUPONT NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL FREON MO99 REFRIGERANT ISCEON MO99 REFRIGERANT CCSS-003 REV E 9/11/17 RESTR SUB
70-33-3562	DISPOSABLE CYLINDER WITH 24 LB NET WEIGHT GAS, INDUSTRIAL FREON #22, "HCFC22", MONOCHLORODI FLUOROMETHAN E REFRIGERANT, IN 30 LB. DISPOSABLE CYLINDER	3	0 400		COMSTAR INTERNATI ONAL INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL RS44B(R453A)H FC BLEND CCSS-003 REV E 9/11/17 RESTR SUB
70-33-3568		772	337 400		AIRGAS INC/AIRGA S REFRIGER ANTS ARKEMA COMMERC AL ITEM	CCSS-001, REV I, 3-9-11, LABEL ASPEN 22/HALOCARBO N 22 FORANE 22 A-A-58060

QUALIFIED PRODUCT LIST

7/7/2026 104

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	CYLINDER. CERTIFICATION THAT MATERIAL MEETS THE REQUIREMENTS OF COMMERCIAL ITEM DESCRIPTION A- A-58060 AND AHRI STANDARD				DUPONT	FREON 22
					HONEYWE LL	
					INTERNATI ONAL	GENETRON 22
					NATIONAL REFRIGER	
					ANTS INC	R-22
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
70-33-3569	GAS, REFRIGERANT, RECLAIMED INDUSTRIAL R22, "HCFC22", MONOCHLORODI FLUROMETHANE REFRIGERANT IN 30 LB. DISPOSABLE CYLINDER. PURITY MUST BE 99.5% MINIMUM. EPA CERTIFICATION & A REFRIGERANT ANALYSIS	0	0 400	AHRI	AHRI	STANDARD 700- 2011
					AIRGAS INC/CFC	
					REFIMAX LLC	ASPEN R-22
					COOLGAS INC	R-22
					HUDSON TECHNOLO GIES	
					COMPANY	R-22
					NATIONAL REFRIGER	
					ANTS INC	R-22

QUALIFIED PRODUCT LIST

7/7/2026 105

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	REPORT THAT				NOVENT REFRIGER ANT SERVICES IN NYCTA	R-22 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-34-1400	SEALANT, FAST DRYING, HARD SETTING, FOR GASKET SEAL ON PERMANENT, RIGID ASSEMBLIES WITHSTANDING 5000 PSI. COLOR: REDDISH- BROWN, IN 11 OZ TUB	1	0 400		REFRIGER ANTS INC MIL SPEC NYCTA	R-22 MIL-S-45180D TYPE I CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-34-1410	SEALANT, SLOW DRYING, FLEXIBLE SETTING FOR GASKET SEAL ON NON-RIGID, VIBRATING, SEMI- PERMANENT AND PERMANENT ASSEMBLIES	35	19 400		PERMATEX HENKEL CORPORAT ION NYCTA	1C FORM-A- GASKET#1 11 OZ #80003 LOCTITE MR GS2 SEALANT #30515 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 106

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-34-1420	ASSEMBLED. WITHSTANDS PRESSURE TO 5000 PSI. BROOKFIELD SEALANT AND GASKET COMPOUND; EPDM (ETHYLENE PROPYLENE DIENE MONOMER) RUBBER, FOR USE ON LOCOMOTIVE DOOR FRAME SEALANT AND GASKET COMPOUND; FOR USE ON GE GEAR BOXES AND EPDM (ETHYLENE PROPYLENE DIENE MONOMER) SEALANT, GASKET, HIGH TACK, 16 OZ., BRUSH TOP CAN. DRIES QUICKLY TO A HIGH TACKY FILM. SEALS OR BONDS RUBBER, CORK FELT, PAPER AND	6	3 400	MIL SPEC	PERMATEX	2C FORM-A- GASKET#2 SEALANT 80011
					NYCTA	MIL-S-45180D TYPE 3 CCSS-003 REV E 9/11/17 RESTR SUB
					PERMATEX	CCSS-001, REV I, 3-9-11, LABEL AVIATION FORM-A- GASKET #3H
70-34-1430	DOOR FRAME SEALANT AND GASKET COMPOUND; FOR USE ON GE GEAR BOXES AND EPDM (ETHYLENE PROPYLENE DIENE MONOMER) SEALANT, GASKET, HIGH TACK, 16 OZ., BRUSH TOP CAN. DRIES QUICKLY TO A HIGH TACKY FILM. SEALS OR BONDS RUBBER, CORK FELT, PAPER AND	0	0 400	NYCTA	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					PERMATEX CO.	CCSS-001, REV I, 3-9-11, LABEL AVIATION FORM-A- GASKET #3D
70-34-1445	SEALANT, GASKET, HIGH TACK, 16 OZ., BRUSH TOP CAN. DRIES QUICKLY TO A HIGH TACKY FILM. SEALS OR BONDS RUBBER, CORK FELT, PAPER AND		400	NYCTA	NYCTA	CCSS-003 REV E 9/17/17 RESTR SUB
					PERMATEX , INC.	CCSS-001, REV I, 3-9-11, LABEL 98D HIGH TACK GASKET SEAL #80063

QUALIFIED PRODUCT LIST

7/7/2026 107

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-37-2201	ADHESIVE, WOOD GLUE, POLYVINYL ACETATE EMULSION, FOR BONDING WOOD JOINTS AND WOOD ASSEMBLIES. PACKAGED IN 16- OZ (PINT)	39	27 400		COMMERCIAL ITEM ELMERS NYCTA	A-A-3001 ELMER'S CARPENTER'S WOOD GLUE CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-38-2000	ROTTI FS GROUT, CHEMICAL FOAM, SINGLE COMPONENT, LIQUID SEAL WATERPROOFIN G COMPOUND, HYDROPHILLIC, NON CORROSIVE. SUITABLE FOR PRESSURE INJECTION USE IN WET OR DRY CONDITIONS. PRODUCT SHALL SEAL AFTER INJECTION VIA	3750	1965 400		AVANTI INTERNATIONAL DE NEEF CONSTRUCTION CHEMICALS FOX INDUSTRIES, INC. NYCTA	AV-330 SAFEGUARD HYDRO ACTIVE SEALFORM FX-1 JET SET CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-39-1265	COATING, PROTECTIVE CREAM, FOR -----	653	75 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 108

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-42-1025	HANDS; PROTECTS AGAINST OIL/GREASE, WATER BASED AND SOLVENT BASED VARNISH, INSULATING, TWO- COMPONENT POLYESTER KIT; FOR VACUUM PRESSURE IMPREGNATION AND DIP COMPOUND, SILICONE, HEAT SINK, WHITE PASTE IN 5 OZ.TUBE. USE FOR HEAT SINK IN ELECTRONIC DEVICES SUCH AS DIODES AND TRANSISTORS. CERTIFICATE OF ANALYSIS TO INCLUDE WORKED PENETRATION OF COMPOUND.			400	S.C. JOHNSON NYCTA	CCSS-001, REV I, 3-9-11, LABEL STOKODERM PROTECT PURE CCSS-003 REV E 9/11/17 RESTR SUB
70-42-1054		94	73	400	VON ROLL USA INC DOW CORNING MIL SPEC	CCSS-001, REV I, 3-9-11, LABEL PERMAFIL 707A & 707B 340 HEAT SINK COMPOUND
					NYCTA	MIL-DTL-47113E CCSS-003 REV E 9/11/17 RESTR SUB
70-42-1110	ADHESIVE, EPOXY, SEALANT, OFF-	1133	638	400	TRANSLITE VAPOR WESTINGH OUSE HENKEL CORPORAT ION	CCSS-001, REV I, 3-9-11, LABEL AH2668-2 67110049 6247D49H02 LOCTITE EA 1C (A&B) #1373425

QUALIFIED PRODUCT LIST

7/7/2026 109

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-42-1124	WHITE, 4 OZ TWO-PART (RESIN AND HARDENER) KIT. HIGH VISCOSITY, CHEMICALLY RESISTANT; ROUNDS SEALANT, ADHESIVE, SILICONE RUBBER, RTV, ONE COMPONENT THIXOTROPIC PASTE, GENERAL PURPOSE SEALING AND SEALANT, SILICONE ELECTRONIC GRADE, APPLIED WITH A CAULKING GUN; PACKAGED IN 10.1 FL OZ. CARTRIDGES. MUST MEET REQUIREMENTS OF MILITARY COATING, SYNTHETIC RUBBER, FOR ELECTRICAL INSULATION, 4-OZ. BRUSH-IN-CAN	5982	2844 400		NYCTA DOW CORNING MILITARY NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 732 CLEAR MIL-A-46106B CCSS-003 REV E 9/11/17 RESTR SUB
70-42-1130	SEALING AND SEALANT, SILICONE ELECTRONIC GRADE, APPLIED WITH A CAULKING GUN; PACKAGED IN 10.1 FL OZ. CARTRIDGES. MUST MEET REQUIREMENTS OF MILITARY COATING, SYNTHETIC RUBBER, FOR ELECTRICAL INSULATION, 4-OZ. BRUSH-IN-CAN	31	5 400		DOW CORNING MILITARY NYCTA	CCSS-001, REV I, 3-9-11, LABEL 738 ELECTRICAL SEALANT MIL-A-46146B TYPE I CCSS-003 REV E 9/11/17 RESTR SUB
70-42-1305	SEALING AND SEALANT, SILICONE ELECTRONIC GRADE, APPLIED WITH A CAULKING GUN; PACKAGED IN 10.1 FL OZ. CARTRIDGES. MUST MEET REQUIREMENTS OF MILITARY COATING, SYNTHETIC RUBBER, FOR ELECTRICAL INSULATION, 4-OZ. BRUSH-IN-CAN	32	10 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 6/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 110

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-42-1950	CAP CAN. COLOR: BLACK. 6 CANS PER CASE. BRUSHED ON ELECTRICAL INHIBITOR, CORROSION, LIQUID, FOR USE IN HIGH PRESSURE SPRAY WASHERS TO PROTECT PUMP PARTS, PIPING AND TANK	770	330 400		PLASTI DIP INTERNATI ONAL	LIQUID TAPE F- 825 #LET14Z03
70-42-1996	INTERIOR NON- THINNER, POT- LIFE EXTENDER, FOR VPI TANK VARNISH (AVAILABLE UNDER STOCK #70-42-1025). PACKAGED IN FIVE (5) GALLON CLOSED HEAD PAIS. MUST BE VINYL TOUJENF KIT, SHALLOW REPAIR EPOXY MORTAR, FLOOR PATCHING AND RESURFACING; KIT CONSISTS OF A FIVE GALLON PAIL CONTAINING 1 PINT PART A & 1 1/2 PINTS PART	170	95 400		CASTROL INDUSTRIA L NYCTA	TECHNICLEAN XHP CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL VINYL TOLUENE CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-43-0207		0	0 400		VON ROLL ISOLA USA, INC. GARON PROD. NYCTA	774 VINYL TOLUENE GARONCLAD MORTAR PARTS A & B CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 111

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-43-1000	COMPOUND, ANTI-SEIZE AND LUBRICATING GREASE CONTAINING FINE METALLIC (COPPER) AND GRAPHITE PARTICLES. FOR USE ON THREADED MACHINE PARTS	393	90	400	HENKEL LOCTITE CORPORAT ION MIL SPEC NYCTA	C5A COPPER BASE ANTISEIZE(5100 1) MIL-907E CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-44-1500	LIQUID, FRICTION MODIFIER, USED TO MODIFY FRICTION BETWEEN TRAIN WHEELS AND RAILS THEREBY MINIMIZING SLIPPAGE. SUPPLIED IN 5 GALLON PAILS.			400	LB FOSTER RAIL TECHNOLO GIES INC NYCTA	KELTRACK TRANSIT EX CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-48-1000	DEFILIVERY TO BE NEUTRALIZER, LIQUID, HOMOGENEOUS ALKALINE SOLUTION FOR NEUTRALIZATION OF ACIDIC CAR WASH EFFLUENTS. PRODUCT MUST			400	COSCO ENTERPRI SES, INC. DIAMOND CHEMICAL NATIONAL CHEMICAL LAB OF PA.	FO 1142 FO 1142 NEUTRALIZER #4138

QUALIFIED PRODUCT LIST

7/7/2026 112

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	PRODUCT MUST CONTAIN A MINIMUM OF 7% ALKALINE SALTS. PRODUCT MUST NOT CONTAIN PHOSPHATES, SILICATES, FREE CAUSTIC OR ANY				NATIONWI DE CHEMICAL CO., INC. NYCTA	TA X494 NEUTRALIZER DF CCSS-003 REV E 9/11/17 RESTR SUB 1302-C-88
70-48-1010	NEUTRALIZER, ALKALINE LIQUID, FOR NEUTRALIZING ACIDIC BASED CAR WASHER SOLUTIONS. DELIVERED IN 2000 2000			400	PENETONE CORP COSCO ENTERPRI SES, INC. DIAMOND CHEMICAL NYCTA	NEUTRALIZER C F03027 FO3027 CCSS-003 REV E 9/11/17 RESTR SUB
70-48-1015	NEUTRALIZER, COMPOUND, TO BE USED TO NEUTRALIZE ANY RESIDUE FROM THE CLEANER THAT HAS BEEN USED TO REMOVE RUST STAINS FROM	27	0	400	COSCO ENTERPRI SES, INC. NYCTA	FO 3027 CCSS-003 REV E 9/11/17 RESTR SUB
70-48-2000	NEUTRALIZER, ACID BASED, FOR NEUTRALIZING ALKALINE PARTS WASHING SOLUTIONS, CONSISTS OF	0	0	400	NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 113

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	CONSISTS OF 70% GLYCOLIC ACID.				PURETECH SCIENTIFIC LLC	GLYCOLIC ACID 70% TECH GRADE
70-57-1050	PRIMER, POLYSILANE BASED, CLEAR, 250 ML BOTTLE, 12 PER CASE. APPLIED TO METAL, PLASTICS, GLASS PRIOR TO USING ADHESIVE/SEALA NT TO ASSIST IN PUTTY, FIRE- RESISTANT, HAND-MOLD, USE TO FILL SMALL OPENINGS IN WALLS AND FLOORS, MEET SPECIFICATION UL1479, CAN BE EASILY FORM AND MOI DED COMPOUND, FILLING, PUTTY, ACRYLIC RESIN ELASTOMER BASED, USED FOR FILLING SMALL HOLES AND SCRATCHES IN PRIMER	0	0 400		MINNESOT A, MINING & MANUFACT UR NYCTA	METAL PRIMER P592 CCSS-003 REV E 9/11/17 RESTR SUB
70-58-0705		59	24 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
					RECTORSE AL CORPORAT ION	CCSS-001, REV I, 3-9-11, LABEL METACAUULK FIRE RATED PUTTY 66345
70-58-1010		0	0 400		MINNESOT A, MINING & MANUFACT UR NYCTA	ACRYL-GREEN SPOT PUTTY 05096 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 114

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-60-0582	INTENDED FOR USE IN AUTOMOTIVE, BUS AND RAILCAR CHILLING AGENT, AEROSOL, CONTAINS 100% TETRAFLUOROETH- ANE, USED FOR CHECKING PROPER OPERATION OF HEATER THERMOSTAT IN RAILCARS., IN 10 OZ. CANS 10-12 CANS PER CASE	237	87 400		GC ELECTRONICS ITW CHEMTRONICS, INC MICROCAR E CORPORATION NYCTA	CCSS-001, REV I, 3-9-11, LABEL GC FREEZE MIST #19-8410- 10 FREEZ-IT #ES1050 MICROFREEZE CIRCUIT COOL MCC-FRZ CCSS-003 REV E 9/11/17 RESTR SUB
70-60-1060	REPELLENT, INSECT, SPRAY, MUST CONTAIN 25-30% DEET, MUST BE REGISTERED WITH EPA AND ASSIGNED A EPA NUMBER OR LISTED ON EPA	3663	2289 400		TECHSPRAY, L.P. NYCTA	CCSS-001, REV I, 3-9-11, LABEL FREEZER 1672- 10S CCSS-003 REV E 9/11/17 RESTR SUB
70-60-5007	ADHESIVE, RETAINING COMPOUND, FOR USE IN	0	0 400		S.C. JOHNSON HENKEL CORPORATION	CCSS-001, REV I, 3-9-11, LABEL DEEP WOODS INSECT REPELLENT V LOCTITE 620 RETAIN COMP #62070

QUALIFIED PRODUCT LIST

7/7/2026 115

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-60-5010	USED ON R142 CARS FOR SECURING DOOR OPERATOR BUSING SUPPORT	19	7 400	ND INDUSTRIE S NYCTA	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	ASSEMBLIES ADHESIVE, RETAINING COMPOUND, SINGLE COMPONENT, ANAEROBIC, HIGH STRENGTH AND VISCOSITY, ROOM TEMPERATURE CURING, USED TO JOIN FITTED					CCSS-001, REV I, 3-9-11, LABEL 54150 HIGH STRENGTH- SLIP FIT
	ADHESIVE, RETAINING COMPOUND, USED ON R142 CARS TO ADHERE THE BEARING ON THE CONDENSER FAN MOTOR SHAFT.					CCSS-001, REV I, 3-9-11, LABEL PERMATEX BEARING MOUNT 50 ML 68050
	URETHANE ADHESIVE, RETAINING COMPOUND, USED ON R142A CARS FOR SECURING THE BALANCING HARDWARE TO					SAF-T-LOK R35
70-60-5012	ADHESIVE, RETAINING COMPOUND, USED ON R142 CARS TO ADHERE THE BEARING ON THE CONDENSER FAN MOTOR SHAFT.	0	400	HENKEL CORPORAT ION NYCTA	NYCTA	LOCTITE 603 RETAIN COMP #21441 CCSS-003 REV E 9/11/17 RESTR SUB
70-60-5015	ADHESIVE, RETAINING COMPOUND, USED ON R142A CARS FOR SECURING THE BALANCING HARDWARE TO					CCSS-001, REV I, 3-9-11, LABEL 640 RETAINING COMPOUND #64031
	ADHESIVE, RETAINING COMPOUND, USED ON R142A CARS FOR SECURING THE BALANCING HARDWARE TO					MIL-R-46082B
	ADHESIVE, RETAINING COMPOUND, USED ON R142A CARS FOR SECURING THE BALANCING HARDWARE TO					CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 116

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-60-5020	HARDWARE TO THE ROTOR ON TRACTION MOTORS FOR ADHESIVE, BONDING RESIN, USED ON R142A CARS FOR HOLDING THE ENDS OF THE TOP LAYER OF INSULATION ON THE COILS AND CONNECTIONS RESIN, FIBREGLASS, WITH LIQUID HARDENER USED FOR METAL AND FIBERGLASS REPAIRS; RESIN PACKAGED IN 1 GALLON CAN AND HARDENER IN 2 OZ. TUBE; MUST MEET ALL REQUIREMENTS UNDER NYCT ADHESIVE, SEALANT, COLOR: CLEAR, IN 3 OUNCE TUBE, USED IN CONJUNCTION WITH AMP CONNECTOR, AMP SOLDER			400	ELANTAS PDG., INC.	CCSS-001, REV I, 3-9-11, LABEL RANVAR B553 BONDING RESIN CCSS-003 REV E 9/11/17 RESTR SUB
70-63-3100		62	34 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR SUB
70-67-0500		19	20 400		QUEST AUTOMOTI VE PRODUCTS DOW CORNING FEDERAL SPECIFICA TION NYCTA	CCSS-001, REV I, 3-9-11, LABEL 7112-FACIL-00 RESIN & HARD*GAL #58020 RTV-3145 MIL-A-46146 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 117

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-0760	AMP SOLDER CUP CONTACT, RAYCHEM BOOT AND RESISTOR ADHESIVE, INSTANT, ONE- PART BLACK GEL, 20 GRAM TUBE. FOR BONDING METALS, PLASTICS, RUBBER. GEL TOUGHENED WITH SEALANT, HEAT RESISTANT, NON- SLUMPING SILICONE ELASTOMER, RED, 10.1 FL. OZ. CARTRIDGES, DESIGNED FOR SEALING AND BONDING APPLICATIONS	0	0 400		HENKEL CORPORAT ION	CCSS-001, REV I, 3-9-11, LABEL LOCTITE 426 BLACK INSTANT #18398
70-67-0850					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-67-0850			400		DOW CORNING	CCSS-001, REV I, 3-9-11, LABEL 736 HEAT RESISTANT SEALANT
					FEDERAL NYCTA	MIL-A-46106A CCSS-003 REV E 9/11/17 RESTR SUB
70-67-0852	SEALANT, FAST CURE THREAD, FOR THREADED FITTINGS IN PNEUMATIC AND HYDRAULIC SYSTEMS. 50 ML TUBE. METHACRYLATE ESTER BASED. VISCOSITY 15 000.	0	0 400		HENKEL LOCTITE CORPORAT ION	CCSS-001, REV I, 3-9-11, LABEL 5452 THREAD SEALANT #1265769
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 118

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-0882	ADHESIVE, SEALANT, PERMANENT THREAD LOCKER, HIGH STRENGTH, FOR LOCKING ALL FASTENERS THAT MUST WITHSTAND HEAVY SHOCK AND VIBRATION, EXTREME CHEMICAL OR ENVIRONMENTAL CONDITIONS, FOR BOLTS	92	42 400		FEDERAL	MIL-S-46163A TYPE II GRADE 0
					HENKEL CORPORAT ION	LOCTITE 262 THREADLOCKE R 26231
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					PERMABO ND	PERMABOND HM-118
					SAF-T-LOK	T62
70-67-0884	ADHESIVE, SEALANT, LOW VISCOSITY THREAD LOCKER, WICKING GRADE, PENETRATES PRE-ASSEMBLED FASTENERS, TORQUE, FOR ADJUSTABLE POTENTIOMETER S, COLOR IS GREEN, IN 9 TO 10 ML. BOTTLES	0	0 400		FEDERAL SPECIFICA TION	MIL-S-46163A TYPE III GRADE R
					HENKEL CORPORAT ION	LOCTITE THREADLOCKE R #29021
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					SAF-T-LOK	S90
70-67-0885	ADHESIVE, INSTANT, SUPERBONDER,	2673	1490 400		FEDERAL SPECIFICA TION	MIL-A-46050C, TYPE II, CLASS 3

QUALIFIED PRODUCT LIST

7/7/2026 119

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-0950	HIGH VISCOSITY (400-4000 CPS), FOR BONDING METAL, PLASTIC AND VINYL PARTS, GAP FILLING ABILITY UP TO 0.010". 1.0 FLUID OUNCE NET WEIGHT BOTTLE. MINIMUM SHELF LIFE REQUIRED COMPOUND, ANTI-SEIZE, SILVER GRADE, HIGH TEMPERATURE, FOR USE ON DRAWBAR COMPONENTS OF R142 AND R142A; TYPICAL COEFFICIENT OF SEALANT, FOR COIL CONNECTIONS, PERMANENTLY SOFT, THUMBGRADE, FOR USE ON SPLIT CAM MODIFICATON FOR GE	331	138 400		HENKEL CORPORAT ION	LOCTITE INSTANT ADHESIVE #41650
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					PERMABO ND	PERMABOND 200-1 FL. OZ
70-67-1110					HENKEL CORPORAT ION	LOCTITE LB8150SV ANTISEIZE 76764
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL 7123-FACIL-00
					SEALERS, INC.	1003 SEALER

QUALIFIED PRODUCT LIST

7/7/2026 120

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-1202	SEALANT, SEAM SEALANT, SYNTHETIC ELASTOMER, WATER BASED NON-SAG WHITE PASTE; USED TO REPAIR CAR BODY DAMAGE; MUST HAVE FLASH POINT OF 200°F MINIMUM. %	0	0 400		MINNESOTA, MINING & MANUFACTUR NYCTA	ALL-AROUND AUTOBODY SEALANT#8500 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-67-1320	SEALER, EDGE, ACRYLIC/ALKYD, RESIN BASED, CLEAR, PACKAGED IN 8 OZ. CAN WITH FELT DAUBER APPLICATOR; SOLIDS CONTENT TO BE 43% TO 49%; VISCOSITY TO BE	330	8 400		MINNESOTA, MINING & MANUFACTUR NYCTA	SCOTCHCAL BRAND EDGE SEALER 3950 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-67-1370	RESIN, ACRYLIC, LOCKING AND SEALING COATING FOR THREADED FASTENERS. A SPECIAL BLEND OF ACRYLIC RESINS TO PREVENT	50	0 400		ND INDUSTRIES NYCTA	VIBRA-TITE #21330 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 121

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-1425	SEALANT, GASKET AND THREAD; FOR USE IN AIR CONDITIONING EQUIPMENT; SYNTHETIC REFRIGERATION OIL BASED; MAXIMUM HFI IIIM I FAK JOINT	46	21 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-67-1635	COMPOUND, FLEXIBLE FILLER FOR EXPANSION JOINTS, TWO- COMPONENT POLYMER CONTAINING EDDY & SEALANT, PIPE JOINT, FOR AIR CONDITIONING SYSTEMS; USED TO SEAL THREADED JOINTS, FLANGE JOINTS AND ALL METAL AND PLASTIC PIPING SURFACES	2	0 400		REFRIGER ATION TECHNOLO GIES NPI FOR GARON NYCTA	NYLOG BLUE RT201B GARON JOINT GUARD 163010 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-67-1679	SEALANT, PIPE JOINT, FOR AIR CONDITIONING SYSTEMS; USED TO SEAL THREADED JOINTS, FLANGE JOINTS AND ALL METAL AND PLASTIC PIPING SURFACES	411	208 400		HIGH SIDE CHEMICAL NYCTA	"LEAK LOCK" CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 7109-FACIL-00 REV A
70-67-1680	SEALANT, PIPE JOINT, FOR AIR CONDITIONING SYSTEMS; USED TO SEAL THREADED	187	137 400		HIGH SIDE CHEMICAL NYCTA	LEAK LOCK 10004 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 122

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-1700	THREADED JOINTS, FLANGE JOINTS AND ALL METAL AND PLASTIC PIPING SURFACES. SEALANT, INSULATING, EXPANDING POLYURETHANE FOAM, TACK FREE TIME - 5 MINUTES, CUT THRU TIME- 60 MINUTES, USED TO SEAL AND SEALANT, INSULATING MULTI-PURPOSE, LATE FOAM, EXPANDING. TACK FREE TIME- 10 MINUTES, FULL CURE TIME- 24 HOURS, FLEXIBLE AND PAINTABLE SEALANT, THREADLOCKER, MEDIUM STRENGTH ADHESIVE WITH INCREASED RELIABILITY TO WITHSTAND HIGH TEMPERATURE, VIBRATION	477	309 400		ICP AMERICA NYCTA	CCSS-001, REV I, 3-9-11, LABEL 7109-FACIL-00 REV A HANDI-FOAM WINDOW & DOOR CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1702	TO SEAL AND SEALANT, INSULATING MULTI-PURPOSE, LATE FOAM, EXPANDING. TACK FREE TIME- 10 MINUTES, FULL CURE TIME- 24 HOURS, FLEXIBLE AND PAINTABLE SEALANT, THREADLOCKER, MEDIUM STRENGTH ADHESIVE WITH INCREASED RELIABILITY TO WITHSTAND HIGH TEMPERATURE, VIBRATION	36	2 400		DAP INC. NYCTA	CCSS-001, REV I, 3-9-11, LABEL DAPTEX PLUS FOAM SEALANT 18836 CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1725	PAINTABLE SEALANT, THREADLOCKER, MEDIUM STRENGTH ADHESIVE WITH INCREASED RELIABILITY TO WITHSTAND HIGH TEMPERATURE, VIBRATION	37	29 400		HENKEL CORPORATION NEW FLYER CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL LOCTITE 243 THREADLOCKER 1329467 081034(REF ONLY) CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 123

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-1802	MINOR SURFACE CONTAMINATION, USED WITH SEALANT, SILICONE CONSTRUCTION GRADE, CLEAR; USED TO SEAL BUILDING JOINTS TO PREVENT THE PENETRATION OF RAIN, AIR AND NOISE. MUST SEALANT, ADHESIVE, HIGH TEMPERATURE SILICONE (POLYSILOXANE OR DIMETHTHYSILO XANE) BASED. USED FOR MAKING "FORMED-IN- PLACE" COMPOUND, GASKET, SILICONE, RTV, ONE COMPONENT, TO FORM GASKET SEALS IN MECHANICAL ASSEMBLIES, VIBRATION RELIEF	146	1 400		MOMENTIV E AMER IND NYCTA	CCSS-001, REV I, 3-9-11, LABEL SCS 1201 12R CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1812		262	70 400		LOCTITE CORP NORTH AMER. GROUP NYCTA	CCSS-001, REV I, 3-9-11, LABEL RTVSILICONE SEALANT #59630 CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1814		61	19 400		HENKEL CORPORAT ION NYCTA	CCSS-001, REV I, 3-9-11, LABEL LOCTITE SI587 RTV SILICONE 58730 CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 124

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-1838	SEALANT, FIRE BARRIER, ONE-COMPONENT SILICONE ELASTOMER; USED TO SEAL CRACKS OR HOLES AROUND PIPES OR IN SUBWAY FLOORS;	0	0	400	MINNESOTA, MINING & MANUFACTURER	3M FIREBARRIER 2000+
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-67-1839	PACKAGED IN PUTTY, FIRESTOPPING, ONE-PART, TWO-STAGE INTUMESCENT, NON-HARDENING COMPOUND. 36 CUBIC INCH BAR PACKAGED IN 0.6 LITER TUBE. USED TO SEAL THROUGH-PENETRATIONS	30	17	400	ASTM NYCTA	CCSS-001, REV I, 3-9-11, LABEL E814 CCSS-003 REV E 9/11/17 RESTR SUB
					SPECIFIED TECHNOLOGIES INC.	CCSS-001, REV I, 3-9-11, LABEL SPEC SEAL FIRESTOP PUTTY SSP100
70-67-1840	SEALANT, RTV SILICONE, GRAY, FOR USE IN SEALING FLANGES AND GE GEAR UNITS; TO HAVE EXCELLENT OIL AND CHEMICAL RESISTANCE; SHORE	512	292	400	HENKEL LOCTITE CORPORATION	LOCTITE SI 5699 GREY 18581
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 125

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-1842	SEALANT, SILICONE, USED FOR FORMED-IN- PLACE GASKETING, COLOR: BLACK, PACKAGED IN 10.1 FL OZ. CARTRIDGES; MUST MEET ALL REQUIREMENTS	146	54	400	MOMENTIV E AMER IND NYCTA	RTV 1473- CRTRG CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 7115-FACIL-00
70-67-1880	SEALANT, SYNTHETIC RUBBER BASED, FOR RE- INSTALLATION OF RUBBER GASKETS ON R142 RAILCAR DOORS. REDUCES			400	MANUS PRODUCTS , INC. NYCTA	MANUS-BOND 52-A (BLACK) CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-67-1900	SEALANT, COMPOUND, PIPE JOINT SEALANT ON THREADED METAL PIPES (NOT FOR USE ON PLASTIC PIPES), MUST MEET ALL REQUIREMENTS	132	61	400	HERCULES CHEMICAL NYCTA	PRO DOPE #15- 420 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 7093-FACIL-99
70-67-2110	ADHESIVE, SEALANT, HIGH STRENGTH	412	224	400	FEDERAL SPECIFICA TION	MIL-S-46163A TYPE I GRADE K

QUALIFIED PRODUCT LIST

7/7/2026 126

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	THREAD LOCKER, FOR LOCKING ALL FASTENERS UP TO 1" DIAMETER WHERE HIGH LOAD OR HIGH VIBRATION IS PRESENT, COLOR: RED, 50 ML BOTTLE; 6 TO 10 BOTTLES PER CARTON. MINIMUM SHELF LIFE REQUIRED AT TIME OF				HENKEL CORPORAT ION ND INDUSTRIE S NYCTA PERMABO ND SAF-T-LOK	LOCTITE 271 THREADLOCKE R 27131 14050 HIGH STRENGTH THREADLOCKE R CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL PERMABOND HM 128-50 ML BOTTLE T70
70-67-2135	SEALANT, GASKET ELIMINATOR, REPLACES PRE- CUT OR FORMED- IN-PLACE GASKETS, ROOM TEMPERATURE CURING, PROVIDES TOUGH RESILIENT	447	171 400		HENKEL CORPORAT ION NYCTA	LOCTITE 518 GASKET ELIMINATOR CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL
70-67-2139	SOLVENT AND ACTIVATOR, PRIMER TO SPEED THE	21	4 400		PERMAT EX, INC. HENKEL CORPORAT ION	ANAEROBICGA SKETMAKER 300ML 51845 LOCTITE SF 7649 PRIMER 21348

QUALIFIED PRODUCT LIST

7/7/2026 127

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-2143	CURE OF ANAEROBIC ADHESIVES AND SEALANTS, ONE COMPONENT NON-CFC SOLVENT BASED SURFACE ACTIVATOR 4 25 -	38	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	ACTIVATOR/PRIMER, USED TO SPEED THE CURE OF ANAEROBIC ADHESIVES AND SEALANTS. ESPECIALLY FOR APPLICATIONS WITH PASSIVE SEALANT, GASKET SEALING, IN 3.5 OZ TUBE WITH NOZZLE. FOR SEALING THE END CAP TO THE HOUSING ON CONDENSER MOTOR FANS ON R142 RAIL CARS				SAF-T-LOK	CCSS-001, REV I, 3-9-11, LABEL PRIMER N AEROSOL
	ADHESIVE, SEALANT, THREADLOCKER;				HENKEL CORPORATION	LOCTITE SF 7471 PRIMER 19267
70-67-2147		0	2 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					HYLOMAR LTD/VALCO	HYLOMAR ADVANCEDFOR MULA 710XX301
70-67-2151		26	15 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					FEDERAL SPECIFICATION	MIL-S-46163A TYPE II GRADE M

QUALIFIED PRODUCT LIST

7/7/2026 128

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	FOR SCREWS, NUTS, BOLTS LESS THAN 1/4", LOW STRENGTH, HAND TOOL REMOVABLE, COLOR: PURPLE, IN 50 ML BOTTLES. MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT IS NINE MONTHS. CERTIFICATE OF ANALYSIS TO				HENKEL CORPORAT ION	LOCTITE 222MS THREADLOCKE R 22231
					ND INDUSTRIE S	11150 LOW STRENGTH THREADLOCKE R
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					PERMABO ND	PERMABOND LM 113-50ML BOTTLE
70-67-2152	ADHESIVE, SEALANT, THREADLOCKER; FOR SCREWS, NUTS, BOLTS LESS THAN 1/4", LOW STRENGTH, HAND TOOL REMOVABLE, COLOR: PURPLE, IN 10 ML BOTTLES. VENDOR TO SUPPLY CERTIFICATE OF	110	86 400		SAF-T-LOK	T22
					FEDERAL SPECIFICA TION	MIL-S-46163A TYPE II GRADE M
					HENKEL CORPORAT ION	LOCTITE 222MS THREADLOCKE R 22221
					ND INDUSTRIE S	11110 LOW STRENGTH THREADLOCKE R
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 129

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	ANALYSIS & CERTIFICATE OF CONFORMANCE FOR EACH					CCSS-001, REV I, 3-9-11, LABEL
					PERMABOND	PERMABOND LM113-10ML BOTTLE
					SAF-T-LOK	T22
70-67-2153	ADHESIVE, SEALANT, LOW VISCOSITY, SUPER BONDER, GENERAL PURPOSE INSTANT ADHESIVE BONDS METALS, PLASTICS. FILLS GAPS UP TO .004", CAN BE USED TO BOND PRE-ASSEMBLED PARTS WITH GAPS UP TO .006", COLOR IS CLEAR, IN ONE	127	48 400		FEDERAL SPECIFICATION HENKEL CORPORATION	MIL-A-46050C TYPE II CLASS 1 LOCTITE 495 INST ADHESIVE 49550
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					PERMABOND	PERMABOND 105
					SAF-T-LOK	IB45 INSTANT ADHESIVE
70-67-2170	ADHESIVE, SEALANT, THREADLOCKER, GENERAL PURPOSE, MEDIUM STRENGTH ADHESIVE FOR USE WITH	2434	898 400		FEDERAL SPECIFICATION HENKEL CORPORATION HERNON MFG	MIL-S-46163A TYPE II GRADE N LOCTITE 242 THREADLOCKER R 24221 NUTS N'BOLTS #42310

QUALIFIED PRODUCT LIST

7/7/2026 130

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-2171	USE WITH FASTENERS, NUTS, BOLTS, SCREWS 1/4" AND LARGER, HAND TOOL REMOVABLE, COLOR: BLUE, IN 10ML BOTTLES. MINIMUM SHELF LIFE REQUIRED AT	565	149 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					PERMABO ND	PERMABOND MM115-10ML BOTTLE
					SAF-T-LOK	T42
70-67-2171	ADHESIVE, SEALANT, THREAD LOCKER, GENERAL PURPOSE MEDIUM STRENGTH ADHESIVE FOR USE WITH FASTENERS, NUTS, BOLTS, SCREWS 1/4" AND LARGER, HAND TOOL REMOVABLE; COLOR: BLUE, IN 50 ML BOTTLES. VENDOR TO SUPPLY	565	149 400		FEDERAL SPECIFICA TION	MIL-S-46163A, TYPE II, GRADE N
					HENKEL CORPORAT ION	LOCTITE 242 THREADLOCKE R 24231
					HERNON MFG	NUTS N'BOLTS #42330
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-67-2172		1355	679 400			CCSS-001, REV I, 3-9-11, LABEL
					PERMABO ND	PERMABOND MM115-50 ML BOTTLE
					SAF-T-LOK	T42
	SEALANT, PIPE SEALANT WITH TEFLON FOR USE				HENKEL CORPORAT ION	LOCTITE 567 TB 50ML EN 2087067

QUALIFIED PRODUCT LIST

7/7/2026 131

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-2173	ON METAL PIPE THREADS, FITTINGS AND FLANGES, ESPECIALLY STAINLESS STEEL. ALSO USED ON TRACTION GEAR UNIT ASSEMBLY; NOT FOR USE ON PLASTIC PIPES. WHITE PASTE IN SEALANT, PIPE, WITH TEFLON, FOR USE ON METAL PIPE THREADS, FITTINGS AND FLANGES, ESPECIALLY STAINLESS STEEL. ALSO SEALANT, PIPE SEALANT WITH TEFLON, FOR USE ON METAL PIPE THREADS, FITTINGS AND FLANGES; ALSO USED ON GE CONTROLLER #17KC76AE2; NOT FOR USE ON PLASTIC PIPES. WHITE PASTE IN	84	47 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					PERMABOND	PERMABOND LH-150-50ML TUBE
					PERMATEX, INC.	59235 HITEMP THREAD SEALANT 50ML
70-67-2179	ON METAL PIPE THREADS, FITTINGS AND FLANGES, ESPECIALLY STAINLESS STEEL. ALSO SEALANT, PIPE SEALANT WITH TEFLON, FOR USE ON METAL PIPE THREADS, FITTINGS AND FLANGES; ALSO USED ON GE CONTROLLER #17KC76AE2; NOT FOR USE ON PLASTIC PIPES. WHITE PASTE IN	2409	1157 400		HENKEL CORPORATION	LOCTITE 567 TB 250ML EN 2087069
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					HENKEL CORPORATION	LOCTITE PST PIPE SEALANT 59231
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
					PERMABOND	PERMABOND LH-050-50ML TUBE

QUALIFIED PRODUCT LIST

7/7/2026 132

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-67-2300	A 50 ML TUBE. SEALANT, ADHESIVE, ELASTOMERIC PREMIUM GRADE HIGH PERFORMANCE, MOISTURE CURABLE	0	0 400	NYCTA		LH050 CCSS-003 REV E 9/11/17 RESTR SUB
70-67-5170	SEALANT, PIPE, NON-HARDENING TYPE WITH TEFLON; SMOOTH PASTE; FOR USE ON THREADED METAL PIPES, FITTINGS AND FLANGES. NON-	486	292 400		SIKAFLEX HENKEL CORPORAT ION NYCTA	CCSS-001, REV I, 3-9-11, LABEL 1A BLACK LOCTITE 5113 THREAD SEALANT CCSS-003 REV E 9/11/17 RESTR SUB
70-67-7005	DETECTOR, GAS LEAK SOLUTION, NON-TOXIC, NON- FLAMMABLE, BIODEGRADABLE . FOR USE IN DETECTING GAS LEAK IN TEMPERATURE RANGE 35 TO 177 DEGREES	774	462 400	NYCTA		CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
70-68-0100	COMPOUND, ELECTRICAL JOINT, CONDUCTIVE, ...	5	4 400		REFRIGER ATION TECHNOLO GIES ALCOA FUJIKURA LTD	BIG BLU RT100S ELECTRIC JOINT COMPOUND NO. 2

QUALIFIED PRODUCT LIST

7/7/2026 133

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-70-1000	HIGH TEMPERATURE, FOR USE IN ALUMINUM TO ALUMINUM AND/OR ALUMINUM TO LUBRICANT, SLIDING COMPOUND WITH SILICONE; MULTI-PURPOSE; USED FOR INSTALLING WINDOW GLASS; MINIMUM MELTING POINT	43	25 400	NYCTA	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	SOAP, MILLED TOILET CAKE, 3-OZ., MUST MEET THE PROPERTIES OF A MILLED TOILET SOAP GIVEN IN NYC SPECIFICATION 5-S-25:85, TABLES I + II, TO BE PACKAGED 200 UNWRAPPED CAKES PER SOAP, LEAK DETECTOR, FOR DETECTING LEAKS IN					CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
70-71-1200	SLIPIT INDUSTRIES INC CORCRAFT /DEPT. OF CORRECT. SERV	8914	626 400		SLIPIT INDUSTRIES INC CORCRAFT /DEPT. OF CORRECT. SERV	SLIPIT SLIDING COMPOUND MILLED TOILET BAR SOAP UO15579CO
70-71-1525		440	110 400	NYC SPEC NYCTA	NYC SPEC NYCTA	5-S-25:85 CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-001, REV I, 3-9-11, LABEL
						CCSS-001, REV I, 3-9-11, LABEL
					NATIONWIDE CHEMICAL CO., INC.	TA900 LIQUID HAND SOAP

QUALIFIED PRODUCT LIST

7/7/2026 134

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-71-1530	PNEUMATIC PARTS. MUST PROVIDE VISIBLE BUBBLING ACTION WHEN DILUTED AT 5:1 WITH WATER CLEANER, HEAVY DUTY ALKALINE. PRODUCT MUST BE NON- STREAKING, SELF RINSING, SOLUBLE IN COLD WATER, LOW FOAM, NON- TOXIC & NON- FLAMMABLE, TO BE PACKED IN 5 CLEANER, DEGREASER, FOR REMOVAL OF GREASE, RUBBER RESIDUES, WAX, ADHESIVE. PACKAGED IN 12- 16 OZ NET. WEIGHT AEROSOL CAN. CONTAINS D- LIMONENE.	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
70-72-1201	CLEANER AND DEGREASER, USED ON R142 CARS FOR CLEANING/DEFOG	32443	16556 400		NATIONWI DE CHEMICAL CO., INC. NYCTA	"BLOCK BUSTER" 110 (R- 3) PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR SUB
70-72-1202		0	0 400		CRC INDUSTRIE S, INC. ITW CHEMTRO NICS, INC NYCTA	CCSS-001, REV I, 3-9-11, LABEL CITRUS DEGREASER #14170 MAX-KLEEN CITRUS HF ES2291 CCSS-003 REV E 9/11/17 RESTR SUB
					HENKEL CORPORAT ION	CCSS-001, REV I, 3-9-11, LABEL LOCKTITE ODC- FREE CLNR/DEGREASER

QUALIFIED PRODUCT LIST

7/7/2026 135

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-72-1711	CLEANING/DEGRADING THE CONDENSER FAN MOTOR SHAFT PRIOR TO APPLYING ADHESIVE TO DESICCANT, FOR KNORR AIR BRAKE DUAL CHAMBER AIR DRYER UNIT	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	TYPE LTZ 012-H, MOLECULAR SIEVE, SODIUM ALUMINOSILICATE ADSORBENT, 8 X 12 BEADS					CCSS-001, REV I, 3-9-11, LABEL
	DESICCANT KIT, FOR KNORR AIR BRAKE DUAL CHAMBER AIR DRYER UNIT				KNORR BRAKE CORPORATION	810532
70-72-1713	TYPE LTZ 012-H, MOLECULAR SIEVE, SODIUM ALUMINOSILICATE ADSORBENT, 8 X 12 BEADS	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
	DESICCANT KIT, FOR KNORR AIR BRAKE DUAL CHAMBER AIR DRYER UNIT					CCSS-001, REV I, 3-9-11, LABEL
	TYPE LTZ 012-H, KIT CONTAINS TWO FIVE POUND				KNORR BRAKE CORPORATION	810533
70-72-1715	DESICCANT, FOR KNORR AIR BRAKE AIR DRYER UNIT VV-120. MOLECULAR SIEVE, SODIUM ALUMOSILICATE ADSORBENTS, 8 X 12 BEADS. APPARENT DENSITY 50	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL
					KNORR BRAKE CORPORATION	810532/9.7
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-003 REV D 12/2/15 RESTR SUB

7/7/2026 136

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-72-1716	LBS/FT3 MINIMUM, CRUSH STRENGTH 12 DESICCANT KIT, FOR KNORR AIR BRAKE DRYER UNIT VV-120. KIT CONTAINS TWO 9.7 POUND BAGS OF MOLECULAR SIEVE 8 X 12 BEAD DESICCANT, FOUR O-RINGS	0	0	400	KNORR BRAKE CORPORAT ION NYCTA	CCSS-001, REV I, 3-9-11, LABEL 806544/151 CCSS-003 REV E 9/11/17 RESTR SUB
70-72-1717	DESICCANT, FOUR O-RINGS DESICCANT, ABSORBENT, ACTIVATED ALUMINA(BASF-"F- 200"). FOR GRAHAM WHITE AIR DRYER ASSEMBLY UNIT #995-200 USED IN	390	130	400	GRAHAM WHITE NYCTA	CCSS-001, REV I, 3-9-11, LABEL 5995-038 CCSS-003 REV E 9/11/17 RESTR SUB
70-72-1718	DESICCANT KIT, FOR GRAHAM WHITE AIR DRYER ASSEMBLY UNIT #995-200 USED IN			400	GRAHAM WHITE NYCTA	CCSS-001, REV I, 3-9-11, LABEL RM995-1 CCSS-003 REV E 9/11/17 RESTR SUB
70-77-1195	RAILCAR AIR BRAKE COMPRESSOR TESTING COMPOUND, FLUORESCENT MAGNETIC PARTICLE	270	175	400	MAGNAFLU X	CCSS-001, REV I, 3-9-11, LABEL 14AM MAGNAGLO PREPARED BATH

QUALIFIED PRODUCT LIST

7/7/2026 137

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
70-77-1252	PARTICLE PREPARED BATH; REFINED PETROLEUM DISTILLATE BASED FLUID; FLASH POINT TO KIT, TEST, ACID, IS USED ON ALL REFRIGERATION OILS, TO DETERMINE THE LEVEL OF ACID WITHIN REFRIGERATION UNIT, BIODEGRADABLE PAINT, LATEX, FLAT, BLACK, EXTERIOR, ACRYLIC EMULSION, IN 5 GAL. CANS. VISCOSITY 75 KU MINIMUM; 60 DEGREE SPECULAR GLOSS IS LESS THAN 10 PAINT, ALKYD EXTERIOR ENAMEL, BLACK GLOSS IN ONE GALLON CAN. USED TO PAINT	21	0 400		NYCTA COMSTAR INTERNATI ONAL INC. NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL 90-311 CCSS-003 REV E 9/11/17 RESTR SUB
71-09-1030		0	0 400		MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL NYCTA TT-P- 19B BLACK CCSS-003 REV E 9/11/17 RESTR SUB
71-09-1050		198	49 400		MERCURY PAINT CORP/AMS TERDAM M	CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL INDUSTL MAINT M12 BLACK

QUALIFIED PRODUCT LIST

7/7/2026 138

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-09-1100	USED TO PAINT TRUCK FRAMES AND MOTORS ON SUBWAY CARS AND LOCOMOTIVE ENGINES AND ALSO SHOP DOORS AND TRIM. COLOR: PAINT, LATEX, ENAMEL, BLACK GLOSS, EXTERIOR/INTERIOR, IN ONE GALLON CAN. USED TO PAINT MOTOR FRAMES AND SHELLS. APPLIED BY SPRAY, BRUSH AND DIPPING	842	447	400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
	PAINT, LATEX, ENAMEL, BLACK GLOSS, EXTERIOR/INTERIOR, IN ONE GALLON CAN. USED TO PAINT MOTOR FRAMES AND SHELLS. APPLIED BY SPRAY, BRUSH AND DIPPING				MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL LATENBLCK CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-09-1456	AND DIPPING PAINT, LATEX, TAN, GLOSS INTERIOR/ EXTERIOR, IN ONE GALLON CANS. USED ON INTERIOR AND EXTERIOR SOP AND CLEANING BOOTH WALLS. TRISTIMULUS VALUES:	1	0	400	FEDERAL STD.	CCSS-001, REV I, 3-9-11, LABEL AA-2246
	AND DIPPING PAINT, LATEX, TAN, GLOSS INTERIOR/ EXTERIOR, IN ONE GALLON CANS. USED ON INTERIOR AND EXTERIOR SOP AND CLEANING BOOTH WALLS. TRISTIMULUS VALUES:				MERCURY PAINT CO. NYCTA	LATEX EN LIGHT FAWN TAN CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F

QUALIFIED PRODUCT LIST

7/7/2026 139

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-09-1605	L*73.06M A*7.98, B*17.29; DELTA E=2.00 MAX); PAINT, ENAMEL, BLUE, GLOSS, AIR DRY, IN 5 GALLON CAN. USED TO PAINT SHOP WALLS AND LINES ON SHOP FLOORS TO INDICATE HARD HAT AREAS. COLOR: NYCT PENNANT BLUE	45	40 400		MERCURY PAINT CO.	CCSS-001, REV I, 3-9-11, LABEL IMC M12 PENNANT BLUE 71091605
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-09-1690	(TRISTIMULUS PAINT, ALKYD, ENAMEL, CHOCOLATE BROWN, GLOSS, IN ONE GALLON CAN. USED TO PAINT WALLS	0	0 400		MERCURY PAINT CO.	CCSS-001, REV I, 3-9-11, LABEL IND MAINT CHOCOBROWN #20099
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
71-09-2310	PAINT, ALKYD, ENAMEL, BATTLESHIP GRAY FLOOR AND DECK, GLOSS, IN FIVE GALLON CAN. USED TO PAINT SHOP FLOORS. COLOR: NYCT BATTLESHIP GRAY	310	140 400		FEDERAL SPECIFICA TION MERCURY PAINT CO.	TT-E-487 INDUSTL MAINT TTE487#16187 GRAY
					NYCTA	PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 140

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-09-8020	(TRISTIMULUS VALUES: L* 48.03, A* -3.41, B* -0.61; DELTA E= 2.50). MUST MEET REQUIREMENTS	130	15 400			CCSS-002 9/21 G.R. PAINTS REV. F
	PAINT, NYCT,				MERCURY PAINT CO.	CCSS-001, REV I, 3-9-11, LABEL LATEX GLOSS SLIVER WHITE #2530
	SILVER WHITE, LATEX EXTERIOR GLOSS, IN FIVE GALLON CAN. THE PAINT COLOR PROVIDED MUST CONFORM TO THE FOLLOWING CIELAB VALUES NYCT SILVER WHITE LATEX PAINT, ALKYD, ENAMEL, ANTIQUE SATIN, GLOSS, IN ONE GALLON CAN. USED TO PAINT OFFICE AND				NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R.PAINTS REV. F
71-09-8033	PAINT, ALKYD, ENAMEL, ANTIQUE SATIN, GLOSS, IN ONE GALLON CAN. USED TO PAINT OFFICE AND	0	0 400		MERCURY PAINT CO.	CCSS-001, REV I, 3-9-11, LABEL TT-E-489J ANTIQUE SATIN #2486
71-09-8035	PAINT, ALKYD, ENAMEL, SNOW MIST, GLOSS, IN ONE GALLON CAN. USED TO PAINT OFFICE AND SHOP WALLS. COLOR: NYCT SNOW MIST	89	65 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
					MERCURY PAINT CO.	IMC M12 SNOW MIST/71-09-8035
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R.PAINTS REV. F

QUALIFIED PRODUCT LIST

7/7/2026 141

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-09-8200	PAINT, ALKYD, ENAMEL, MOUNTAIN MARIGOLD, SEMI- GLOSS. IN FIVE GALLON CAN. USED TO PAINT LINES ON SHOP FLOORS AND WALLS. COLOR: NYCT MOUNTAIN MARIGOLD(TRIST IMULUS VALUES; L*70.06, A*23.65, B*63.53; DELTA	20	0 400		ASTM MERCURY PAINT CO.	D 562 INDUSTLMAINT M12 MOUNTNMARIG OLD
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL
71-10-1180	PAINT, SPRAY, COLOR DULL ALUMINUM, INTERIOR/EXTERI OR, USED TO TOUCH UP WOOD, METAL, NET WEIGHT 12 OZ (11 OZ) 6 TO A CASE	3	7 400		KRYLON PRODUCTS GROUP	METALLICS DULL ALUMINUM 1403
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL
71-10-1242	PAINT, ACRYLIC GLOSS, COLOR: FEDERAL BLUE. IN FIVE GALLON CAN, PER NYCT SPEC STA-1242- 1224		400		MERCURY PAINT CO. NYCTA	DTM71101242 STA-1242-1224 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 142

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	1224					CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1257	PAINT, ACRYLIC GLOSS, COLOR: EBONY BLACK, IN FIVE GALLON CAN. PER NYCT SPEC STA-1257- 0925			400	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL B66LB332 DTM71101257 STA-1257-0925 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1277	PAINT, ACRYLIC GLOSS, COLOR: LIDO BEIGE, IN FIVE GALLON CAN. PER NYCT SPEC STA-1277- 0225			400	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL B66BB330 DTM71101277 STA-1277-0225 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F

QUALIFIED PRODUCT LIST

7/7/2026 143

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-10-1285	PAINT, ALKYD ENAMEL, GLOSS, INTERIOR/ EXTERIOR. IN 5- GALLON CAN. USED TO PAINT INTERIOR/EXTERI OR WALLS. COLOR: NYCT MAYFAIR TAN. TRISTIMULUS VAI IIFS- I * 61 51	0	0 400		SHERWIN WILLIAMS ASTM MERCURY	CCSS-001, REV I, 3-9-11, LABEL B66HB331 D 476
71-10-1316	PAINT, ACRYLIC GLOSS, COLOR: SILVER FERN. IN FIVE GALLON CAN. PER NYCT SPEC STA-1316- 1023		400		NYCTA MERCURY PAINT CO. NYCTA	IMC M12 MAYFAIR TAN/71-10-1285 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL DTM71101316 STA-1316-1023 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1322	PAINT, ACRYLIC GLOSS, COLOR: SILVER WHITE, IN		400		MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL DTM71101322 STA-1322-0724

QUALIFIED PRODUCT LIST

7/7/2026 144

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	FIVE GALLON CAN. PER NYCT SPEC STA-1322- 0724					CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL
71-10-1327	PAINT, ACRYLIC LATEX, ALUMINUM, HIGH GLOSS, (TRISTIMULUS VALUES; L*43.84, A* 1.14, B*4.19, DELTA E=3.0 MAX) FOR USE ON R68 RAILCAR BONNETS, IN ONE GALLON CONTAINERS, SELF PRIMING.	152	0 400		SHERWIN WILLIAMS MERCURY PAINT CO.	B66WB331 SERIES 2150 DTM R68 BONNET GREY
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1332	PAINT, ACRYLIC GLOSS, COLOR: TURKISH TILE, IN FIVE GALLON CAN. PER NYCT SPEC STA-1332- 0523		400		MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL DTM71101332 STA-1332-0522 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E

QUALIFIED PRODUCT LIST

7/7/2026 145

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-10-1337	PAINT, ACRYLIC GLOSS, COLOR: WEIMER GRAY, IN FIVE GALLON CAN. PER NYCT SPEC STA-1337-0625		400		MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL DTM71101337 STA-1337-0625 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1340	PAINT, OIL BASED, COLOR: WOODLAND NIGHT, IN FIVE GALLON CAN. PER NYCT SPEC STA-1340-0523		400		SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL B66AB330 IMC M12 WOODLAND NIGHT STA-1340-0523 CCSS-003 REV E 9/11/17 RESTR SUB
71-10-1345	PAINT, OIL BASED, COLOR, SAFETY RED, IN FIVE GALLON CAN. PER NYCT SPEC STA-1345-0226		400		ASTM FEDERAL MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL D 476 TT-E 506K TT-E 489J 71-10-1345-MP STA-1345-0226

QUALIFIED PRODUCT LIST

7/7/2026 146

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	0226					NYCTA MARKING CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R.PAINTS REV. F
71-10-1355	PAINT, OIL BASED, COLOR: COSMOS BLUE. IN FIVE GALLON CAN, PER NYCT SPEC STA-1355- 1224			400	ASTM FEDERAL MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL D476 TT-E 506K TT-E 489J IMCM12COSMO SBLUE71101355 STA-1355-1224 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1360	PAINT, OIL BASED, COLOR:			400	SHERWIN WILLIAMS ASTM FEDERAL	CCSS-001, REV I, 3-9-11, LABEL B66LB331 D476 TT-E 506K

QUALIFIED PRODUCT LIST

7/7/2026 147

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	EMBER RED, IN FIVE GALLON CAN, PER NYCT SPEC STA-1360- 0424				MERCURY PAINT CO.	NYCTA IMCM12 EMBERRED 71- 10-1360 STA-1360-0424 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-1367	PAINT, ACRYLIC GLOSS, COLOR: FOREST SHADE. IN FIVE GALLON CAN. PER NYCT SPEC STA-1367- 1023			400	MERCURY PAINT CO. NYCTA	DTM71101367 STA-1367-1023 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-1372	PAINT, ACRYLIC GLOSS, COLOR: GINGER TAN.IN FIVE GALLON CAN. PER NYCT SPEC STA-1372- 1023			400	MERCURY PAINT CO. NYCTA	DTM71101372 STA-1372-1023 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 148

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	1023					CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1375	PAINT, OIL BASED, COLOR: BLACK, IN FIVE GALLON CAN, PER NYCT SPEC STA-1375-0924		400		ANSI FEDERAL MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL Z34.2 TT.P-0061E IMC M12 BLACK/71-10- 1375 STA-1375-0924 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1380	PAINT, OIL BASED, COLOR: SAFETY YELLOW, IN FIVE GALLON CAN, PER NYCT SPEC STA-1380- 1224		400		SHERWIN WILLIAMS ANSI ASTM MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL B53T1054 Z34.2 D476 71-10-1380-MP STA-1380-1224 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 149

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
						CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL
					SHERWIN WILLIAMS	B66YB331
71-10-1470	PAINT, ENAMEL, ALKYD, FLAT BLACK, SPRAY CAN, 12 OZ. NET WEIGHT), 6 CANS PER CASE. [NOTE: FLASHPOINT REQUIREMENT OF NYCTA SPECIFICATION CCSS- 002(GENERAL REQUIREMENTS	1947	882 400	KRYLON PRODUCTS GROUP NYCTA	COLORMAXX FLAT BLACK 5546 PALLET SPEC.	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL
71-10-1475	PAINT, ENAMEL, ALKYD, GLOSS, BLACK, SPRAY CAN 12 OZ. NET WEIGHT, 6 CANS PER CASE. [NOTE: FLASHPOINT REQUIREMENT OF NYCTA SPECIFICATION CCSS-	5047	2898 400	KRYLON PRODUCTS GROUP NYCTA	KRYLON COLORMAXX GLOSSBLACK 5505 PALLET SPEC.	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F

QUALIFIED PRODUCT LIST

7/7/2026 150

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-10-1530	002(GENERAL REQUIREMENTS FOR PAINTS) IS PAINT, ENAMEL, GLOSS YELLOW, 12 OUNCE NET WEIGHT SPRAY CAN. COLOR: OSHA SAFETY YELLOW. MEETS COMMERCIAL ITEM DESCRIPTION A-A-1585 WITH EXCEPTIONS TO SOLID CONTENTS AND SPECULAR GLOSS. THE SOLID	2322	823 400		FEDERAL SPECIFICATION KRYLON	CCSS-001, REV I, 3-9-11, LABEL A-A-1585 KRYLON OSHA SAFETY YELLOW 1813N CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1532	PAINT, AEROSOL, ACRYLIC LACQUER, SMOKE GRAY, 12 OUNCE NET WEIGHT IN 16-OUNCE CAN, 6 PER CASE. INTERIOR/EXTERIOR INDUSTRIAL MAINTENANCE PAINT. USED TO PAINT R142/142A VALVES AT THE	123	89 400		KRYLON NYCTA	CCSS-001, REV I, 3-9-11, LABEL KRYLONCOLOR MAXGLOSSSM OKEGRAY5539 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 151

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-10-1540	PAINT, ENAMEL, GLOSS, RED, 12 OUNCE NET WEIGHT SPRAY CAN. COLOR: OSHA SAFETY RED. MEETS COMMERCIAL ITEM DESCRIPTION A- A-1585 WITH EXCEPTIONS TO SOLID CONTENTS AND SPECULAR GLOSS. THE	488	78 400		FEDERAL SPECIFICA TION KRYLON PRODUCTS GROUP NYCTA	A-A-1585 KRYLON OSHA SAFETY RED 2116 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9-11, LABEL CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1619	PAINT, EASYTHANE, BLACK, #14, COATED METAL PANEL PRODUCT REQUIREMENTS L*=7.39, A*=-1.34, B*=-0.81; GLOSS 60 DEG. +/-7 DEG., 60 DEG. GLOSS METER, WRIGHT PER	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-1629	PAINT, SINGLE COMPONENT, WATERBORNE, ACRYLIC, ALUMINUM, COATING FORMULATED	0	0 400		STERLING LACQUER NYCTA	WA1003-1 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F

QUALIFIED PRODUCT LIST

7/7/2026 152

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-10-1703	FORMULATED FOR DIRECT APPLICATION TO PRE-FINISHED METAL AND FIBERGLASS SURFACES, FOR PAINTING R68 PAINT, ACRYLIC GLOSS, COLOR: EARTHEN GOLD. IN FIVE GALLON CAN, PER NYCT SPEC STA-1703- 0625		400		SHERWIN- WILLIAMS	CCSS-001, REV I, 3-9-11, LABEL B71S1200 PROINDBPLX ACRYCOATALU M
					MERCURY PAINT CO. NYCTA	DTM71101703 STA 1703-0625 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1709	PAINT, ACRYLIC GLOSS, COLOR: NEWPORT GREEN, IN FIVE GALLON CAN. PER NYCT SPEC STA-1709-0225		400		SHERWIN WILLIAMS	CCSS-001, REV I, 3-9-11, LABEL B66YB332
					MERCURY PAINT CO. NYCTA	DTM71101709 STA-1709-0225 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 153

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-10-1711	PAINT, ACRYLIC GLOSS, COLOR: PURPLE GRAPE. IN FIVE GALLON CAN. PER NYCT SPEC STA-1711-1023		400		SHERWIN WILLIAMS	B66GB331
					MERCURY PAINT CO.	DTM7110711
					NYCTA	STA-1711-1023
						CCSS-003 REV E 9/11/17
						RESTR SUB
71-10-1716	PAINT, ACRYLIC GLOSS COLOR: GARNET. IN FIVE GALLON CAN. PER NYCT SPEC STA-1716-0725		400			CCSS-002 9/21
						G.R. PAINTS
						REV. F
						CCSS-001, REV I, 3-9-11, LABEL
					SHERWIN WILLIAMS	B66LB333
71-10-1800	PAINT, ACRYLIC GLOSS, COLOR: GUN METAL		400		MERCURY PAINT CO.	DTM71101716
					NYCTA	STA-1716-0725
						CCSS-003 REV E 9/11/17
						RESTR SUB
						CCSS-002 9/21
71-10-1800	PAINT, ACRYLIC GLOSS, COLOR: GUN METAL		400			G.R. PAINTS
						REV. F
						CCSS-001, REV I, 3-9-11, LABEL
					SHERWIN WILLIAMS	B66RB330
					MERCURY PAINT CO.	DTM ACRYLIC GLOSS GUN METAL GREY

QUALIFIED PRODUCT LIST

7/7/2026 154

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	GREY, IN FIVE GALLON CAN. PER NYCT SPEC STA-1800-0323				NYCTA	STA-1800-0323 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1805	PAINT, ACRYLIC GLOSS, COLOR: DARK SHADOW, IN FIVE GALLON CAN. PER NYCT SPEC STA-1805- 0823			400	MERCURY PAINT CO.	CCSS-001, REV I, 3-9-11, LABEL DTM ACRYLIC GLOSS DARK SHADOW
					NYCTA	STA-1805-0823 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-10-5039	PAINT, ALKYD, ENAMEL, RED, GLOSS, IN ONE GALLON CAN. USED TO PAINT FIRE BOX AREAS AND FIRE EXTINGUISHER LOCATIONS. COLOR: NYCT	28	32 400		MERCURY PAINT CO.	CCSS-001, REV I, 3-9-11, LABEL IMC ALKYD HI- GLOSS RED #11136
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F

QUALIFIED PRODUCT LIST

7/7/2026 155

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-10-6022	RED GLOSS (TRISTIMULUS VALUES: L* 31.06. PAINT, ENAMEL, GLOSSY WHITE, 16 OUNCE SPRAY CANS, NET WT. 12 OZ. MEETING COMMERCIAL ITEM DESCRIPTION A- A-1585 WITH THE EXCEPTION TO SOLID CONTENTS AND SPECULAR GLOSS. THE SOLID CONTENTS SHOULD BE 60-65 PAINT, 100% ACRYLIC WATER EMULSION, TRAFFIC AND AIRFIELD MARKING WHITE IN FIVE GALLON CAN. USED TO PAINT TRIP COCKS, WHEEL AXLE AND INSPECTION LINES. COLOR: NYCT WHITE	1100	837 400		FEDERAL SPECIFICA TION KRYLON NYCTA	CCSS-001, REV I, 3-9-11, LABEL A-A-1585 KRYLON COLORMAX GLOSS WHITE 5545 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-6030		60	42 400		BENJAMIN MOORE PAINTS FED. SPEC. MERCURY PAINT CO. NYCTA	GT 56210 NYCTA WHT LX TRAF PNT TT-P-1952E LEAD FREE FAST DRY TRAFFIC PAINT PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 156

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	LATEX TRAFFIC MARKING PAINT WHITE (TRISTIMULUS					CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL
71-10-6031	PAINT, ENAMEL, ALKYD, GLOSS SWEET CREAM, SPRAY CAN 12 OZ. NET WEIGHT, 6 CANS PER CASE. USED TO PAINT VALVES IN THE MOTORMAN'S CAB AND BRAKE VALVES IN THE CONEY ISLAND PNEUMATIC	0	0 400		KRYLON PRODUCTS GROUP	COLORMAXX GLOSS SWEET CREAM 5542
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL
71-10-6032	PAINT, WATER BASE, COLOR: LATEX GARDENIA WHITE, IN FIVE GALLON CAN. PER NYCT SPEC STA-6032-0623		400		MERCURY PAINT CO.	LTX SG GARDENIA/7110 6032
					NYCTA	STA-6032-0623 CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 1/05 G.R. PAINTS REV. E
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 157

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-10-6035	PAINT, 100% ACRYLIC WATER EMULSION, TRAFFIC AND AIRFIELD MARKING WHITE IN ONE GALLON CAN. USED TO PAINT TRIP COCKS, WHEEL AXLE AND INSPECTION LINES. COLOR: NYCT WHITE LATEX TRAFFIC MARKING PAINT WHITE	117	44	400	FEDERAL SPECIFICA TION MERCURY PAINT CO. NYCTA	TT-P-1952E LEAD FREE FAST DRY TRAFFIC PAINT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-6060	PAINT, WATER BASED, COLOR: CELESTE BLUE, IN FIVE GALLON CAN. PER NYCT SPEC STA-6060-0725			400	MERCURY PAINT CORP/AMS TERDAM M NYCTA	71-10-6060 STA-6060-0725 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL SHERWIN WILLIAMS B53T1054

QUALIFIED PRODUCT LIST

7/7/2026 158

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-10-6062	PAINT, ACRYLIC LATEX, COLOR: GREY, IN FIVE GALLON CAN, PER NYCT SPEC. STA-6062-0823			400	MERCURY PAINT CORP/AMS TERDAM M	71-10-6062 STA 6062-0823 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-10-6064	PAINT, ACRYLIC LATEX, COLOR: SEED PEARL, IN FIVE GALLON CAN. PER NYCT SPEC STA-6064- 0725			400	MERCURY PAINT CO. NYCTA	71-10-6064 STA-6064-0725 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R.PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-7010	PAINT, ALKYD, ENAMEL, HIGH	0	10 400		SHERWIN WILLIAMS FED. SPEC.	B66W311 TT-E-489J

QUALIFIED PRODUCT LIST

7/7/2026 159

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-10-7022	VISIBILITY YELLOW GLOSS, IN ONE GALLON CAN. USED TO PAINT SAFETY LINES ON FLOORS AND WALLS. COLOR: NYCT ENAMEL GLOSS TTE-489 HIGH VIS YELLOW (TRISTIMULUS PAINT, ALKYD, ENAMEL, TARGET YELLOW, GLOSS, IN ONE GALLON CAN. USED TO PAINT SAFETY ZONE ON SHOP FLOORS AND WALLS, TRACK FLOORS AND EXTERIOR LOCOMOTIVES. COLOR, NYCT HIGH GLOSS PAINT, LATEX COLOR: TRAFFIC YELLOW. IN FIVE GALLON CAN, PER NYCT SPEC STA-7030-0925	196	97 400		MERCURY PAINT CO.	INDUSTL MAINT HI-VISIBILITY YEL
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-7030		1030	960 400		MERCURY PAINT CO.	IMC M12 TARGET YELLOW #13538
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
					MERCURY PAINT CO. NYCTA	TZWBYEL STA-7030-0925 PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 160

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
						CCSS-002 9/21 G.R. PAINTS REV. F
71-10-7033	PAINT, LATEX, COLOR: EXTERIOR LATEX GLOSS SAFETY ORANGE, IN FIVE GALLON CAN PER NYCT SPEC STA-7033-0709			400	MERCURY PAINT CORP/AMS TERDAM M	CCSS-001, REV I, 3-9-11, LABEL LATEX-GLOSS SAFETY ORANGE
					NYCTA	STA-7033-0709 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-11-9020	PAINT, ALKYD, ENAMEL, WHITE, GLOSS IN ONE GALLON CANS. USE TO PAINT OFFICE WALLS AND SHOP PITS. COLOR, NYCT SUPER WHITE	0	0	400	MERCURY PAINT CO.	CCSS-001, REV I, 3-9-11, LABEL IMC TTP 102-E WHITE/71-11- 9020
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-14-2900	PAINT, BRIGHT SILVER ALUMINUM,	570	209	400	FEDERAL SPECIFICA TION	A-A-1585

QUALIFIED PRODUCT LIST

7/7/2026 161

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-14-7320	ENAMEL, IN 16	0	0 400		KRYLON	METALLICS
	OZ. SPRAY CANS,					BRIGHT SILVER
	NET WT. 11 OZ.,					1401
	MEETING				NYCTA	CCSS-003 REV
71-14-7320	COMMERCIAL	0	0 400			E 9/11/17
	ITEM					RESTR SUB
	DESCRIPTION A-					CCSS-002 9/21
	A-1585 WITH					G.R. PAINTS
71-14-7320	EXCEPTIONS TO	0	0 400			REV. F
	THE SOLID					
	CONTENTS AND					CCSS-001, REV
	SPECULAR					I, 3-9-11, LABEL
71-14-7320	GLOSS. THE	0	0 400			CCSS-003 REV
	PAINT, WATER					E 9/11/17
	BASED ACRYLIC					RESTR SUB
	ENAMEL, JOHN					
71-14-7320	DEERE GREEN,	0	0 400			CCSS-001, REV
	ONE GALLON					I, 3-9-11, LABEL
	CAN, HIGH					
	GLOSS. VOC					RUST-
71-14-7320	LESS THAN 250	0	0 400			OLEUM
	G/L (2.08					INDUSTRIAL
	1 LB/GAL) SOLID					CHOICE DTM
	PAINT, ALKYD,					#5234402
71-19-8300	ENAMEL, SEMI-	0	0 400			COMMERIC
	GLOSS WHITE. IN					AL
	ONE GALLON					A-A-3067
	CANS. USED TO					MERCURY
71-19-8300	PAINT EXTERIOR	0	0 400			TTP-102 TYPE II
	WALLS AT					ASG WHITE
	SHOPS. COLOR					CCSS-003 REV
	NYCT OIL BASED					E 9/11/17
71-19-8300	ALKYD WHITE	0	0 400			RESTR SUB
	(TRISTIM II IS					CCSS-002 1/05
						G.R.PAINTS
						REV. E

QUALIFIED PRODUCT LIST

7/7/2026 162

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-19-9600	VALUES: L*95.01, A*-1.47, B*9.20, DELTA E=2.0 PAINT, PRESERVATIVE, RED, STEEL, AIR DRY IN ONE GALLON CAN, USED FOR METAL, USED TO PAINT STEEL BEAMS, COLUMNS AND PLATES. COLOR: NYCT RED STEEL PRESERVATIVE PAINT KIT, SAFETY YELLOW, TWO COMPONENT URETHANE, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS. GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER AND SPRAY APPLICATION; PAINT KIT, SAFETY YELLOW, TWO	379	155 400		MERCURY PAINT CO. NYCTA	CCSS-001, REV I, 3-9-11, LABEL IMC #6073 RED STEEL PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-22-0001	NYCT RED STEEL PRESERVATIVE PAINT KIT, SAFETY YELLOW, TWO COMPONENT URETHANE, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS. GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER AND SPRAY APPLICATION; PAINT KIT, SAFETY YELLOW, TWO	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-22-0002	NYCT RED STEEL PRESERVATIVE PAINT KIT, SAFETY YELLOW, TWO	0	0 400		SHERWIN- WILLIAMS NYCTA	CCSS-001, REV I, 3-9-11, LABEL HP POLYURETHAN E B 65W525 YELLOW CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 163

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0006	COMPONENT					CCSS-002 1/05
	URETHANE,					G.R.PAINTS
	EXTERIOR FULL					REV. E
	GLOSS TOPCOAT				NYCTA/MA	
71-22-0006	FOR RAILCARS.				BSTOA	CCSS-001, REV
	GRAFFITI					I, 3-9-11, LABEL
	REMOVER				SHERWIN-	
	RESISTANT; FOR				WILLIAMS	POLY-LON 1441-
71-22-0006	BRUSH, ROLLER					88 LOCOMOT
	AND SPRAY					
	PAINT KIT, BEIGE,	0	0	400	NYCTA	CCSS-003 REV
	TWO					E 9/11/17
71-22-0013	COMPONENT					RESTR SUB
	URETHANE,					CCSS-002 9/21
	INTERIOR FULL					G.R. PAINTS
	GLOSS TOPCOAT					REV. F
71-22-0013	FOR RAILCARS,					
	GRAFFITI					CCSS-001, REV
	REMOVER					I, 3-9-11, LABEL
	RESISTANT; FOR				SHERWIN-	BW65W525
71-22-0013	BRUSH, ROLLER				WILLIAMS	BEIGE &
	AND SPRAY					B65V525
	APPLICATION.					
	PAINT KIT, TWO			400	NYCTA	CCSS-003 REV
71-22-0013	COMPONENT					E 9/11/17
	URETHANE,					RESTR SUB
	STAINLESS					CCSS-002 1/05
	STEEL,					G.R.PAINTS
71-22-0013	EXTERIOR FULL					REV. E
	GLOSS TOPCOAT					
	FOR RAILCARS,					CCSS-001, REV
	GRAFFITI					I, 3-9-11, LABEL
71-22-0013	REMOVER					1075-C-86
	RESISTANT, FOR					REV.J, MAR.
	BRUSH, ROLLER					1990
	& SPRAY					

QUALIFIED PRODUCT LIST

7/7/2026 164

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0018	APPLICATION. COLOR: NYCT PAINT KIT, TWO COMPONENT URETHANE; WHITE, INTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER & SPRAY APPLICATION. COLOR: NYCT POLY WHITE (TRISTIMULUS VALUES: L*92.4, PAINT KIT, TWO- COMPONENT POLYURETHANE PRIMER SURFACER, LIGHT GRAY, FOR FILLING PINHOLES AND ROUGH SURFACES OF FIBERGLASS SURFACES OR REWORK PAINT KIT, GRAY, TWO COMPONENT			400	SHERWIN- WILLIAMS NYCTA	POLY-LON 516- 87 SIMULATE CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL 1075-C-86 REV.J, MAR. 1990 HP POLYURETHAN E B 65W525 WHITE
71-22-0028	PAINT KIT, TWO- COMPONENT POLYURETHANE PRIMER SURFACER, LIGHT GRAY, FOR FILLING PINHOLES AND ROUGH SURFACES OF FIBERGLASS SURFACES OR REWORK PAINT KIT, GRAY, TWO COMPONENT	0	0 400		DEFT, INC. NYCTA	09GY024, 80X040 & IS300 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-003 06/16/00 RESTRICTED SUB
71-22-0034	PAINT KIT, GRAY, TWO COMPONENT	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 165

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0037	URETHANE, EXTERIOR/INTERI OR FULL GLOSS TOPCOAT FOR RAILCARS; GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER, AND SPRAY APPLICATION. ACCELERATOR, FOR POLYURETHANE PAINTS. THIS PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENTS OF CCSS-002, REV. D AND HAS BEEN APPROVED BY OSS FOR USE PAINT, KIT, PRIMER, TWO COMPONENT URETHANE, FOR BUS EXTERIOR GLOSS TOPCOAT. EACH INDIVIDUAL KIT SHALL CONTAIN 3 QUARTS OF	9	4 400	NYCTA	SHERWIN- WILLIAMS	CCSS-002 1/05 G.R.PAINTS REV. E
						CCSS-001, REV I, 3-9-11, LABEL
						HP POLYURETHAN E B 65W525 GRAY
						CCSS-003 REV E 9/11/17 RESTR SUB
71-22-0066			400	NYCTA	PPG INDUSTRIE S ALBERT KEMPERLE , INC. NYCTA	CCSS-002 1/05 G.R. PAINTS REV. E
						CCSS-001, REV I, 3-9-11 LABEL
						MX195
						ULTLOVOCSE02 SEALER/AKZSE 02VOC ACT
						CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 1/05 G.R. PAINTS REV. E

QUALIFIED PRODUCT LIST

7/7/2026 166

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0071	BASE IN A ONE GALLON CAN(PART A) AND A 1 QUART CAN OF ACTIVATOR(PART PAINT, KIT, BLUE, TWO COMPONENT URETHANE, BUS EXTERIOR GLOSS TOPCOAT, GRAFFITI REMOVER RESISTANT, FOR SPRAY APPLICATION. EACH INDIVIDUAL PAINT, KIT, BLACK, TWO COMPONENT URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION, EACH KIT SHALL CONTAIN 1-1/2 PAINT, KIT, WHITE, TWO COMPONENT		400		PPG INDUSTRIES NYCTA	CCSS-001, REV I, 3-9-11, LABEL GRAY 09GY007E-K/36X194CAT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL PPG INDUSTRIES NYCTA BLUE 36BL015E-K/36X194CAT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL PPG INDUSTRIES NYCTA BLACK 36BK001E-K/36X194CAT CCSS-003 REV E 9/11/17 RESTR SUB
71-22-0073			400		PPG INDUSTRIES NYCTA	
71-22-0075			400		PPG INDUSTRIES NYCTA	

QUALIFIED PRODUCT LIST

7/7/2026 167

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0077	URETHANE, BUS					CCSS-002 1/05
	EXTERIOR					G.R. PAINTS
	GLOSS TOPCOAT					REV. E
	GRAFFITI					
71-22-0077	REMOVER					CCSS-001, REV
	RESISTANT, FOR					I, 3-9-11, LABEL
	SPRAY					
	APPLICATION.				PPG	WHITE
71-22-0077	EACH INDIVIDUAL				INDUSTRIE	36W021E-
	KIT SHALL				S	K/36X194CAT
	PAINT, KIT, BLUE			400	NYCTA	CCSS-003 REV
	THREE					E 9/11/17
71-22-0077	COMPONENT,					RESTR SUB
	URETHANE BUS					CCSS-002 9/21
	EXTERIOR					G.R. PAINTS
	GLOSS TOPCOAT					REV F.
71-22-0077	GRAFFITI					
	REMOVER					CCSS-001, REV
	RESISTANT.					I, 3-9-11, LABEL
	SPRAY					
71-22-0090	APPLICATION,				PPG	BLUE/ESSS9894
	EACH KIT SHALL				INDUSTRIE	36/ESX520/ESH
	CONTAIN 3/4				S	200
	KIT, TOUCH-UP,	0	0	400	NYCTA	CCSS-003 REV
71-22-0090	BLUE ACRYLIC					E 9/11/17
	TOPCOAT,					RESTR SUB
	CONSISTING OF 2					CCSS-002 9/21
	COMPONENTS(B					G.R. PAINTS
71-22-0090	ASE AND					REV. F
	CATALYST) FOR					
	USE BY DOB IN					CCSS-001, REV
	PAINT SPRAY					I, 3-9-11, LABEL
71-22-0090	BOOTH. ZERO					
	VOC COATING.				PPG	
	MINIMUM SHELF				INDUSTRIE	BLUE 36BLO15E-
	LIFE REQUIRED				S	T/36X194CAT

QUALIFIED PRODUCT LIST

7/7/2026 168

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0092	KIT, TOUCH-UP, BLACK ACRYLIC TOPCOAT, CONSISTING OF 2 COMPONENTS(B ASE AND CATALYST) FOR USE BY DOB IN PAINT SPRAY BOOTH, ZERO VOC COATING MINIMUM SHELF LIFE REQUIRED	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-22-0094	KIT, TOUCH-UP, GREY PRIMER/SURFAC ER CONSISTING OF 2 COMPONENTS (BASE AND CATALYST) FOR USE BY DOB IN PAINT SPRAY BOOTH. ZERO VOC COATING MINIMUM SHELF LIFE REQUIRED	0	0 400		PPG INDUSTRIE S NYCTA	BLACK 36BK001E- T/36X194CAT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-22-0096	KIT, TOUCH-UP, WHITE ACRYLIC TOPCOAT, CONSISTING OF 2 COMPONENTS(B ASE AND CATALYST)FOR USE BY DOB IN PAINT SPRAY BOOTH ZERO	1	0 400		PPG INDUSTRIE S NYCTA	GRAY 09GY007E- T/36X194CAT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 169

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0126	VOC COATING MINIMUM SHELF LIFE REQUIRED PAINT KIT, TWO COMPONENT URETHANE, SEAT BLUE, INTERIOR FULL GLOSS TOPCOAT FOR R142, R142A & R143 RAILCAR SEATS, GRAFFITI REMOVER RESISTANT FOR BRUSH; ROLLER AND SPRAY APPLICATION. PAINT KIT, THREE COMPONENT URETHANE, SEAT BLUE, INTERIOR FULL GLOSS TOPCOAT FOR R160 RAILCAR SEATS, GRAFFITI REMOVER RESISTANT FOR BRUSH; ROLLER AND SPRAY PAINT, KIT, LIGHT BLUE, TWO COMPONENT,	0	0 400		PPG INDUSTRIE S DEFT, INC.	WHITE 36W021E- T/36X194CAT BLUE(36BL047) & CATALYST(80X O22) CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-22-0129	PAINT KIT, THREE COMPONENT URETHANE, SEAT BLUE, INTERIOR FULL GLOSS TOPCOAT FOR R160 RAILCAR SEATS, GRAFFITI REMOVER RESISTANT FOR BRUSH; ROLLER AND SPRAY PAINT, KIT, LIGHT BLUE, TWO COMPONENT,	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-22-0130	PAINT, KIT, LIGHT BLUE, TWO COMPONENT,		400		PPG INDUSTRIE S NYCTA	CCSS-001, REV I, 3-9-11 LABEL BLUEESSS9894 73,ESH200,ESX 510 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 170

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0132	URETHANE BUS EXTERIOR GLOSS TOPCOAT, GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION, EACH KIT SHALL PAINT, KIT, MEDIUM BLUE TWO COMPONENT, URETHANE BUS EXTERIOR GLOSS TOP COAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION.					CCSS-002 1/05 G.R. PAINTS REV. E
					PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL
					NYCTA	36BL031E-K/36X194CAT
		400				CCSS-003 REV E 9/11/17 RESTR SUB
71-22-0134	URETHANE BUS EXTERIOR GLOSS TOP COAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL PAINT, KIT, DARK BLUE TWO COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4					CCSS-002 1/05 G.R. PAINTS REV. E
					PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL
					NYCTA	36BL019E-K/36X194CAT
		400				CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 1/05 G.R. PAINTS REV. E
					PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL
					NYCTA	36BLO18E-K/36X194CAT

QUALIFIED PRODUCT LIST

7/7/2026 171

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0136	PAINT, KIT, YELLOW TWO COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT. SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4			400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-22-0150	PAINT KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT, FOR BRUSH, ROLLER & SPRAY	0	0 400		PPG INDUSTRIE S NYCTA	36Y210E- K/36X194CAT CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL OEM N0006 WHITE CCA976469
71-22-0152	PAINT KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 172

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0154	REMOVER RESISTANT, FOR BRUSH, ROLLER & SPRAY PAINT KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT, FOR BRUSH, ROLLER & SPRAY PAINT, KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER	0	0 400		PPG INDUSTRIE S NYCTA	OEM SAFETY YELLOW CCA976425 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-22-0156	REMOVER RESISTANT, FOR BRUSH, ROLLER & SPRAY PAINT, KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT, FOR BRUSH, ROLLER & SPRAY PAINT, KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER	0	0 400		PPG INDUSTRIE S NYCTA	OEM NYCT LG BLACK CCA950368 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-22-0160	REMOVER RESISTANT, FOR BRUSH, ROLLER & SPRAY PAINT, KIT, DARK BLUE, THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI		400		PPG INDUSTRIE S NYCTA	OEM SAFETY GREEN CCA911742 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F

QUALIFIED PRODUCT LIST

7/7/2026 173

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0162	GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 PAINT, KIT, LIGHT BLUE THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT, GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL PAINT, KIT, BLACK THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 PAINT, KIT, WHITE, THREE COMPONENT,		400		PPG INDUSTRIE S NYCTA	CCSS-001, REV I, 3-9-11, LABEL DKBLUE/ESSS9 89431/ESX520/E SH200 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV F. CCSS-001, REV I, 3-9-11, LABEL LTGBLUE/ESSS 989432/ESX520/ ESH200 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV F. CCSS-001, REV I, 3-9-11, LABEL BLACK/ESSS98 9435/ESX520/ES H200 CCSS-003 REV E 9/11/17 RESTR SUB
71-22-0164			400		PPG INDUSTRIE S NYCTA	
71-22-0166			400		PPG INDUSTRIE S NYCTA	

QUALIFIED PRODUCT LIST

7/7/2026 174

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0168	URETHANE BUS					CCSS-002 9/21
	EXTERIOR					G.R. PAINTS
	GLOSS TOPCOAT					REV. F
	GRAFFITI					
71-22-0168	REMOVER					CCSS-001, REV
	RESISTANT.					I, 3-9-11, LABEL
	SPRAY				PPG	WHITE/ESSS989
	APPLICATION.				INDUSTRIE	434/ESX520/ES
71-22-0168	EACH KIT SHALL				S	H200
	CONTAIN 3/4			400	NYCTA	CCSS-003 REV
	PAINT, KIT,					E 9/11/17
	YELLOW, THREE					RESTR SUB
71-22-0168	COMPONENT,					CCSS-002 9/21
	URETHANE BUS					G.R. PAINTS
	EXTERIOR					REV F.
	GLOSS					
71-22-0170	TOPCOAT,					CCSS-001, REV
	GRAFFITI					I, 3-9-11, LABEL
	REMOVER				PPG	YELLOW/ESSS9
	RESISTANT,				INDUSTRIE	89433/ESX520/E
71-22-0170	SPRAY				S	SH200
	APPLICATION.				NYCTA	CCSS-003 REV
	EACH KIT SHALL	0	0 400			E 9/11/17
	PAINT KIT,					RESTR SUB
71-22-0170	THREE					CCSS-002 9/21
	COMPONENT					G.R. PAINTS
	URETHANE,					REV. F
	YELLOW,					
71-22-0170	INTERIOR FULL					CCSS-001, REV
	GLOSS TOPCOAT					I, 3-9-11, LABEL
	FOR R160					
	RAILCAR SEATS,					
71-22-0170	GRAFFITI					

QUALIFIED PRODUCT LIST

7/7/2026 175

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0172	GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER AND SPRAY APPLICATION. COLOR: YELLOW,(TRISTI MULUS	8	7 400	NYCTA	PPG INDUSTRIE S	YELLOW ESSS943707&E SH200&ESX510 YELLOW ESSS943707 & HARDENER ESH
	PAINT KIT, THREE COMPONENT URETHANE, ORANGE, INTERIOR FULL GLOSS TOPCOAT FOR R160 RAILCAR SEATS, GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER AND SPRAY				CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL	
71-22-0174	PAINT KIT, THREE COMPONENT URETHANE, RED, INTERIOR FULL GLOSS TOPCOAT FOR R160 RAILCAR SEATS, GRAFFITI REMOVER	8	7 400	NYCTA	PPG INDUSTRIE S	ORANGE ESSS944327&E SH200&ESX510 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 176

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0180	REMOVER RESISTANT: FOR BRUSH, ROLLER AND SPRAY APPLICATION. PAINT, KIT, FOR FLOORS, TWO COMPONENTS WATER BASED EPOXY POLYAMINE TYPE, DECK GREY-FEDERAL COLOR STANDARD (595A) #26008, GLOSS. EACH KIT IS TO BE PACKAGED PAINT, KIT, FOR FLOORS, TWO COMPONENTS WATER BASED EPOXY POLYAMINE TYPE, HAZE GRAY - FEDERAL COLOR STANDARD (595A) #36270, GLOSS. EACH KIT IS TO BE PACKAGED PAINT, KIT, FOR FLOORS, TWO COMPONENTS	257	0 400		PPG INDUSTRIE S NYCTA	RED ESSS945867&E SH200&ESX510 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL PART A B70A8101& PART B B70V8100
71-22-0182	PAINT, KIT, FOR FLOORS, TWO COMPONENTS WATER BASED EPOXY POLYAMINE TYPE, HAZE GRAY - FEDERAL COLOR STANDARD (595A) #36270, GLOSS. EACH KIT IS TO BE PACKAGED PAINT, KIT, FOR FLOORS, TWO COMPONENTS	8	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11 LABEL PART A B70A8100& PART B B70V8100
71-22-0184	PAINT, KIT, FOR FLOORS, TWO COMPONENTS	502	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 177

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0186	WATER BASED EPOXY POLYAMINE TYPE, SAFETY YELLOW - FEDERAL COLOR STANDARD (595A) #13591, GLOSS. EACH KIT IS TO BE PACKAGED PAINT, KIT, FOR FLOORS, TWO COMPONENTS WATER BASED EPOXY POLYAMINE TYPE, SAFETY RED - FEDERAL COLOR STANDARD (595A) #11120, GLOSS. EACH KIT IS TO BE PACKAGED PAINT, KIT, FOR FLOORS, TWO COMPONENTS WATER BASED EPOXY POLYAMINE TYPE, BLUE- FEDERAL COLOR STANDARD (595A) #15102	66	0 400	NYCTA	SHERWIN WILLIAMS	CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL
						PART A B70Y8100& PART B B70V8100
						CCSS-003 REV E 9/11/17 RESTR SUB
71-22-0188		2	0 400	NYCTA	SHERWIN WILLIAMS	CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL
						PART A B70R8101& PART B B70V8100
						CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 178

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-22-0400	PAINT, KIT, 15 LBS, GLOSS. EACH KIT IS TO BE PACKAGED INDIVIDUALLY PAINT, FOR FLOORS			400	SHERWIN WILLIAMS CO.	PART A TINT TO BLUE & B70V8100
71-22-6045	PAINT, KIT, PRIMER THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4			400	NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-24-2000	PAINT, PRESERVATIVE, TIRE, BLACK FLAT, READY MIX. 1 GALLON CANS	6	0 400		PPG INDUSTRIES CONVENTRY COATINGS NYCTA	09GY051/80X040/DS-300 SA-70083 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 179

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-26-8000	PAINT, ALKYD, WHITE, SATIN FINISH IN 5 GALLON CAN. USED TO PAINT SHOP AND OFFICE WALLS. TRIP COCK AND CONTROL RAIL MATERIALS. COLOR: NYCT WHITE SATIN FINISH ALKYD PAINT,	0	0 400		MERCURY PAINT CO.	IMC M12 SATFIN SILV WH(T489MOD)
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-28-3010	EXTERIOR, SILVER BRITE ALUMINUM, HIGH TEMPERATURE MAINTENANCE COATING, GLOSS TOPCOAT FOR CAR BONNETS, READY MIXED, FOR BRUSH AND ROLLER APPLICATION, IN ONE GALLON ADDITIVE, ANTI- SLIP, FOR EPOXY BASED FLOOR COATINGS. PROVIDES TRACTION ENCHANCEMENT, ALUMINUM OXIDE BASED	11	5 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB
					NYCTA/MA BSTOA	CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL
71-30-5110		0	0 400		SHERWIN WILLIAMS/ DIVERSIFIE D	SILVR-BRITE ALUMINUM PAINT B59S2
					NPI FOR GARON NYCTA	GARON GRIT 240 #32601 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E

QUALIFIED PRODUCT LIST

7/7/2026 180

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-30-5200	BASED, PACKAGED AS FIVE POUNDS IN A ONE-QUART COATING, FOR FLOORS, TWO COMPONENT EPOXY, ADMIRAL BLUE, GLOSS, HIGH SOLIDS (91%). EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF PART A RESIN IN A 1 GALLON CAN & 1/2 GALLON OF COATING, FOR FLOORS, TWO COMPONENT EPOXY, TILE RED, GLOSS, HIGH SOLIDS(93%). EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF PART A RESIN IN A 1 GALLON CAN & COATING, FOR FLOORS, TWO COMPONENT EPOXY, SAFETY RED, GLOSS HIGH SOLIDS (93%). EACH KIT	0	0 400		NPI FOR GARON NYCTA	CCSS-001, REV I, 3-9-11, LABEL GARON GUARD 80117 ADMIRAL BLUE CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-30-5202	PACKAGED AS FIVE POUNDS IN A ONE-QUART COATING, FOR FLOORS, TWO COMPONENT EPOXY, TILE RED, GLOSS, HIGH SOLIDS(93%). EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF PART A RESIN IN A 1 GALLON CAN & 1/2 GALLON OF COATING, FOR FLOORS, TWO COMPONENT EPOXY, TILE RED, GLOSS, HIGH SOLIDS(93%). EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF PART A RESIN IN A 1 GALLON CAN & COATING, FOR FLOORS, TWO COMPONENT EPOXY, SAFETY RED, GLOSS HIGH SOLIDS (93%). EACH KIT	0	0 400		NPI FOR GARON NYCTA	CCSS-001, REV I, 3-9-11, LABEL GARON GUARD 80117 TILE RED CCSS-003 REV E 9/11/17 RESTR SUB CCSS 002 1/05 G.R. PAINTS REV. E
71-30-5204	PACKAGED AS FIVE POUNDS IN A ONE-QUART COATING, FOR FLOORS, TWO COMPONENT EPOXY, SAFETY RED, GLOSS HIGH SOLIDS (93%). EACH KIT	0	0 400		NPI FOR GARON NYCTA	CCSS 001, REV I, 3-9-11, LABEL GARON GUARD 80117 SAFETY RED CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 181

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-30-5206	(89%). EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF PART A RESIN IN A 1 GALLON CAN & 1/2 GALLON OF COATING, FOR FLOORS, TWO COMPONENT EPOXY, CHARCOAL GRAY, GLOSS, HIGH SOLIDS(93%). EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF PART A RESIN IN A 1 GALLON CAN & COATING, FOR FLOORS, TWO COMPONENT EPOXY, DARK GRAY, GLOSS, HIGH SOLIDS (93%+/-0.5). EACH KIT CONSISTS OF TWO PARTS: 1 GAL OF PART A RESIN IN A 1 GAL CAN & 1/2 GAL OF PART B	0	0 400		NPI FOR GARON	CCSS-002 1/05 G.R. PAINTS REV. E
						CCSS-001, REV I, 3-9-11, LABEL
						GARON GUARD 80117 CHARCOAL GRAY
						NYCTA CCSS-003 REV E 9/11/17 RESTR SUB
71-30-5208	(93%+/-0.5). EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF PART A RESIN IN A 1 GALLON CAN & COATING, FOR FLOORS, TWO COMPONENT EPOXY, DARK GRAY, GLOSS, HIGH SOLIDS (93%+/-0.5). EACH KIT CONSISTS OF TWO PARTS: 1 GAL OF PART A RESIN IN A 1 GAL CAN & 1/2 GAL OF PART B	0	0 400		NPI FOR GARON	CCSS-002 1/05 G.R. PAINTS REV. E
						CCSS-001, REV I, 3-9-11, LABEL
						GARON GUARD 80117 DARK GRAY
						NYCTA CCSS-003 REV E 9/11/17 RESTR SUB
						CCSS-002 1/05 G.R. PAINTS REV. E
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 182

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-30-5210	COATING, FOR FLOORS, TWO COMPONENT EPOXY, TRAFFIC YELLOW, GLOSS, HIGH SOLIDS (93% +/- SOLIDS TYPICAL). EACH KIT CONSISTS OF TWO PARTS; 1 GALLON OF PART A RESIN IN A 1 GALLON CAN & 1/2 GALLON OF	0	0 400		NPI FOR GARON	GARON GUARD 80117 TRAFFIC YELLOW
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-30-5212	COATING, FOR FLOORS, TWO COMPONENT EPOXY, WHITE, GLOSS, HIGH SOLIDS (93%), EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF PAR A RESIN IN A 1 GALLON CAN & 1/2 GALLON OF	0	0 400		NPI FOR GARON	GARON GUARD 80117 WHITE
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-31-0900	PAINT, TRAFFIC YELLOW, SIGNALOCK WATERBORNE IN ONE QUART CAN. THE PAINT MUST CONFORM TO THE FOLLOWING: WEIGHT	762	664 400		MERCURY PAINT CO.	SIG WATERBORNE HIGH DIELECT-YELO
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB

7/7/2026 183

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-31-0915	WEIGHT PERCENT SOLID 45% MIN; WEIGHT PER GALLON - 10.00 LBS/GAL. MIN; VOC- 250 GMS/LTR MAX. PAINT, BLACK, ACRYLIC COPOLYMER, WATERBOURNE IN ONE GALLON CAN. THE PAINT MUST CONFORM TO THE FOLLOWING: WEIGHT PERCENT SOLIDS 50% MIN; VOC- 250 GMS/LTR MAX. INDUSTRIAL PAINT,	0	4 400		MERCURY PAINT CO. NYCTA	CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL HIGH DIELECTRIC BARR COAT- BLK CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-31-1000	MAX. INDUSTRIAL PAINT, EASYTHANE, #10 WHITE, CODE WA- 3787 WHITE, COATED METAL PANEL PRODUCT REQUIREMENTS. GLOSS 54 DEG., +/-7 DEG., 60 DEG. GLOSS METER, WEIGHT PER GALLON:	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-31-1005	PAINT, EASYTHANE, BLUE #12,	0	0 400		STERLING LACQUER NYCTA	CCSS-001, REV I, 3-9-11, LABEL WA-3787 CCSS-003 REV E 9/11/17 RESTR SUB

QUALIFIED PRODUCT LIST

7/7/2026 184

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-31-1010	COATED METAL					CCSS-002 1/05
	PANEL PRODUCT					G.R.PAINTS
	REQUIREMENTS.					REV. E
	GLOSS 60 DEG. +/-					
71-31-1010	7 DEG., 60 DEG.					
	GLOSS METER,					CCSS-001, REV
	WEIGHT PER					I, 3-9-11, LABEL
	GALLON: 8.80				STERLING	WA-3816
71-31-1010	LBS., +/-0.5 LBS.,				LACQUER	EASYTHANE
	NON-VOLATILE					#12 BLUE
	PAINT, WHITE,	711	243 400		NYCTA	CCSS-003 REV
	FOR TOUCH-UP					E 9/11/17
71-31-1010	OF TRANSIT					RESTR SUB
	AUTHORITY BUS					CCSS-002 9/21
	EXTERIOR					G.R. PAINTS
	COATINGS. 12					REV. F
71-31-1010	OUNCE NET					
	WEIGHT IN A 16					CCSS-001, REV
	OUNCE SPRAY					I, 3-9-11, LABEL
	CAN				SEYMOUR	
71-31-1015					OF	
					SYCAMOR	
					E INC.	NT-1010 WHITE
	PAINT, BLUE,	439	122 400		NYCTA	CCSS-003 REV
71-31-1015	FOR TOUCH-UP					E 9/11/17
	OF TRANSIT					RESTR SUB
	AUTHORITY BUS					CCSS-002 9/21
	EXTERIOR					G.R. PAINTS
71-31-1015	COATINGS. 12					REV. F
	OUNCE NET					
	WEIGHT IN A 16					CCSS-001, REV
	OUNCE SPRAY					I, 3-9-11, LABEL
71-31-1015	CAN					

QUALIFIED PRODUCT LIST

7/7/2026 185

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-31-1020	PAINT, EASYTHANE, #20 CHARCOAL GRAY, CODE WA- 3977, COATED METAL PANEL PRODUCT REQUIREMENTS, GLOSS 33 DEG. +/- 7 DEG., 60 DEG, GLOSS METER, WEIGHT PER GALLON 8.80 PRIMER, ONE- COMPONENT, ACRYLIC LOW VOC, OFF-WHITE, USED TO PRIME THE SURFACES OF SUBWAY CARS; MUST PROVIDE EXCELLENT HIDING AND CORROSION RESISTANCE PRIMER,TWO COMPONENT WATER BASED	0	0 400	400	SEYMOUR OF SYCAMOR E INC. NYCTA	NT-1015 BLUE CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-32-1010		14	0 400	400	STERLING LACQUER NYCTA	CCSS-001, REV I, 3-9-11, LABEL WA-3977 EASYTHANE #20 CHAR GRY CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-32-1020		0	0 400	400	SHERWIN- WILLIAMS NPI FOR GARON	CCSS-001, REV I, 3-9-11, LABEL PRO-CRYL PRIMER B66W310 GARON TIGERPRIME A&B #18603

QUALIFIED PRODUCT LIST

7/7/2026 186

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-32-1030	EPOXY SEALER/PRIMER, 54% +/- 0.5,CLEAR/TAN TRANSLUCENT TO OPAQUE,FOR COATING CONCRETE OR MASONRY.MIX 1 GAL OF PART A	0	0 400	NYCTA	NYCTA	CCSS-003 REV E 9/11/17
	PRIMER, TWO COMPONENT WHITE EPOXY PRIMER. EACH KIT IS TO BE PACKAGED INDIVIDUALLY. KIT CONSISTS OF TWO PARTS; 1 GALLON OF PART A RESIN AND 2 QUARTS OF PART B HARDENER.					RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
	PRIMER, TWO COMPONENT GRAY EPOXY PRIMER. EACH KIT IS TO BE PACKAGED INDIVIDUALLY. KIT CONSISTS OF TWO PARTS; 1 GALLON OF PART					CCSS-001, REV I, 3-9-11, LABEL
						CCSS-003 REV E 9/11/17
71-32-1032		0	0 400	NYCTA	PPG INDUSTRIES	RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
						CCSS-001, REV I, 3-9-11, LABEL
						CRE-121 2.1 VOC WHITEEPOXYPRIMER
						CCSS-003 REV E 9/11/17
71-32-1032		0	0 400	NYCTA	NYCTA	RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 187

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-32-2000	ONE GALLON OF PAINT A RESIN AND 2 QUARTS OF PART B HARDENER. PAINT, TWO- COMPONENT, WHITE PRIMER, USED TO PRIME THE SURFACES OF SUBWAY CARS; MUST PROVIDE EXCELLENT HIDING AND CORROSION RESISTANCE WHEN APPLIED OVER STEEL.	0	0 400	NYCTA	PPG INDUSTRIE S	CRE321 2.1 VOC GRAY EPOXY PRIMER CCSS-003 REV 3 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-32-2005	ONE GALLON OF PAINT A RESIN AND 2 QUARTS OF PART B HARDENER. PAINT, TWO- COMPONENT, GRAY PRIMER, USED TO PRIME THE SURFACES OF SUBWAY CARS. MUST PROVIDE EXCELLENT HIDING AND CORROSION RESISTANCE WHEN APPLIED OVER STEEL.	0	0 400	NYCTA	PPG INDUSTRIE S	CCSS-001, REV I, 3-9-11, LABEL ESU481(PRIME R); ESU489(HARDE NER) CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
					PPG INDUSTRIE S	CCSS-001, REV I, 3-9-11, LABEL ESU480(PRIME R); ESU489(HARDE NER)

QUALIFIED PRODUCT LIST

7/7/2026 188

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-32-3251	PRIMER, WHITE PIGMENTED, WATER BASED STAIN KILLER IN ONE GALLON CAN. FOR USE AS AN INTERIOR BONDING PRIMER. COLOR: NYCT WHITE PRIMER, STAINKILLER. MUST HAVE FLASH POINT 100	0	0 400		MERCURY PAINT CO.	AQUAZOOM ACRYL STAINKILLER WHITE
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-33-7400	PRIMER, PAINT, OIL BASED, RED/BROWN PIGMENT. USED AS RUST INHIBITING PRIMER ON METAL STRUCTURAL SURFACES; PACKED IN ONE GALLON CAN. SOLIDS CONTENT -73-	0	0 400		NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
					NYCTA/MA BSTOA	CCSS-001, REV I, 3-9-11, LABEL
					SHERWIN WILLIAMS	E41 N1 KROMIK METAL PRIMER
71-34-2060	PAINT, WATER BASED, COLOR: WHITE PRIMER, IN FIVE GALLON CAN. PER NYCT		400		MERCURY	TTP-650 LATEX PRIMER WHITE
					NYCTA	STA-2060-0815 STA-2060-0323

QUALIFIED PRODUCT LIST

7/7/2026 189

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
	SPEC STA-2060-0323					CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-34-7300	PRIMER, SEALER, RUDDY BROWN, SPRAY CAN 12 OZ/CAN	767	153 400		SHERWIN- WILLIAMS KRYLON	B51W00450 RUST TOUGH RUDDY BROWN (RTA9204)
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-50-2999	PAINT, LACQUER, CRYSTAL CLEAR, ACRYLIC, 16 OZ. SPRAY CANS, NET WT. 12 OZ. , MEETING COMMERCIAL ITEM	206	23 400		FEDERAL SPECIFICA TION KRYLON	CCSS-001, REV I, 3-9-11, LABEL A-A-1585 CLRMSRW/CVM XTECACRCRYC LRGLS51301

QUALIFIED PRODUCT LIST

7/7/2026 190

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-63-0100	DESCRIPTION A-A-1585 WITH EXCEPTIONS TO SOLID CONTENTS AND SPECULAR GLOSS. THE SOLID CONTENTS PRIMER AND RUST CONVERTER, WATER BASED ACRYLIC EMULSION; MUST CONTAIN MINIMUM OF 34 PERCENT OF RESIN SOLID BY WEIGHT; VISCOSITY=15-28 SECS.	265	133 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL 7137-FACIL-01
71-65-0010	COATING, UNDERCOAT AND PRIMER; WATER BASED RUBBERIZED ACRYLIC COATING; FOR SEALING ROOFS, WALLS AND DECKS; ESPECIALLY FOR USE ON RAILCAR	0	0 400		PROTEK PAINT LTD KST COATINGS MANUFACTURING INC NYCTA	BLUE STEEL PRIMER ELASTO-SEAL KST 0000ES-20 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E

QUALIFIED PRODUCT LIST

7/7/2026 191

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-65-0012	ROOFS; USED IN CONJUNCTION WITH MOBILE COATING, RUBBERIZED, MODIFIED ACRYLIC; PROTECTIVE; FOR WATERPROOFING, MAINTAINING AND REPAIRING RAILCAR ROOFS; CREAMY WHITE LIQUID; 32% SOLIDS BY VOLUME; 25% RESIN BY COATING, WATER BASED ACRYLIC; LIGHT GRAY, FOR USE AS COATING TO SEAL LEAKS ON CAR ROOFS. APPLY BY BRUSH AND ROLL, REMOVE DIRT, RUST AND OTHER CONTAMINANTS ON SURFACES BEFORE APPLY BY BRUSH OR	0	0 400		KST COATINGS MANUFACTURING INC NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBILE COAT KST0000MC-20 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
71-65-0200	COATING, WATER BASED ACRYLIC; LIGHT GRAY, FOR USE AS COATING TO SEAL LEAKS ON CAR ROOFS. APPLY BY BRUSH AND ROLL, REMOVE DIRT, RUST AND OTHER CONTAMINANTS ON SURFACES BEFORE APPLY BY BRUSH OR	0	0 400		MINNESOTA, MINING & MANUFACTUR NYCTA	CCSS-001, REV I, 3-9-11, LABEL WATERBASED PROTECT SEALANT 320 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 192

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-65-0300	COATING, THREE COMPONENT EPOXY,99% SOLIDS,DARK GRAY,SELF- LEVELING CONCRETE FLOOR RESURFACER.FIL LS AND COATS OVER CRACKS,GOUGE S,ROUGH	0	0 400		NPI FOR GARON	GARON POURNWALK 15370 DARK GRAY
					NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-65-0925	SPOTS.DRY FILM CATALYST, PAINT ACTIVATOR, FOR USE WITH ZERO VOC DEFT PAINTS: GRAY PRIMER (09GY007E), BLACK TOP COAT(36BK001E), BLUE TOP COAT (36BK015K)AND	0	0 400		DEFT NYCTA	CCSS-001, REV I, 3-9-11, LABEL 80-X-022 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
71-65-0927	CATALYST, PAINT ACTIVATOR, ONE GALLON CAN, FOR USE WITH ZERO VOC DEFT PAINTS		400		DEFT NYCTA	CCSS-001, REV I, 3-9-11, LABEL 80-X-022 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 193

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-65-2015	REDUCER, FOR PPG TWO- COMPONENT EPOXY PRIMER (COMMODITY #71- 32-1030/1032), COMPOSITION IS METHYL, AMYL KETONE, PACKAGED IN 1 GALLON CONTAINER	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001 1/05 LABEL
71-65-2100	THINNER, POLYURETHANE GRADE, 1 GALLON, CONTAINERS, HIGH FLASHPOINT (MIN 100 DEG.F BY TAG CLOSED CUP), TO BE USED WITH ALL TWO- COMPONENT THINNER, FOR CLEANING SPRAY PAINT EQUIPMENT; REMOVES TWO- COMPONENT POLYURETHANE PAINT RESIDUE FROM SPRAY	24	0 400		PPG INDUSTRIE S NYCTA	Q70 METHYL AMYL KETONE REDUCER CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL R7K132 REDUCER#13 2
71-66-3505		0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E REDUCER 58/R7K58
					SHERWIN- WILLIAMS	

QUALIFIED PRODUCT LIST

7/7/2026 194

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-68-4010	THINNER, FOR PPG TWO- COMPONENT POLYACRYLIC PAINTS(COMMOD ITY # 71-22- 0126/0128); COMPOSITION OF THIS THINNER IS ACETONE AND 4-CHLORO-A,A-A- TRIFLUOROTOLU ENE. PACKAGED	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E
						CCSS-001, REV I, 3-9-11, LABEL
					PPG INDUSTRIE S	REDUCER DS- 279
71-68-4015	THINNER, FOR PPG TWO- COMPONENT EPOXY PRIMER (COMMODITY # 71-32-1030/1032); COMPOSITION IS METHYL ETHYL KETONE, PACKAGED IN 1 GALLON CONTAINER	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
						CCSS-001, REV I, 3-9-11 LABEL
					PPG INDUSTRIE S	Q60 METHYL ETHYL KETONE THINNER
71-72-8190	THINNER, FOR RED(STOCK # 71- 86-3998) AND CLEAR(STOCK # 71-86-3550/3551) INSULATING VARNISHES.	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R. PAINTS REV. E

QUALIFIED PRODUCT LIST

7/7/2026 195

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-86-3551	VARNISHES, NOMINALLY 100% TOLUENE; PACKAGED IN 1- GALLON CAN; MINIMUM VARNISH, ALKYD RESIN AND SOLVENT BASED, CLEAR, INSULATING, AIR DRYING; FOR USE AS A DIELECTRIC INSULATING COATING FOR RAILCAR VARNISH, RESIN AND WATER BASED, CLEAR, HIGH GLOSS INSULATING, AIR DRYING; FOR USE AS A DIELECTRIC INSULATING COATING FOR RAILCAR SHOE BEAMS AND ELECTRICAL EQUIPMENT. VARNISH, RED AEROSOL DIELECTRIC INSULATING; POLYURETHANE	0	0 400		SHERWIN- WILLIAMS GLYPTAL NYCTA	CCSS-001, REV I, 3-9-11, LABEL TOLUENE SW R2K1 1202 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-86-3553		628	317 400		NCP COATINGS, LLC NYCTA	1202E SPECIAL CLR INSUL ENML WB CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-86-3995		305	191 400		ASTM JOHN C. DOLPH NYCTA	CCSS-001 REV I, 3-9-11, LABEL D115 ER-44 PALLET SPEC.

QUALIFIED PRODUCT LIST

7/7/2026 196

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-86-3998	POLYURETHANE BASED; MUST HAVE DIELECTRIC STRENGTHS AS MEASURED BY ASTM D115 MINIMUM 1770 VOLTS/MIL (DRY) AND MINIMUM VARNISH, ALKYD, RESIN AND SOLVENT BASED, RED, INSULATING, AIR DRYING; FOR USE AS A DIELECTRIC INSULATING COATING FOR RAIL CAR	0	0 400		GLYPTAL NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL 1201 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-86-4005	VARNISH, WATER BASED URETHANE, RED, USED AS AN INSULATING COATING ON ARMATURES AND COILS, PACKAGED IN ONE-GALLON CONTAINERS. MEETS REQUIREMENTS	47	6 400		GLYPTAL MIL SPEC NYCTA	CCSS-001, REV I, 3-9-11, LABEL 1201E SPECIAL MIL-E-22118B CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
71-86-4010	VARNISH, WATER BASED	1670	672 400		GLYPTAL	CCSS-001, REV I, 3-9-11, LABEL 1201E SPECIAL- QT

QUALIFIED PRODUCT LIST

7/7/2026 197

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
71-98-1250	URETHANE, RED, USED AS AN INSULATING COATING ON ARMATURE, COILS AND SIGNAL INSULATED RAIL JOINT.	0	0 400		NYCTA	CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 9/21 G.R. PAINTS REV. F
	PACKAGED IN STRIPPER, FOR REMOVING PAINT, CONSISTS OF ALKALINE PASTE AND LAMINATED CLOTH, ONE GALLON CAN. FOR REMOVING LAYERS OF PAINT FROM WOOD, BRICK, CONCRETE.				DUMOND CHEMICAL S, INC NYCTA	CCSS-001, REV I, 3-9-11, LABEL PEEL AWAY 1 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-002 1/05 G.R.PAINTS REV. E
						CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCT LIST

7/7/2026 198

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
72-15-1128	TEST STRIP, EXTENDED LIFE COOLANT, USED TO CHECK INHIBITOR LEVEL OF EXTENDED LIFE COOLANT (70-07-2015, 70-07- 2022 OR 70-07- 2023), MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT IS 24 MONTHS, 25 STRIPS PER BOTTLE	13	1 400		OLD WORLD INDUSTRIE S	
74-11-8000	BRAKE BLOCK, FRONT STANDARD, MATERIAL MUST	0	0 400		ABEX NEW FLYER CO.	FXATK3 MC4228FD 6305671
74-43-8002	BRAKE BLOCK, FRONT, STANDARD NON- SYMMETRICAL, FOR THIRD GENERATION DESIGN, MATERIAL MUST CONFORM TO FMSI 4690D	0	0 400		ABEX CORP.	 MC4690D

QUALIFIED PRODUCT LIST

7/7/2026 199

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
74-43-8502	BRAKE BLOCK, REAR, STANDARD, NON- SYMMETRICAL, FOR THIRD GENERATION DESIGN, MATERIAL MUST CONFORM TO FMSI 4691D	1	0 400		ABEX CORP.	
74-87-8000	BRAKE BLOCK, FRONT, STANDARD, WITH WEAR INDICATOR, EDGE CODED "EE" & "FF"	15	-1 400		FEDERAL MOGUL	MC4691D
74-87-8001	BRAKE BLOCK, FRONT, 1/16" OVERSIZED, WITH WEAR INDICATOR, EDGE CODED "EE" & "FF"	0	0 400		FEDERAL MOGUL	MC4715AD
76-57-0126	AIR SPRING ASSEMBLY, REAR	0	0 400		FIRESTON E GOODYEA R NOVA BUS INC.	MC4715ADX WO1-358-9017 1R10-089 G1019358
76-65-0003	AIR BAG, FRONT, TAG AND DRIVE	0	4 400		FIRESTON E	W01-653-95-71

QUALIFIED PRODUCT LIST

7/7/2026 200

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
77-20-0011	AXLES, MCI 1998				GOODYEA	
	THRU 2002 AND				R	1R12-396
	DRIVE AND TAG				MCI	12L-1-140
	AXLE, FRONT	0	0 400		MCI	15C-3-8
	NUT, FRONT				MERITOR	
80-01-0052	WHEEL DRUM,				HEAVY	
	7/8"-14 (INNER)				VEHICLE	
	AND ENGINE				SYSTEMS	NL-114-1
	WHEEL (MULT-				NEW	
	PURPOSE)				FLYER CO.	5960281
80-11-0006	DRUM, BRAKE,	8	2 400		NYCTA	BRAKEDRUMS
	HEAVY DUTY,					PALLET SPEC.
	FRONT AXLE.				ORION	H0102527AD
	MATERIAL MUST				WEBB	66374J
	CAMSHAFT,	0	0 400		MCI	4J-1-8
80-11-0010	RIGHT HAND, 1-				MERITOR	
	1/2" - 10 SPLINE,				HEAVY	
	FRONT				VEHICLE	
					SYSTEMS	2210-K-6303
	CAMSHAFT, LEFT	0	0 400		MCI	4J-1-7
80-19-8007	HAND, 1-1/2" - 10				MERITOR	
	SPLINE, FRONT				HEAVY	
					VEHICLE	
					SYSTEMS	2210-L-6304
	DRUM, FRONT	97	67 400		MERITOR	
80-75-0010	BRAKE,				HEAVY	
	MATERIAL MUST				VEHICLE	
	BE GREY CAST				SYSTEMS	85123561002
	IRON WHICH				NYCTA	BRAKEDRUMS
	CONFORMS TO					PALLET SPEC.
80-75-0010	SAE J431 -				WEBB	66364B
	GRADE C11H20P				MCI	15L-2-58
	DRUM, BRAKE,	4	0 400			

QUALIFIED PRODUCT LIST

7/7/2026 201

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
80-83-0003	HEAVY DUTY, FRONT AXLE. MATERIAL MUST CAMSHAFT, RH	0	0 400		NYCTA	BRAKEDRUMS PALLET SPEC.
					WEBB	65600C
					MCI	2099860
80-83-0004	CAMSHAFT, LH	0	0 400		MERITOR HEAVY VEHICLE SYSTEMS	2210-W-5535
					MCI	15526041
					MERITOR HEAVY VEHICLE SYSTEMS	2210-X-5536
80-87-0105	CAMSHAFT, FRONT, LEFT HAND ROTATION	67	38 400		MERITOR HEAVY VEHICLE SYSTEMS	2210-Z-8398
					NEW FLYER CO.	6329815
					ORION	F0102519AB
80-87-0106	CAMSHAFT, FRONT, RIGHT HAND ROTATION	75	37 400		MERITOR HEAVY VEHICLE SYSTEMS	2210-Y-8397
					ORION	F0102519AD
					ALLISON TRANSMIS SION	23048511
82-37-0028	PLATE, LOCK UP CLUTCH, INTERNAL SPLINED	0	0 400			

QUALIFIED PRODUCT LIST

7/7/2026 202

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
82-37-0218	PLATE, SECOND CLUTCH, EXTERNAL TANGED	0	0 400		ALLISON TRANSMIS SION	6834488
82-43-0159	KIT, POWER TAKE OFF, DRIVE, V731 AND V731RH TRANSMISSION.	0	0 400		ALLISON TRANSMIS SION	29502597
84-55-0600	PEDAL ASSEMBLY, ACCELERATOR, ELECTRONIC	3	1 400		NEW FLYER CO. NOVA BUS INC. ORION WILLIAMS AIR CONTROL	6367555 G1017868 051219526 403662
85-19-0014	CAMSHAFT, LH	41	28 400		MERITOR HEAVY VEHICLE SYSTEMS ORION	2210V8628 G0202509AB
85-19-0015	CAMSHAFT, RH	43	25 400		MERITOR HEAVY VEHICLE SYSTEMS ORION	2210U8627 G0202509AC
85-61-0107	SPIDER ASSEMBLY, REAR BRAKE, RIGHT HAND	0	0 400		MERITOR HEAVY VEHICLE SYSTEMS	A-3211-H-3414

QUALIFIED PRODUCT LIST

7/7/2026 203

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
85-75-0014	DRUM, BRAKE, HEAVY DUTY, REAR AXLE. MATERIAL MUST	2	0 400		NOVA BUS INC.	2041841
					TRUCK TRAILER	T-4143
					MCI NYCTA	15L-3-57 BRAKEDRUMS PALLET SPEC.
85-75-0027	DRUM, BRAKE, HEAVY DUTY, TAG AXLE, MATERIAL MUST	0	0 400		WEBB	64125B
					MCI NYCTA	15L-3-44 BRAKE DRUM PALLET
					WEBB	65153B
85-83-0004	CAMSHAFT, LH	0	0 400		MERITOR HEAVY VEHICLE SYSTEMS	2210-Q-4905
					MOHAWK MFG. SUPPLY	2032431
					MUNCIE RECLAMAT ION	MR3358
85-83-0005	CAMSHAFT, RIGHT HAND	0	0 400		MERITOR HEAVY VEHICLE SYSTEMS	2210-R-4906
					MOHAWK MFG. SUPPLY	2032432
					NEW FLYER CO.	5960314

QUALIFIED PRODUCT LIST

7/7/2026 204

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
85-87-0065	DRUM, BRAKE, REAR. MATERIAL MUST BE GREY	97	69	400	NYCTA	BRAKEDRUMS PALLET SPEC.
86-43-6700	BLADE ASSEMBLY, 26", WINDSHIELD WIPER, NOTE; WINDSHIELD WIPERS SHALL BE MADE N ACCORDANCE TO SAE J 198 STANDARDS AND FMVSS 104.	12362	6345	400	WEBB ANCO MCI MOHAWK NEW FLYER CO.	64051J 52-27 3J-34-5 (REF ONLY) 792070 8112552 (REF ONLY) C1201501AH (REF ONLY) S-1137-7
88-07-8101	COMPUTER, ON BOARD-VEHICLE LOGIC UNIT, USED WITH THE DIGITAL INFORMATION SCREENS(DIS)			400	SPRAGUE STRATEGI C MAPPING	
88-07-8102	MONTIOR, 24" LCD PANEL, USED FOR THE DIGITAL INFORMATION SCREENS (DIS) SYSTEM			400	STRATEGI C MAPPING	OBU3210 LCD24SP

QUALIFIED PRODUCT LIST

7/7/2026 205

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
88-07-8104	MONITOR, 37" WIDE SCREEN DISPLAY, USED FOR THE DIGITAL INFORMATION SCREENS (DIS) SYSTEM			400	STRATEGI C MAPPING	
88-29-0963	MONITOR, PRIMARY, 24" DISPLAY KIT, ALL IN ONE - 24" LED BACKLIT LCD PANEL, MEDIA PLAYER, SSD ENCLOSURE CONFIGURATION AND ON BOARD SOFTWARE, DIGITAL INFORMATION SCREENS (DIS) SYSTEM			400	CLEVER DEVICES	DE37SS
88-29-0964	MONITOR, SECONDARY, 24" DISPLAY, USED FOR THE DIGITAL INFORMATION SCREENS (DIS)SYSTEM			400	CLEVER DEVICES	141-300-0001
						3843

QUALIFIED PRODUCT LIST

7/7/2026 206

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
88-29-0966	MONITOR, PRIMARY, 37" DISPLAY KIT, ALL IN ONE - 37" LED BACKLIT LCD PANEL MEDIA PLAYER, SSD, ENCLOSURE CONFIGURATION AND ON BOARD SOFTWARE, DIGITAL INFORMATION SCREENS (DIS) SYSTEM	0	0	400	CLEVER DEVICES	
88-29-0967	MONITOR, SECONDARY, 37" DISPLAY, USED FOR THE DIGITAL INFORMATION SCREENS (DIS)			400	CLEVER DEVICES NEW FLYER CO.	141-300-0008 4196 695062
88-33-0821	COMPUTER, INFOTAINMENT SERVER MS-700 INCL SW. USED WITH THE DIGITAL INFORMATION SCREENS (DIS)SYSTEM			400	VIANOVA TECHNOLO GIES	MS-700-NYCT- 01

QUALIFIED PRODUCT LIST

7/7/2026 207

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
88-33-0822	MONITOR, 18.6" COLOR RAL 7035 DOUBLE DISPLAY MODULE, USED FOR THE DIGITAL INFORMATION SCREENS (DIS) SYSTEM			400	VIANOVA TECHNOLO GIES	
91-43-4183	KIT, REAR DOOR CYLINDER	0	0	400	VAPOR CORP.	IDM-18-D-AX-02
92-86-5493	KIT, ELEMENT, ORION SERIES 50 ENGINE, OIL SEPARATOR, CONSISTING OF 2 EACH, MINI COALESCENT ELEMENT AND 1 EACH, WATER FILTER ELEMENT	11	1	400	AIR & POWER TRANSMIS SION	58220750
						5094RK-KIT

QUALIFIED PRODUCT LIST

7/7/2026 208

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
92-88-8886	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM, CONTAINS: ONE INFOTAINMENT SERVER AND TWO 18.6" DOUBLE DISPLAY MODULES, COLOR RAL 7035			400	VIANOVA TECHNOLO GIES	
92-88-8888	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM, CONTAINS: ONE 37" PRIMARY MONITOR AND ONE 37" SECONDARY MONITOR			400	CLEVER DEVICES	VP-BUS-40- NYCT-01 141-311-0003

QUALIFIED PRODUCT LIST

7/7/2026 209

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
92-88-8890	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM, CONTAINS: ONE INFOTAINMENT SERVER AND FOUR 18.5" SCREENS FOR PREVOST BUSES			400	VIANOVA TECHNOLO GIES	BUS-NY-COACH- 01
92-88-8892	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM CONTAINS: ONE INFOTAINMENT SERVER AND FOUR 20" SCREENS FOR PREVOST BUSES			400	CLEVER DEVICES	100-311-0023

7/7/2026 210

[illegible]

QUALIFIED PRODUCT LIST

7/7/2026 211

SURFACE TRANSIT PROCUREMENT SUBDIVISION (400)

Stock No.	Long Description	PY1 Usage	YTD Usage	Buyer Group	Mfg Name	Mfg Part#
97-24-5016	LIFT, PORTABLE, HYDRAULIC, WHEEL ENGAGING -----			400	ROTARY LIFT CO. STERTIL KONI	MCH418D100 ST-1085 RSA NYT2

Applied filters:ADJUSTED_BUYER is 400