May 2021

MTA - NEW YORK CITY TRANSIT
2 BROADWAY
NEW YORK, N.Y. 10004
BID RECEPTION DESK

MTA - New York City Transit is hereby giving notice to vendors the list of items on the aforementioned Omnibus Sole Source Approval. This list of items consists of goods and/or service purchased by New York City Transit available only from a single manufacturer.

MTA OMNIBUS SOLE SOURCE APPROVAL

ALSTOM TRANSPORTATION INC

TRACTION MOTOR, PROPULSION CONTROLLER, AND CAR BODY PARTS FOR SUBWAY CARS

PROCUREMENT UNIT: 100

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0001	03-01-3215	ARMATURE, WITH SILVER CONTACT FOR IND SELECTOR U/W INTLKG MACH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	2634-4 GR1.

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0002	03-01-3235	ARMATURE, FOR IND AND SAFETY, MAGNET, U/W MOD. 2 INTLRG. MACH.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	3101-4 GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0003	03-01-4925	BELL, 24 VOLTS, VIBRATING, USED WITH NX CONTROL MACHINE #55500-34	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	53938-020-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0004	03-01-5055	BLOCK, END FOR THREE TIER CONTROLLER U/W INTLKG MACHINE	EA	00	29	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	2565-13 PL.60409, FIG. 2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0005	03-01-5100	BLOCK, CONTACTOR, BLOCK COMPLETE FOR CONTACTOR REF-C, USED ON SWITCH MACHINES FOR BIASED-NEUTRAL CONTROLLER	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	P85-0786

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0006	03-01-5235	BLOCK, ROTARY LEVER LOCKING, W/METAL HANDLE U/W CONTROL PANEL, "RED" DYED	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 59774-6				
0007	03-01-5495	BLOCK, CONTACT W CONTACTS FOR 5 TIER SW CONTLLR U/W MOD 2 INTLKG MACH	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 3253-17 GR1				
0008	03-01-5650	BLOCK, CONTACT W CONTACTS FOR SCREW RELEA SE, U/W MOD 5E INTLKG MACH.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 54488-GR1				
0009	03-01-7695	BUTTON, PUSH, COMP. ALARM CUT-OFF USED WITH CONTROL MACH.,	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 55007-26 GR.1				
0010	03-01-7700	BUTTON, PUSH, COMPLETE, W/ARROW POINTING RIGHT, EXIT PB, U/W CONTROL MACHINE	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 55816-15 GR.63				
0011	03-01-7702	BUTTON, PUSH COMPL. CALL-ON M.C. AIR, POWER, GROUND, U/W CONTROL MACH	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 55007-025-01				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0012	03-01-7755	PUSHBUTTON, COMPLETE, YELLOW, FOR CALL-ON,	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55007-30 GR4

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0013	03-01-7757	PUSHBUTTON, FOR EMERG. RELEASE,	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55007-30 GR2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0014	03-01-7760	BUTTON, COMPL. BLACK, F/CALL-ON PUSH BUTTON, NX CONTROL PANELS, PLATE T-0221, REF. 16B,	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55628-34-GR.1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0015	03-01-7761	BUTTON, GREEN WITH RH ARROW INSERT, FOR USE ON CITY HALL MODEL BOARD,	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	54722-004-10

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0016	03-01-7762	BUTTON, YELLOW WITH R.H. ARROW INSERT, FOR USE ON CITY HALL MODEL BOARD,	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	54722-004-11

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0017	03-01-7763	BUTTON, ORANGE, W/ RH ARROW INSERT, FOR USE ON CITY HALL MODEL BOARD	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	54722-004-12

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0018	03-01-7764	BUTTON, GREEN, PLAIN, FOR USE ON CITY HALL MODEL BOARD,	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	54722-4 GR .10

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0019	03-01-7810	BUZZER, 12 VOLT,	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	31888-014-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0020	03-01-8650	CLIP, FUSE 0-30A 250V ONLY FOR TERM BOARD U/W MOD. 2 INTLKG MACH.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	0838-5

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0021	03-01-9310	COMMUTATOR 194 DEG SEGMENT F/ROTARY CIR. CONTLLR. U/W INTLKG. MACH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	28342-13 GR5

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0022	03-01-9640	CONTACT, ELECTRICAL F FD LEV LOCK AND LATCH CIR CONTLLR. U/W INTLKG. MACH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	368042-GR2

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0023	03-02-0460	CRANK FOR HAND SCREW RELEASE U/W INTLKG MACH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	54487-GR1

0024	03-02-1570	50965-2 FINGER, SILVER CONTACT, FOR ROTARY, CIR. CONTROLLER, GR. 1, PL. G-0412, FIG. 6	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	50965-2GR1

0025	03-02-2150	GEAR, 2ND COMPL FOR TIME CONTACTOR U/W IN TLKG MACH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	46105-3GR1

0026	03-02-2300	GRIP, LEV DOWN TURNED W LATCH PIN SPRING	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	56927-GR2

0027	03-02-2310	GRIP, LEV TURNED W LATCH PIN SPRING U/W	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	56927-4GR1

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0028	03-02-2860	HANDLE, UPTURNED, COMPLETE.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	56927-2, GR 1, PL G0315

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0029	03-02-3400	INSERT, DOT, FOR INTERLOCK MACH.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	56985-62

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0030	03-02-3401	INSERT, BAR, FOR INTERLOCK MACH.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	56985-63

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0031	03-02-3402	INSERT, ARROW, FOR INTERLOCK MACH.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	56985-64

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0032	03-02-3875	KEY, TO UNLOCK BRAKE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	53763-006-00
N	P	ALSTOM SIGNALING, INC.	PL J-2102, FIG. 55

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0033	03-02-5870	LINK, F CRANKS OF ROTARY CIR CONTROLLER	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	PL G0412 FIG. 27
N	D	ALSTOM SIGNALING, INC.	53408-1

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0034	03-02-5960	LOCK, NYLON PUSH BUTTON U/W PUSH BUTTON ON CONTROL PANEL RED DYED	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	58515-001-00

0035	03-03-7755	SPRING, FOR CONTACT ARM, LEV LOCK U/W INTLKG MACH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	36807

0036	03-03-8305	SPRING, CONTACT, F SIG HV CIR CONTLLR MADE FROM N OR R IND TO FULL N OR R U/W INTLKG MACH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	2566-3

0037	03-03-8420	SPRING, CONTACT F SW LEV HV CIR CONTLLR MADE FROM U OR R IND TO FULL U OR R 2 U/W INTLKG MACH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	2566-2

0038	03-04-0158	SWITCH COMPLETE, 2 POS. L.H. 45 DEG. & R.H. SIGNAL U/W CONTROL MACH.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	55330-012-22

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0039	03-04-0159	SWITCH, COMPLETE, 2 POS. 90 DEG	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55330-9-GR7

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0040	03-04-0170	SWITCH, ROTARY F DIMMER CONTROL U/W NX CONTROL PANEL	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55330-32-GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0041	03-04-0172	SWITCH, COMPLETE, LINE TRANSFER, U/W CONTROL MACH.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55330-32-GR2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0042	03-04-0188	SWITCH, COMPLETE, 90 DEG. L.H. ROT. SIGNAL U/W CONTROL MACH.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55330-35-GR2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0043	03-04-0190	SWITCH, COMPLETE, SNOW MELTER, U/W CONTROL MACH.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55330-36-GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0044	03-04-0200	SWITCH, CAM LEVER, FOR STARTING LIGHTS CONTROL BOX, OPERATING ROOM EQUIPMENT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	56970-002-00

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION		U/M	USE PY2	USE PY1	USE YTD
0045	03-04-0255	SWITCH, PUSH-PULL, ROTARY, SPRING TYPE, FOR GRS TYPE "C" CONTROL MACHINE	RETURN TO CENTER POSITION, PLUG-IN AND MAINTAINERS PANEL	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	30731-000-01

REC#	STOCK NO	LONG DESCRIPTION		U/M	USE PY2	USE PY1	USE YTD
0046	03-04-0280	SWITCH PUSH-PULL, ARROW RIGHT 90 DEG. 54603-10-GR8 & KNOB #54722-4-GR1, & & WASHER #53029-27, & INSULATOR	RH ROTATION SIG ENT LEV. W/JOCKET INDICATOR #54605-3-GR1, & SCREW #55854 #37412-222 U/W NX CONTROL MACH.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	55330-030-03

REC#	STOCK NO	LONG DESCRIPTION		U/M	USE PY2	USE PY1	USE YTD
0047	03-04-0285	SWITCH, PUSH-PULL, ARROW LEFT 90 DEG. WITH NX CONTROL MACH	LEFT HAND ROTATION SIG, ENT.LEV, USE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	55330-030-04

REC#	STOCK NO	LONG DESCRIPTION		U/M	USE PY2	USE PY1	USE YTD
0048	03-04-0295	SWITCH, PUSH-PULL ARROW RIGHT NON		EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55330-31GR+4

REC#	STOCK NO	LONG DESCRIPTION		U/M	USE PY2	USE PY1	USE YTD
0049	03-04-0315	SWITCH PUSH-PULL NON-ROTATING EMER. SW	REL U/W NX CONTROL MACH.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55330-34-GR4

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0050	03-04-0440	TERMINAL, U/W REACTOR BOND, FOR TWO 500 MCM CABLE.	EA	00	00	00
0051	03-04-0450	TERMINAL, U/W REACTOR BOND, FOR FOUR 500 MCM CABLE.	EA	00	00	00
0052	03-05-0100	RELAY, "J", 180/180 OHMS, 6FB NEUTRAL FOR NX & CODING NETWORKS	EA	00	00	00
0053	03-05-0300	RELAY, M5 SWITCH-OVERLOAD NEUTRAL, 2FB (FRONT/BACK)MAKE-BEFORE-BREAK CONTACTS ARRANGEMENT. NOMINAL RESISTANCE 0.068-220 OHM, 110-130VDC, 11.5 AMPERES OVERLOAD RATING	EA	00	05	00
0054	03-05-0305	RELAY, B1 LINE 928-01 BIASED-NEUTRAL, 2FB-3F-3B CONTACTS ARRANGEMENT, NOMINAL RESISTANCE 1000 OHM, MAX. PICKUP AND WORKING AMPERES 0.0088. EACH RELAY MUST INDIVIDUAL PACK TO PREVENT DAMAGE	EA	00	05	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	44625-1
N	P	ALSTOM SIGNALING, INC.	44623-1
Y	P	ALSTOM SIGNALING, INC.	31500-000-01
N	P	ALSTOM SIGNALING, INC.	56001-981-01
N	P	ALSTOM SIGNALING, INC.	56001-928-02

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0055	03-05-0500	RELAY, TYPE JT, 24 VOLT	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	31580-000-01		
0056	03-05-1720	RELAY	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	56007-69GR1		
0057	03-05-1723	RELAY, TYPE B2 TIME ELEMENT.	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	56007-71-GR1		
0058	03-05-2890	RELAY, TYPE B2, TIME ELEMENT	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	56007-066-01		
0059	03-05-2900	RELAY, TYPE B2 TIME ELEMENT, 110V, 60H2,	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	56007-068-01		
0060	03-05-2910	RELAY, TYPE B2, TIME ELEMENT, 110V, 60HZ 2-45 SEC.	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	56007-067-01		

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0061	03-05-2950	RELAY, TYPE B2, 60HZ, TIME ELEMENT AC MICROCHRON II	EA	39	1,098	33
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 50800-103-01				
0062	03-05-2960	RELAY, TYPE B2 25HZ MICROCHRON II TIMER	EA	00	71	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 50800-104-01				
0063	03-05-3000	RELAY, AC 60 CYCLE TYPE B2V TRACK RELAY 4F-4B WITH SHOCK SENSOR	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 56005-100-22				
0064	03-05-3200	RELAY, AC 60CY TYPE L LINE 2POS 1EL VANE 6F-2B 110V	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 51535-1GR1				
0065	03-05-5100	RELAY, DC TYPE B1, 2 POS POLAR STICK 520 OHM 12V 2NR DC GRD DET	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 56001-675-01				
0066	03-05-5150	RELAY, DC TYPE B1 2 POS NON-BIASED .068-230 OHM 10V 2FB-M-B-B SW CONT. OL	EA	00	00	00

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
		OVER-LOAD				
		QPL / CODE / MFG - NAME / MFG - PART-NO Y / P / ALSTOM SIGNALING, INC. / 56001-785-01				
0067	03-05-5190	RELAY, DC TYPE B1 2 POS ORD. BIASED 330 OHM 12 V 6FB-S-S-M-D PANEL LTS DIM OFF	EA	00	00	00
		QPL / CODE / MFG - NAME / MFG - PART-NO Y / P / ALSTOM SIGNALING, INC. / 56001-785-GR33				
0068	03-05-5200	RELAY, D.C., TYPE B1, 2 POS.	EA	00	00	00
		QPL / CODE / MFG - NAME / MFG - PART-NO Y / P / ALSTOM SIGNALING, INC. / 56001-785-91				
0069	03-05-5250	RELAY, DC TYPE B1 2 POS COUNT WEIGHT BIASED NUT 1 OHM 12V 6FB RECT CHG.	EA	00	04	00
		QPL / CODE / MFG - NAME / MFG - PART-NO Y / P / ALSTOM SIGNALING, INC. / 56001-922-10				
0070	03-05-5260	RELAY, B1 SPU	EA	00	00	00
		QPL / CODE / MFG - NAME / MFG - PART-NO Y / P / ALSTOM SIGNALING, INC. / 56001-911-01				
0071	03-05-5400	RELAY, DC TYPE B2 POSITION, 75 CYCLE CODER, 150 OHM 12V 2F-2B SILVER DC GRADE DETECTOR	EA	22	00	00
		QPL / CODE / MFG - NAME / MFG - PART-NO Y / P / ALSTOM SIGNALING, INC. / 31750-101-05				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0072	03-05-5410	RELAY, DC TYPE B2 2 POS 75 CY CODER 150	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	31750-100-06

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0073	03-05-5415	RELAY, B2 STEPPER, 4 BANK, 24 V.D.C U/W	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	29016 GR3

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0074	03-05-5485	RELAY, CODE B2	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	57490-95-GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0075	03-05-7000	RELAY, DC TYPE VIA 2 POS POLAR BIASED	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	59300-101 GR.3

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0076	03-05-7003	RELAY, DC TYPE VTA 2 POS POLAR BIASED 20- 20-OHM 4F-B	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	59300-101-GR5

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0077	03-05-7006	RELAY, DC TYPE VIA 2 POS POLAR BIASED	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	59300-101 GR.6

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0078	03-05-7016	RELAY, DC TYPE VTA 2 POS, POLAR BIASED 900-900-OHM 4FB	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	59300-103-GR5

0079	03-05-7050	RELAY, VTB CLASS S SINGLE ARMATURE COIL RES. 34	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	59301-101-GR8

0080	03-05-7200	X-PAK, U/W VTB RELAY 40-45 PULSES	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	30733-001-01

0081	03-06-0450	ARMATURE, COMPLETE U/W TYPE VTA RELAY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	18472-2 GR1

0082	03-06-0710	ARMATURE, FOR TYPE B2 TIME RELAY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	59741-1 GR.1

0083	03-06-1910	BEARING, JEWELED, COMPLETE, FOR TYPE "B2" AC RELAY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	51527-001-03

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0084	03-06-1962	BEARING, UPPER, FOR B2 MECHANICAL CODER TRANSMITTER RELAY	EA	20	16	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	57092-009-01

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0085	03-06-1964	BEARING, LOWER, FOR B2 MECHANICAL CODER TRANSMITTER RELAY	EA	20	16	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	57092-008-01

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0086	03-06-2570	BLOCK, RETAINING F SPRINGS OF MASTER RLY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	54527-1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0087	03-06-3460	BUSHING, INSULATES CONTRACT- TERMINAL POST 2B RLY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	35287

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0088	03-06-3803	CAM, LOWER, FOR B2 MECHANICAL CODER TRANSMITTER RELAY	EA	20	16	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	58728-001-01

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0089	03-06-3805	CAM, UPPER, FOR B2 MECHANICAL CODER TRANSMITTER RELAY	EA	20	16	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	58728-001-02

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0090	03-06-4980	CLIP, FOR B2V CONTACT GROUP PUSHER	EA	00	00	00
		QPL: N — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 56025-000-00				
0091	03-06-6435	CONTACT, ELECTRICAL UNIV. FOR CONTACT GR, USED WITH L OR 2A RELAY	EA	1,000	2,535	00
		QPL: Y — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 42799-007-08				
0092	03-06-6450	CONTACT, CARBON, UNIV, FOR CONTACT GR 2A-B RELAY	EA	00	500	00
		QPL: Y — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 42799-007-10				
0093	03-06-7025	CONTACT, GROUP, COMPLETE, 2F 1B USED WITH B1-B2 RELAYS	EA	00	50	00
		QPL: Y — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 56012-108-02				
0094	03-06-7260	CONTACT, GROUP, COMPLETE, FOR SPARE SPACE 2-3-4-5 RELAYS	EA	00	00	00
		QPL: Y — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 56012-108-11				
0095	03-06-7325	CONTACT GROUP, FOR VTA RELAY QUIKODE	EA	00	00	00
		QPL: N — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 56012-99-GR8				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0096	03-06-7390	CONTACT GROUP COMPL, F CHECKING-CONTACT U/W B2 TIME RLY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	57265-7GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0097	03-06-8425	COVER, FOR B1 RELAY TO INCLUDE 2 WASHERS AND 2 NUTS	EA	100	100	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	P62-0579

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0098	03-06-8440	COVER, F B2 POLAR NEUT. RLY.	EA	52	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	56029-102-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0099	03-06-8450	COVER, COMPLETE, FOR B2 TIME RELAYS	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	57287-002-09

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0100	03-06-8460	COVER, COMPL F B2 TK RLY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	57287-002-12

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0101	03-06-9080	PLATE CLAMPING, CODER FOR B2 MECHANICAL CODER TRANSMITTER RELAY	EA	50	50	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55911-035-00

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0102	03-07-1135	GASKET, FOR PLASTIC COVER ON TYPE B2 TIME RELAY	EA	00	00	00
		QPL: N — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 13014-222-00				
0103	03-07-1136	GASKET, FOR BACK OF TYPE B2 TIME RELAY	EA	100	200	00
		QPL: N — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 50737-91				
0104	03-07-1137	GASKET, B2 RELAY, LEFT SIDE.	EA	00	00	00
		QPL: N — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 13014-279				
0105	03-07-1138	GASKET, B2 RELAY, RIGHT SIDE.	EA	00	00	00
		QPL: N — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 13014-280				
0106	03-07-1360	GEAR, COMPLETE FOR B-2 TIME RELAY 2-45 SECONDS REF. 21 ON DWG. 56007-1	EA	00	00	00
		QPL: N — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 56451-1 GR-1				
0107	03-07-1361	GEAR, COMPLETE FOR 90 SEC TUPE B2 TIME	EA	00	00	00
		QPL: N — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 56451-1GR2				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0108	03-07-1362	GEAR, COMPLETE FOR 22.5 SEC TYPE B2 TIME	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 56451-1 GR3				
0109	03-07-1900	KIT, REBUILD, 4F/4B B2V TRACK RELAY TO INCLUDE THE FOLLOWING: 1 COVER WITH HANDLE #57287-002-12, 1 COVER GASKET #13014-222-00, 1 SHAFT #43317-012-00, 1 GASKET (LEFT) #13014-279-00, 1 GASKET (RIGHT) #13014-280-00, 4 CONTACT GROUP #56012-037-01, 4 PUSHER #55863-036-00, 4 CLIP #56025-000-00, 2 BEARING COMP #51527-001-03, 2 NUTS #12578-002-00 FOR B2V TRACK RELAY 4 FRONT/4 BACK.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 17550-117-01				
0110	03-07-1910	KIT, REBUILD, 2F/2B B2V TRACK RELAY TO INCLUDE THE FOLLOWING: 1 COVER WITH HANDLE #57287-002-12, 1 COVER GASKET #13014-222-00, 1 SHAFT #43317-012-00, 1 GASKET (LEFT) #13014-279-00, 1 GASKET (RIGHT) #13014-280-00, 2 CONTACT GROUP #56012-037-01, 2 PUSHER #55863-036-00, 2 CLIP #56025-000-00, 2 BEARING COMP #51527-001-03, 2 NUTS #12578-002-00 FOR B2V TRACK RELAY 2FRONT/2 BACK.	EA	00	144	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 17550-117-02				
0111	03-07-3102	MAGNET, LOC.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 51508-10 GR3				
0112	03-07-3350	MOTOR COMP. F B2 TIME RLY 2 TO 45 SEC.	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 56108-191-01				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0113	03-07-3352	MOTOR, COMP. U/W 25 CYCLE B2 TIMER	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	56108-191-03		
0114	03-07-3360	MOTOR, COMP F B2 TIME RLY 4 TO 90 SEC REF 47 DWG 56007-1	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	56108-191GR2		
0115	03-07-3362	MOTOR, COMP. U/W 25 CYCLE B2 TIMER DWG. 56007-62 GR. 1 4 - 90 SEC.	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	56108-191-GR4		
0116	03-07-5760	NUT, 1F4-28- HEX LOCKS KNURLED NUT U/W B RLYS	EA	00	400	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	01472-008-00		
0117	03-07-7265	PIN, SPLIT FOR RELAY VANE SHAFT.	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	17188-31		
0118	03-07-8860	PLATE, REGISTRATION FEMALE FOR B2V60 CYCLE TRACK RELAY	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	58879-4 GR. 1		

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0119	03-08-0230	PUSHER, FOR B2V CONTACT GROUP	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55863-036

0120	03-08-0622	RECTIFIER, W/NUT #01272-7 & WASHER 53029	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	29174-24

0121	03-08-0680	RIBBON, CODER, FOR B2 MECHANICAL CODER TRANSMITTER RELAY	EA	25	25	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	22148-000-02

0122	03-08-1205	ROTOR, SHAFT, COMPLETE, FOR B2 MECHANICAL CODER TRANSMITTER RELAY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	57094-010-01

0123	03-08-1250	ROTOR ASSEMBLY FOR B2 CODER RELAY TO INCLUDES THE HUD, SHAFT AND PIN	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	P62-0603

0124	03-08-5540	SHAFT, FOR B2 TRACK RELAY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	43317-012-00

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0125	03-08-7110	SPRING, CODER, FOR B2 MECHANICAL CODER TRANSMITTER RELAY	EA	36	36	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	51055-008-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0126	03-08-9490	TAG, 1C FOR RELAY.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	34558-035

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0127	03-08-9508	TAG, 7C, FOR RELAY.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	34558-041

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0128	03-08-9641	TAG, 3R UW 2A RLY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	34558-128

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0129	03-09-0600	VANE, COMPLETE, FOR B2 TRACK RELAY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	17550-129-01

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0130	03-09-0695	VANE, COMPLETE, USED WITH B2 TRACK RELAY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	17550-129-02

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0131	03-09-1025	WASHER, 1/4" ID X 9/16" OD, .040, FOR TERMINAL POSTS	EA	45,000	70,000	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	01225-002-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0132	03-12-0340	ARM, CONTACT, COMPLETE, FOR M-5 SWITCH 7B CIRCUIT CONTROLLER (LONG)	EA	60	60	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	35466-011-02

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0133	03-12-0350	ARM, CONTACT COMPLETE FOR M5 SWITCH 7B CIRCUIT CONTROLLER (SHORT)	EA	60	60	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	35467-010-02
Y	P	ALSTOM SIGNALING, INC.	35467-10GR2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0134	03-12-0375	ARM, CONT FINGER COMP U/W 7B SW C-CONT	EA	00	40	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	35490-009-02

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0135	03-12-0500	ARM, USED WITH 5 SWITCH MACHINE OPERATING YOKE OF POLE CHANGER	EA	00	80	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	45579-000-00

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0136	03-12-0535	ARM, U/W 5 SW MACH F ARM OPERATING POLE C HANGER	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45590-2 PL J2106				
0137	03-12-0560	ARM, COMPLETE, USED WITH 5 SWITCH MACHINE FOR OPERATING POLE CHANGER	EA	12	24	24
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45680-003-01				
0138	03-12-0580	ARM, USED WITH 5 SWITCH MACHINE, COMPLETE, OPERATES CONT BLOCK POLE CHANGER.	EA	48	30	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 51106-000-01				
0139	03-12-0865	ARMATURE, COMP. FOR MOTOR 5 SW. MACH.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45631-7GR1				
0140	03-12-0960	PIN, BALL, FOR CRANK ON CIRCUIT COMPTROLLER.	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 43206-003-00				
0141	03-12-0963	BALL, PIN COMPLETE WITH OILER FOR SWITCH CIRCUIT CONTROLLER CONNECTING	EA	00	00	00

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
		ROD				
		QPL / CODE / MFG - NAME / MFG - PART-NO: N / P / ALSTOM SIGNALING, INC. / 43206-6				
0142	03-12-1125	BAR, CAM, COMPLETE, WELDED, USED WITH 5 SWITCH MACHINE	EA	10	10	00
		QPL / CODE / MFG - NAME / MFG - PART-NO: Y / P / ALSTOM SIGNALING, INC. / 45523-001-01				
0143	03-12-1195	BAR, THROW, LEFT HAND, USED WITH 5 SWITCH MACHINE	EA	00	22	00
		QPL / CODE / MFG - NAME / MFG - PART-NO: Y / P / ALSTOM SIGNALING, INC. / 45670-000-00				
0144	03-12-1215	BAR, THROW, RIGHT HAND, USED WITH 5 SWITCH MACHINE	EA	12	10	00
		QPL / CODE / MFG - NAME / MFG - PART-NO: Y / P / ALSTOM SIGNALING, INC. / 45671-000-00				
0145	03-12-1250	BAR, 3 WAY GUIDE U/W 7B SW. CIR. CONTLLR	EA	00	00	00
		QPL / CODE / MFG - NAME / MFG - PART-NO: N / P / ALSTOM SIGNALING, INC. / 53989-1GR1				
0146	03-12-1300	BARREL, LOCK FOR M-5 SWITCH DETENT BRAKE	EA	05	05	00
		QPL / CODE / MFG - NAME / MFG - PART-NO: N / P / ALSTOM SIGNALING, INC. / 54382-000-00				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0147	03-12-1430	BASE, FOR CONTACT BLOCK, M-5 SWITCH POLECHANGER	EA	20	20	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 56524-001-02				
0148	03-12-1605	57603, GR. 2 BASE, FOR SWITCH MACH. DRILLING DIAGRAM 53665-5, FOR 23 INCH TIE SPACING AND 7 INCH TIE PLATE -BMT NO. 6- PLATE J-2104, FIG. 46	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 57603-GR2				
0149	03-12-1612	BASE, GRS FOR #5 SWITCH MACHINE R OR LH WITH TAPPED HOLES IN MOUNTING LUGS ON BOTH SIDES OF BASE, T.A. ELECTRIC SWITCH MACHINE STANDARD BASE, GRS SKETCH #7502-1	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 49413-013-00				
0150	03-12-1805	BEARING, COMP. FOR UH INSUL. FRONT ROD	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 31207-GR2				
0151	03-12-1870	BEARINGS, 45642-6, MOTOR, PL. J-2114, FIG. 27	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45642-6				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0152	03-12-2125	BLOCK	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	1544-9		
0153	03-12-2210	BLOCK, CONTACT, COMPLETE FOR POLE CHANGER YOKE ON M5 SWITCH MACHINE.	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	54027-5-GR-1		
0154	03-12-2220	BLOCK, CLAMPING, FOR CAM ACTUATED BREAKER, FOR AUTOMATIC TRAIN STOP	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	17745-045-00		
0155	03-12-2335	BLOCK, CONT F PC W FASTELL CONT UW 5 SW M ACH REF 21 45514-5	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	45589-9 REF 21		
0156	03-12-2415	BLOCK, FILLER TIE PL TO SW MACH UW 5 SW MACH REF 7 51139-588	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	51978-1		
0157	03-12-2700	BOARD	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	35460-2		

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0158	03-12-2970	BOLT, EYE, 3/8"-16 X 2-1/2" LONG, WITH A 1/4" X 1-3/8" LONG PIN FOR COVER ON COMMUTATOR OF M5 SWITCH MACHINE	EA	10	25	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45654-001-00				
0159	03-12-3650	BOLT, 1/2" X 2-1/4" SQUARE HEAD (#49527-006-00), WITH THE FOLLOWING, NUT (#38931-002-00), COTTER PIN (#00041-000-ON), WASHER (#01273-010-ON) USED WITH SWITCH BOX ROD IN SWITCH LAYOUT.	KT	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: P91-0140				
0160	03-12-4165	BOLT, 3/4-10 X 3 IN. LONG, HEX HEAD	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 00894-020-00				
0161	03-12-4166	BOLT, 3/4 IN. - 10 X 4 IN. HEX. HD., F/SW., HOLD DOWN CLAMPS	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 00894-047-00				
0162	03-12-4168	BOLT, 3/4 IN. - 10 X 6 IN., HEX. HD., F/SW. HOLD DOWN CLAMPS.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 894-38				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0163	03-12-4170	BOLT, 3/4-10 X 2-1/2 IN. HEX HD.	EA	00	25	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	00894-022-00

0164	03-12-4725	BOX, TOOL, FOR SWITCH MACHINE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	54257-000-01

0165	03-12-4925	BRACKET	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	44920-9

0166	03-12-4945	BRACKET, FOR POLE CHANGER, U/W 5SW	EA	10	40	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	45626

0167	03-12-5015	BRACKET, FOR SUPPORTING GUARD U/W 5 SW	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	47754-85

0168	03-12-5200	BRAKE, ELECTRO-MAGNETIC, FOR MOTOR COMPLETE, WITH INSULATED BINDING POST	EA	00	00	00

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
		NUTS, FOR MODEL 5 SWITCH MACHINE COMPLETE.				
		QPL / CODE / MFG - NAME / MFG - PART-NO				
		N / P / ALSTOM SIGNALING, INC. / 45630-17				
0169	03-12-5350	BRUSH, 1-7/32" WIDE X 3/8" THICK X 2" LONG, FOR SWITCH MOTOR MODEL 5 SWITCH	EA	1,300	14	00
		QPL / CODE / MFG - NAME / MFG - PART-NO				
		Y / P / ALSTOM SIGNALING, INC. / 00566-006-00				
0170	03-12-5465	HOLDER, BRUSH, COMPLETE, FOR MOTOR M-5 SWITCH MACHINE	EA	06	12	00
		QPL / CODE / MFG - NAME / MFG - PART-NO				
		Y / P / ALSTOM SIGNALING, INC. / 01550-002-01				
0171	03-12-5600	BUSHING, COMPLETE FOR M-5 SWITCH MACHINE DETENT BRAKE	EA	00	06	00
		QPL / CODE / MFG - NAME / MFG - PART-NO				
		N / P / ALSTOM SIGNALING, INC. / 33760-001-01				
0172	03-12-5740	BUSHING, INSULATING, FOR BOLT	EA	00	00	00
		QPL / CODE / MFG - NAME / MFG - PART-NO				
		N / P / ALSTOM SIGNALING, INC. / 7350-64				
0173	03-12-5820	BUSHING, FIBRE, INSULATES BALL PIN OF 7B SW CC.	EA	00	22	00
		QPL / CODE / MFG - NAME / MFG - PART-NO				
		N / P / ALSTOM SIGNALING, INC. / 43207-000-00				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0174	03-12-5870	BUSHING, POLE CHARGER, USED IN MS SWITCH	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 07350-291-00				
0175	03-12-5960	BUTTON, COMPLETE, FOR ALL MODEL 5 SWITCH MACHINES	EA	16	10	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 51142-006-01				
0176	03-12-6120	CAM	EA	00	20	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45601				
0177	03-12-6140	CAM, COMPLETE, RIGHT HAND, USED WITH 4-WAY 7B SWTCH C	EA	12	25	25
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 46808-002-01				
0178	03-12-6150	CAM, COMPLETE, LEFT HAND, CIRCUIT CONTROL BOX.	EA	25	25	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 46809-002-01				
0179	03-12-6475	CAP, COMPLETE FOR FRICTION CLUTCH U/W 5 SW MACH	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 56934-GR3				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0180	03-12-6850	CASE, COMPL. F/ 7B 4 WAY SW. CIR. CONTROLLER	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 38638-8GR5 PLK0136				
0181	03-12-6875	CASE, COMPLETE W/BUSHINGS FOR 7B 6 WAY SW. CIR. CONTROLLER	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 38497-1GR15				
0182	03-12-6895	CASE, F. FRICTION CLUTCH UW.5, SW MACH	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45556-000-00				
0183	03-12-7145	CLAMP, & BAR, COMPLETE, FOR CLAMPING TIES, CONSISTING OF: STRAP #51432-166, #894-38, NUT #0272-9, WASHER #493-269, WASHER #1273-13-ON MODEL 5 SWITCH MACHINES TO 6" X 8" CLAMP #52929-10, NUT #53432-30, BOLT BUSHING ,7350-283, WASHER #35703-3,	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 42849-002-05				
0184	03-12-7510	CLUTCH, FRICTION COMPLETE U/W M-5 SW MACHINE WITH GEARS AND WOODRUFF KEY	EA	00	11	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 59649-091-01				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0185	03-12-7750	COIL, MAG FOR PC UW 5 SW MACH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	Z1623-9GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0186	03-12-7770	COIL	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	38451-006-01

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0187	03-12-8000	CONDUIT, BETWEEN FRAME-MOTOR UW 5 SW MACHINE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	42087-005-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0188	03-12-8020	CONDUIT, F LEAD UW 5 SW MACH.,	EA	10	10	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	45540-000-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0189	03-12-8790	CONTROLLER, SWITCH CIRCUIT, 7B 6 WAY 3 POSITION 6N, 6R CONTS. EXCEPT TO BE EQUIPPED W/CRANK, COMPLETE, DWG. 38660-13, BALL PIN #43206-6 WITH 67-1/2 DEG. ALEMITE OILER	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	53530-015-02

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0190	03-12-8798	CONTROLLER, SWITCH 4 WAY	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	53530-033-01		
0191	03-12-9000	CORE, COMPLETE, FOR PC COILS UW 5 SW MACH	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	50598-000-02		
0192	03-12-9010	CORE, FOR PC COILS UW 5 SW MACH	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	50598-002-01		
0193	03-12-9250	COUPLING, FOR CONDUIT	EA	10	10	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	45685-001-00		
0194	03-12-9285	COUPLING, COMPLETE FOR CONDUIT UW 5 SW MACHINE	EA	04	04	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	45687-003-00		
0195	03-12-9310	COUPLING, F11F2 FLEX CONDUIT UW 7B SW CO	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	45688-92-GR2		

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0196	03-12-9650	COVER, COMPLETE, FOR 7B- 4 WAY SWITCH CIRCUIT CONTROLLER	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 38639-2 GRADE 3				
0197	03-12-9660	COVER	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 38639-2GR7				
0198	03-12-9695	COVER, COMPLETE WO GUARDS UW 5 SW MACHINE	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45520-018-01				
0199	03-12-9750	COVER, FOR PC W FASTELL CONT UW 5 SWITCH MACHINE	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45571-27				
0200	03-12-9795	COVER, FOR MOTOR UW 5 SW MACHINE	EA	00	06	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45655				
0201	03-12-9850	COVER, COMPLETE WITH GASKET FIG. 17 AND HINGE STUDS FIG. 77 FOR MOTOR, FOR	EA	04	04	00

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
		SWITCH MACH. PL. J-2114, FIG. 8				
		QPL / CODE / MFG - NAME / MFG - PART-NO				
		Y / P / ALSTOM SIGNALING, INC. / 52318-009-03				
0202	03-12-9875	COVER, COMP. F BRAKE U/W 5. SW MACH.	EA	10	10	00
		QPL / CODE / MFG - NAME / MFG - PART-NO				
		Y / P / ALSTOM SIGNALING, INC. / 52318-044-01				
0203	03-13-0295	CRANK ONLY UW 7B SWITCH CIRCUIT CONTROLLER	EA	00	00	00
		QPL / CODE / MFG - NAME / MFG - PART-NO				
		Y / P / ALSTOM SIGNALING, INC. / 38661-015-00				
0204	03-13-0355	CRANK, FOR HAND OPERATION UW 5 SW MACHINE	EA	120	12	00
		QPL / CODE / MFG - NAME / MFG - PART-NO				
		Y / P / ALSTOM SIGNALING, INC. / 54477-000-01				
0205	03-13-0575	DETENT, COMPLETE, WITH ELKONITE CONTACTS, USED WITH 5 SWITCH MACHINE SWITCH MOTOR,	EA	00	26	00
		QPL / CODE / MFG - NAME / MFG - PART-NO				
		Y / P / ALSTOM SIGNALING, INC. / 09040-002-01				
0206	03-13-0600	DETENT, COMPLETE, FOR MODELS 5E, 5F, 5G, 5H SWITCH MACHINES	EA	00	00	00
		QPL / CODE / MFG - NAME / MFG - PART-NO				
		N / P / ALSTOM SIGNALING, INC. / P85-981				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0207	03-13-0700	DISC, STEEL REVOLVING F CLUTCH, UW 5 SW MACH.,	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	45557-000-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0208	03-13-0750	DISC, STEEL F CLUTCH UW 5 SW MACHINE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	45558-000-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0209	03-13-0765	DISC, FOR FRICTION CLUTCH, M-5 SWITCH MACHINE, HARD BLACK VULCANIZED FIBRE.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	45562-001-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0210	03-13-0775	DISC, STEEL BACKING F CLUTCH UW 5 SW MACH INE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	45563-000-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0211	03-13-0795	DISC, BRONZE, FIG.12, GENUINE GENERAL RAILWAY SIGNAL CO.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	53924-4 PL J2112

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0212	03-13-0985	DOG, LOCK ROD, AS SHOWN FOR CAM BAR, FIG B.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	45600-9

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0213	03-13-1755	FRAME, SUPPORTS FRICTION CLUTCH USED WITH 5 SW. MACHINE, PL. J2104 FIG. NO. 4 -	EA	00	10	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45551-001-00				
0214	03-13-1805	FRAME, LOCKING, STRIPPED, USED WITH 5 SWITCH MACHINE	EA	00	24	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 49415-000-00				
0215	03-13-2148	GASKET, F COVER 5 SW MACHINE MOTOR	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 13014-136-00				
0216	03-13-2420	MAIN GEAR, ONLY, FIG. F, PLATE J-2106, FIG. 18	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45532-000-00				
0217	03-13-2450	GEAR, BEVEL, USED WITH 5 SWITCH MACHINE	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45535-000-00				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0218	03-13-2480	GEAR, MAIN, COMPLETE, USED WITH 5 SWITCH MACHINE	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	51140-010-01		
0219	03-13-2500	GEAR, AND FRAME, COMPLETE ASSEMBLY, USED WITH 5 SWITCH MACHINE	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	57932-000-01		
0220	03-13-2670	GIB, R.H. FOR MODEL 5 SWITCH MACHINE	EA	54	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	11072-005-00		
0221	03-13-2675	GIB, LEFT HAND, FOR GUIDE ON THROW BAR, USED WITH 5 SWITCH MACHINE BRONZE	EA	30	90	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	11072-006-00		
0222	03-13-2905	GUARD, F LOCKROD AND THROW BAR 5 SWITCH MACHINE 22 INCH CENTERS	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	51114-16		
0223	03-13-3185	GUIDE, COMPLETE FOR CONTRACT ARM UW 7B 6 WAY SW CC NEW STYLE	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	53988-1-GR1		

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0224	03-13-3200	GUIDE, COMPLETE, FOR THROW BAR CUT ON SIDE FOR GIBS, USED WITH 5 SWITCH MACHINE, WITH BRONZE GIB	EA	21	175	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 58918-000-01				
0225	03-13-3395	HASP, FOR BRAKE COVER 5 SW MACHINE	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 16110-12				
0226	03-13-3425	HASP, FOR BRAKE COVER UW SW MACHINE	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 29485				
0227	03-13-3835	JAW, SOLID 1 1F4 BUTT UW SW OR STOP LAYOUT	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 103-1				
0228	03-13-3855	JAW, SCREW FOR FRONT ROD UW SW LAYOUT	EA	00	10	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 959				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0229	03-13-3880	JAW, SCREW 1-1/4 WI BUTT W PIN UW SWITCH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	4203
N	P	ALSTOM SIGNALING, INC.	D-0805.FIG.F.

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0230	03-13-3920	ROD	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	109-5

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0231	03-13-3930	ROD	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	30584GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0232	03-13-3955	JAW, FOR SWITCH BOX ROD - COMPLETE WITH BOLT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	43054-001-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0233	03-13-4300	LAYOUT, SINGLE SWITCH L.H., WITH BASE 49413-13, W/SW. MACH. OPPOSITE SIDE OF 3RD RAIL COMPLETE,	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	51139-675-GR1

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0234	03-13-4301	LAYOUT, SINGLE SWITCH, R.H. WITH BASE #49413-13, WITH SWITCH MACHINE OPPOSITE SIDE OF THIRD RAIL, COMPLETE	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 51139-675-GR2				
0235	03-13-4304	SWITCH, MACHINE, M-5, LEFT HAND, WITHOUT LAYOUT	EA	00	12	04
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45506-011-01				
0236	03-13-4305	SWITCH, MACHINE, M-5, RIGHT HAND WITHOUT LAYOUT	EA	00	17	01
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45506-011-02				
0237	03-13-4310	MOTOR, MODEL 5 SWITCH, COMPLETES WITH DEVICE, MOTOR AND FRICTION CLUTCH CUTOUT ASSEMBLY, MAGNETIC HOLDING	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45630-022-02				
0238	03-13-4425	LEAD, M5 WIRE HARNESS COMPLETE FOR MOTOR TO POLE CHANGER	EA	15	20	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45621-007-01				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0239	03-13-4635	LETTER, CAST IRON, -A- 3", USED WITH 5 SW. MACHINE., BMT E.N.Y. ONLY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	J2309 FIG 35
N	D	ALSTOM SIGNALING, INC.	31760-60

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0240	03-13-4640	LETTER, CAST IRON B 3" USED WITH 5 SWITCH MACHINE BMT ENY ONLY.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	J2309 FIG
N	D	ALSTOM SIGNALING, INC.	31760-26

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0241	03-13-4660	LETTER, CAST IRON, 3", GRS	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	J2307 FIG.39
N	D	ALSTOM SIGNALING, INC.	31760-49

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0242	03-13-4693	LETTER, N CAST, IRON 3" HIGH FASTENS TO CROSS TIE TO IDENTIFY NORMAL SWITCH POINT ON POWER OPERATED TRACK SWITCHES	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	31760-24

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0243	03-13-4697	LETTER, "R" CAST IRON 3" HIGH FASTENS TO CROSSTIE TO IDENTIFY REVERSE SWITCH POINT ON POWER OPERATED TRACK SWITCHES	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	31760-25

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0244	03-13-4895	LEVER, FOR RELEASING BRAKE, USED WITH 5 SWITCH MACHINE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	53936-2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0245	03-13-5785	LUG, HINGE FOR MOTOR COVER, USED WITH 5 SWITCH MACHINE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	45650-003-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0246	03-13-6300	MAGNET, STATIONARY WITH STUDS FOR M5 SWITCH DETENT BRAKE ON M5 SWITCH MOTOR	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	09037-001-03

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0247	03-13-6302	MAGNET, ROTATION, WITHOUT STUDS, FOR M5 SWITCH DETEND BRAKE IN M5 SWITCH MOTOR	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	09032-001-03

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0248	03-13-6868	FIGURE, "1", 5", HIGH WITH RIVETS USED WITH 5 SW MACH., 1	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	31760-1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0249	03-13-6874	NUMBER, CAST IRON, 5 INCH HIGH W/RIVETS USED WITH 5 SW. MACH. (3)	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	31760-003-00

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0250	03-13-7050	NUT, ADJUSTING F CLUTCH UW5 SW MACH.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	45559-002-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0251	03-13-8020	NUT, 7/16"-14 HEX. HOLDS FRAME TO BASE USED WITH 5 SW MACHINE	EA	20	50	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	J2102 FIG.38
N	D	ALSTOM SIGNALING, INC.	0539-2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0252	03-13-8210	NUT, 5/8-11 HEX, 3/8 THICK "F" BALL PIN USED WITH 7B CIR CONTLLR	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	50748-005-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0253	03-13-8220	NUT, 5/8-11 HEX HOLDS MOTOR TO ADAPTER USED WITH 5 SW MACHINE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	14070-1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0254	03-13-8645	NUT, INCH-8 HEX, HOLDS MAIN GEAR USED WIT H 5 MACHINE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	00477-000-ON
N	P	ALSTOM SIGNALING, INC.	J-2104 FIG.32
N	P	ALSTOM SIGNALING, INC.	J-2807 FIG.2

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0255	03-13-8745	NUT, 1-1/4" X 7, HEX, FOR THROW ROD, USED WITH SW. LAYOUT.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	00545-007-00
N	P	ALSTOM SIGNALING, INC.	J2809 FIG.2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0256	03-13-8765	NUT, 1 1/4-7 HEX FOR LOCK ROD USED WITH SW LAYOUT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	02813-003-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0257	03-13-8785	NUT, ADJUSTING, 1-1/4- #- 7	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	44921

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0258	03-13-9390	PIN, COMPLETE, W/OILER FITTING NO. 34232-17 AND COTTER NO. 44, FOR LOCK ROD ON MODEL 5 SWITCH MACHINE,	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	730-111-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0259	03-14-0240	PIN, USED WITH 5 SW MACHINE FOR MAIN GEAR STUD	EA	00	50	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	33397-6

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0260	03-14-0550	PINION, FOR SHAFT MAIN GEAR USED WITH 5 SW MACHINE	EA	00	00	00
0261	03-14-0560	PINION, FOR FRICTION CLUTCH, USED WITH 5 SWITCH MACHINE, GRS DWG.	EA	00	00	00
0262	03-14-0570	PINION, FOR SHAFT BEVEL GEAR UW 5 SW MACH. G.R.S.	EA	00	10	00
0263	03-14-0790	PLATE, FOR MOUNTING 7B 4 WAY SW CIR CONTLLR	EA	00	00	00
0264	03-14-0797	PLATE, WASHER FOR SW FRONTED	EA	00	48	00
0265	03-14-0800	INSULATION, PLATE, RH. OR LH. FOR FRONT ROD	EA	00	25	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	45533
N	P	ALSTOM SIGNALING, INC.	45533-8
N	P	ALSTOM SIGNALING, INC.	45534
Y	P	ALSTOM SIGNALING, INC.	00559-017-00
N	P	ALSTOM SIGNALING, INC.	05656-017-00
N	P	ALSTOM SIGNALING, INC.	6794-15

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0266	03-14-0808	PLATE, INSULATING FOR FRONTED SWITCH LAYOUT	EA	00	51	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	30220-12

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0267	03-14-0830	PLATE, INSULATION FOR BRAKE U/W 5 SW MACH NX	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	30220-128
N	D	ALSTOM SIGNALING, INC.	54188-4

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0268	03-14-0890	PLATE, BEARING, FOR MAIN GEAR U/W 5 SW MACH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	45537

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0269	03-14-0910	PLATE, FOR WIRE INLET U/W 5 SW MACH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	45555

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0270	03-14-0970	PLATE, INSULATION FOR FRONT ROD U/W SW LAYOUT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	47409

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0271	03-14-1030	PLATE, WEARING CAMBAR, USED WITH 5 SWITCH MACHINE	EA	40	30	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 54920-010-01				
0272	03-14-1556	PLUNGER, SQ CUT END-F-PC U/W 5 SW MACH	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 31393-12				
0273	03-14-1810	CHANGER, POLE, COMPLETE WITH FASTELL CONTACTS, USED WITH MODEL 5 SWITCH MACHINE	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45514-007-01				
0274	03-14-2245	POST, TERM WITH BRACKET ONLY FOR POLE CHANGER WITH FASTELL CONT	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 51198-9 GR1				
0275	03-14-2835	ROCKER, OPERATES POLE CHANG ARM U/W 5 SW MACHINE	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45605				
0276	03-14-3020	ROD, ONLY SOLID JAW 3FT 3" U/W SW LAYOUT	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 120-9				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0277	03-14-3310	ROD, CONNECTING, U/W MODEL 5 SW MACH.	EA	00	02	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	31064-001-07

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0278	03-14-3345	ROD, CONNECTING U/W 5 SW MACH LAYOUT COMP 3 FT 8	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	31064-8GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0279	03-14-3365	CONNECTING U/W 5 SW MACH. LAYOUT, COMP 5 FT. 10,	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	31064-9 GR2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0280	03-14-3385	ROD, CONNECTING, U/W 5 SW MACH LAYOUT COMP 2FT 9 3/4	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	48062-12 GR31

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0281	03-14-3615	ROD, SWITCH BOX, OPERATOR, FRONT, COMPLETE, L.H., GRS	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	36333-68

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0282	03-14-3617	ROD, SWITCH BOX, OPERATOR FRONT, COMPLETE, R.H.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	36333-68 GR 2

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0283	03-14-3800	ROD, LOCK, COMPLETE FOR MODEL 5 SWITCH MACHINE (UNIVERSAL)	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	45512-16-GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0284	03-14-4065	ROD	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	49750-136 GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0285	03-14-4275	ROD, THROW, U/W 5 SW MACH LAYOUT SOLID JAW	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	120-4

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0286	03-14-4395	ROD, GRS DWG. NO. 120-16, WITH NUT NO. 5 ROD THROW U/W 5 SW MACH LAYOUT SOLID JANCOMP 4FT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	00120-016-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0287	03-14-4400	ROD, THROW, U/W 5 SW MACH LAYOUT SOLID JAW	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	46890-1GR17

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0288	03-14-4415	ROD, THROW USED WITH 5 SW MACH. LAYOUT, SOLID JAW COMP. 6 FT. 5. SIMILAR TO FIG. B1	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 46890-1GR32				
0289	03-14-4431	ROD, THROW, USED WITH 5 SW MACH. LAYOUT SOLID JAW COMP. 6 FT. 1, GRS.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 46890-3				
0290	03-14-4660	ROLLER, UPPER, FOR MAIN GEAR U/W 5 SW MACH	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45541				
0291	03-14-4675	ROLLER, LOWER, FOR MAIN GEAR U/M 5 SW MACH	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45541-7				
0292	03-14-4680	KIT, ROLLER REPLACEMENT, M5 SWITCH, MAIN GEAR, KIT CONSISTS OF FOLLOWING THREE ITEMS: 1 SPRING # 00786-086-00; 1 PIN # 3397-006-00; 1 WASHER #00626-025-00	EA	00	50	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 17550-200-02				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0293	03-14-5950	SCREW, 5/16-18 HEX HD 5/8 W WASH-HOLDS WASH TO FRAME 5 SW MACH.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	J-2102
N	D	ALSTOM SIGNALING, INC.	441-5

0294	03-14-5980	SCREW, 5/16-18, HEX HEAD, 1-1/4" FOR MACHINE THROW BAR GUIDE, USED WITH #5 SWITCH	EA	25	25	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	03440-045-00

0295	03-14-6000	SCREW, 5/16-18 HEX HD 13/16 DOG PT W/WASH FOR 5 SW MACH CLUTCH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	45554

0296	03-14-6300	SCREW, 5/16" - 24 HEX. HEAD, 1" F PC YOKE UW 5 SW MACH.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	03440-080-00
N	P	ALSTOM SIGNALING, INC.	PL J2116 FIG 37

0297	03-14-6450	SCREW, 3/8"-16, 1", HEX. HEAD, W/WASHER #01273-8, FOR PLATE OF 7B SWITCH CIRCUIT CONTROLLER,	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	K0136 FIG.10
N	D	ALSTOM SIGNALING, INC.	6170-2

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0298	03-14-6470	SCREW, 3/8-16 X 1-3/8 IN. HEX. HD. WITH LOCK WASHER, FOR FASTENING POLE CHANGER TO FRAME PLATE	EA	50	50	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45617-001-00				
0299	03-14-6690	SCREW, 3F8-16 SET HEADLESS, 5F8 F/ PC. CORES UW 5 SW. MACH.	EA	00	100	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 31399-000-00				
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: PL J2116 FIG 33				
0300	03-14-6790	SCREW, 50576, 3/8 IN X 1/2 IN HEX. HD FOR ARM FIG. H,	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 50576-000-00				
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: J-210 FIG.27				
0301	03-14-6900	SCREW, CAP, 7/16"-14, HEX HEAD, WITH WASHER #01273-9, FOR CLUTCH FRAME USED WITH #5 SWITCH MACHINE	EA	100	100	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 146-900				
0302	03-14-6935	SCREW, 7/16-14 HEX HEAD 2-1/2" HOLDS BRAKE UW 5 SW. MACH.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45657-002-00				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0303	03-14-7155	SCREW, 5/8 IN. - 11, HEX HEAD, 2-1/4 IN., W/WASHER NO. 01273-11, FOR CLUTCH FRAME ON MODEL 5 SWITCH MACHINE	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 02890-006-00				
0304	03-14-7355	SCREW, 3/4-10, HEX HEAD, 2-1/4", WITH WASHER NO. 01273-013-ON, FOR GEAR FRAME ON MODEL 5 SWITCH MACHINE	EA	00	50	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 147-355				
0305	03-14-7890	SHAFT F MAIN AND BEVEL GEAR U/W 5 SW MACH	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45545				
0306	03-14-7910	SHAFT, F FRICTION CLUTCH U/W 5 SW MACH	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45560-000-00				
0307	03-14-8100	SHAFT, U/W SW CIR CONTLLR 7B 4 WAY ROUND HOBBED F CAMS	EA	10	10	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 38651-003-00				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0308	03-14-8115	SHAFT, U/W SWITCH CIRCUIT CONTROLLER 7B 6 WAY ROUND HOBBED, F 4 CAMS	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	38651-9

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0309	03-14-8325	SHIELD, WITH NUT 1156-2, SCREW 14071-1, WASHER NO. 01273-8	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	39997-3

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0310	03-14-8650	SLEEVE, FOR MOTOR SHAFT U/W 5 SW MACH	EA	10	10	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	585-70

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0311	03-14-8800	SPACER, FOR M-5 SWITCH DETENT BRAKE	EA	40	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	38165-071-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0312	03-14-8970	SPRING, FOR BALL, FOR PIN OF STICK LOCK U/W 5 SW MACH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	786-86

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0313	03-14-9050	SPRING, BRUSHHOLDER, U/W 5 SW MACH	EA	00	23	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	01581-000-00

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0314	03-14-9140	SPRING, FOR HASP OF BRAKE COVER U/W 5 SW MACH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	16771-42

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0315	03-14-9160	SPRING, FOR FRICTION CLUTCH U/W 5 SW MACH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	45553

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0316	03-14-9265	SPRING, CONTACT FOR BRAKE U/W 5 SW MACH	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	49909-2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0317	03-14-9840	STAPLE, ONLY F/7B SW CIR CONTLLR.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	16914-016-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0318	03-15-0700	STUD, F/ COVER UW 7B SW CIR CONTLLR	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	441-631

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0319	03-15-0705	STUD, F/ COVER UW 7B SW CR CONTLLR	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	441-632

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0320	03-15-0730	STUD, F/HINGE LUG OF MOTOR UW. MOD. S SW MACH.	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	441-236		
0321	03-15-0750	STUD, 5/8-11 HOLDS MOTOR TO 5 SW MACH	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	00980-019-00		
0322	03-15-0755	STUD, 1/2 IN. - 13, FOR FASTENING ADAPTER TO BASE,	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	00980-020-00		
0323	03-15-0815	STUD, F/LOCK RODS USED WITH 5 SW. MACH.	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	47509		
0324	03-15-0835	STUD, F/ MAIN GEAR U/W 5 SW MACH	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	45542-004-00		
0325	03-15-1225	SUPPORT, FOR TERMINAL BLOCK, FOR SW. MACH. POLE CHANGER	EA	29	41	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	49591-000-00		

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0326	03-15-1445	TUBE, FIBRE, ONLY FOR COIL FIG. 12, FOR POLE CHANGER, J-2116, FIG. 59	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	43131-004-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0327	03-15-1465	TUBE, FOR PLUNGER, MACH	EA	06	07	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	45574-001-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0328	03-15-1665	VENTILATOR, F/ CASE OF 7B SW CC AND SW MOTOR	EA	00	48	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	52981-003-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0329	03-15-1895	WASHER, INSULATING, FOR COILS, FIG. NO. 35, GENERAL RAILWAY SIGNAL	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	493-35

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0330	03-15-2065	WASHER	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	1601-87

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0331	03-15-2380	WASHER, SHIM, FOR ADJUSTMENT OF ARM U/W 5 SW MACH STAINLESS STEEL	EA	12	101	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	05046-008-00

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0332	03-15-3225	YOKE, W/ PIN #500 F/ OPER ARM OF PC W/ FASTELL CONTACTS U/W 5 SW MACH	EA	00	40	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 56501-012-01				
0333	03-17-0700	BASE, COMP. F/AT BUMPER POST, SIG.,	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 43951-003-02				
0334	03-17-2000	BRACKET	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 35656-005-00				
		QPL: N; CODE: D; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: PL.H3301,FIG 6				
0335	03-17-3380	CLIP, F/LENS W/ SCR #2438-12, WASH #53029-18 U/W AW FA SIGS.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 18547-48				
0336	03-17-3650	CONTACTOR, COMP F/ STOP REL U/W SIG LAYOUT	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 04987-004-01				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0337	03-17-4015	DISC	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	39719-12

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0338	03-17-4280	DOOR, COMP FOR IND FA SIGNAL SWITCH UNIT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	15076-29 GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0339	03-17-4302	DOOR, COMPLETE, FOR SIGNAL HEAD	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	15076-24-GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0340	03-17-5345	GLASS, OPALESCENT U/W AT GRADE TIME SIG	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	924-20

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0341	03-17-5380	GLASS, F/ LETTERS U/W AT GRADE TIME SIG	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	50538-62

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0342	03-17-5610	GUARD, COMP F/ PB U/W AN SIG	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	54271GR1

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0343	03-17-5810	HANDLE, ONLY F DOOR OF AT SIG UNIT	EA	00	30	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	53717-2GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0344	03-17-6015	HASP, TONGUE LOCKS COV TO CASE U/W AN AWSIG	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	36023-1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0345	03-17-6215	HINGE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	43461-2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0346	03-17-6255	HINGE, W/RIVET #224,	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	53666

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0347	03-17-6455	HOOD	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	35886-6

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0348	03-17-7385	LENS, 3 5/8 DIA 5/8 FOCUS INNER DOUBLET GREEN U/W AN-F SIGS	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	**** PART NO. NOT AVAILABLE ****
N	D	ALSTOM SIGNALING, INC.	45926-1

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0349	03-17-7390	LENS, 3 5/8 DIA 5/8 FOCUS INNER DOUBLET YELLOW U/W AN-F SIGS	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	45926-2
N	D	ALSTOM SIGNALING, INC.	45926-15

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0350	03-17-7415	LENS, 3 5F8 DIA. 5F8 FOCUS INNER DOUBLET E. LUNAR WHITE UW AN F SIGS	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	45926-016-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0351	03-17-7660	LENS, 5" DIA 3 IF2 FOCUS OPTICAL GREEN UW A-AT SIGS, INTERIOR RIBBING	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	31624-008-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0352	03-17-7850	LENS, 5 1/2 DIA 1/2 FOCUS INNER DOUBLET LUNAR WHITE F/ TYPE AW SIGNAL	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	43988-029-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0353	03-17-8040	LENS, PLASTIC, HIGH IMPACT, RESISTANCE TYPE, 5" DIA., 3-1/2" FOCUS, CLEAR,	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	31624-041-00
Y	P	ALSTOM SIGNALING, INC.	64-3-C-GD

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0354	03-17-8041	LENS, PLASTIC, HIGH IMPACT, RESISTANCE TYPE, 5" DIA., 3-1/2" FOCUS, LUNAR WHITE, USED WITH A-AT SIGNAL	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	64-3-LW-6D

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0355	03-17-8045	LENS, PLASTIC, HIGH IMPACT, RESISTANCE TYPE, 5-1/2" DIA, 1/2" FOCUS, GREEN, INNER DOUBLE TYPE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	43988-025-00
Y	P	ALSTOM SIGNALING, INC.	P73-948

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0356	03-17-8050	LENS, PLASTIC, HIGH IMPACT, RESISTANCE TYPE, 5-1/2" DIA. 1/2" FOCUS, YELLOW, INNER DOUBLE T TYPE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	6690

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0357	03-17-8055	LENS, PLASTIC, HIGH IMPACT, RESISTANCE TYPE 5-1/2" DIA., 1/2" FOCUS, RED, INNER DOUBLE T TYPE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	6690

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0358	03-17-8056	LENS, PLASTIC, HIGH IMPACT, RESISTANCE TYPE 5-3/8- #DIA., 3-1/2" FOCUS GREEN OPTICAL TYPE,	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	64-3GG

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0359	03-17-8057	LENS, PLASTIC, HIGH IMPACT, RESISTANCE TYPE 5-3/8- #DIA., 3-1/2" FOCUS YELLOW, OPTICAL TYPE,	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 64-3				
0360	03-17-8058	LENS, 5-3/8" DIA., 3-1/2" FOCUS, RED, PLASTIC	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 64-3 R				
0361	03-17-8060	LENS, PLASTIC, HIGH IMPACT, RESISTANCE TYPE, 6-3/8" DIA., 3-3/4" FOCUS, CLEAR	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 6560C-L				
0362	03-17-8070	LENS, PLASTIC, HIGH IMPACT, RESISTANCE TYPE, 8-3/8" DIA. X 4" FOCUS CLEAR	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 6450				
0363	03-17-9355	PLUNGER, FOR PUSH BUTTON USED WITH AN SIGNAL	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: PL.H.2512 FIG. 35				
		QPL: N; CODE: D; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48108-1				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0364	03-17-9765	POST	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	PL.H.2508
N	D	ALSTOM SIGNALING, INC.	52908-2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0365	03-17-9770	POST	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	PL-H2508 FIG. 9
N	D	ALSTOM SIGNALING, INC.	52908-1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0366	03-18-0050	RECEPTACLE, LAMP ONLY S-C-CAND-BAY BASE F AW-FA-ME-SIG	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	34864-013-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0367	03-18-0070	RECEPTACLE, LAMP. COMP 3 PIN U/W AN SIG	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	49102-8GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0368	03-18-0125	RECEPTACLE, LAMP COMP F/ NUMBER PLATE U/W AT SIG	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	53058-7GR1

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0369	03-18-0130	RECEPTACLE, LAMP, COMP S-C-C &-BAY BASE, U/W AT SIG.	EA	00	00	00
0370	03-18-0150	RECEPTACLE, LAMP, COMP. F-AW-FA-ME-SIG.S. C. BAY BASE,	EA	00	00	00
0371	03-18-0155	RECEPTACLE, LAMP, COMP F NUMBER PLATE, UW AW SIG	EA	00	00	00
0372	03-18-0160	RECEPTACLE, LAMP, COMP. U/W 1 IND. AT SIG	EA	00	00	00
0373	03-18-0380	RING	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	53058-8GR1
N	P	ALSTOM SIGNALING, INC.	53058-25-GR1
N	P	ALSTOM SIGNALING, INC.	53058-26, GR. 1
N	P	ALSTOM SIGNALING, INC.	53058-27-GR. 1
N	P	ALSTOM SIGNALING, INC.	PL-H3305 FIG 19
N	D	ALSTOM SIGNALING, INC.	43432-7

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0374	03-18-0405	RING	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	PL-H-2512 FIG. 37
N	D	ALSTOM SIGNALING, INC.	43983-6

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0375	03-18-0415	RING, BEZEL FOR AT GRADE TIME, SIG	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	PL-H-3305 FIG. 49
N	D	ALSTOM SIGNALING, INC.	43983-18

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0376	03-18-0455	RING, FOR LENS AT INDOOR SIGNAL	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	43983-55

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0377	03-18-0465	RING, BAZEL, BLANK, FOR INDOR AT SIGNAL.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	43983-121

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0378	03-18-0760	ROUNDEL	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	9234-16

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0379	03-18-0765	ROUNDEL	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	9234-17

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0380	03-18-0850	ROUNDEL	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	9238-86

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0381	03-18-1525	SCREW	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	PL.H.3305 FIG. 43
N	D	ALSTOM SIGNALING, INC.	2438-1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0382	03-18-3300	SIGNAL, COMPLETE, AUTOMATIC, THREE ASPECT, SUBWAY A.T. TYPE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	36722-266-GR2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0383	03-18-3303	SIGNAL, "AT" SUBWAY WALL MOUNTED AUTOMATIC GYR-AT200-002-02 WITH LUNAR ASPECT-AT200-001-03 COMPLETED WITH DIALIGHT LED MODULES PER ALSTOM SIGNALING LATEST DWG #AT100-00-00 REV A.	EA	06	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	AT100-009-01

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0384	03-18-3308	SIGNAL, HOME CMPLT W/S UNIT SBWY TYPE GRS	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	36722-266-GR8		
0385	03-18-4200	SOCKET, F/MOUNTING AN - AW SIGS TO 3" PIPE	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	28447-66		
0386	03-18-4205	SOCKET, FOR MOUNTING A.T. SIGNAL TO 3" PIPE.	EA	12	03	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	28447-011-00		
0387	03-18-5070	STUD, USED AS HINGE PIN ON AT SIG.	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	441-483		
0388	03-18-5469	UNIT, LENS, RED FOR AN SIGNAL	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	36762-19-GR16		
0389	03-18-5480	UNIT, SIGNAL, LUNAR WHITE, W/HOOD #49127-9	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	36722-279-GR1		

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0390	03-18-5490	UNIT, LENS, COMP GREEN U/W AW OUTDOOR SIG	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	36762-33GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0391	03-18-5491	UNIT, LENS, COMP YELLOW U/W AW FA	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	36762-33GR2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0392	03-18-5492	UNIT, LENS, COMP RED U/W AW OUTDOOR SIG	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	36762-33GR3

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0393	03-18-6200	UNIT, SIGNAL, CALL-ON, COMPL., OUTDOOR	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	36722-279-01

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0394	03-18-6500	UNIT, SIG., AT COMP. 1 IND LETTER S INDOOR	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	36722-160-GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0395	03-18-7405	UNIT, SIGNAL, COMPLETE, SIGNAL TYPE, AW WITH G, Y, R & G, Y, R ASPECTS WITH	EA	00	00	00

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
		CALL-ON UNIT AND A YELLOW ASPECT, WITH POLE & PEDESTAL AS INSTALLED ON CONTRACT S-104 BROADWAY LINE				
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 45906-341 GR-3				
0396	03-21-0310	ARM, F OPERATING ARM U/W STOP	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48627				
0397	03-21-0345	ARM, COMPLETE, FOR HOLD CLEAR ASSEMBLY, USED WITH STOP	EA	00	146	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48820-001-01				
0398	03-21-0350	ARM, COMPLETE, FOR HOLD CLEAR ASSEMBLY, USE WITH STOP	EA	00	80	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48820-002-01				
0399	03-21-0395	ARM, ADJUSTING, COMPLETE WITH ROLLER FOR OPERATION OF CAM TYPE, STOP CIRCUIT BREAKERS ON IMPEDANCE TYPE TRAIN STOPS	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 53980-007-02				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0400	03-21-0455	ARM, TRIPPER, COMPLETE FOR ROCKER SHAFT, USED WITH STOP	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	48626-003-01		
0401	03-21-0460	TRIPPER ARM, COMP., F ROCKER SHAFT UW STOP.	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	48626-004-01		
0402	03-21-0465	ARM, TRIPPER, COMPLETE, FOR ROCKER SHAFT, USED WITH STOP	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	48626-006-01		
0403	03-21-0485	ARM, TRIPPER COMP. FOR ROCKER SHAFT U/W STOP FOR RH TRIPPING	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	48626-8-GR1		
0404	03-21-0490	ARM, TRIPPER, COMPLETE, LEFT HAND, CAP STOP	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	48626-010-01		
0405	03-21-1064	BEARING, ONLY FOR ROCKER SHAFT U/W STOP LAYOUT	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	48629-005-00		

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0406	03-21-1070	BEARING, ONLY FOR ROCKER SHAFT, USED WITH STOP LAYOUT	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48629-009-00				
0407	03-21-1095	BEARING, ONLY FOR ROCKER SHAFT, USED WITH STOP LAYOUT, FOR BEARING A WITH FITTING "34232-17"	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 54181-001-01				
0408	03-21-1110	BEARING, ONLY FOR ROCKER SHAFT, FOR ALEMITE FITTING, USED WITH STOP LAYOUT	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 54181-000-02				
0409	03-21-1200	BEARING, COMP. WITH PLATE DRAWING NO. 40627-78, BEARING, COMP. DWG. #29790-4 NUT-1"-12 HEX X 1/2" THICK DWG.#50164-1 & WASHER-1" DWG.#01273-15 FOR ROCKER SHAFT BEARING U/W TRAIN STOP LAYOUT DWG.#48637KN	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48628-051-01				
0410	03-21-1370	BEARING, FOR ROCKER SHAFT COMP. WITH STRAP U/W STOP LAYOUT WITH FITTING 34232-41-GR2	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48628-30-GR1				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0411	03-21-1378	BEARING, COMPLETE, WITH STRAP CAP STOP	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	48628-051-05

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0412	03-21-1386	BEARING, COMP. WITH FITTING 34232-41-1 U/W STOP LAYOUT (FOR TYPE & ROADBED)	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	48628-33-GR2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0413	03-21-1590	BLOCK, TERMINAL, ONLY FOR MOTOR UW STOP.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	43130

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0414	03-21-2430	BOLT, 3/8"-24 X 1-3/16", FOR STOP TRIPPER ARMS	EA	60	60	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	02889-009-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0415	03-21-2940	BOLT, 5F8-11 SQ. HD. 2-3/4 W/NUT, F ROD USED WITH STOP LAYOUT.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	PL L 3011 FIG 6
N	D	ALSTOM SIGNALING, INC.	41927-1

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0416	03-21-3190	BOLT, 3/4-10 HEX HD 2-3/4 WITH NUT #4364-2 & WASH FOR STOP TRIPPER ARM	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	069-1070-0-0
N	D	ALSTOM SIGNALING, INC.	34319-1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0417	03-21-4320	BUSHING, INSULATION FOR STOP ROD BOLT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	7350-65

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0418	03-21-4380	BUSHING, FOR NUT OF STOP HOLD CLEAR MAGNET	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	43153-000-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0419	03-21-4880	CAP, FOR STOP SHAFT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	48622

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0420	03-21-5380	CASE, ONLY F/STOP 15/16 HOLES	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	50110-12

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0421	03-21-6000	COIL, ELECTRICAL, ONLY FOR 60 HV., 110V STOP MAGNET.	EA	00	144	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	43125-000-01

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0422	03-21-6010	COIL, ONLY FOR 25 CY. 110-V. STOP MAGNET	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 43125-GR2				
0423	03-21-6235	COLLAR, FOR END OF ROTOR SHAFT U/W STOP MOTOR	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 30650-1				
0424	03-21-6885	CONNECTOR, COPPER F, STOP HOLD CLEAR POST	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 42760-181-04				
0425	03-21-7080	KIT, CONTACT WITH NUT, FOR #42839-8 POST STOP HOLD CLEAR COMPLETE WITH CONTACT P/N #42799-016-01 AND NUT #14-24 X .125" P/N #42839-008-00	EA	00	100	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 217-080				
0426	03-21-7170	CONTACT, ONLY F STOP HOLD CLEAR ARM.	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 54683-006-00				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0427	03-21-8180	CRANK, COMPENSATING F/ STAND U/W STOP LAYOUT	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	743-15		
0428	03-21-8200	CRANK, COMP F/ ROCKER SHAFT U/W STOP	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	48624-000-01		
0429	03-21-8205	CRANK, COMP F/ ROCKER SHAFT U/M STOP	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	48624-001-01		
0430	03-21-8215	CRANK, F/ ROCKER SHAFT U/W STOP	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	48624-2GR1		
0431	03-21-8640	DISC, F/ STOP MOTOR	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	43128-3		
0432	03-21-9060	DRIVER, COMPLETE, FOR ROCKER SHAFT, USED WITH STOP	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	Y	P	ALSTOM SIGNALING, INC.	48625-001-01		

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0433	03-21-9070	DRIVER, COMP F/ ROCKER SHAFT U/W STOP	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	48625-3GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0434	03-21-9080	DRIVER, COMP F-RH SIDE OF STOP ROCKER SHAFT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	48625-4GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0435	03-22-0200	GASKET, F BLOCK HOLD CLEAR ASSY, U/W STOP	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	13014-156

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0436	03-22-1320	HOOK, FOR STOP TRIPPER ARM	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	51049-2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0437	03-22-1360	HOOK, COMP F/ TRIPPER ARM GRS U/W STOP LAYOUT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	54185-2GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0438	03-22-1365	HOOK, STOP	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	54185-2GR4

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0439	03-22-1375	HOOK, COMP F/ TRIPPER ARM F/ HOLDING DOWN TRIPPER ARM U/W STOP LAYOUT GRS	EA	00	00	00
0440	03-22-1400	HOOK, COMPLETE, RIGHT HAND (R/H) FOR CAPACITOR TRAIN STOP	EA	00	00	00
0441	03-22-1401	HOOK, COMPLETE R.H. F/CAPACITOR TRAIN STOP	EA	00	00	00
0442	03-22-1402	HOOK, LEFT HAND, FOR CAPACITOR TRAIN STOP	EA	00	00	00
0443	03-22-1403	HOOK, L.H. CAP STOP	EA	00	00	00
0444	03-22-1410	HOOK, LEFT HAND, CAP STOP	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	54185-7-GR1
Y	P	ALSTOM SIGNALING, INC.	54185-013-01
Y	P	ALSTOM SIGNALING, INC.	54185-013-02
Y	P	ALSTOM SIGNALING, INC.	54185-010-02
Y	P	ALSTOM SIGNALING, INC.	54185-010-01
Y	P	ALSTOM SIGNALING, INC.	54185-015-01

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0445	03-22-2413	SHAFT ASSEMBLY, FOR CAPACITOR STOP ON SUPER ELEVATED LAYOUT	EA	00	08	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	20664-2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0446	03-22-2800	LAYOUT, ELECTRIC TRAIN STOP, R.H. TRIPPING, GRS CAPACITOR TYPE, 60 CYCLES, 110 VOLTS, FOR TYPE1 (ONE) SUBWAY TRACK CONSTRUCTION	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	48637-84, GR1-GR2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0447	03-22-2801	LAYOUT, AUTO TRAIN STOP, R H TRIPPING, TYPE 111, ELEVATED STRUCTURE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	48637-85-GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0448	03-22-2810	LAYOUT, R.H. AUTOMATIC TRAIN STOP U/W MECHANISM BETWEEN 60CYCLE, EXCEPTIONS	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	48637-84-GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0449	03-22-2811	LAYOUT, STOP, LESS STOP, W/ SCREW 68, #1273-7, SHIMS #41673-54, SHIMS #45689-185, BOLT & NUT #48058-1, ARM #48630-52, SCREW #51580-1, HOOK WASHER #72-2, SHIMS #304-136, WASHER #41673-55, PLATE #41885-119, COUPLING #48262-10GR1 BRG #48628-43GR1, SHAFT #54185-10GR2, CON. 56353-9 LAYOUT, STOP, LESS STOP, W/ SCREW 68, #1273-7, SHIMS #41673-54, SHIMS #45689-185, BOLT & NUT #48058-1, ARM #48630-52, SCREW #51580-1, HOOK WASHER #72-2, SHIMS #304-136, WASHER #41673-55, PLATE #41885-119, COUPLING #48262-10GR1 BRG #48628-43GR1 , SHAFT #54185-10GR2, CON. 56353-9	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	222-811

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0450	03-22-2814	LAYOUT, ONLY F/ELECTRIC TRAIN STOP L.H. TRIPPING GRS CAPACITOR TYPE. FOR SPRING MOUNTING BETWEEN RAILS, TYPE THREE (3) ELEVATED CONSTRUCTION. LESS TRAIN STOP MECHANISM.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48637-107-GR-1				
0451	03-22-2815	LAYOUT, ELECTRIC TRAIN STOP, L.H. TRIP- PING, FOR GRS CAPACITOR TYPE STOP, SPRING MOUNTED BETWEEN RAILS TYPE THREE (3) ELEVATED CONSTRUCTION.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48637-107-GR1				
0452	03-22-2816	LAYOUT, ELECTRIC TRAIN STOP COMPL. L.H. TRIPPING, CAPACITOR TYPE MOTOR, 110 V 60HZ, FOR TYPE 2 SUBWAY TYPE CONSTRUCTION, W/ STOP MECHNISM COMPLETE #50100-18GR1	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48637-75-GR1				
0453	03-22-2817	LAYOUT, COMPL., STOP L.H. CAPACITOR TYPE, 25 CYCLE, 110 VOLTS, FOR TYPE 2 TRACK SUBWAY CONSTRUCTION WITH MECHANISM #50100-18 GR 2	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48637-72 GR 1				
0454	03-22-2819	LAYOUT, COMPLETE, FOR 60 HZ, CAPACITOR STOP, BENCH WALL TYPE, L.H. WITH STOP MECHANISM	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 50100-18 GR1				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0455	03-22-2820	LAYOUT, COMPLETE, CAPACITOR STOP, BENCH WALL TYPE, L.H. WITH STOP MECHANISM DWG.50L00-L8, GR. 1 FOR 60 HZ	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48687-105-01				
0456	03-22-2821	LAYOUT, TRAIN STOP COMPLETE CAPACITOR TYPE, BENCH WALL, MOUNTED R.H.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48637-96 GR-1				
0457	03-22-4500	NUT, 5/16-18HEX F/ CIRCUIT BREAKER ARM OF STOP	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 01155-016-00				
0458	03-22-6680	PINION STOP, FOR MOTOR ROTOR SHAFT, PLATE L-3017, FIG. 57, 50200-1	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 50200-1				
0459	03-22-6998	PLATE, PART OF ROCKER SHAFT BEARING COMPLETE, DWG 48628-51, GR-1 FOR TRAIN STOP LAYOUT #48637KN	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48628-51 GR-1				
		QPL: N; CODE: D; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 40627-78				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0460	03-22-7012	PLATE, SUPPORT FOR CAPACITOR STOP MECHANISM	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 41885-124				
0461	03-22-7200	PLUG, TRAIN STOP, CAPACITOR GEAR BOX, BRASS FILLER PLUG	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 31408-004-00				
0462	03-22-7435	POST COMP F/ HOLD CLEAR CONTACT ASSY W/ CONTACT U/W STOP MOTOR	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48817 GR1				
0463	03-22-7460	POST, COMPLETE, FOR HOLD CLEAR CONTACT ASSEMBLY, WITH ARTICUL CONT USED WITH STOP MOTOR	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48819-001-01				
0464	03-22-8250	ROD, F STOP LAYOUT, ONLY SOLID JAW TO INSUL 113F4	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 129-1				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0465	03-22-8270	ROD F STOP LAYOUT, ONLY 32 IN 10 IN THREAD	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	34075-12GR4

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0466	03-22-8310	ROD, F STOP LAYOUT ONLY 73 IN 9 IN THREAD	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	34075-12 GR20

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0467	03-22-8316	ROD, CONNECTING, U/W BENCH, MOUNTED CAPACITOR STOP LAYOUTS IN THE LENGTHS SHOWN, 59" LONG.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	34075-12 GR15

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0468	03-22-8317	ROD, CONNECTING, U/W BENCH MOUNTED CAPACITOR STOP LAYOUTS IN THE LEGTHS SHOW, 32" LONG.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	34075-12 GR4

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0469	03-22-8318	ROD, CONNECTING, U/W BENCH MOUNTED CAPACITOR STOP LAYOUTS IN THE LENGTHS SHOWN, 26" LONG.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	34075-12 GR5

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0470	03-22-8319	ROD, CONNECTING, U/W BENCH MOUNTED CAPACITOR STOP LAYOUTS IN THE LENGTHS SHOWN, 35" LONG.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 34075-12 GR-6				
0471	03-22-8320	ROD, CONNECTING, U/W BENCH MOUNTED CAPACITOR STOP LAYOUTS IN THE LENGTHS SHOWN, 38" LONG.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 34075-12 GR7				
0472	03-22-8321	ROD, CONNECTING, U/W BENCH MOUNTED CAPACITOR STOP LAYOUTS IN THE LENGTHS SHOWN. 42" LONG	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 34075-12 GR-9				
0473	03-22-8322	ROD, CONNECTING, U/W BENCH MOUNTED CAPACITOR STOP LAYOUTS IN THE LENGHTS SHOWN. 51" LONG	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 34075-12 GR-12				
0474	03-22-8323	ROD, CONNECTING, U/W BENCH MOUNTED CAPACITOR STOP LAYOUTS IN THE LENGHTS SHOWN, 53 5/8" LONG.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 34075-12 GR25				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0475	03-22-8324	ROD, CONNECTING, U/W BENCH MOUNTED CAPACITOR STOP LAYOUTS IN THE LENGHTS SHOWN, 19 1/2" LONG.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 34075-26 GR1				
0476	03-22-8735	ROTER, COMP F/ 60CY 110 V STOP MOTOR	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 49401-2GR1				
0477	03-23-2000	SHAFT, FOR STOP CIRCUIT BREAKER, UNDRILLED	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 50393-1				
0478	03-23-2295	SHAFT, ROCKER, F/TRIPPER ARM, U/W STOP LAYOUT 15 7F8 LG. REF. 4 OF DWG. 48637-38	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48630-040-00				
0479	03-23-2296	SHAFT, ROCKER USED WITH GRS CAPACITOR TYPE TRAIN STOP	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 48630-052-00				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0480	03-23-2400	SHIM, FOR BEARING STRAP U/W CAPACITOR TRAIN STOP	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	41673-054-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0481	03-23-2410	SHIM, FOR STOP CASE CAP STOP	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	304-135

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0482	03-23-2415	SHIM, BEARING COMPLETE, CAP S	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	304-136

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0483	03-23-2420	SHIM, CAP STOP	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	304-149

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0484	03-23-3150	SPACER	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	35462-9

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0485	03-23-3160	SPACER, FOR SPRING CAP STOP	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	35462-16

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0486	03-23-3430	SPRING, FOR MOUNTING MECHANISM ON STRUCTURE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	00786-059-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0487	03-23-3460	SPRING, INNER WITH TWO EYELET 41858 U/W STOP MOTOR	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	786-153

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0488	03-23-3475	SPRING, FOR MOUNTING STOP CAP STOP	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	786-377

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0489	03-23-3530	SPRING, OF LEV. OPERATING CONTACT UW STOP MOTOR	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	43133

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0490	03-23-3540	SPRING, FOR LEVER OPERATING CONTACT ON 25 CYCLE STOP MOTOR, CONSISTING OF TWO (2) EYELETS #41858, ONE (1) SPRING #786-153	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	43135

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0491	03-23-3545	SPRING, ONLY, FOR HOLD CLEAR ASSY ON 60 CYCLE STOP MOTOR	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	43135

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0492	03-23-3610	SPRING, MAIN ONLY F STOP	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	50139-001-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0493	03-23-3985	STAND, COMPLETE, FOR CRANK U/W STOP LAYOUT WITH FITTING	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	8206-1-GR-5

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0494	03-23-4315	STOP, CAPACITOR, COMPL., 110V., 25 CYCLE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	50100-21-GR-2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0495	03-23-4565	STUD, ONLY 1 FOR 4-24 FOR MAGNET STOP MOTOR	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	43147

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0496	03-23-4675	STUD, COMPLETE, CAP STOP.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	43106-012-01

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0497	03-23-5070	VENTILATOR, COMPLETE U/W STOP CASE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	52981-GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0498	03-23-5340	WASHER, STAINLESS STEEL, LOCK 7F8 F/BOLTHOLDING STOP CASE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	01273-014

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0499	03-23-5440	WASHER, FOR LAG SCREW, WASHER LAG SCREW FOR MOUNTING MECHANISH TO TIES	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	626-72 PLATE L-3031, FIG.15

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0500	03-23-5446	WASHER, FOR SPRING CAP STOP	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	00626-219-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0501	03-23-5450	WASHER	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	626-195

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0502	03-23-5460	WASHER, SPECIAL, F VIBRATION SPRING U/W STOP CASE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	4333-16

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0503	03-23-5465	WASHER, FOR SPRING MOUNTED STOP	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	04333-022-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0504	03-23-5510	WASHER, FOR FIRST SHAFT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	30078-4

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0505	03-23-5515	WASHER. FOR ROTOR SHAFT PINION OF STOP MOTOR	EA	480	480	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	30078-005-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0506	03-26-1520	BASE, ONLY F-RLY. BOX	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	40522

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0507	03-26-1525	BASE, MOUNTING FOR RELAY CASE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	40522-5

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0508	03-26-1560	BASE, COMP. FOR MOUNTING RELAY BOX" NICHE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	48886-GR1

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0509	03-26-1575	BASE, COMP-F-RLY BOX, PL. E0961 FIG. H.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	48886-2-GR1

0510	03-26-1810	BELL	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55342-1GR1

0511	03-26-2355	BLOCK, FUSE GRS U/W RELY BOX COMPLETE FOR 8-0-30A 600 VOLTS FUSES AND 12 TERMS	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	26665-16 GR1

0512	03-26-3395	BOARD, TERM COMPLETE WITH 20 TERM BLKS U/W JCT BOX	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	**** PART NO. NOT AVAILABLE ****
N	D	ALSTOM SIGNALING, INC.	45857

0513	03-26-6240	BOX, JUNCTION, COMPLETE, 1, PL. N-1903, FIG. A, FOR POWER MAIN TAPS AT RELAY BOX	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	54678 GR1

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0514	03-26-6320	BOX, JUNCTION COMPLETE WITH 36 POST DOOR STOP VERT MTG 2 1/2 OPENING AT BOTTOM	EA	00	00	00
0515	03-26-6365	BOX, JUNCTION WITH 2 TERM-1-0-30A FUSE BLACK	EA	00	00	00
0516	03-26-6985	BOX, RELAY, DOUBLE COMPL., WITH BASE	EA	00	00	00
0517	03-26-7300	BOX, TRAIN INDENTITY, COMPLETE.	EA	00	00	00
0518	03-26-7302	BOX, TRAIN, ID4 INDICATION.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	54679-14 GR1
N	P	ALSTOM SIGNALING, INC.	54679-22 GR1
N	P	ALSTOM SIGNALING, INC.	45802-23-GR14
N	P	ALSTOM SIGNALING, INC.	5377-2-GR5
N	P	ALSTOM SIGNALING, INC.	561754-GR1

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0519	03-26-8101	PUSH BUTTON, COMPLETE, 2 WAY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	31030-34 GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0520	03-26-9270	CLIP.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	38043-37

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0521	03-26-9675	CONNECTOR, 1 1F2 CENTER F FUSE BLK USED WITH RLY. BOX, PL. E0973, FIG. 22	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	4906-6

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0522	03-27-0110	COUPLING, 2IN. COMP F CABLE U/W RLY CASE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	37946GR2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0523	03-27-0480	COVER, TOP F RLY BOX	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	47819

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0524	03-27-0485	COVER, ONLY TOP RLY BOX FOR 3-2" 2-2-1/2	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	47819-4

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0525	03-27-0500	COVER, ONLY TOP RLY BOX BLANK	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	47819-8

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0526	03-27-0520	COVER, FOR RELAY BOX BASE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	48308

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0527	03-27-0900	DOOR, F/RLY. BOX COMP. W/VENT, LATCH, GAS KET, HINGES, GRS DWG. 37868-26GR1 PL. E0 965 FIG. 4	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	37868-26GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0528	03-27-2270	HINGE, ONLY FOR RLY BOX DOOR	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	53666-3

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0529	03-27-2580	INSULATOR, FOR PLUGBOARD.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55862-8

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0530	03-27-2600	WRENCH, E POST FOR TYPE "B" RELAY TEST TERMINAL NUT	EA	00	75	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55393-003-01

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0531	03-27-2690	KIT, PLUG BOARD, COMPLETE WITH TERMINAL CLIPS AND INSULATORS	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	A62-0506

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0532	03-27-3505	MOUNTING, RELAY, COMPLETE FOR B1 BIASED NEUTRAL LINE RELAY 56001-785 GR26	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	30268-GR1 SPL.

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0533	03-27-3575	MOUNTING, RELAY, COMPLETE, FOR TYPE B SIZE 2 TIME RELAY 50GR1-51GR1-60GR1-61 GR1	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	30268-1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0534	03-27-3585	MOUNTING, RELAY COMP FOR B2V 60 C4 TK RLY 56005 100 GR1	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	30268-1 GR2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0535	03-27-6830	PLATE, F JCT BOX TAPPED F-3-2 IN CONDUIT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	44512-6

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0536	03-27-7195	PLATE, REGISTRATION FOR B2V TRACK RELAY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	58876-1GR10

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0537	03-27-8300	PLUG, BOARD, ONLY, FOR "J" RELAY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	01099-000-ON

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0538	03-27-8728	PLUG BOARD, WITH INSULATORS AND PLASTIC CLIPS F B2 RLY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	59686-1 GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0539	03-27-8755	PLUG BOARD, F B1 RLYS ON RACK	EA	00	34	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	59686-005-01

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0540	03-27-9250	POST, TEST COMPLETE 3E POST ON GRS PLUGBOARD FOR GRS RELAY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	42788-001-01
N	D	ALSTOM SIGNALING, INC.	42788GR1 REF. 8 59
N	D	ALSTOM SIGNALING, INC.	686-1

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0541	03-27-9255	POST, TEST TERMINAL ON GRS PLUGBOARD FOR GRS RELAY	EA	00	80	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	42788-001-02
N	D	ALSTOM SIGNALING, INC.	42788GR2 REF. 8 OF
N	D	ALSTOM SIGNALING, INC.	59686

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0542	03-28-0060	LENS ASSEMBLY, W/GASKET, PILOT LIGHT DWG 33933-25, USED WITH TRAIN IDENTITY PUSH BUTTON BOX	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	33933-030-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0543	03-28-0065	LIGHT, PILOT, COMPLETE F PUSH BUTTON, USED WITH TRAIN IDENTITY PUSH BUTTON BOX	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	33933-025-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0544	03-28-5760	SWITCH, D.P. 1. 1 AMP, THERMAL FOR A.C. GROUND DETECTOR SYSTEM -15, REF 267 ON T.A.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	54673-015-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0545	03-28-5780	SWITCH, DPDT 3 POS TYPE MCM AAAA, F NX TEST BD	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	56970 -4

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0546	03-28-7200	POWER SUPPLY UNIT, 15 VOLT, 60 CYCLE ADJ. 10-15V. - 2.5A, 35100 V. - 0.3A FOR INDISCAN	EA	00	00	00
0547	03-31-0250	BRACKET, F MESSINGER WIRE, ONLY VERT WALL MTG 4 IN OFFSET	EA	00	00	00
0548	03-31-4300	CONDENSER, 70 MFD F TRACK CIRCUITS	EA	00	00	00
0549	03-31-4820	IMPEDANCE, BALANCING, USED WITH 2A TK RELAY.	EA	00	15	00
0550	03-31-6200	BOND, REACTOR, IMPEDANCE, COMPL. 750 AMP, PER RAIL SIZE OF EACH CABLE 500,000 C.M.	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	59761-47 GR1 REF 1
N	P	ALSTOM SIGNALING, INC.	54899-000-00
N	D	ALSTOM SIGNALING, INC.	FIG. 7
N	P	ALSTOM SIGNALING, INC.	47630-29-G1
Y	P	ALSTOM SIGNALING, INC.	42960-001-01
N	P	ALSTOM SIGNALING, INC.	45980-004-01

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0551	03-31-6635	BOND, REACTOR, TERMINAL FOR TK WIRES	EA	00	00	00
		QPL: N — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: R-20032				
0552	03-31-7095	RECTIFIER, 25 CYCLES, SQ. 1/2, 110 VOLT SAC, 12 VOLTS DC., .2A SELINIUM	EA	03	06	00
		QPL: Y — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 59847-002-10				
0553	03-31-7440	RECTIFIER, 300 PIV 75 MA	EA	00	00	00
		QPL: N — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 4008GR1				
0554	03-31-7450	RECTIFIER, 60 LY, 300 PIV-100 REV-75 VDC, GR2 DIODE TYPE	EA	00	00	00
		QPL: N — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 400-8, GR2				
0555	03-31-7500	RECTIFIER, SQ 1/2, 110 V, 60HZ, 12 V.D.C20 AMP.	EA	00	00	00
		QPL: N — CODE: P — MFG - NAME: ALSTOM SIGNALING, INC. — MFG - PART-NO: 59847-002-04				
0556	03-31-7505	RECTIFIER, SELINIUM, COMPLETE, TYPE SQG1/2 WITH INSULATED NUTS AND GROUND	EA	00	00	00

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
		DETECTOR JACKS, FOR 12 VOLT LOCAL CIRCUITS, RATING AS FOLLOWS: DC OUTPUT 12 VOLTS, 0.200 AMPS. AC INPUT 110 VOLTS, 50/100 CYCLES				
		QPL / CODE / MFG - NAME / MFG - PART-NO: N / P / ALSTOM SIGNALING, INC. / 59847-003-02				
0557	03-31-7510	RECTIFIER, COMPLETE, TYPE SQG1/2, IN 110 VAC, 24 VDC OUTPUT.	EA	00	00	00
		QPL / CODE / MFG - NAME / MFG - PART-NO: N / P / ALSTOM SIGNALING, INC. / 59847-003-05				
0558	03-31-7520	RECTIFIER, 60 CY., B3P 224, 115 V-AC 12 V-DC, 6A, FOR 12 VOLT SUPPLY	EA	00	00	00
		QPL / CODE / MFG - NAME / MFG - PART-NO: N / P / ALSTOM SIGNALING, INC. / 59894-2 GR2				
0559	03-31-7580	RECTIFIER, 60 CYCLE, 4-BQ-1/4; 32V.DC.	EA	00	00	00
		QPL / CODE / MFG - NAME / MFG - PART-NO: N / P / ALSTOM SIGNALING, INC. / 58580-2, GR1,REF48				
0560	03-31-7599	RECTIFIER, 60 CY, 55 VAC-10-50 VDC.	EA	00	00	00
		QPL / CODE / MFG - NAME / MFG - PART-NO: N / P / ALSTOM SIGNALING, INC. / 59899-4, GR1				
0561	03-31-7800	RECTIFIER, SQ., 1/2 INPUT 2 VAC, .59847-2-GR7.	EA	00	00	00
		QPL / CODE / MFG - NAME / MFG - PART-NO: N / P / ALSTOM SIGNALING, INC. / 59847-2 GR7				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0562	03-31-8719	RESISTOR, BLACK, WITH GLOBAR A, 30000 OHM RES, FOR POWER OFF INDICATOR	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	26665-019-01

0563	03-31-8780	RESISTOR, 3 OHMS, 20 WATTS	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	01246-1

0564	03-31-8782	RESISTOR, 5 OHMS, 77 WATTS	EA	00	09	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	56105-012-00

0565	03-31-8830	RESISTOR, 600 OHM COMPLETE WITH BRACK UW WP RLY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	43286-2 GR-1

0566	03-31-8873	RESISTOR, 2- 70 OHM 26W MTG ASSY FOR POWER DIST	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	45456-12-GR3

0567	03-31-8950	RESISTOR, 111 OHMS, 15 WATT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	46450-22-GR9

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0568	03-31-8955	RESISTOR, COMP 0.017 TO 0.7 OHM W/SLIDE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	46450-023-02

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0569	03-31-8975	RESISTOR, CONSISTING OF RESISTOR 53587-10, BLOCK NO. 5971-22, WASHER NO. 1225-2, BOLTS NO. 42839-5 NO. 56482	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	50482-22 GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0570	03-31-9015	RESISTOR, UNIT 8-510 OHM A-CAB MTG SNUB	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	51459GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0571	03-31-9045	RESISTOR, 10 OHMS, 10 WATT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	53587-3

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0572	03-31-9054	RESISTOR, 25 OHM CUR LMTG F-A-CAB MTG	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	53587-4

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0573	03-31-9055	RESISTOR, 70 OHMS, 26 WATT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	58869-2

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0574	03-31-9060	RESISTOR, ONLY 100 OHM 10W CUR LMTG	EA	45	123	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	53587-10

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0575	03-31-9100	RESISTOR, COMPLETE, 6 OHMS, TAPS 3-2-1, FOR YARD TRACK CIRCUITS	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55293-9

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0576	03-31-9120	RESISTOR, W#/MOUNTING, 30 OHM. 126 W, 3-10 OHM RESISTOR, FOR A.C. GROUND DETECTOR SYSTEM	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	56951-7

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0577	03-31-9130	RESISTOR, ONLY 30000 OHM FOR 3 RAIL IND	EA	00	60	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	55593-000-00

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0578	03-31-9205	RESISTOR, 1.5 OHM, 133 WATT FOR TRACK CIRCUIT	EA	00	06	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	56951-008-00

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0579	03-31-9208	RESISTOR, 70HM 77 WATT F/TRACK CIRCUITS	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	56105-7

0580	03-31-9209	RESISTOR, 2.5 OHM, 77 WATT FOR TRACK CIRCUIT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	56105-8

0581	03-31-9210	RESISTOR, 68 OHM 2W W MTG ASSY UW 135V-DC -GRD DET. RLY	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	57831-14-GR1

0582	03-31-9225	RESISTOR, 2000 OHM 2W-W-MTG ASSY F CAIB- SNUBBING RLYS	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	59273-1

0583	03-31-9240	RESISTOR, 1500 OHM 2W-W MTG ASSY FOR CALB 24V GRD DET	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	57831-19 GR1

0584	03-31-9266	RESISTOR, 1500 OHM-19W-UW-135V-GRD DET	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	5878-4 REF 85

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0585	03-31-9295	RESISTOR, 510 OHMS 2W-SNUB F/135V GRADE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	59723-7 REF 84

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0586	03-31-9500	TERMINAL, USED WITH REACTOR BOND, F/384,000 CIR. MIL CABLE, SIMILAR TO FIG. 7B-	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	45997-1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0587	03-31-9510	TERMINAL USED WITH REACTOR BOND, F/384000 CIR MIL CABLE SIMILAR TO FIG 9B, EXCEPT FOR 384000 CIR MIL CABLE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	PL. R-0301

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0588	03-32-2300	BASE, SPLIT, 2" COMPLETE FOR TIME SIGN	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	30408-1-GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0589	03-32-3505	SIGN, ILLUMINATED TIME, COMPLETE FOR 2 INCH POLE MTG WITH RUBBER RECPT WO POLE BASE LAMP	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	46400-5 GR1

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0590	03-32-3530	SIGN, ILLUM TIME COMPLETE WITH PORCELAIN RECPT BRACKET WITH 2 1F2" HOLE CENTERS WO LAMP AND PLATE	EA	00	00	00
	QPL: N	CODE: P	MFG - NAME: ALSTOM SIGNALING, INC.	MFG - PART-NO: 46400-3-GR2		
0591	03-32-6780	WRENCH, SOCKET, 1/2" HEX, FOR TERMINAL POST NUT	EA	195	44	00
	QPL: N	CODE: P	MFG - NAME: ALSTOM SIGNALING, INC.	MFG - PART-NO: 15194-010-02		
0592	03-32-6920	WRENCH, 3/8-1/2, WITH OFFSET 3" LONG, FOR TERM POST AND GUIDE RODS.	EA	00	00	00
	QPL: N	CODE: P	MFG - NAME: ALSTOM SIGNALING, INC.	MFG - PART-NO: 43576-030-00		
0593	03-32-7520	BOX, JUNCTION, COMP 1 SIDE PL F-IN OTHER	EA	00	00	00
	QPL: N	CODE: P	MFG - NAME: ALSTOM SIGNALING, INC.	MFG - PART-NO: 56773		
0594	03-32-7740	BOX, RISER COMP. F/TK CONN W/3" COND. OPENINGS	EA	00	00	00
	QPL: N	CODE: P	MFG - NAME: ALSTOM SIGNALING, INC.	MFG - PART-NO: 56768		

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0595	03-33-0631	TRANSFORMER, 25 CY GRS TYPE K1 REPAIR	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 38270 GRS-3				
0596	03-33-0715	TRANSFORMER, 25 CYCLE, 145 KVA, 110V PR1 2 SEC 110V 55-55 14V-TAP-4-3-5, 1-7-F, LGTST K-CIR	EA	00	00	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 38270-100-05				
0597	03-33-0722	TRANSFORMER, K 1/2, 60 CYC. PRI. 115 V SEC 19.5V .025 KVA, POWER BOARD ON RACK	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 38270-21GR9 REF259				
0598	03-33-0900	TRANSFORMER, TYPE K, SIZE 2, GR. 2, 3-1-2-2-1-3, AND 1-14, 41 AMPS., 2 PRIMARY 015-5-5, 600 VOLT TRACK SECONDARY 14V, TAPPED SECONDARY 55 AND 60, 0.3 AMP. TE.,	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 38270-22 GR2				
0599	03-33-4210	TRANSFORMER 60 CY .D10 KVA-110V -PRI-110V- SE F/PO IND RLY	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 53715 GR6				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0600	03-33-4220	TRANSFORMER, 60 CYCLES, TYPE S1, .020 KVA, 110V PRIMARY, 220V SECONDARY, USED WITH WP RELAY	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 53715-105-01				
0601	03-33-4400	TRANSFORMER, S-I, .060 KVA, 60 CYCLE FOR SIG. HEADS OUTDOOR SIG. HEADS OUTDOOR	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 53715-143-01				
0602	03-33-4401	TRANSFORMER, S-2, 60 CYCLE, FOR SIGNAL HEAD INDOORS	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 53715-144 GR1				
0603	03-33-4520	TRANSFORMER 60 CY GRS TYPE S2 .002 KVA-110V-PRI- 4.5V, S2AS36	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 53715-2 GR1				
0604	03-33-4560	TRANSFORMER, 60CY GRS TYPE S2, CUR-F-OS-TK CIR.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 53715-7GR1				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0605	03-33-4820	TRANSFORMER, 60 CY GRS TYPE-T-, .080 KVA, 110 V.- PR1-8V-SEC F/AC GRD DET.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 59700-000-1				
0606	03-33-5000	TRANSFORMER 60 CY GRS TYPE V1 .300 KVA-110V- PR1- 110V- SE F/INSULATING	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 54940 GR7				
0607	03-33-5010	TRANSFORMER, 60 CY GRS TYPE U1, 0.200 KVA, 110V PR1, 90V SEC, TAP 5, 55, 10, 10, 10	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 54950-103 GR72				
0608	03-33-5090	TRANSFORMER, TYPE U, SIZE 1, CLASS B, 60 CYCLE, 330 KVA, PRIMARY 110V, SECONDARIES 115-15, 15 VOLTS, SPEC. AMUS-TR13 AU-207	EA	00	06	00
		QPL: Y; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 54940-007-01				
0609	03-33-5110	TRANSFORMER, 60 CY GRS TYPE U1, 110VPRI-44V SEC. TAP-4-20-20-F GRD. DET.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 54940-8 GR1				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0610	03-33-5113	TRANSFORMER, TYPE V1, MATCHING, 60 CYCLES, 110 VOLTS.	EA	00	03	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	54940-008-03

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0611	03-33-5115	TRANSFORMER, U1, PRI. 110V., SEC. 15 V. 20 AMP., FOR TRACK CIRCUITS	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	54940-005-04

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0612	03-33-5300	TRANSFORMER, 60CY GRS TYPE V CUR-150-PR1	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55336GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0613	03-33-5320	TRANSFORMER, 60CY GRS TYPE V CUR-40A-PR1	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	55336-1GR1

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0614	03-33-6600	UNIT, TEST B1-FOR DC-GRD-DET-12-26V	EA	00	04	00

QPL	CODE	MFG - NAME	MFG - PART-NO
Y	P	ALSTOM SIGNALING, INC.	58521-003-01
Y	D	NYCTA	733-44-1-B

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0615	03-33-6610	UNIT, TEST B1 FOR DC GRD DET.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 58521-003 02				
0616	03-33-6615	UNIT, TESTER FOR B1-AC GROUND DETECTOR SYSTEM, 110 VAC, 3000/750 OHM UNIT FOR USED WITH AC VANE GROUND DETECTOR RELAY.	EA	02	02	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 58521-004-01				
0617	03-34-8755	BOARD ASSEMBLY, USED FOR TRAIN IDENTRA STORAGE SYSTEM AT 125TH #ST. & LEX. AVE.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 20355-6 GR1				
0618	03-34-8760	BOARD ASSEMBLY, USED FOR TRAIN IDENTRA STORAGE SYSTEM AT 125TH #ST. & LEX. AVE.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 20355-10 GR1				
0619	03-34-8770	BOARD ASSEMBLY, USED FOR TRAIN IDENTRA STORAGE SYSTEM AT 125TH #ST. & LEX. AVE.	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 29041-10 GR2				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0620	03-34-8785	BOARD ASSEMBLY, USED FOR TRAIN IDENTRA STORAGE SYSTEM AT 125TH# ST. & LEX. AVE.,	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 38348 GR2				
0621	03-34-8800	RECEIVER AND FILTER, FOR F-S CARRIER TYPE CODE, USED ON "M" CODE SYSTEM AT 125 TH# ST. & LEX. AVE.,	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 01189-2				
0622	08-60-0000	PROPULSION CONTACT, MALE	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: EC42AD-016				
0623	08-60-0001	PROPULSION CONTACT, FEMALE	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: S4027154P4011				
0624	08-60-0386	PLUG, CABLE, 24 CONTACTS, TYPE SMS, USED ON CONTACTOR AREA INSTALLATION	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: DTR0000017570				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0625	09-42-3044	WASHER, FLAT, STAINLESS STEEL, 1/2 INCH	EA	03	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: DTR0000064881-A				
0626	13-42-6822	SCREW, MACHINE, 1/4-20 X 1/2, HX, NYLON PART NUMBER IS ALSTOM DRAWING; PURCHASE FROM ALSTOM	EA	481	46	117
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: DTR0000080380-A				
0627	13-42-6870	WASHER, FLAT, STANDARD, 1/4, NYLON PART NUMBER IS ALSTOM DRAWING; PURCHASE FROM ALSTOM	EA	473	69	37
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: DTR0000078676-A				
0628	13-60-7162	CABLE GRIP (SPECIAL ORDER)	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 26047-03504				
0629	13-60-7163	CABLE GRIP (SPECIAL ORDER)	EA	00	00	00
		QPL: N; CODE: P; MFG - NAME: ALSTOM SIGNALING, INC.; MFG - PART-NO: 26047-03506				

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0630	13-60-7164	CABLE GRIP (SPECIAL ORDER)	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	26047-03507		
0631	13-60-7166	CAPTIVE SCREW	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	30001-03507		
0632	13-60-7167	WASHER, SPECIAL	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	30011-03514		
0633	14-43-0392	CONNECTOR, SERIAL ALARM CONNECTOR FOR COMMUNICATION INTERFACE UNIT TOD/CBTC	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	TE30006471		
0634	14-60-0141	PCB, ALN1	EA	01	02	29-
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	TRVC062200000		
0635	15-60-0413	COVER, SPEED SENSOR	EA	00	00	00
	QPL	CODE	MFG - NAME	MFG - PART-NO		
	N	P	ALSTOM SIGNALING, INC.	00101-00-023		

MATERIAL STANDARDS USAGE REPORT

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0636	15-60-0418	PLUG, SQUARE HD, 2-1/2 NPT	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	00101-00-036

REC#	STOCK NO	LONG DESCRIPTION	U/M	USE PY2	USE PY1	USE YTD
0637	15-60-0420	I.D. PLATE	EA	00	00	00

QPL	CODE	MFG - NAME	MFG - PART-NO
N	P	ALSTOM SIGNALING, INC.	00101-00-037

TOTAL PROCESSING TIME = 00 HRS, 00 MINS.

TOTAL RECORDS READ : 637

TOTAL RECORDS PRINTED : 1,452

**** FILES USED ****

MMS --> USE YTD

MMS --> USE PY1, USE PY2

CTF --> LONG DESCREPTION

VXF --> MFG PART NO

MFG --> MFG NAME

ITEM --> U/M

ALSTOM21 --> STOCK NO

PROGRAM LOCATED : ◆ IN ◆ ON ◆