

September 02, 2022

MTA - NEW YORK CITY TRANSIT
3 Stone Street
New YORK, N.Y. 10004
BID RECEPTION DESK
WWW.MTA.INFO/NYCT/PROCURE/NYCTPROC.HTM

THIS PACKAGE CONTAINS THE QUALIFIED PRODUCTS LIST (QPL) ITEMS FOR THE BELOW STATED PROCUREMENT UNIT WHICH INCLUDES THE NYCT STOCK NUMBER, ITEM DESCRIPTIONS, AND ESTIMATED USAGE.

QUALIFIED PRODUCTS LIST (QPL)

Subway Car Parts

PROCUREMENT UNIT: 100

Subway Car Parts: Subway car items including, but are not limited to, the following:

Components & complete electrical controller pans, electrical & carbon brushes, electrical circuit parts & accessories, motor component parts, motor controllers, traction motor parts, structural & non-structural car body parts, wheel & truck parts, subway car assembly parts, subway car decals, insulators, air conditioning & air brake parts, as well as wheel truing machine items, gaskets, diesel engine parts, glass and signal communication equipment

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
08-38-0267	CONTACT, ELECTRICAL, USED WITH CONTROLLER TYPE XC-149-D FINGER	WESTINGHOUSE FEDERAL METAL PRODUCTS INC. HOYT	5819C58G01 EC84318 R 905		1		0
08-38-1414	CONTACT, STATIONARY PLAIN, USED WITH CONTROL EQUIPMENT 1.2 TYPE UMA-9A AND 9B CONTACTORS UMA-59, R32, 38, 44, R62-A	HORNE BOMBARDIER HOYT NYCTA	1414A 18D9633H01 RW590 2521133	13238			5945
08-38-1626	CONTACT, FOR LINE SWITCH, TYPE UPB-3	WESTINGHOUSE HORNE HOYT	177A119H01 2665 R660		0		0
08-38-1766	CONTACT, STATIONARY, WITH SILVER INSERT, FOR CAM SWITCH XC-149-S, XCA-149, XC-298, XC -798, XC-198	HORNE WESTINGHOUSE ADVANCED METALLURGY INC. HOYT TRITON NYCTA	1766 8617A79G01 983A R615 TR20561 2531015A		20		22
08-38-1771	SPRING, COMPRESSION, U/W MOVING CONTACT ASSEMBLY CAM SWITCH XC-148, 198, 248, 298, 748, 698, 798.	HORNE EVERSON ELECTRIC WESTINGHOUSE	1771B 18477-1-319 3D99510H01		204		0
08-38-1772	CONTACT, MOVABLE, WITH SILVER INSERT, FOR CAM SWITCHES XC-149-S, XC-198, XC-298, XC-798, XCA-149	HORNE WESTINGHOUSE ADVANCED METALLURGY INC. HOYT NYCTA	1772 21D7111G01 981A R600 2531015A		20		12
08-38-1786	CONTACT, STATIONARY, WITHOUT SILVER INSERT FOR CAM SWITCH, XCA-149, XC-148, XC-248, XC-648, XC-748, XC-848	CASTING ELECT MATERIALS HORNE WESTINGHOUSE ADVANCED METALLURGY INC. CONTACTOR MANUFACTURING CO. HOYT NYCTA	10-987E 1717261 1786 8617A55H01 982B MET-300 R610 2531015A	9132			5389

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
08-38-1787	CONTACT, MOVABLE, WITHOUT SILVER INSERT, FOR WE TYPE XC-248, 648, 748 & 848 CAM SWITCHES.	ELECTRIC MATERIALS HORNE WESTINGHOUSE ADVANCED METALLURGY INC. CONTACTOR MANUFACTURING CO. HOYT NYCTA	1572799 1787 21D7110H01 987A MEI-310 RW596 2531015	9288	5654
08-38-1870	CONTACT, ELECTRICAL, USED WITH RELAY TYPES ATL, AT2, UG-516 STATIONARY	WESTINGHOUSE HOYT	4227B27G01 RW800	0	20
08-38-2780	INSULATOR ASSEMBLY, FOR RESISTOR STYLE NO. 29B3914G01	WESTINGHOUSE	55B3718G01	75	59
08-38-2784	RESISTOR ASSEMBLY, TYPE MA-17 0.069 OHMS	WESTINGHOUSE WESTINGHOUSE NYCTA	1796217 1D47668G01 254-1814	1	0
08-38-2785	RESISTOR, ASSEMBLY, TYPE MA-17, TUBE .086 OHMS, R29, R33, R36, R68 AND R68A CAR CLASS	WESTINGHOUSE NYCTA	1D47667G01 254-1815	1	1
08-38-2794	RESISTOR ASSEMBLY, TYPE MA-17, TUBE, .285 OHMS, R29, R33, R36, R62A, R68, R68A	WESTINGHOUSE NYCTA	1D47688G01 254-1816	14	0
08-38-2795	RESISTOR ASSEMBLY, TYPE MA-17, TUBE, .150 OHM RESISTANCE	WESTINGHOUSE	1D47665G01	0	10
08-38-3353	VALVE, MAGNET, COMPLETE, FOR CONTROL BOX, TYPE UP-631-A., WE TYPE UB-132-B	WESTINGHOUSE EVERSON ELECTRIC	1489898-A 18451-100	0	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 3
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
08-38-3354	VALVE, MAGNET, COMPLETE, FOR REVERSER, TYPE XR-982	WESTINGHOUSE EVERSON ELECTRIC	1528197-B 18451A-100	0	0
08-38-3366	VALVE, UPPER, TYPE UB-36-C, 32B,E,F,G,Y & T, UB-86A, UBA-132D 7 UB-832F	WESTINGHOUSE	570A258-G01	0	0
08-42-5006	ELECTROLYTIC CAPACITOR M 68000 M63, LVPS(SHELF LIFE 2 YRS FROM MANUFACTURING DATE ON CAPACITORS)	EPCOS	B41456-S8689-M004	240	32
08-42-5250	BEARING, BALL. NON-INSULATED U/W TRACTION MOTOR	SKF	6214/C4HS0	0	0
08-42-5286	BUSHING, RESILIENT NOTE: "EVERY 10 PIECES MUST BE IN A SEPARATE BOX WITH EACH INDIVIDUAL PIECE WRAPPED TO PREVENT MOVEMENT THAT COULD CAUSE SCRATCHING, NICKS OR DENTS"	HUTCHINSON AEROSPACE INDUSTRY ALSTOM TRANSPORTATION INC.	565106-11 DTR0000090834	870	1519
08-42-6038	RELAY	ALSTOM TRANSPORTATION INC. LEACH INTERNATIONAL OF NRTH AM	DTR0000029859 F470-H4DP-12YUU	1480	531
08-42-7618	CAPACITOR, ELECTROLYTIC, 350 VOLTS, 16000 MICROFARADS, -10% +30 %, USED ON CAPACITOR BANK ASSEMBLY (PURCHASED BY DESCRIPTION)	EPCOS ALSTOM TRANSPORTATION INC. ALSTOM TRANSPORTATION INC. ALSTOM TRANSPORTATION INC. VISHAY ANGSTROHM PRECISION	B43564-S4169-Q1 CA60JQ-001 DTR0000067095 DTR0000067095-A MAL210290065E3	4810	6088
08-42-7633	CAPACITOR, 400V, 11,000 UF. RATED AT 12000 HRS @ 85 DEGREE CELSIUS OR 2000 HRS @ 105 DEGREE CELSIUS. USED ON 8-PACK CAPACITOR ASS'Y, TRACTION INVERTER	EPCOS	B43456S9119A001	1161	425

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
08-42-7641	CONTACT TIPS, FIXED AND MOVEABLE, KIT, U/W LINE CONTACTOR, HIGH CURRENT 1200 AMPS, KIT INCLUDES: 01010777 KIT FIXED CONTACT S8 L THNS800; 01011678 GROUP MOBILE CONTACT + ARC RUNNER; 0100204 MOBILE CONTACT S8 LTNS650; 02411655 MOBILE ARC RUNNER LTHNS800 R160; 0513028 SCREW TC IMP CROCE M3X8 DIN 7085; 0594004 SCHNORR WASHER D.3 TYPE S ZINC; 0500082 HEX SCREW M6X20 P.G. UNI 5739-65 CL; 0500103 HEX SCREW M8X14 UNI 5739-65 CL.8.8;0594008 SHNORR WASHER D.6 TYPE S ZINC; 0594009 SHINORR WASHER D.8 TYPE S ZINC	MICROELETTRICA SCIENTIFICA	010HNS800R160		278		152
08-44-1009	STRAINER AND REGULATOR ASSEMBLY, FOR TYPE XCA-248G PACKAGE UNIT #XCA248G & J	WESTINGHOUSE	5572C73G01		0		0
08-44-1426	CONTACT, FOR TYPE UMA-275A CONTACTOR	HORNE BOMBARDIER HOYT	1426 18D9643H01 RW580		18732		9684
08-44-2754	RESISTOR ASSEMBLY, TYPE MA-17, TUBE, 0.098 OHM RESISTANCE	WESTINGHOUSE	1D47655G01		0		0
08-44-6053	RESISTOR, ASSEMBLY, USED WITH RESISTOR FRAME ASSEMBLY 0.118 OHMS	WESTINGHOUSE	1D47686G02		7		0
08-44-6055	RESISTOR ASSEMBLY, 0.205 OHMS FOR R44 CAR CLASS	WESTINGHOUSE	1D47658G02		0		0
08-44-6057	RESISTOR, USED ON FRAME ASSEMBLY NO. 3, 0.150 OHM RESISTANCE STAIN ST.	WESTINGHOUSE	1D47665G02		0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 5
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
08-44-6058	RESISTOR, USED ON FRAME ASSEMBLY NO. 3, 0.127 OHM RESISTANCE	WESTINGHOUSE	1D47666G02	9	2
08-44-6059	RESISTOR, USED ON FRAME ASSEMBLY NO. 4, R44 GOH CAR, 0.102 OHM RESISTANCE, STAINLESS STEEL	WESTINGHOUSE	1D47687G02	18	0
08-44-6060	RESISTOR, USED ON FRAME ASSEMBLY, NO. 4 AND NO.5, 0.053 OHM RESISTANCE, STAINLESS STEEL.	WESTINGHOUSE	1D47669G02	1	0
08-44-6771	CONTACT, MOVABLE, FOR CAM SWITCH XC-298	WESTINGHOUSE	30B1864G16	118	71
08-60-0009	BRUSH, GROUND, TAMPED FOR R142, R142A, AND R143 AND R160 GROUND BRUSH ASSEMBLY. 1.24" THICKNESS, 1.116" WIDTH, 2.22" LENGTH AND 3.2" PIGTAIL LENGTH. GRADE # MC79P.	SCHUNK GRAPHITE TECHNOLOGY LLC NATIONAL ELECTRICAL CARBON MERSEN USA BN CORP	10573655 61051813SZ WE-969	6999	5260
08-62-0281	HOUSING, BEARING, 2 PIECE, U/O CAM CONTROLLER ASSY, TYPE XCD-248Q WE# 1649E18G01, R62A	WESTINGHOUSE FAFNIR	404P581H03 62PB-H5G/O	0	0
08-62-0310	STATIONARY ASSEMBLY, USED ON CAM SWITCH ASSEMBLY, TYPE XCE-248	EVERSON ELECTRIC WESTINGHOUSE	18444-160 5819C64G01	0	0
08-62-0317	STATIONARY ASSEMBLY, USED ON CAM SWITCH ASSEMBLY, TYPE XCE-548	EVERSON ELECTRIC WESTINGHOUSE	18442-130 5819C71G01	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
08-62-1180	OVERVOLTAGE ASSEMBLY, U/O CONVERTOR.	BOMBARDIER TRANSPORTATION APPLIED POWER SYSTEMS, INC.	1D48239G01 OVM-9901		0		0
08-62-1400	CONTACT, TYPE UME-215B, J/BDC ASSEMBLY, F/CONTROL EQUIPMENT.	WESTINGHOUSE HOLEC	3D99204G01 GMB314		0		0
08-62-2025	BEARING, 60MM BALL, COMMUTATOR END, 1447J T/MTR	BOMBARDIER TRANSPORTATION FAG SKF NYCTA	1D48155H04 6312/C3 6312/C3 PALLET SPEC.		0		0
08-62-2675	DOOR RELAY ASSEMBLY, TYPE URJ-51, USED WITH CONTORL EQUIPMENT	WESTINGHOUSE	1D47602G03		0		6
08-62-2763	RESISTOR ASSEMBLY, FOR MA-17 TYPE 0.322 OHMS FOR R62A CARS	WESTINGHOUSE	1D47660G01		0		19
08-62-2766	RESISTOR ASSEMBLY TYPE MA-17, 0.815 OHMS, FOR R62A CARS	WESTINGHOUSE	1D47690G01		5		0
08-62-2767	RESISTOR ASSEMBLY, TYPE MA-17, 0.645 OHMS FOR R62A, R68 AND R68A.	WESTINGHOUSE	1D47663G01		2		0
08-62-2768	RESISTOR ASSEMBLY, TYPE MA-17, 0.515 OHMS FOR R62A CARS	WESTINGHOUSE	1D47662G01		0		0
08-62-3355	VALVE, MAGNET, ASSEMBLY, TYPE UBA-132-S USED ON CYLINDER INTERLOCK ASSEMBLY WE # 1D63047G01.	WESTINGHOUSE	5819C26G01		0		0
08-68-0242	CONTACT, STATIONARY WITH SLOT, USED WITH CAM CONTROLLER TYPE XCD-248Q AND INTERLOCK ASSEMBLY #5819C57G01	WESTINGHOUSE ELECTRIC	4227B92G02		24		5

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 7
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
08-68-1401	CONTACTOR ASSEMBLY, TYPE UME-252-D, USED ON PACKAGE UNIT ASSEMBLY TYPE XCB-248-S.	WESTINGHOUSE	1D47682G02		0		0
08-68-2763	RESISTOR ASSEMBLY, TYPE MA-17, 0.736 OHMS FOR R68 AND R68A CARS	WESTINGHOUSE	1D47689G01		0		0
08-68-2778	RESISTOR, 0.570 OHMS, WE RESISTOR ASSEMBLY, #2120F56G05 AND #2120F57G06	BOMBARDIER TRANSPORTATION	1D48307G01		1		0
09-33-3794	RESISTOR, 50 WATT, 1500 OHM, ADJ. U/O CONTROLLER GROUP BOXES 17KG192AE2	GENERAL ELECTRIC CO.	482A444ARP26		0		0
09-33-3832	ADAPTER, U/O CONTROLLER GROUP BOXES 17KG192AE2.	GENERAL ELECTRIC CO.	41A265958G2		0		0
09-33-3901	MODULE, U/O PANEL # 17MM110B3.	GENERAL ELECTRIC CO.	41B567209G11		0		0
09-38-0095	CONTACT, FINGER, USED WITH MASTER CONTROLLER TYPE 17KC76A1, MUST BE CADMIUM FREE	GENERAL ELECTRIC CO. HOYT	4734382G1 R242		11		1
09-38-0106	CONTACT, F/CONTROLLERS TYPES 17KC48J7, 17KC23A1, 17KC16A1, 17KC76A1 AND 17KC101A2 STATIONARY, R10-22 DIESEL LOCOS. MUST BE CADMIUM FREE	GENERAL ELECTRIC CO. HOYT	4709938G1 R-210		0		0
09-38-0239	INTERLOCK, WITH BASE, SUPPORTS, ROLLERS, PINS, CONTACT FINGERS, SPRINGS & CONTACTFOR TYPE 17KM48K1 AND OTHER 17KM CON- TROLLERS R32-38 CARS. "CONTACTS MUST BE CADMIUM FREE"	GENERAL ELECTRIC CO. GENERAL ELECTRIC CO.	426C806G1 426C806G3		0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 8
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
09-38-0243	CONTACT, USED WITH CONTROLLER TYPE 17KM42B1 FINGER, WITH TIPS, MUST BE CADMIUM FREE	GENERAL ELECTRIC CO.	9963542-G1		0		12
09-38-0253	CONTACT, STATIONARY, FOR KM TYPE CONTROLLERS, MUST BE CADMIUM FREE	GENERAL ELECTRIC CO. HORNE HOYT	498A762G1 7510 R-305		0		12
09-38-0340	KIT, CONTACT UNIT, 3/4", INCLUDES 3/4" CONTACT UNIT, SCREW AND FLAT WASHER. USE TO MAKE CONTACT UNITS 41C668122G1, G2 AND G3	GENERAL ELECTRIC CO. MAC PRODUCTS, INC.	170X1403 Z050007B8122SB		416		289
09-38-0342	CONTACT UNIT WITH FRAME, OPERATING ARMS, ARMATURE, TERMINAL BLOCK CONTACT MOVABLE AND ARCING HORN, FOR 17KM48 CONTROLLER, R-29-38 CARS.	GENERAL ELECTRIC CO.	41D750493G1		0		0
09-38-0413	CONTACT, ELECTRICAL, USED WITH CONTROLLER TYPES 17KM42B1 & 17KM43B1, MOVABLE & STATIONARY CONTACT UNIT WITH METAL SUPPORT & WITHOUT ARC CHUTE	GENERAL ELECTRIC CO.	332B468G2		70		60
09-38-0415	CONTACT, FINGER, 17KM42 & 48 CONTROLLERS MUST BE CADMIUM FREE	GENERAL ELECTRIC CO.	8839678G1		1120		1108
09-38-0420	CONTACT, SCREW, FOR TYPE 17KM42 & 48 CONTROLLERS, MUST BE CADMIUM FREE	ADVANCED METALLURGY INC. GENERAL ELECTRIC CO. HOYT	1050A 9963477G19 R450		0		143
09-38-1251	CONTACT, ELECTRICAL, STATIONARY, WITH 1-7/32" OFFSET TIP AND STUD, USED WITH RELAYS 17LE50A1, 17LV66J1, 17LV66CT7A, 17LV66AV1, AND 17LV66BD51, MUST BE CADMIUM FREE	GENERAL ELECTRIC CO. ADVANCED METALLURGY INC. HOYT	8807882-G1 996A R-395		663		470

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 9
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
09-38-1252	CONTACT, ELECTRICAL, STATIONARY, OFFSET 15/32", FOR RELAY TYPE 17LE50A1 & 17LV66J1& 17LV66CY53 REVERSING LATCH ASSEMBLY "41D750199G3. MUST BE CADMIUM FREE 44	GENERAL ELECTRIC CO. HOYT	8807883G1 R400		363		147
09-38-1257	CONTACT, FINGER, WITH TIPS AND SHUNT, FOR TYPE 17LE50A1 & TYPE 17LV66J1 RELAYS & TYPE 17AF41-A1 INTERLOCK, FOR R10-38 CARS & DIESEL LOCOS. MUST BE CADMIUM FREE.	GENERAL ELECTRIC CO.	8860749-G1		474		115
09-38-1258	SPRING, CONTACT FINGER FOR RELAY TYPE 17LV66BD11, R-38 CARS	MECHANICAL SPRING HORNE GENERAL ELECTRIC CO.	**** PART NO. NOT AVAILABLE ** 1258-A 8823868-P1		824		658
09-38-1427	COIL, OPERATING, COIL #14, FOR TYPE 17CM53A CONTACTOR	GENERAL ELECTRIC CO.	41A250308G2		3		0
09-38-1449	TIP, CONTACT, STATIONARY AND MOVABLE, USED WITH 4 TON BATTERY LOCOMOTIVE TYPE LSB-2T4-K, 85 VOLT, SER. #32485, FOR CONTACTORS' TYPE 17CM53D5 AND TYPE 17CM53A14, MUST BE CADMIUM FREE. FOR DIESEL LOCOS & R38 CARS	MAC PRODUCTS, INC. HORNE GENERAL ELECTRIC CO. HOYT	09-38-1449 1449 8867977-P1 R440		2202		1491
09-38-1453	HORN, ARCING, USED WITH GE CONTACTOR 17CM53A5	GENERAL ELECTRIC CO.	488A478-G1		24		36
09-38-1455	CONTACT, SUPPORT STATIONARY, WITH BLOWOUT COIL, CORE AND POLE & POLE PIECE FOR TYPE 17CM53A14 CONTACTOR	GENERAL ELECTRIC CO.	6750247G9		0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 10
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
09-38-1752	COIL, OPERATING, FOR RELAY 17LE62E1 & 17LV66. R17 - 26 CARS	GENERAL ELECTRIC CO. SWIGER COIL	9960975G1 SCS 12781		2		0
09-38-1946	CONTACT, ELECTRIC, USED WITH INTERLOCK TYPE F1-127, MOVABLE. MUST BE CADMIUM FREE.	GENERAL ELECTRIC CO. HOYT	6711338G1 R-334		182		144
09-46-1469	HORN, ARCING, FOR TIP, FOR TYPE 17CM55A5 MOTOR LINE CONTACTORS, GE DIESEL LOCOMOTIVES SERIAL NUMBERS, 33663, 33664, 35769, 35772.	GENERAL ELECTRIC CO. TRANSPORT PRODUCTS	8814906P1 TP380052		69		82
09-46-1802	FINGER ASSEMBLY, FOR INTERLOCK ASSEMBLY #17AF41A1, FOR R-44 CARS	MAC PRODUCTS, INC. GENERAL ELECTRIC CO.	487A4616G4 487A616G4		0		0
09-62-0133	KIT, CONTACT TIP, FOR TYPE GE 17KM48AE, AH, & 17KM60A1 CONTROLLER, CONSISTING OF 1 EACH: MOVABLE "FORGED" CONTACT WITH WEAR LIMIT INDICATOR GE PART NO 41B569295P1. STATIONARY CONTACT WITH "DOVE TAIL" GE PART NO. 41B551721P4 2 EACH: 1/4 LOCKWASHER GE PART NO. N405P41B13. CONTACT MUST BE CADMIUM FREE	GENERAL ELECTRIC CO. HOYT	41A288026G2 RK92		6869		4646
09-62-0272	CAMSHAFT, FOR CAM CONTROLLER OVERHAUL KIT	GENERAL ELECTRIC CO.	41R965746G7		3		8
09-62-1440	TIP, CONTACT, SILVER TUNGSTON, USED ON 17CM55SG5 CONTACTOR.	GENERAL ELECTRIC CO. HOYT	41A263565G2 R169		526		393
09-62-1725	KIT, CONTACT TIPS FOR 3/4" CONTACTS FS2, FS4, CONTAINS 1 EA. 41A257595G2 MOVEABLE AND 1 EA 8803895G1 STATIONARY TIPS AND 3 EA. N405P41B13 LOCKWASHERS.	GENERAL ELECTRIC CO. HOYT	170X1263 RK1725		115		69

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 11
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
09-62-1726	KIT, CONTACT TIPS, FOR 3/4" CONTACTS M1, RP1, R9, R12, CONTAINS 1 EA. 41A258096G1 MOVEABLE AND EA 41A258094G1 STATIONARY TIPS AND 3 EA N405P41B13 LOCKWASHERS	GENERAL ELECTRIC CO. HOYT	170X1261 RK1726		294		223
09-62-1727	KIT, CONTACT TIPS FOR 1" CONTACTS M2, R8, R10, R11, R13, CONTAINS 1 EA. 41A258090G1 MOVEABLE AND 1 EA 41A258094G2 STATIONARY TIPS AND 3 EA N405P41B13 LOCKWASHERS	GENERAL ELECTRIC CO. HOYT	170X1260 RK1727		274		218
09-62-1728	KIT, CONTACT TIPS FOR 17JM9D2A LINEBRAKER, CONTAINS 1 EA 41A254311P1 MOVEABLE AND 1 EA 8815480P1 STATIONARY TIPS AND 4 EA N405P42B13 LOCKWASHERS.	GENERAL ELECTRIC CO. HOYT	170X1259 RK1728		793		564
09-62-1729	KIT, CONTACT TIPS FOR REVERSER CONTACT (NEW STYLE) CONTAINS 1 EA 487A580G1 MOVEABLE AND 2 EA 498A757G1 STATIONARY TIPS AND 3 EA N405P42B13 LOCKWASHERS	GENERAL ELECTRIC CO. HOYT	170X1264 RK1729		200		128
09-62-1730	KIT, CONTACT TIPS FOR 3/4" CONTACTS FS1, FS3, CONTAINS 1 EA 41A257595G2 MOVEABLE AND 1 EA 496A899G3 STATIONARY TIPS AND 2 EA N405P41B13 LOCK WASHERS	GENERAL ELECTRIC CO. HOYT	170X1262 RK1730		1404		801
09-62-1731	KIT, CONTACT TIPS FOR 17JM7M422 BRKR CONTAINS 1 EA 311V218P1 MOVEABLE AND 1 EA 311V219P1 STATIONARY TIPS AND 2 EA N405P42B13 LOCKWASHERS	GENERAL ELECTRIC CO. HOYT	170X1258 RK1731		6		4
12-34-5001	KIT, CLEAT ASSEMBLY, USED WITH GE/WH DC TRACTION MOTOR. ALL RUBBER MATERIEL SHALL BE NEOPRENE, NON CONDUCTIVE (SLEEVE, CLEAT, SPACER AND SPACER WITH SLIT) MUST HAVE A MINIMUM INSULATION RESISTANCE OF 200 MEGA OHMS UTILIZING A 1000V DC MEGGER AND SHALL PASS A 3500V AC HI-POT TEST. ALL RUBBER MATERIAL SHALL MEET THE LATEST ASTM-C542, ASTM-E662, ASTM-D2240, ASTM-D3677	GENERAL ELECTRIC CO. HAFCO FOUNDRY & MACHINE CO TRANSPORT PRODUCTS NYCTA	41C633508G4 HF-5001 TP441003 PALLET SPEC.		1834		666

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	REQUIREMENTS SHALL BE RESISTANT TO OIL, MOISTURE, ACIDS, AND TEMPERATURE. AT LEAST ONE PIECE OF EVERY NEW PRODUCTION RUN SHALL BE HI-POT TESTED FOR 3500V AC. THE VENDOR SHALL RETAIN HI-POTTED SAMPLES. THE VENDOR SHALL TEST 10% OF EVERY PRODUCTION RUN FOR INSULATION RESISTANCE AND ENCLOSE RESULTS WITH SHIPMENT. MANUFACTURING DATE SHALL BE EMBOSSED ON THE RUBBER SLEEVE AND CLEATS				
-----	-----	-----	-----	-----	-----
12-38-8001	BEARING, ROLLER, TAPERED, SINGLE ROW, TYPE TS, 7.3750" X 11.1250" X 2.0000" #2 TOLERANCE. NOTE: THE LOW BIDDER MUST QUOTE ON THE SAME MANUFACTURE FOR THE OUTER BEARING CUP (12-38-8030) FOR 10% OF THE BEARING QUANTITY BEING PROCURED	WESTINGHOUSE BOMBARDIER TRANSPORTATION TIMKEN SKF NTN BEARING CORP. OF AMERICA GENERAL ELECTRIC CO.	4078B31 G01 4078B31G01 87111 CUP, 87737 CONE 87111(#2TOLERANCE)CUP,87737 CO 87737/87111 8864953P28	2854	1602
-----	-----	-----	-----	-----	-----
12-38-8010	BEARING, ROLLER, LOW SPEED, MOTOR SIZE, TAPERED, SINGLE ROW, TYPE TS,7.5000", 11.1250" X 2.000", #2 TOLERANCE, U/W GEAR UNITS TYPE WN 44 CGS R10 THRU R62A CARS. NOTE: THE LOW BIDDER MUST QUOTE ON THE SAME MANUFACTURE FOR THE OUTER BEARING CUP (12-38-8030) FOR 10% OF THE BEARING QUANTITY BEING PROCURED	NTN BOWER CORPORATION GENERAL ELECTRIC CO. SKF TIMKEN NYCTA	87750/87111 8864953-P29 CONE #87750 #2 TOL. CUP #87111 CONE #87750 CUP #87111 PALLET SPEC	2105	1713
-----	-----	-----	-----	-----	-----
12-38-8020	BEARING, ROLLER, NON-INSULATED CYLINDRICAL, RAILWAY TYPE, SINGLE ROW, SOLID ROLLERS, STRAIGHT INNER RACE, SEPARABLE, DOUBLE FLANGED OUTER RACE, MACHINED BRASS CAGE, 2.7559 INCHES BORE X 4.9213 INCHES O.D. X 0.9449 INCHES WIDTH	GENERAL ELECTRIC CO. FAG SKF	8864951-P73 NU214-E-XL-M1-F1-C4 NU214ECMC4VA301	1545	720
-----	-----	-----	-----	-----	-----

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 13
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
12-38-8030	CUP, OUTER BEARING, ROLLER TAPERED, SINGLE ROW, TYPE TS, 7.3750" X 11.1250" X 2.000" #2 TOLERANCE.	TIMKEN NTN SKF	87111 87111 87111	0	0
12-42-2324	CONTACTOR, U/O TYPE B-6672 SAFETY 7KW CONVERTER, GE CF3Z34	GE SUPPLY STONE SAFETY SERVICE CORP.	IC28001607 CF3Z34 S11531-20	0	0
12-42-3158	ROLLER BEARING, DRIVE END, INSULATED, U/W TRACTION MOTOR	SKF	NU214ECM/C4VA3091	1333	572
12-42-3159	BALL BEARING, NON-DRIVE END, INSULATED, U/W TRACTION MOTOR	SKF	6214M/C4HVL0241	850	1130
12-44-0009	COIL, COILS TO BE DOUBLE-DIPPED V.P.I. AND POTTED TO POLE PIECE, FOR TRACTION MOTOR ON GE/WESTCODE EQUIPMENT	SWIGER COIL EVERSON ELECTRIC GENERAL ELECTRIC CO.	12609 13420 41D731659-G3	1	15
12-44-0011	COIL, COILS TO BE DOUBLE-DIPPED V.P.I. AND POTTED TO POLE PIECE, FOR TRACTION MOTOR ON GE/WESTCODE EQUIPMENT	EVERSON ELECTRIC GENERAL ELECTRIC CO.	13419 41D731659G4	4	22
12-44-2060	TERMINAL, QUICK DISCONNECT, CRIMP TYPE, FOR .812" MAX. INSULATION DIA. 3/0 WIRE NOTE: APPLICABLE WIRE/CABLE SIZE AND MANUFACTURER LOGO MUST BE EMBOSSED OR ENGRAVED(INK/PAINT STAMPING IS NOT ACCEPTABLE) ON THE TERMINAL DURING MANUFACTURING PROCESS. THESE INDICATIONS MUST NOT BE IN LOCATIONS THAT WOULD ADVERSELY AFFECT THE PERFORMANCE, QUALITY OR RELIABILITY OF THE CABLE/TERMINAL CONNECTION. TERMINAL MANUFACTURERS/SUPPLIERS SHALL SPECIFY THE MANUFACTURER AND PART/MODEL NUMBERS OF EQUIPMENT TO BE USED WHEN ASSEMBLING CABLES AND TERMINALS. THIS SHALL INCLUDE BUT NOT BE LIMITED TO CRIMPING POWER UNITS, CRIMPING DIES, AND CRIMPING POWER HEADS AND/OR OTHER RECOMMENDED INSTALLATION EQUIPMENT AS APPLICABLE FOR A PARTICULAR TERMINAL.	AMP/TYCO ELECTRONICS CORP. NYCTA NYCTA	52596-1 253-1127 REV. E 3032-MATL-83	0	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 14
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	MANUFACTURERS/ SUPPLIERS MUST MEET ALL REQUIREMENTS OF LATEST REVISIONS OF NYCT SPECIFICATION 3032-MATL-83, NYCT DRAWING 253-1127 AND NYCT QUALIFIED PRODUCTS LIST(QPL).				
-----	-----	-----	-----	-----	-----
12-44-2062	TERMINAL, QUICK DISCONNECT, CRIMP TYPE FOR .688" MAX INSULATION DIA., 2/0 WIRE NOTE: APPLICABLE WIRE/CABLE SIZE AND MANUFACTURER LOGO MUST BE EMBOSSSED OR ENGRAVED(INK/PAINT STAMPING IS NOT ACCEPTABLE) ON THE TERMINAL DURING MANUFACTURING PROCESS. THESE INDICATIONS MUST NOT BE IN LOCATIONS THAT WOULD ADVERSELY AFFECT THE PERFORMANCE, QUALITY OR RELIABILITY OF THE CABLE/TERMINAL CONNECTION. TERMINAL MANUFACTURERS/SUPPLIERS SHALL SPECIFY THE MANUFACTURER AND PART/MODEL NUMBERS OF EQUIPMENT TO BE USED WHEN ASSEMBLING CABLES AND TERMINALS. THIS SHALL INCLUDE BUT NOT BE LIMITED TO CRIMPING POWER UNITS, CRIMPING DIES, AND CRIMPING POWER HEADS AND/OR OTHER RECOMMENDED INSTALLATION EQUIPMENT AS APPLICABLE FOR A PARTICULAR TERMINAL. MANUFACTURERS/SUPPLIERS MUST MEET ALL REQUIREMENTS OF LATEST REVISIONS OF NYCT SPECIFICATION 3032-MATL-83, NYCT DRAWING 253-1127 AND NYCT QUALIFIED PRODUCTS LIST (QPL).	AMP/TYCO ELECTRONICS CORP. MAC PRODUCTS, INC. NYCTA NYCTA	52595-2 QDT 2/0-2 253-1127 REV. E 3032-MATL-83	0	0
-----	-----	-----	-----	-----	-----
12-44-2084	TERMINAL, QUICK DISCONNECT, CRIMP TYPE FOR .850" MAX INSULATION DIA., 2/0 WIRE NOTE: APPLICABLE WIRE/CABLE SIZE AND MANUFACTURER LOGO MUST BE EMBOSSSED OR ENGRAVED (INK/PAINT STAMPING IS NOT ACCEPTABLE) ON THE TERMINAL DURING MANUFACTURING PROCESS. THESE INDICATIONS MUST NOT BE IN LOCATIONS THAT WOULD ADVERSELY AFFECT THE PERFORMANCE, QUALITY OR RELIABILITY OF THE CABLE/TERMINAL CONNECTION. TERMINAL MANUFACTURERS/SUPPLIERS SHALL SPECIFY THE MANUFACTURER AND PART/MODEL NUMBERS OF EQUIPMENT TO BE USED WHEN ASSEMBLING	AMP/TYCO ELECTRONICS CORP. NYCTA NYCTA	53444-1 253-1127 REV. E 3032-MATL-83	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	CABLES AND TERMINALS. THIS SHALL INCLUDE BUT NOT BE LIMITED TO CRIMPING POWER UNITS, CRIMPING DIES, AND CRIMPING POWER HEADS AND/OR OTHER RECOMMENDED INSTALLATION EQUIPMENT AS APPLICABLE FOR A PARTICULAR TERMINAL. MANUFACTURERS/SUPPLIERS MUST MEET ALL REQUIREMENTS OF LATEST REVISIONS OF NYCT SPECIFICATION 3032-MATL-83, NYCT DRAWING 253-1127 AND NCYT QUALIFIED PRODUCTS LIST (QPL).				
-----	-----	-----	-----	-----	-----
12-44-2086	TERMINAL, QUICK DISCONNECT, CRIMP TYPE, FOR .800" MAX INSULATION DIA., 1/0 WIRE NOTE: APPLICABLE WIRE/CABLE SIZE AND MANUFACTURER LOGO MUST BE EMBOSSED OR ENGRAVED (INK/PAINT STAMPING IS NOT ACCEPTABLE) ON THE TERMINAL DURING MANUFACTURING PROCESS. THESE INDICATIONS MUST NOT BE IN LOCATIONS THAT WOULD ADVERSELY AFFECT THE PERFORMANCE, QUALITY OR RELIABILITY OF OF THE CABLE/TERMINAL CONNECTION. TERMINAL MANUFACTURERS/SUPPLIERS SHALL SPECIFY THE MANUFACTURER AND PART/MODEL NUMBERS OF EQUIPMENT TO BE USED WHEN ASSEMBLING CABLES AND TERMINALS. THIS SHALL INCLUDE BUT NOT BE LIMITED TO CRIMPING POWER UNITS, CRIMPING DIES, AND CRIMPING POWER HEADS AND/OR OTHER RECOMMENDED INSTALLATION EQUIPMENT AS APPLICABLE FOR A PARTICULAR TERMINAL. MANUFACTURERS/SUPPLIERS MUST MEET ALL REQUIREMENTS OF LATEST REVISIONS OF NYCT SPECIFICATION 3032-MATL-83, NYCT DRAWING 253-1127 AND NYCT QUALIFIED PRODUCTS LIST (QPL).	AMP/TYCO ELECTRONICS CORP. NYCTA NYCTA	53443-1 253-1127 REV. E 3032-MATL-83	0	0
-----	-----	-----	-----	-----	-----

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 16
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
12-46-0061	BRUSHHOLDER ASSEMBLY, RIGHT HANDM FOR GE 1257 TRACTION MOTOR	TRANSTECH OF S.C., INC. GENERAL ELECTRIC CO. CARBONE FULMER CO.	12590A 41B532735G5 CL-PE4299-1A GE440RUF	350	88
12-46-0062	BRUSHHOLDER, ASSEMBLY, LEFT HAND FOR FOR GE'S 5GE1257 TRACTION MOTORS	TRANSTECH OF S.C., INC. GENERAL ELECTRIC CO. CARBONE FULMER CO.	12590B 41B532735G6 CL-PE4299-1B GE440LUF	155	105
12-46-0067	BRUSH, CARBON, FOR REACTION (CONSTANT PRESSURE) BRUSHHOLDER, FOR TYPE SGE1257A2 TRACTION MOTORS.	GENERAL ELECTRIC CO. NATIONAL ELECTRICAL CARBON MERSEN USA BN CORP MERSEN USA BN CORP NYCTA	41A237175P1 DE7000/62000455 GE-983 GRADE AC163 GE-984 GRADE EG8220 PALLET SPEC	34703	23360
12-46-8013	BEARING, BALL, WITHOUT LUBRICATION FOR GE 1257 A2 TRACTION	SKF NORMA FAG GENERAL ELECTRIC CO.	6312RSJC3 OR 6312RSJEM 6312RSR-C3 8864950P262	1427	820
12-62-0075	TERMINAL, QUICK DISCONNECT, CRIMP TYPE, FOR .715" MAX. INSULATION DIA. 3/0 WIRE NOTE: APPLICABLE WIRE/CABLE SIZE AND MANUFACTURER LOGO MUST BE EMBOSSED OR ENGRAVED (INK/PAINT STAMPING IS NOT ACCEPTABLE) ON THE TERMINAL DURING MANUFACTURING PROCESS. THESE INDICATIONS MUST NOT BE IN LOCATIONS THAT WOULD ADVERSELY AFFECT THE PERFORMANCE, QUALITY OR RELIABILITY OF THE CABLE/TERMINAL CONNECTION. TERMINAL MANUFACTURERS/SUPPLIERS SHALL SPECIFY THE MANUFACTURER AND PART/ MODEL NUMBERS OF EQUIPMENT TO BE USED WHEN ASSEMBLING CABLES AND TERMINALS. THIS SHALL INCLUDE BUT NOT BE LIMITED OTHER RECOMMENDED INSTALLATION EQUIPMENT AS APPLICABLE FOR A PARTICULAR TERMINAL. MANUFACTURERS/SUPPLIERS MUST MEET ALL REQUIREMENTS OF LATEST REVISIONS OF NYCT SPECIFICATION 3032-MATL-83, NYCT DRAWING 253-1127 AND NYCT QUALIFIED PRODUCTS LIST (QPL)	AMP/TYCO ELECTRONICS CORP. MAC PRODUCTS, INC. NYCTA NYCTA	52596-5 QDT 3/0-TA 253-1127 REV. E 3032-MATL-83	3593	1720

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
12-62-0076	TERMINAL, QUICK DISCONNECT, CRIMP TYPE, FOR .640 MAX. INSULATION DIA. 2/0 WIRE NOTE: APPLICABLE WIRE/CABLE SIZE AND MANUFACTURER LOGO MUST BE EMBOSSED OR ENGRAVED (INK/PAINT STAMPING IS NOT ACCEPTABLE) ON THE TERMINAL DURING MANUFACTURING PROCESS. THESE INDICATIONS MUST NOT BE IN LOCATIONS THAT WOULD ADVERSELY AFFECT THE PERFORMANCE, QUALITY OR RELIABILITY OF OF THE CABLE/TERMINAL CONNECTION. TERMINAL MANUFACTURERS/SUPPLIERS SHALL SPECIFY THE MANUFACTURER AND PART/MODEL NUMBERS OF EQUIPMENT TO BE USED WHEN ASSEMBLING CABLES AND TERMINALS. THIS SHALL INCLUDE BUT NOT BE LIMITED TO CRIMPING POWER UNITS, CRIMPING DIES, AND CRIMPING POWER HEADS AND/OR OTHER RECOMMENDED INSTALLATION EQUIPMENT AS APPLICABLE FOR A PARTICULAR TERMINAL. MANUFACTURERS/SUPPLIERS MUST MEET ALL REQUIREMENTS OF LATEST REVISIONS OF NYCT SPECIFICATION 3032-MATL-83, NYCT DRAWING 253-1127 AND NYCT QUALIFIED PRODUCTS LIST (QPL).	AMP/TYCO ELECTRONICS CORP. MAC PRODUCTS, INC. NYCTA NYCTA	52595-3 QDT 2/0-TA 253-1127, REV. E 3032-MATL-83 REV. B	7122	2404
12-62-0077	TERMINAL, QUICK DISCONNECT, CRIMP TYPE, FOR .585" MAX. INSULATION DIA. 1/0 WIRE NOTE: APPLICABLE WIRE/CABLE SIZE AND MANUFACTURER LOGO MUST BE EMBOSSED OR ENGRAVED (INK/PAINT STAMPING IS NOT ACCEPTABLE)ON THE TERMINAL DURING MANUFACTURING PROCESS. THESE INDICATIONS MUST NOT BE IN LOCATIONS THAT WOULD ADVERSELY AFFECT THE PERFORMANCE, QUALITY OR RELIABILITY OF THE CABLE/TERMINAL CONNECTION. TERMINAL MANUFACTURERS/SUPPLIERS SHALL SPECIFY THE MANUFACTURER AND PART/MODEL NUMBERS OF EQUIPMENT TO BE USED WHEN ASSEMBLING CABLES AND TERMINALS. THIS SHALL INCLUDE BUT NOT BE LIMITED TO CRIMPING POWER UNITS, CRIMPING DIES, AND CRIMPING POWER HEADS AND/OR OTHER RECOMMENDED INSTALLATION EQUIPMENT AS APPLICABLE FOR A PARTICULAR TERMINAL. MANUFACTURERS/SUPPLIERS MUST MEET ALL REQUIREMENTS OF LATEST REVISIONS OF	AMP/TYCO ELECTRONICS CORP. WESTINGHOUSE MAC PRODUCTS, INC. NYCTA NYCTA	52594-2 7077D80G05 QDT 1/0-TA 253-1127 DET 8 REV. E 3032-MATL-83	1908	3172

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	NYCT SPECIFICATION 3032-MATL-83, NYCT DRAWING 253-1127 AND NYCT QUALIFIED PRODUCTS LIST (QPL).				
-----	-----	-----	-----	-----	-----
12-62-0203	GEAR, F/PROPULSION & MAIN CONTROL EQUIP., R62 CARS	GENERAL ELECTRIC CO.	41C633947P2	0	0
-----	-----	-----	-----	-----	-----
12-62-2059	BEARING, 70 MM ROLLER, USED WITH PINION END BEARING ASSEMBLY	BOMBARDIER TRANSPORTATION GENERAL ELECTRIC CO. EVERSON ELECTRIC STEYR BEARING SKF FAG RHP MRC	1D48123H09 8864951-P71 8888-131 NU314EBM-C4SV1 NU314ECMC4VA301 NU314EM1.F1.T51F NU314MTC5A R314E-1	0	0
-----	-----	-----	-----	-----	-----
12-62-2087	PAD, BONDED, COMPONENT PART OF WE RESILIENT HANGER ASSEMBLY #5575C77G01 1 PIECE PER 100 PIECES SHALL BE TESTED FOR BOND INTEGRITY AS PER ASTM D429-08 BY AN INDEPENDENT LAB AND CERTIFICATION SHALL BE PROVIDED. IN ADDITION, 1 PIECE PER 500 PIECES SHALL BE SUBJECTED TO 1.2 MILLION COMPRESSIVE LOAD CYCLES BETWEEN 2.6 AND 5.0 MM, WITH NO SIGNS OF DE-BONDING BETWEEN THE RUBBER AND THE BONDED METAL PLATE, WITH THE RESULTS TO BE PROVIDED IN A REPORT	WESTINGHOUSE GLOBE CONNECT TRANSPORT PRODUCTS VULCANITE NORTH AMERICA	4078B75G01 GCS1-18N6201 TP17763 VP 3623	10356	4115
-----	-----	-----	-----	-----	-----
12-62-2432	HALF COUPLING ASSEMBLY, MOTOR UNIT, USED ON PROPULSION	BOMBARDIER TRANSPORTATION PPC	1D62817G03 1D62817G03	0	0
-----	-----	-----	-----	-----	-----
12-62-2457	COUPLING, HUB, FOR GEAR UNIT, FOR PROPULSION EQUIPMENT	BOMBARDIER TRANSPORTATION	1D63463H01	68	25
-----	-----	-----	-----	-----	-----

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 19
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
12-62-2601	BRUSH, CARBON SPLIT CONNECTION, F/WE. TRACTION MOTOR TYPE 1447J & 1447F, W/ RUBBER RESILIENT PAD	NATIONAL ELECTRICAL CARBON CARBON/GRAPHITE GROUP WESTINGHOUSE MERSEN USA BN CORP MERSEN USA BN CORP NYCTA NYCTA	01-24518 GRADE EG-835 0385-024 E44 8621A86H01 WE-529 GRADE AC163 WE-530 GRADE EG8220 253-1064 REV. A PALLET SPEC.	35563	26313
12-62-2602	BRUSH HOLDER, L.H. F/TRACTION MOTOR TYPE 1447A, 1447C, 1447F & 1447J	TRANSTECH OF S.C., INC. WESTINGHOUSE DIAMOND CARBON CO EVERSON ELECTRIC FULMER CO.	14560B 1914F21G01 220L 9724-03-001 W-220AL	7	4
12-62-2603	BRUSH HOLDER, R.H. FOR TRACTION MOTOR TYPE 1447A, 1447C, 1447F & 1447J	TRANSTECH OF S.C., INC. WESTINGHOUSE EVERSON ELECTRIC FULMER CO. DIAMOND CARBON CO.	14560A 1914F21G02 EQUAL W-220AR W22A1296G06	6	5
12-68-2007	COIL, MAINFIELD, (OPEN), COIL IS TO BE DOUBLE-DIPPED V.P.I. AND POTTED TO POLE PIECE, FOR TRACTION MOTOR, FOR PROPULSION EQUIPMENT. COIL MUST BE STAMPED WITH COMMODITY NUMBER 12-68-2007	EVERSON ELECTRIC WESTINGHOUSE SWIGER COIL	19324 2525F68G02 PTSW2525F68G02	0	0
12-68-2008	COIL, MAINFIELD, (CROSSED), COIL IS TO BE DOUBLE-DIPPED V.P.I AND POTTED TO POLE PIECE, FOR TRACTION MOTOR, FOR PROPULSION EQUIPMENT. COIL MUST BE STAMPED WITH COMMODITY NUMBER 12-68-2008	EVERSON ELECTRIC WESTINGHOUSE SWIGER COIL	19325 2525F68G01 PTSW2525F68G01	0	2
12-68-2009	COIL, COMMUTATING, COIL IS TO BE DOUBLE DIPPED V.P.I. AND POTTED TO POLE PIECE, FOR TRACTION MOTOR, FOR PROPULSION EQUIPMENT. COIL MUST BE STAMPED WITH COMMODITY NUMBER 12-68-2009	WESTINGHOUSE	2525F69G01	0	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 20
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
12-68-2010	GEAR, SET, CONSISTING OF 1 EACH H.S. PINION WE #1651E73H01 AND 1 EACH LOW SPEED GEAR WE # 1913F01H03	WESTINGHOUSE NUTTALL GEAR CORP NYCTA	8622A36G01 8622A36G01 PALLET SPEC		0		0
12-68-2415	BEARING ASSEMBLY, ROLLER, TAPERED, SINGLE ROW TYPE TS, 2.75" X 6.00" X 1.625", NO. 2 TOLERANCE, KIT TO CONSIST OF CUP AND HEAVY DUTY TYPE CONE OF THE MANUFACTURER (CUP OF ONE MANUFACTURER AND CONE OF ANOTHER IS NOT ACCEPTABLE) USED ON HIGH SPEED PINION SHAFT ON WESTINGHOUSE AND GENERAL ELECTRIC GEAR UNITS R10 TO R68 CARS	WESTINGHOUSE SKF NTN BEARING CORP. OF AMERICA RBC BEARINGS TIMKEN GENERAL ELECTRIC CO.	5584B11G01 655/652/VG080 655PW4VW2/652VW1 655VG080/652 CUP652, CONEXC2409CB KK8864953 P130		7432		4756
12-68-2605	BRUSH, GROUND, 1-1/4" X 1-1/4" X 2-1/4", 4-1/4" PIGTAIL LENGTH, FOR WE AND GE AXLE UNITS. BRUSH WAS TESTED BY DCE ENGINEERING. FIRST ARTICLE IS REQUIRED FOR EACH NEW CONTRACT	MORGAN AM & T MERSEN USA BN CORP	61050169 GE-288 GRADE#MC79P		2994		1667
13-05-0001	BATTERY, LEAD ACID, LOCOMOTIVE STARTING, 16 CELL, 32 VOLT, 330 AH CAPACITY AT THE EIGHT HOUR RATE AT 77 DEGREE F/25 DEGREE C TO 1.70 VPC WITH A SPECIFIC GRAVITY OF 1.240 TO 1.2600 +/-0.005. COPPER CORE INTER-CELL CONNECTORS AND TERMINALS SHALL BE EMPLOYED TO REDUCE ELECTRICAL RESISTANCE. THE POSITIVE PLATES SHALL BE LOW-ANTIMONY ALLOY SQUARE TUBULAR DESIGN. CONTAINER SHALL BE MADE OF HIGH DENSITY POLYETHYLENE STRUCTURAL FOAM. POSITIVE AND NEGATIVE TERMINAL SHALL BE PERMANENTLY AND BE PROPERLY IDENTIFIED. ALL REQUIRED CABLE AND STAINLESS STEEL HARDWARE SHALL BE SUPPLIED. THE BATTERY MANUFACTURER SHALL BE ISO9000 CERTIFIED AND HAVE A PRODUCT WARRANTY FOR MATERIAL AND WORKMANSHIP. THE BATTERY SHALL BE THE ENERSYS, INC. MODEL 4-LMS325, CAT # 95703 OR NYCTA APPROVED EQUAL. NOTE: A BATTERY SET CONSISTS OF 4 TRAYS AND EACH TRAY INCLUDES 4 CELLS	NATIONAL	4-LMS325		6		2

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
	AND EACH TRAY INCLUDES 4 CELLS.						
13-05-0024	BATTERY, NICKEL CADMIUM, 200 AMPERE HOURS, H PLATE WITH UDEL POLYSULFONE P1700 PLASTIC CELL CASE MATERIAL. THIS IS THE REPLACEMENT BATTERY FOR THE 195 AMPERE HOURS STEEL CASE BATTERY, 25 CELLS, 5X5 TRAY ASSEMBLY WITH ALL CONNECTING CABLES. WARRANTY OF 4 YEARS	HBL POWER SYSTEMS SAFT AMERICA INC. NYCTA	69-26771 SMRX200F3 2106-PROD-15 REV. B		245		140
13-05-2100	CELL, BATTERY STORAGE, NICKEL CADMIUM, 80 AMPERE HOUR, WITH ELECTROLYTE, TYPE ED80F, 11-1/2 INCHES HIGH X 6-3/8 INCHES WIDE X 3-3/8 INCHES DEEP. CELL TO BE IMPRINTED WITH MANUFACTURER'S MODEL SERIAL NUMBER AND DATE OF MANUFACTURER IN A MINIMUM OF 1/8 INCH HIGH LETTERS. CELL MUST BE NO MORE THAN TWO MONTHS OLD FROM DATE OF MANUFACTURER WHEN SHIPPED TO THE AUTHORITY	SAFT AMERICA INC. SAFT AMERICA INC.	80-50233-83 80-52033-83		0		0
13-05-2720	BATTERY, STORAGE, NICKEL CADMIUM, 140 AMPERE HOURS, STAINLESS STEEL CASE, ASSEMBLED AS A CAR SET OF 25 CELLS IN A 5 X 5 CONFIGURATION.	HOPPECKE MARATHON MC GRAW EDISON SAFT BATT SAFT BATT SAB NIFE MARATHON STANDBY NYCTA NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** TA11C18 1X7048 (MAX. ENVELOPE) 1X7049 2106-PROD-15		0		0
13-05-2755	BATTERY, STORAGE, NICKEL CADMIUM, 100 AMPERE HOURS, FLAME RETARDANT PLASTIC CASE, ASSEMBLED AS A CAR SET OF 25 CELLS IN A 5 X 5 CONFIGURATION. WARRANTY OF 4 YEARS	HBL POWER SYSTEMS SAFT AMERICA INC. NYCTA	69-32057 SRM100-25 2016-PROD-15 REV. B		205		202

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
13-05-2798	BATTERY, STORAGE, NICKEL CADMIUM, 100 AMPERE HOURS, FLAME RETARDANT PLASTIC CASE, ASSEMBLED AS A CAR SET OF 25 CELLS IN A 9-8-8 CONFIGURATION	SAFT AMERICA INC. HOPPECKE NYCTA	**** PART NO. NOT AVAILABLE ** 205 MFR-25-01 2106-PROD-15		3		4
13-05-3700	BATTERY, STORAGE, NICKEL CADMIUM, 100 AMPERE HOURS STAINLESS STEEL CASE, ASSEMBLED AS A CAR SET OF 25 CELLS IN A 9-8-8 CONFIGURATION	HOPPECKE SAFT AMERICA INC. NYCTA NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** EDN100S 2071-PROD-91 REV. C 8024-GENL-01 8024-GENL-81		0		0
13-05-6000	BATTERY, COMPLETE SET, SRX 195 X 25 CELLS IN CRATES	SAFT AMERICA INC. NYCTA	212811 2106-PROD-15		16		1
13-05-6589	BATTERY, ONE CELL OF SRX250 STAINLESS STEEL BATTERY. FOR RAILCARS NICKEL CADMIUM ALKALINE BATTERY WITH POTASSIUM HYDROXIDE ELECTROLYTE.	SAFT AMERICA INC.	214599		0		0
13-05-6602	BATTERY, SRX 195 X 1 CELL	SAFT AMERICA INC.	213166		0		0
13-05-7349	BATTERY, SRX 195 X 5 CELLS IN CRATE WITH INTERCELL CONNECTORS	SAFT AMERICA INC.	213154		0		0
13-32-0000	BEARING TUBE, "T" TYPE, R32 SIDE DOOR PANELS	HAFCO FOUNDRY & MACHINE CO	H-015-325		0		0
13-32-1780	DROP PANEL ASSEMBLY, SLIDING TOP HALF #2 CAB, COMPLETE WITH SPECIAL FIBER COATED "U" CHANNEL WEATHERSTRIP, BOTTOM BUMPERS, RELEASE LATCHES AND HANDLE	ELLCON NATIONAL, INC.	60222		0		0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
13-32-4741	HANGER, R32, USED ON SIDE DOOR PANELS 1-2 AND 9-10. MOUNTING CHANNEL REQUIRED	HAFCO FOUNDRY & MACHINE CO	100101-129100		0		0
13-32-4742	HANGER, R32, USED ON SIDE DOOR PANELS 3-4 AND 11-12. MOUNTING CHANNEL REQUIRED	HAFCO FOUNDRY & MACHINE CO	100101-341112		0		0
13-32-4743	HANGER, R32, USED ON SIDE DOOR PANELS 5-6 AND 13-14. MOUNTING CHANNEL REQUIRED	HAFCO FOUNDRY & MACHINE CO	100101-561314		0		0
13-32-4744	HANGER, R32, USED ON SIDE DOOR PANELS 7-8 AND 15-16. MOUNTING CHANNEL REQUIRED	HAFCO FOUNDRY & MACHINE CO	100101-781516		0		0
13-32-4745	HANGER, END DOOR, R32, R38, R40. R32-#1 AND #2 ENDS, R38-#1 AND #2 ENDS, R40-#1 END ONLY. USES A 25" BEARING HOUSING AND 60.5" SHAFT	HAFCO FOUNDRY & MACHINE CO	200201-25-3832		0		0
13-38-3767	CELL, SRM100R3, TRAY ASSEMBLY, 5SRM100F3. USED ON BATTERY, STORAGE, NICKEL CADMIUM, 100 A/H, CAR SET OF 25 CELL IN A 5 X 5 CONFIGURATION	SAFT AMERICA INC.	800283001		0		0
13-40-9050	HANGER BAR, END DOOR, R40, #2 END ONLY INCLUDES ONE 60.5" SHAFT AND ONE 22" BEARING HOUSING FOR #2 END, SEE 13-32-4745 FOR #1 END	HAFCO FOUNDRY & MACHINE CO	200201-22-2		0		0
13-40-9051	HANGER BAR, SIDE DOOR, 19 INCH, USED WITH DOOR CARRIER ASSEMBLY, INCLUDES MOUNTING CHANNEL. ALSO INCLUDES 50" SHAFTS (2) AND 19" BEARING HOUSINGS (2) FOR TWO DOOR PANELS	HAFCO FOUNDRY & MACHINE CO	100101-19-R40		0		0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
13-42-5769	LATCH, SEAT, R/H USED FOR LOCKING SEATS FOR SECURITY. LATCH LOCKING MECHANISM SHALL BE COMPATIBLE WITH STANDARD CARBODY KEY, 41-33-2945, AND THE MOUNTING ARRANGEMENTS DETAILED IN NYCT SYSTEM UPGRADING BULLETIN 303.04, LATEST REVISION.	JL HOWARD TRANSPORT PRODUCTS	2588-D-RH TP392312		0		0
13-42-6169	FLOORING, TILE, ONE METER SQUARE, BLACK BASE COLOR WITH RED, GREY AND LILAC SPECKLES, SMOOTH FINISH	NORA SYSTEMS INC	67572		29		56
13-42-6603	CABLE, BATTERY, INTER TRAY USED ON SRX195	SAFT AMERICA INC.	80-03403-01-A		0		0
13-42-9050	HANGER, SIDE DOOR, R42, INCLUDES 48.5" SHAFTS (2) AND 19" BEARING HOUSINGS FOR 2 DOOR PANELS. INCLUDES MOUNTING CHANNEL.	HAFCO FOUNDRY & MACHINE CO	100101-19-42		0		0
13-42-9051	BAR, HANGAR, SIDE DOOR, 19", USED WITH DOOR CARRIER ASSEMBLY, FOR CORNER SIDE DOOR ON R42 TA CARS ONLY	HAFCO FOUNDRY & MACHINE CO	1000101-19M-R42		0		0
13-43-0199	GASKET, VENT CAP	SAFT AMERICA INC.	31-03071-02		0		0
13-43-0201	FLOORING, TILE, ONE METER SQUARE, BLACK BASE COLOR WITH BLUE, TAN AND GREY SPECKLES, SMOOTH FINISH	NORA SYSTEMS INC	65872		126		98

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
13-43-0724	COVER, ATO START SWITCH, U/O TRAIN OPERATOR CONSOLE	HORNE PRODUCTS	HP-377	0	27
13-44-9262	HANGER, SIDE DOOR (CONSIST OF 2 DOOR HANGER)	HAFCO FOUNDRY & MACHINE CO	100101-19C-44	0	0
13-46-5525	COMPOSITE SUB FLOOR COMPLETE SET, "A" CAR	MILWAUKEE COMPOSITES INC ZOPPAS BAULTAR FLOORING SOLUTIONS HAYSITE	101006PD-NYC 626365 CK-30-7248 M360624A	0	0
13-46-5526	COMPOSITE SUB FLOOR COMPLETE SET, "B" CAR	MILWAUKEE COMPOSITES INC ZOPPAS BAULTAR FLOORING SOLUTIONS HAYSITE	101007PD-NYC 626366 CK-30-7249 M360624B	0	0
13-46-9250	HANGER BAR, SIDE DOOR, 18", USED WITH DOOR CARRIER ASSEMBLY	HAFCO FOUNDRY & MACHINE CO	100101-18"	0	0
13-46-9262	MOUNTING CHANNEL, WITH STUD 2-1/4" (X 1/2") WELDED-NO PRE-LOAD REQUIRED	HAFCO FOUNDRY & MACHINE CO	H-015-46C	0	0
13-46-9263	MOUNTING BLOCK	HAFCO FOUNDRY & MACHINE CO	H-015-46B	0	0
13-46-9288	SOLENOID, 36VDC-CD	MAGNET SHULTZ	S-10168	0	0
13-46-9630	END DOOR KIT, U/W R46 ONLY; INCLUDES SHORT HOOK, TOP PLATE FOR HOOK, PIVOT BAR, PIVOT PIN, SCREW FOR PIVOT PIN	HORNE PRODUCTS	HP-293	5	6

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 26
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
13-46-9660	HANGER, SIDE DOOR, ASSEMBLY	HAFCO FOUNDRY & MACHINE CO NYCTA	100101-18-46H G46-43012 REV. A		3		8
13-60-7423	BATTERY, H PLATE, 260 AMPERE HOUR NICKEL CADMIUM WITH POLYSULFONE PLASTIC CELL CASE MATERIAL. THIS IS THE REPLACEMENT BATTERY SET FOR THE 250 AMPERE HOURS STEEL BATTERIES AND TO BE USED ON R143/160 CAR CLASSES. THE HBL AND SAFT ARE A 25 CELL CONFIGURATION. BATTERY SETS TO BE SUPPLIED WITH TRAY ASSEMBLY AND WITH ALL CONNECTING CABLES. 4 YEARS OF WARRANTY	HBL POWER SYSTEMS SAFT AMERICA INC. NYCTA	25 KRX 260PS SMRX260AH-80-94969-01 2106-PROD-15 REV. B		53		0
13-62-5550	BALLAST, INVERTER, 37.5 VDC, REVERSE POLARITY PROTECTED, LAMP CURRENT 250 MA, LINE CURRENT FOR TWO F48T12 TUBES 1.80A OR 2.30A FOR TWO F72T12 TUBES. FOUR #18 AWG LEADS WITH IRRADIATED CROSSLINKED POLYOLEFIN INSULATION, COLOR CODED AS FOLLOWS: RED +37.5 VOLTS, BLACK GROUND, TWO GREEN LAMP LEADS, ALL LEADS TO BE 15-1/2" LONG, AS PER DRAWING NUMBER 253-4019.	GULTON AMTEK PAN-ACC NYCTA	0101921-043 FL37-110PSL-1 INM37.5-2X60NYC 253-4019		818		517
13-62-6169	KIT, WINDOW INSTALLATION, VANDAL-PROOF, COMPLETE WITH FRAME, GLASS AND HARDWARE, FOR END DOOR (STORM).	ELLCON NATIONAL, INC. DYNAMIC METALS LLC NYCTA	EBD13080 R01A40019 2056-PROD-89 (REF. ONLY)		0		0
13-62-6278	BLOCK, MOUNTING, 1/2" STUD, SIDE DOOR. USED FOR PRELOADING SIDE DOOR HANGER MOUNTING STUDS	HAFCO FOUNDRY & MACHINE CO	H-004-1-50		0		0
13-62-6286	STUD, INBOARD, 9/16 X 18 X 3-1/8" LG, PLAIN, U/O SIDE DOOR ASSEMBLY	HAFCO FOUNDRY & MACHINE CO	H-021-4		100		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 27
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
13-62-6287	STUD, OUTBOARD, 9/16"- 18 X 2-3/4" LG, PLAIN, U/O SIDE DOOR ASSEMBLY	HAFCO FOUNDRY & MACHINE CO	H-021-5		100		0
13-62-9050	HANGER, SIDE DOOR, R62/R62A INCLUDES 51" SHAFTS (2) AND 19" BEARING HOUSINGS (2) FOR TWO DOOR OPENINGS	HAFCO FOUNDRY & MACHINE CO NYCTA	100101-19-62A R62-1412 REV. A		11		8
13-62-9051	HANGER, END DOOR ASSEMBLY, COAXIAL, 47" LONG X 1-1/4" DIAMETER, SEALED BEARING UNIT, 2 ADJUSTABLE MOUNTS, MAINTENANCE FREE, 25" 'T', OFFSET INCLUDES ONE 60.5" SHAFT WITH A 25" BEARING HOUSING WITH HEX CONNECTOR.	HAFCO FOUNDRY & MACHINE CO NYCTA	200201-25X R62-1412 REV. A		14		0
13-62-9054	KEEPER, USED WITH SIDE DOOR, R62(A)	ACCURATE PRODUCTS HAFCO FOUNDRY & MACHINE CO TRANSPORT PRODUCTS	051118 HDK6268 TP252816		0		0
13-62-9077	STUD, 9/16", SIDE DOOR, STEEL, GR. B7. USED FOR PRELOADING SIDE DOOR HANGER MOUNTING STUDS	HAFCO FOUNDRY & MACHINE CO	H-018-4		0		0
13-62-9085	WASHER, 9/16" I.D., FLAT, STEEL. USED FOR PRELOADING SIDE DOOR HANGER MOUNTING STUDS.	HAFCO FOUNDRY & MACHINE CO	H-020-2		5200		2400
13-62-9086	BLOCK, MOUNTING, 9/16" STUD, SIDE DOOR. USED FOR PRELOADING SIDE DOOR HANGER MOUNTING STUDS	HAFCO FOUNDRY & MACHINE CO	H-004-1		208		0

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

CURRENT VERSION : 1.10.00

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
13-68-0720	KEEPER, ELECTRICAL UPPER, U/W END DOOR EQUIPMENT.	JL HOWARD	1508-C4		0		0
13-68-0777	BATTERY, STORAGE, NICKEL-CADMIUM, 100 AMP-HOUR, STAINLESS STEEL CASE, ASSEMBLED AS A CARSET OF 25 CELLS IN A 5 X 5 CONFIGURATION.	SAFT AMERICA INC. HOPPECKE NYCTA	**** PART NO. NOT AVAILABLE ** FNC 205L (S) 2106-PROD-15		0		0
13-68-1000	BATTERY, STORAGE, NICKEL CADMIUM, 140 AMPERE HOURS, FLAME RETARDANT PLASTIC CASE, ASSEMBLED AS A CAR SET OF 25 CELLS IN A 5 X 5 CONFIGURATION. WARRANTY OF 4 YEARS.	SAFT AMERICA INC. NYCTA	SRM140-25 2106-PROD-15 REV. B		4		0
13-68-1026	HANGER, END DOOR, BLOCK TYPE, BAR LENGTH - 60.5", STUD LENGTH-1.5" TUBE LENGTH-24", STUD CENTER TO STUD CENTER LENGTH-57.375"	HAFCO FOUNDRY & MACHINE CO	200201-2700-68H		0		0
13-68-1031	BLOCKS END DOOR U/W END DOOR HANGERS, INCLUDES HARDWARE	HAFCO FOUNDRY & MACHINE CO	HF-100101-ED		6		8
13-68-1032	BLOCKS SIDE DOOR U/W SIDE DOOR HANGERS, INCLUDES HARDWARE	HAFCO FOUNDRY & MACHINE CO	HF-100101-5D		4		8
13-68-1034	BEARING, HANGER, (SINGLE SEAL BEARING INTERCHANGABLE WITH EITHER SIDE OF BEARING TUBE ASSEMBLY) USED ON R68 SIDE DOOR	HAFCO FOUNDRY & MACHINE CO	HF-TW16		3282		1202
13-68-1035	TUBE, T	HAFCO FOUNDRY & MACHINE CO	H-800-1		0		0

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 29
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO -----	LONG DESCRIPTION -----	MFG NAME -----	MFG PART NO -----	USE	PY1	USE	YTD
13-68-1036	TUBE, HEX	HAFCO FOUNDRY & MACHINE CO	H-800-2		0		0
13-68-1039	HAFCO SIDE DOOR HANGER BEARING RETAINER CLIP	HAFCO FOUNDRY & MACHINE CO	H-022-2		2866		1200
13-68-1048	SHAFT, HANGER, WITH HARD CHROME PLATING	HAFCO FOUNDRY & MACHINE CO	100101-SWF68SD53		0		0
13-68-9050	HANGER, END DOOR ASSEMBLY, COAXIAL, 47" LONG X 1-1/4" DIAMETER, SEALED BEARING UNIT, 2 ADJUSTABLE MOUNTS, MAINTENANCE FREE, 25" "T" INCLUDES ONE 64" SHAFT AND ONE 25" BEARING HOUSING	HAFCO FOUNDRY & MACHINE CO	200201-25		0		0
13-68-9051	HANGER, SIDE DOOR, R38. INCLUDES 46" SHAFTS (2) AND 17" BEARING HOUSINGS (2) FOR TWO DOOR OPENINGS	HAFCO FOUNDRY & MACHINE CO	100101-17-38		2		0
13-68-9054	HANGER, END DOOR ASSEMBLY, COAXIAL, 47" LONG X 1-1/4" DIAMETER, SEALED BEARING UNIT, 2 ADJUSTABLE MOUNTS, MAINTENANCE FREE, 24" "T"	HAFCO FOUNDRY & MACHINE CO	200201-24		0		0
13-68-9060	HANGER, SIDE DOOR, 106 INCHES LONG, 2 PIECES, ONE LEFT AND ONE RIGHT, HEX TYPE TRACK, USED ON R68 CARS 2811, 2830, 2836, 2847, 2854, 2856-2863, 2865-2924 AND ALL R68A CARS. USE 13-68-9061 FOR ALL OTHER R68 CARS. INCLUDES 53" SHAFTS (2) AND 19" BEARING HOUSINGS (2) FOR TWO DOOR PANELS	HAFCO FOUNDRY & MACHINE CO	100101-68-HEX		0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 30
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
13-68-9061	HANGER, SIDE DOOR, 106 INCHES LONG, 2 PIECES ONE LEFT AND ONE RIGHT, "T" TYPE TRACK, USE ON R68 CARS 2500-2810, 2812-2829, 2831-2835, 2837-2846, 2848-2853, 2855, 2857-2859, 2864. USE 13-68-9060 FOR ALL OTHER R68 CARS. INCLUDES 53" SHFTS (2) AND 19" BEARING HOUSINGS (2) FOR 2 DOOR PANELS.	HAFCO FOUNDRY & MACHINE CO	100101-68-T	0	0
13-68-9062	HANGER, END DOOR R68A INCLUDES ONE 60.5" SHAFT AND ONE 26" HOUSING WITH EXTENDED HEX CONNECTOR	HAFCO FOUNDRY & MACHINE CO	200201-26	0	0
13-68-9063	HANGER, END DOOR, T TYPE INCLUDES ONE 60.5" LENGTH SHAFT AND ONE 24" LENGTH TUBE, LENGTH OF "T" (END TO END); 27.25"	HAFCO FOUNDRY & MACHINE CO	200201-2725-68	0	1
14-42-6305	CAPACITOR, HIGH VOLTAGE, FILTER, 5600UF, 450V(C1 TO C6)	EPCOS	B43456-S5568-M004	0	32
15-02-1076	SHOCK, LATERAL, 2" BORE, FOR CAR CLASS R10-42, MUST BE PAINTED BLACK	MONROE AUTO EQUIP.	80501	12	0
15-02-5320	AXLE, USED WITH TRUCK DRIVE ASSEMBLY ON G.E. 20-50 TON DIESEL LOCOS. NOTE: MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT HAS BEEN INSPECTED AND IS IN COMPLIANCE	GENERAL ELECTRIC CO. PENN MACHINE CO. ORX RAILWAY CORPORATION SUMITOMO NYCTA	41C603348P2 527076 AXLE-21-9010 SEE NYCTA DRAWING 704-3034	0	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 31
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
15-33-0560	ADAPTER, JOURNAL BEARING, TRUCK SET 4 ADAPTERS PER SET, CONSISTING OF: 2 OF 15-33-0517 RH; 1 OF 15-33-0519 LH; 1 OF 15-33-0521 LH WITH TRIPCOCK BRACKET ON RH SIDE. ALL ADAPTERS PER NYCTA DWG. R-33-1244, REV. A, LINES 6, 5, & 4, RESPECTIVELY. MATERIAL TO BE PACKAGED IN TRUCK SETS.	TIMKEN NIPPON SHARYO NYCTA NYCTA NYCTA NYCTA	SET919 T1236B12297, 298, 396 R-33-1239, 1243 REV A. R-33-1244 REV. D R-33-1245 REV C. 2047-PROD-86 REV. B			0	0
15-42-0019	EQUALIZER, FORGED, SINGLE SLOT FOOT, FOR R10-42 CAR TRUCKS, NOTE: AISI MATERIAL 4340 MAY BE SUBSTITUTED FOR AISI 9840 MATERIAL.	CANTON FORGE CANTON FORGE NYCTA	222-G 6555, PT. #222-G R42-1231			0	0
15-42-0054	WAUGHMAT SPRING, RUBBER, DUROMETER 45-50 SHORE A, USED WITH SIDE BEARING. NOTE: PART NUMBER AND MANUFACTURER'S MARK MUST BE VISIBLE.	WABTEC PASSENGER DELFORD INDUSTRIES, INC. NYCTA	0D06561 6-1401 R36-1057			4062	1271
15-42-0055	COVER ASSEMBLY, SIDE FRICTION BEARING, WITH NON-ASBESTOS LINER, USE FORGED OR CAST STEEL. FRICTION LINERS SHALL BE ADHERED TO PLATE BY FRICTION ADHESIVE, RAYBESTOS RAY-BOND #R81005, TRI-STAR CE211R ALB, OR APPROVED EQUAL, PER ADHESIVE MANUFACTURER'S INSTRUCTIONS. A MINIMUM OF TWO COMPLETE ASSEMBLIES PER FIFTY (50) PRODUCTION UNITS SHALL BE TESTED FOR BOND AND LAMINATE SHEAR WITH RESULTS REPORTED TO NYCT. BOND STRENGTH SHALL BE VERIFIED BY SECURING FINISHED UNIT IN VICE OR CLAMP AND STRIKING THE EDGE OF THE FRICTION LINER PARALLEL TO THE TOP SURFACE OF THE COVER ASSEMBLY USING HAMMER AND CHISEL. FRICTION MATERIAL SHALL FAIL PRIOR TO BOND FAILURE WITH SOME AMOUNT OF THE LINING MATERIAL REMAINING ADHERED TO THE METAL COVER. USED WITH TRUCK ASSEMBLY, PACKAGED UP TO 40 EACH PER CARTON. EACH CARTON MUST SHOW NYCT STOCK #, NYCT PURCHASE ORDER #, AND THE QUANTITY IN EACH CARTON.	TWINCO MANUFACTURING CO. HAFCO FOUNDRY & MACHINE CO NYCTA NYCTA	069-1818-1-0 HF-421 R42-8016 PALLET SPEC.			1994	595

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
15-42-0086	SHOCK, VERTICAL, CAR CLASS R10-42, MUST BE PAINTED BLACK	MONROE	OE80077		4		26-
15-42-0201	AXLE, TRUCK, MOTOR, ROUGH TURNED, QUENCHED & TEMPERED ALLOY STEEL, LATEST SPEC. NYCTA 1004-C, FOR R10-42 TRUCKS., AXLES TO BE NUMBERED.	NYCTA	704-3001		0		0
15-42-3027	SHOCK ABSORBERS, VERTICAL	BOMBARDIER ZF SACHS AUTOMOTIVE OF AMERICA TENNECO, INC.	043-51020016S 40 1300 020153 OE17403		787		641
15-42-3028	SHOCK ABSORBERS, LATERAL	ZF SACHS AUTOMOTIVE OF AMERICA TENNECO, INC.	40 1300 020154 OE17404		550		675
15-42-3154	LATERAL SHOCK ABSORBER	KAWASAKI HEAVY INDUSTRIES SACHS AUTOMOTIVE OF AMERICA	2DD-50042 401300000920		401		170
15-42-3198	BUSHING W/VULCANIZED RUBBER	TRELLEBORG INDUST. VULCANITE NORTH AMERICA	13/2666-01 VP3688-S00		640		745
15-42-3368	BEARING, ROLLER 65 MM	SKF	NU213ECM/C4		620		625
15-42-3369	BEARING, BALL 45 MM	SKF	6309/C3		620		625
15-42-3791	HDL SEAL SLEEVE. NOTE: ITEM MUST BE PACKAGED TO PREVENT DAMAGE, EACH PIECE MUST BE EITHER BOXED OR BUBBLE WRAPPED	TIMKEN	K158395		7228		756

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 33
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
15-42-4163	JOURNAL BEARING WITH CONTACT SEAL. FOR JOURNAL BEARING WITH HDL SEAL (TIMKEN), USE 15-43-0024	SKF	1637549 E-01	1408	860
15-42-4174	KIT, CLEAT ASSEMBLY, USED WITH R142/R143 A.C TRACTION MOTOR INCLUDES 3 HOSES WITH CLAMPS; 4 CLEATS' 41/2 X 13" GR 5 BOLTS; 41/2 LOCK WASHERS; 4 SPACER TUBES; 4 RUBBER TUBES W/O SLIT. ALL RUBBER MATERIAL SHALL BE NEOPRENE, NON CONDUCTIVE. MUST HAVE A MINIMUM INSULATION RESISTANCE OF 200 MEGA OHMS UTILIZING A 1000V DC MEGGER AND SHALL PASS A 3500V AC HI-POT TEST RUBBER MATERIAL SHALL MEET LATEST ASTM-C542, ASTM-E662-ASTM D2240, ASTM D3677. REQUIREMENTS SHALL BE RESISTANT TO OIL, MOISTURE, ACIDS AND TEMPERATURE AT LEAST ONE PIECE OF EVERY NEW PRODUCTION SHALL BE HI-POT TESTED FOR 3500V AC. THE VENDOR SHALL RETAIN HI-POTTED SAMPLES AND TEST 10% OF EVERY PRODUCTION FOR INSULATION RESISTANCE AND ENCLOSE RESULTS WITH SHIPMENT. VENDOR NAME, PART NUMBER AND MANUFACTURING DATE SHALL BE EMBOSSED ON THE RUBBER SLEEVE AND CLEATS ALONG WITH PHRASE 5M OHMS (SYMBOL FOR OHM SHOULD BE USED).	HAFCO FOUNDRY & MACHINE CO TRANSPORT PRODUCTS	HF-4174 TP441100	594	546
15-42-4295	KIT, INSTALLATION, SPEED SENSOR TRUCK # 2 INCLUDES: QTY 10 TY-RAP QTY 4 SCREWS, HEX SKT CNTSK HEAD, QTY 1 WIRING JUMPER CABLE, TRUCK # 2 PART # GEL2473Y136 QTY 1 SPEED SENSOR DUAL CHANNEL, PART # GEL2473Y135 QTY 1 SPEED SENSOR SINGLE CHANNEL	LENORD, BAUER CO. GMBH ALSTOM TRANSPORTATION INC. NYCTA NYCTA	10-05-1422 DTR0000256734 R142-2336 PART 3 OF 4 REV.A R142-2362 PART 3 OF 4 REV.A	8	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 34
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
15-42-4296	KIT, INSTALLATION, SPEED SENSOR TRUCK # 1 INCLUDES: QTY 10 TY-RAP QTY 4 SCREWS, HEX SKT CNTSK HEAD, QTY 1 WIRING JUMPER CABLE, TRUCK # 1 PART # GEL2473Y136 QTY 1 SPEED SENSOR DUAL CHANNEL, PART # GEL2473Y135 QTY 1 SPEED SENSOR SINGLE CHANNEL	LENORD, BAUER CO. GMBH ALSTOM TRANSPORTATION INC. NYCTA NYCTA	10-05-1421 DTR0000256733 R142-2336 PART 3 OF 4 REV.A R142-2362 PART 3 OF 4 REV.A	3	0
15-42-4331	SPEED SENSOR, SINGLE CHANNEL, MOTORIZED, ON ALSTOM PROPULSION	LENORD, BAUER CO. GMBH SMITH SYSTEMS, INC	GEL2473Y136 Z262803	126	13
15-42-4332	SPEED SENSOR, DUAL CHANNEL, MOTORIZED, ON ALSTOM PROPULSTION	LENORD, BAUER CO. GMBH SMITH SYSTEMS, INC	GEL2473Y135 Z262804	141	19
15-43-0024	JOURNAL BEARING WITH HDL SEAL. FOR JOURNAL BEARING WITH CONTACT SEAL (SKF), USE 15-42-4163. MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT HAS BEEN INSPECTED AND IS IN COMPLIANCE	TIMKEN TIMKEN ASSOC. OF AMERICAN RAILROAD	HM127440 90399 HM12744090399 M-1003	770	676
15-43-0529	SHOE, CONTACT, TOP OF THE SHOES TO BE PAINTED WITH ALKYD, ENAMEL YELLOW GLOSS PAINT (MERCURY PAINT) PART # IMC M122 TARGET YELLOW #13538) AS PER (EA 20-06 REV A). U/O CURRENT COLLECTORS THAT ARE NOT UNDER WABCO WARRANTY	WABCO AFFINITY RESOURCES CO HAFCO FOUNDRY & MACHINE CO NYCTA	0695907 ARCI 0503-4329 H-4243 EA 20-06 REV. A	13156	8702
15-44-0036	BAR, EQUALIZER, DOUBLE SLOT FOOT, FORGED, 1" APART NOTCHES. ANSI MATERIAL 4340 MAY BE SUBSTITUTED FOR ANSI 9840 MATERIAL	NYCTA	G44-25028	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
15-44-0080	SHOCK ABSORBER, VERTICAL. MONROE SHOCK ABSORBERS MUST BE PAINTED BLUE.	ZF SACHS AUTOMOTIVE OF AMERICA TENNECO, INC.	40 1300 020 477 0E80132		15		7
15-44-0200	AXLE, MOTOR, STANDARD TRUCKS, 5 X 9, JOURNAL, ON EACH CRATE VENDOR SHOULD LIST WITH LETTERS/NUMBERS THAT ARE AT LEAST 2 INCHES HIGH: N.Y.C. TRANSIT STOCK NUMBER; N.Y.C. TRANSIT PURCHASE ORDER NUMBER; QUANTITY IN THE CRATE; SCHEDULED RECEIPT DATE. VENDOR DRAWING MUST BE APPROVED BY NYCT PRIOR TO ALL PURCHASES. AXLE QUALIFICATION: AXLES SHALL BE SUPPLIED BY A MANUFACTURER WHO HAS FURNISHED AT LEAST 12 AXLES PER YEAR FOR SERVICE ON THE NYCT SYSTEM FOR A PERIOD OF AT LEAST FIVE (5) YEARS WITH NO INJURIOUS IMPERFECTIONS FOR THOSE VENDORS WHO HAVE NOT SUPPLIED AXLES TO NYCT THE FOLLOWING SHALL APPLY. VENDOR SHALL SUPPLY INDEPENDENT CERTIFICATION THAT ALL PHYSICAL AND CHEMICAL REQUIREMENTS OF THIS SPECIFICATION HAVE BEEN MET OR EXCEEDED. VENDOR SHALL SUPPLY A MINIMUM OF TWENTY AXLES FOR A MINIMUM TWO-YEAR IN-SERVICE QUALIFICATION TEST, SUBJECT TO THE CONDITIONS OF A LOAN AGREEMENT BETWEEN NYCT AND THE VENDOR. MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE.	STANDARD STEEL ORX RAILWAY CORPORATION KAWASAKI HEAVY INDUSTRIES SUMITOMO SUMITOMO NYCTA NYCTA ASSOC. OF AMERICAN RAILROAD	**** PART NO. NOT AVAILABLE ** 03797-33-200 JIKU7719 JIKU7719 REV. N MARK #1 JIKU7720 REV. N 704-3001- REV J 2092-PROD-97 REV. C M-1003		0		0
15-44-0325	BRAKE SHOE, COMPOSITION WITH FLANGE, (VB 03-06) INCORPORATING A BRAKE TAB, FOR TREAD BRAKE UNITS, SHOES ARE TO BE MADE OF MATERIAL WHICH DOES NOT CONTAIN LEAD OR ASBESTOS.	RAILROAD FRICTION NYCTA	COBRA V-224 2093-PROD-97 REV. E		0		0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
15-44-0710	BEAM, CONTACT SHOE, LAMINATED MAPLE OR BIRCH, FOR IND-BMT TRUCKS	TG BAYER KRONEBERG FOREST PRODUCTS NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** ****PART NO NOT AVAILABLE**** 704-5009-H DET # 1 3009-MATL-78 REV. I	1127	490
15-44-0711	CUSHION, RUBBER, USED ON CONTACT SHOE BEAM. NOTE: THE SUPPLIER SHALL SUBMIT A CERTIFIED TEST REPORT WITH EACH DELIVERY SHOWING COMPLIANCE WITH MATERIAL REQUIREMENTS SHOWN ON NYCTA DRAWING 703-4001 LATEST REVISION. NOTE: RUBBER SHALL HAVE A DIELECTRIC STRENGTH OF 12,000 VOLTS DC ACROSS A SPECIMEN THICKNESS OF .030 INCHES. NOTE: COLOR SHOULD NOT BE BLACK, USE RED, BLUE, GREEN OR GRAY. NOTE: MANUFACTURERING DATE CODE AND LOGO MUST BE EMBOSSED ON CUSHION.	YOKOHAMA INDUSTRIES AMERICAS NYCTA	32108-2 703-4001 REV. G	4765	1979
15-44-0725	FUSE, RIBBON, WITHOUT CONTACT SHOE BEAM FUSE BOX, 600 VOLT 450 AMP.	HORNE NYCTA	17019-1 703-5004 D	1351	597
15-44-0727	FUSE, RIBBON, 600 AMPS, 600 VOLTS, 1-3/8" X 12" LONG, FUSE NO. 1-1/2, USED WITH CONTACT SHOE	HORNE NYCTA	17019-3 703-5004 REV. D	1313	567
15-44-0742	PAD, WEAR, FORGED, CONTACT SHOE, SHORT, TOP OF THE SHOES NEED TO BE PAINTED WITH ALKYD, ENAMEL YELLOW GLOSS PAINT (MERCURY PAINT, PART #IMC M12 TARGET YELLOW #13538) AS PER (EA 20-06 REV A.) PACK NO MORE THAN 250 PCS PER CRATE	HAFCO FOUNDRY & MACHINE CO NYCTA NYCTA NYCTA	HF-0742 R68A-2634 (EA 20-06 REV. A) PALLET SPEC.	7917	4227
15-44-0744	FULCRUM ASSEMBLY, FOR CONTACT SHOE IND-BMT CARS.	CANTON FORGE HAFCO FOUNDRY & MACHINE CO NYCTA NYCTA NYCTA	****PART NO. NOT AVAILABLE *** 15-44-0744 702-5023 REV A 705-5004 REV F R32-1290	741	628

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 37
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
15-44-6000	BOX, JOURNAL, IND-BMT, CAR SET CONSISTING OF: TWO(2) LEFT HAND WITH TRIPCOCK BRACKET: DWG. #4X7030 REV. A, TWO(2) LEFT HAND WITHOUT TRIPCOCK BRACKET: DWG. #4X7029, REV. A, & FOUR(4) RIGHT HAND WITHOUT TRIPCOCK BRACKET: DWG. #4X7031 REV. A, MATERIAL TO BE PROPERLY PACKED FOR OUTDOOR STORAGE AND TO BE FURNISHED WITH CERTIFICATIONS COVERING MATERIAL & DIMENSIONAL INSPECTION BY LOT	NIPPON MANUFACTURER BEARING TIMKEN NYCTA NYCTA NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** SET918 4X-7029 REV. C 4X-7030 REV. C 4X-7031 REV. C 2047-PROD-86 REV. B	0	0
15-44-6010	SHOCK ABSORBER, VERTICAL, DAMPING "50-50", SACHS SHOCK ABSORBER PAINTED GREEN(RAL-6002). TENNECO SHOCK ABSORBER PAINTED BLUE	TENNECO, INC. ZF SACHS AUTOMOTIVE OF AMERICA	0E15085 40 1300 020 477	1782	569
15-44-6011	SHOCK ABSORBER, LATERAL DAMPING "50-50", SACHS SHOCK ABSORBER PAINTED GREEN(RAL-6002), TENNECO. SHOCK ABSORBER PAINTED BLUE	TENNECO, INC. ZF SACHS AUTOMOTIVE OF AMERICA	0E15084 40 1300 020 475	767	410
15-46-0465	BAR, EQUALIZER, FORGED, DOUBLE SLOT FOOT, 2" APART NOTCHES ANSI MATERIAL 4340 MAY BE SUBSTITUTED FOR ANSI 9840 MATERIAL	CANTON FORGE NYCTA	L-1713 G46-31000	0	0
15-46-0510	RING, BACKING, FOR TIMKEN AXLE JOURNAL BEARING HM127440-90165 MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE. NOTE: PARTS MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH MANUFAC- TURER'S NAME & PART #, PURCHASE ORDER #, DATE OF MANUFACTURE AND NYCTA COMMODITY NO.	TIMKEN ROLLER BRG. ASSOC. OF AMERICAN RAILROAD	K125691 M-1003	45	24

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 38
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
15-46-0529	CAP, AXLE END, FOR TIMKEN AXLE JOURNAL BEARING #HM127440-90165 MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE. NOTE: PARTS MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH MANUFACTURER'S NAME & PART #, PURCHASE ORDER #, DATE OF MANUFACTURE AND NYCTA COMMODITY NO.	TIMKEN ROLLER BRG. ASSOC. OF AMERICAN RAILROAD	K125690 M-1003	0	2
15-46-4515	BOX, FUSE ASSEMBLY WITHOUT FUSE, BLACK MOLDED PHENOLIC WITH RED ACID RESISTANT LINER AND HARDWARE. FOR 450AMP FUSE COMMODITY NUMBER-15-44-0725. FOR 600AMP FUSE USE COMMODITY NUMBER-15-44-0727	HORNE	17025	1932	475
15-60-0525	LATERAL SHOCK ABSORBER ASSEMBLY	KAWASAKI HEAVY INDUSTRIES SACHS AUTOMOTIVE OF AMERICA KONI	20113-03504 401300000212 97H 2598	568	463
15-62-0415	SHOE, CONTACT, MODIFIED FOR SNOW, IRT	HAFCO FOUNDRY & MACHINE CO NYCTA NYCTA	H-3586M 703-5011 R29-1217-A	475	218
15-68-0253	ADAPTER, JOURNAL BOX, RIGHT HAND FOR A P BEARINGS WITHOUT TRIP COCK BRACKET, USED ON WHEELS 4 AND 5, IND AND BMT CARS	FMC CORP. TIMKEN NIPPON SHARYO NYCTA NYCTA	4X-7029 K528775-90010 SEE NYCTA DRAWING 4X-7029 REV. C 2047-PROD-86 REV. B	0	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 39
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
15-68-0254	ASSEMBLY, CONE, ROLLER & CAGE, U/O AXLE JOURNAL BEARING ASSEMBLY # HM127440-90165. NOTE: PARTS MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH MANUFACTURER'S NAME & PART #, PURCHASE ORDER #, DATE OF MANUFACTURE AND NYCTA COMMODITY NO. MATERIAL SUPPLIED MUST HAVE BEEN Y INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE.	TIMKEN ASSOC. OF AMERICAN RAILROAD	HM127440 M-1003	0	0

15-68-0267	WHEEL, LIGHT WEIGHT, RING DAMPED, 34" DIAMETER, 7-1/16" BORE, WROUGHT STEEL. DESIGN OF CURVED PLATE (CORRUGATED PLATE OR OTHER PLATE DESIGN) MUST BE APPROVED BY NYCT PRIOR TO ALL PURCHASES. MAXIMUM WEIGHT OF LIGHTWEIGHT WHEEL SHALL BE 740 POUNDS. MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE.	STANDARD STEEL BONATRANS GROUP MWL BRASIL RODAL & EIXOS LTDA SUMITOMO SUMITOMO SUMITOMO NYCTA NYCTA NYCTA ASSOC. OF AMERICAN RAILROAD	26409 REV. 4 455.8.902.000.07 EP-1833 REV. N KURUMA 5500J MARK 5 KURUMA 6116Q KUSHI 60006C 704-3035 REV. K 2091-PROD-97 REV. F 6010-PRCS-89 REV. C M-1003	8260	5024

15-68-0269	WHEEL, LIGHT WEIGHT, RING DAMPED, 34 INCH DIAMETER, 6-3/4" BORE, WROUGHT STEEL. DESIGN OF CURVED PLATE (CORRUGATED PLATE OR OTHER PLATE DESIGN) MUST BE APPROVED BY NYCT PRIOR TO ALL PURCHASES. MAXIMUM WEIGHT OF LIGHTWEIGHT WHEEL SHALL BE 740 POUNDS. MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN	STANDARD STEEL BONATRANS GROUP MWL BRASIL RODAL & EIXOS LTDA SUMITOMO SUMITOMO SUMITOMO NYCTA NYCTA NYCTA ASSOC. OF AMERICAN RAILROAD	26409 REV. 4 455.8.902.000.07 EP-1833 REV. N KURUMA 5500J MARK 6 KURUMA 6116Q KUSHI 60006C 704-3035 REV. K 2091-PROD-97 REV. F 6010-PRCS-89 REV. C M-1003	52	32

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	COMPLIANCE.				

15-68-0415	SHOE, CONTACT, MODIFIED FOR SNOW, IND AND BMT CARS	HAFCO FOUNDRY & MACHINE CO NYCTA NYCTA	H-387M 703-5011 R33-1356A	1040	470

15-68-0600	WHEEL, RING DAMPED, 34" DIA., 7-1/16" BORE, SOLID WROUGHT STEEL, HEAT TREATED CLASS "A", INCORPORATES RING DAMPING FEATURE AND CURVE PLATE SHOWN ON DRAWING AND SPECIFICATION. DESIGN OF CURVED PLATE SHAPE MUST BE APPROVED BY NYCT PRIOR TO ALL PURCHASES. (NOTE: WHEEL LISTED UNDER STK. #15-68-0267 MAY ALSO BE CONSIDERED). MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE.	MWL BRASIL RODAL & EIXOS LTDA SUMITOMO STANDARD STEEL NYCTA NYCTA NYCTA ASSOC. OF AMERICAN RAILROAD	EP-1400 REV. M KURUMA 60009 REV. Q WRT34AR7063-001 704-3035 REV. K 2091-PROD-97 REV. F 6010-PRCS-89 REV. C M-1003	0	0

15-68-0601	WHEEL, RING DAMPED, 34" DIA., 6-3/4" BORE, SOLID WROUGHT STEEL, HEAT TREATED, CLASS "A", INCORPORATES RING DAMPING FEATURE AND CURVE PLATE SHOWN ON DRAWING AND SPECIFICATION. DESIGN OF CURVED PLATE SHAPE MUST BE APPROVED BY NYCT PRIOR TO ALL PURCHASES. (NOTE: WHEEL LISTED UNDER STK. #15-68-0269 MAY ALSO BE CONSIDERED.) MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE.	SUMITOMO MWL BRASIL RODAL & EIXOS LTDA STANDARD STEEL NYCTA NYCTA NYCTA ASSOC. OF AMERICAN RAILROAD	**** PART NO. NOT AVAILABLE ** EP-1400 REV. M WRT34AR6750-001 704-3035 REV. K 2091-PROD-97 REV. F 6010-PRCS-89 REV. C M-1003	0	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 41
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
15-79-0013	BRAKE SHOE, FLANGELESS, SHOE - 14 INCH COBRA	RAILROAD FRICTION NYCTA	V-847 2093-PROD-97 REV. E	0	0
16-46-2055	CENTERING LINK ASSEMBLY	HAFCO FOUNDRY & MACHINE CO NYCTA	HF-4113	3	0
16-81-1460	BEAM, CONTACT SHOE, LAMINATED BIRCH OR MAPLE AS PER LATEST SPEC., FOR THIRD RAIL, IRT TRUCKS	KRONEBERG FOREST PRODUCTS TG BAYER NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** 704-5009-H DET #2 3009-MATL-78 REV. I	850	355
16-87-1145	FULCRUM ASSEMBLY, WITH BUSHINGS FOR IRT CONTACT SHOE	HAFCO FOUNDRY & MACHINE CO NYCTA NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 702-5023 REV A 705-5005 REV B PALLET SPEC.	809	343
16-91-1543	PAD, WEAR, FORGED, CONTACT SHOE, LONG, TOP OF THE SHOES NEED TO BE PAINTED WITH ALKYD, ENAMEL, YELLOW GLOSS PAINT (MERCURY PAINT PART # IMC M12 TARGET YELLOW #13538) AS PER (EA 20-06 REV A). IRT CARS. PACK NO MORE THAN 250 PCS PER CRATE	HAFCO FOUNDRY & MACHINE CO NYCTA NYCTA NYCTA	HF-1543 R-62-1206 (EA 20-06 REV. A) PALLET SPEC.	3925	1244
18-07-3550	BODY, USED WITH WABCO TYPE D-1 TRIP COCK BUSHED	WABCO	532591	82	53
18-07-3870	BODY, TRIP COCK, WABCO TYPE D-1-A, BUSHED	WABCO NYCTA NYCTA	0533684 102-1017 (FOR REF. ONLY) PALLET SPEC	87	50
18-07-3900	BODY, U/W WABCO TYPE A-1 OPERATING UNIT, VARIABLE LOAD PORTION MTCE DATE 100984	WABCO	533910	0	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 42
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
18-10-0301	SHOE, BRAKE, COMPOSITION, WITHOUT FLANGE	RAILROAD FRICTION	V323COMP554	0	0
18-10-1801	CONTACT ASSEMBLY, COUPLER ELECTRIC PORTION	BOMBARDIER NYAB	033-50025Y521 770023	0	0
18-10-5013	PAD, DISC, RIGHT HAND BRAKE SHOE, USED WITH BRAKE SYSTEM AS PER R110B CATALOG VOLUME III, PART 6B, PAGE 2-622, FIG. 79	BOMBARDIER NYAB	033-42118-019S 768962	0	0
18-10-5014	PAD, DISC, LEFT HAND BRAKE SHOE, USED WITH BRAKE SYSTEM AS PER R110B CATALOG, VOLUME III, PART 6B, PAGE 2-620, FIG. 78	BOMBARDIER NYAB	033-42118-018S 768961	0	0
18-11-6875	BUSHING, FOR USED WITH WABCO TRIP COCK D-1	WABCO	0539173	88	15
18-15-8225	COCK, TRIP, COMPLETE ASSEMBLY, WABCO TYPE D-1-A, USED ON IRT DIVISION CARS (INTERCHANGABLE WITH 18-62-9597).	WABCO NYCTA	583158 R157-5158	4	0
18-16-4200	COIL, ELECTRICAL, MAGNETIC, FOR APPLICATION AND RELEASE MAGNET VALVE A1 OPERATING UNIT	WABCO	534231	0	0
18-18-3100	CONTACT, USED WITH BRAKE VALVE TYPE ME-42 & A2	HORNE WABCO HOYT	3100 509925 Z405N	2320	1120

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 43
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
18-29-2368	VALVE, J14CSB-12 RELAY, USED WITH A-1-A OPERATING, UNIT	NYAB	766203	0	0
18-30-1787	VALVE, J-14D RELAY, COMPLETE, WITH 8 LB OFFSET (N-2 REDUCING VALVE SET FOR 8 LBS.)	WABCO	670786	0	0
18-30-1795	BODY, U/O J-14-D, RELAY VALVE PORTION.	WABCO	592520	0	0
18-30-3402	HANDLE, BRAKE VALVE COMPOSITE, USED WITH WABCO AND KNORR BRAKE VALVES. BRAKE VALVE HANDLES SHALL UTILIZE ONE-PIECE HARDENED STEEL SLEEVE, INCLUDING PROTRUSION TO MATE WITH BRAKE VALVE BUSHING SLOT, TO OPERATE WITH BRAKE VALVE SHAFT. INSERT SHALL BE MOLDED DIRECTLY INTO COMPOSITE HANDLE. FOR INSPECTION PURPOSES, DIMENSIONS OF BRAKE VALVE HANDLES SHALL CONFORM TO NYCT DRAWING 153-3003, REV. B, ME-43 BRAKE VALVE HANDLE". GAUGING OF BRAKE VALVE HANDLES SHALL BE PER GAUGE DESCRIBED IN NYCT DRAWING ISO-603-016, "207TH ST. SHOPS BRAKE VALVE HANDLE ACCEPTANCE GAUGE, TOOL #163".	HAFCO FOUNDRY & MACHINE CO	H-1766-P	531	555
18-30-5450	HANDLE, TRIPCOCK, USED WITH NYAB TYPE ONLY (D-1 & D-1-A), TRIPCOCK	NYAB	770211	0	0
18-32-8200	HOUSING, U/W WABCO BRAKE VALVE TYPE ME-42 SPRING INLET VALVE	WABCO	538120	0	0
18-32-8717	CONTACT, STATIONERY, USED WITH REAR SIDE FRAME ASSEMBLY, USED ON ELECTRIC PORTION	NYAB	765501	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
18-32-8722	CONTACT, MOVABLE, USED WITH REAR SLIDE FRAME ASSEMBLY, USED ON ELECTRIC PORTION	NYAB	765455		0		0
18-33-6014	SPRING, PISTON, U/O VARIABLE LOAD VALVE F/R62 CARS. 0.324" NOM. ID X 0.051" WIRE DIA. X 1.25" FREEHEIGHT	WABCO	539587		1290		645
18-33-6019	VALVE, CHECK, USED ON EMERGENCY VALVE PORTION	WABCO	590543		5		4
18-33-6044	VALVE, VARIABLE LOAD.	WABCO	671243		0		0
18-36-0422	BRUSH, CARBON, FOR COMPRESSOR MOTOR #5CY-918E1. A WHITE VISIBLE WEAR MARK LINE SHALL BE PRINTED AT THE MIDDLE OF BOTH SIDES OF THE BRUSH TO CHECK THE LENGTH OF THE BRUSH DURING INSPECTION	NATIONAL ELECTRICAL CARBON GENERAL ELECTRIC CO.	01-23982 GRADE EG-14 894A501-P17		56		10
18-36-0695	VALVE, FEED M-3 SINGLE PRESSURE, LESS PIPE BRACKET, HOLES SETTING. U/W A-1A OPERATING.	WABCO	84208-0110		0		0
18-36-1727	VALVE ASSEMBLY, REGULATING, PRELAPPED WITH BUSHING, U/W WABCO M-3 FEED VALVE# 84208.	WABCO	670071		5		0
18-38-0080	PISTON ASSEMBLY AND ROD, FOR TYPE D-3 AND D-4 COMPRESSOR UNIT	WABCO	0570383		267		294

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 45
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
18-38-0084	CYLINDER, H.P., FOR TYPE D3 COMPRESSOR UNIT	WABCO	0569645		545		320
18-38-0751	BODY, FOR J-1 RELAY VALVE PORTION ASSY. NO. 556298, INCLUDES NUT, NO. 502369 NUT NO. 502365 - PLUG. NO. 78758 - STUD, NO. 538941, STUD, NO. 85475, R38-40 CARS	WABCO	556299		0		0
18-38-0815	SPRING, SUPPLY VALVE, STEEL, FOR D-24-B FEED VALVE ASSY, #550016, 1-3/16" O.D., 3/32" WIRE, 3-1/16" HT., 7 TURNS	WABCO	58444		90		155
18-38-0847	DIAPHRAGM, FOR EMERGENCY VALVE PORTION #569711, R38 CARS	WABCO NYAB	0564210 734850		691		608
18-38-1600	TRIP COCK, COMPLETE ASSEMBLY, WABCO TYPE D-1, USED ON BMT/IND DIVISION CARS	WABCO	673782		4		0
18-38-4740	SEAT & VALVE ASSEMBLY, USED ON A & R MAGNET VALVE.	WABCO	582226		0		0
18-42-3370	SHOE, CONTACT, TOP OF THE SHOES TO BE PAINTED WITH ALKYD, ENAMEL YELLOW GLOSS PAINT (MERCURY PAINT, PART # IMC M12 TARGET YELLOW #13538) AS PER (EA 20-06 REV. A) U/O CURRENT COLLECTORS THAT ARE UNDER WABCO WARRANTY. FOR CURRENT COLLECTORS THAT ARE NOT UNDER WARRANTY (R142, R142A, R143, R160 ETC.) USE 15-43-0529. THIS IS A WARRANTY ISSUE	WABCO NYCTA	0695907 EA 20-06 REV. A		0		0
18-42-4775	VALVE, J14CSB-4, RELAY COMPLETE, U/O BRAKE CONTROL UNIT.	NYAB	763815		0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 46
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
18-42-5051	BRAKE VALVE, ME 43, USE WITH SNOW BRAKE	WABCO	671513	0	0
18-42-5618	BRAKE SHOE, FLANGELESS, COMPOSITE, (VB 05-01)	WABCO NYCTA	V435 REV. E 2093-PROD-97 REV. E	0	0
18-42-8900	VALVE, UNCOUPLING, KEY OPERATED, USED ON NEWTRAN BRAKE SYSTEM.	NYAB	706034	0	0
18-42-8944	OPERATING UNIT, E-2-E, U/W R42 FRICTION BRAKE EQUIPMENT, U/W R32 EVEN CARS	WABCO	670663	0	0
18-42-8976	BRAKE VALVE, ME 43, W/O PIPE BRACKET.	WABCO	592012	0	0
18-42-9019	R32 BRAKE CYLINDER BODIES MACHINED AND RELINED WITH ALUMINUM SLEEVES	HAFCO FOUNDRY & MACHINE CO	HF-4232	0	0
18-44-0051	BRUSH, CARBON, FOR WABCO TYPE D3 AIR COMPRESSOR MOTOR, R44 CARS, 1-5/8 IN LG. 1/2 IN WIDE, 3/8 IN THICK, 25 DEG TOP BEVEL, 30 DEG BOTTOM BEVEL, SHUNT CABLE CONNECTION TYPE RA, LOCATION 7, LENGTH 3-1/2 IN, CABLE SIZE 7-9-005, W/TERMINAL 9-5-12.	RELIANCE ELEC. CO. MORGANITE	3141TP GRADE EG-236Z	0	0
18-44-2437	SEAT, VALVE, USED WITH N-1-E, N-3-E MAGN ET VALVE, ON G-4-B AND G-4-C OPERATING U NITS, R-44 CARS	WABCO	575750	2	0
18-44-7018	GASKET, RECEPTACLE, FOR TYPE G-4-B OPERA TING UNIT, #576538 & TYPE G-4-C OPERATIN G UNIT #576541	WABCO	572907	120	200

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
18-44-8121	FILTER, AIR, TYPE F-12, U/O WESTCODE AIR BRAKE MODIFICATION, R44.	NORGREN WESTCODE	F74G-6AN-QM3 WA12781/001			0	0
18-44-8122	ELEMENT, FILTER, 50 MICRON, U/O AIR FILTERS WESTCODE # WA12140/001, NORGREN # F12-600-M3MA, WESTCODE AIR BRAKE MODIFICATION, R44.	NORGREN	2992-20			0	0
18-44-8777	VV-120 AIR SUPPLY UNIT, (COMPRESSOR) RECIPROCATING MIN. 35 CFM. AIR SUPPLY UNIT, INCLUDES AC MOTOR AND INVERTER. INCLUDES TWIN TOWER AIR DRYER, USED WITH BRAKING SYSTEM	KNORR BRAKE CORPORATION	806556			0	0
18-44-9075	MOTOR BRUSH, U/W KNORR COMPRESSOR, R44 CARS	MERSEN USA BN CORP TECH SYSTEMS CORP KNORR BRAKE CORPORATION	ES-20 J60-0315 U12668			596	425
18-44-9308	VALVE, SAFETY, 1/4" NPT, 165 PSI +/-3 U/O AIR DRYER/CTRL GRAM WHITE # 950-249 KNORR # STU11405/2.	KNORR BRAKE CORPORATION	STU11982/165			1	1
18-44-9608	GASKET, DISCHARGE FLANGE.*	WABCO WABCO	0582358 582358			63	41
18-44-9624	GASKET, INLET FILTER.	WABCO	0582274			565	380
18-44-9631	RESERVOIR, SURGE.	WABCO	582478			0	0

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 48
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
18-44-9633	BREATHER, CRANKCASE "COMPLETE"	WABCO	0581759	0	0
18-44-9634	HEAD, CYLINDER, LOW PRESSURE INLET.	WABCO	0581764	365	200
18-44-9635	CYLINDER HEAD, LOW PRESSURE DISCHARGE.	WABCO	0581765	11	12
18-44-9636	HEAD, CYLINDER, HIGH PRESSURE INLET.	WABCO	0581762	374	206
18-44-9637	HEAD, CYLINDER, HIGH PRESSURE INLET	WABCO	0581763	15	15
18-46-0010	AFTERCOOLER ASSEMBLY, FOR WABCO D4 COMPRESSOR UNIT	WABCO	672349	58	43
18-46-0047	ROTOR, OIL PUMP, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSEMBLY, WABCO #578910.	WABCO	0569629	111	100
18-46-0050	GAGE, OIL LEVEL, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSY. WABCO #578910 R-46 CARS	WABCO	0578944	18	11
18-46-0053	STRAINER, OIL, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSY. WABCO #578910, R-46 CARS	WABCO	0672389	83	43
18-46-0058	RING, COMPRESSION, HP, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASS'Y., WABCO #578910	WABCO	0579138	1090	705

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
18-46-0061	CRANKSHAFT, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSEMBLY, WABCO #578910	WABCO	578917		26		1
18-46-0065	VALVE, STOP, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSY. WABCO #578910, R-46 CARS	WABCO	0569164		545		320
18-46-0066	VALVE, BODY RELIEF, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSY. WABCO #578910, R 46 CARS	WABCO	0569163		0		0
18-46-0125	BRUSH, CARBON, CONTOURED, 3/8" (3/16" THK) X 1" WIDE X 1-3/16" LG, FOR SAFETY ELEC 5 H.P., 600 VOLT DC MOTOR #T-8379, WABCO MOTOR #579001, U/W WABCO D4 AIR COMPRESSOR	NATIONAL MORGAN AM & T WABCO STONE SAFETY SERVICE CORP.	01-23918 0123918GC 580953 T-17012-1		1406		1079
18-46-0507	VALVE, CHECK DISCHARGE, F/WABCO C-1 AIR DRYER ASSY. 578967 R-46 CARS	WABCO	579165		0		0
18-46-0517	VALVE, CHECK, U/W WABCO #578967 TYPE C1-AIR DRYER, R-46 CARS	WABCO	579164		0		0
18-46-6513	PISTON, PACKING U/O TREAD BRAKE UNIT FOR R62A CARS.	WESTCODE	WJ73571/8		2403		610
18-46-8331	CONTACT STUD ASSEMBLY, USED WITH ELECTRIC PORTION	NEW YORK AIR BRAKE CO.	767994		0		0
18-46-8332	TIP, CONTACT, STATIONARY, USED WITH ELECTRIC PORTION	NEW YORK AIR BRAKE CO.	767989		19		23

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
18-46-8333	TIP, CONTACT, MOVEABLE LOOP, COMPLETE ASSEMBLY INCLUDING STUD, SPRINGS AND TIP, FOR THE LOOP CONTACT, SPRING LOADED, USED WITH THE ELECTRIC PORTION	FAIVELEY TRANSPORT	D220199-300		13		3
18-46-8334	CONTACT TIP, MOVEABLE USED WITH ELECTRIC PORTION	NEW YORK AIR BRAKE CO.	767979		5		0
18-46-8440	DRYER, AIR, SYSTEM, TWIN TOWER, TO INCLUDE INSTALLATION KIT	KNORR BRAKE CORPORATION GRAHAM WHITE	802778-R46 995-201		0		0
18-56-7000	BRAKE SHOE PADS, COBRA TYPE	RAILROAD FRICTION	V-271		799		324
18-62-8350	DRYER, AIR, SYSTEM, TWIN TOWER, TO INCLUDE INSTALLATION KIT	KNORR BRAKE CORPORATION GRAHAM WHITE	802788-R62A 995-202		0		0
18-62-8575	BRUSH, CARBON GRADE LFC-62, USED ON D4 COMPRESSOR MOTOR, TECH SYSTEMS MODEL L9528 & L9898, PC #32227-09	CARBONE NATIONAL CARBON	ES-17 LFC-62		0		0
18-62-9031	PIN, CYLINDER LEVER FULCRUM, F/GR-90 HR TREAD BRAKE UNIT, R62.	WABCO	588154		0		0
18-62-9036	BUSHING, U/O BRAKE HEAD U/W GR-90 TREAD BRAKE UNIT.	WABCO	576426		0		0
18-62-9038	BODY, LEFT HAND, U/W GR-90 TREAD BRAKE UNIT, LEFT-HAND	WABCO	588266		0		0
18-62-9361	BODY ASSEMBLY, U/O TREAD BRAKE ASSEMBLY LH, PART# 705986.	NYAB	759444		0		0

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 51
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1 USE	YTD
18-62-9423	PISTON, (SMALL)	WABCO	575423		63	183
18-62-9426	SEAT, REGULATING VALVE, U/O D-24-B FEED VALVE PORTION. F/R33, R62 CARS.	WABCO	574311		90	155
18-62-9439	PLUG, 3/8" CHOKE, FLUTED SCH, BRS 1/8-27 NPT X NO. 65 DR., U/O EMERGENCY VALVE PORTION. F/R62 CARS.	WABCO	95339		0	2
18-62-9441	COIL, W/TRANZORB AND WIRING ASSEMBLY, U/W FB-2 MAGNET VALVE, R62 CARS	WABCO	589325		0	0
18-62-9458	STEM, GUIDE, AND PISTON BUSHING, U/O F-6 MD-1 FEED VALVE, PART# 760533 NOTE: PART MUST BE INDIVIDUALLY PACKAGED AND PROTECTED FROM DAMAGE DURING SHIPPMENT AND HANDLING.	NYAB	762185		0	0
18-62-9462	VALVE, REGULATOR ASSEMBLY, USED ON F6MD-1 FEED VALVE INCLUDES STEM EXHAUST VALVE, SEAT, SPRING, O-RING INTAKE VALVE PISTON	NYAB	762513		556	375
18-62-9464	BOX, SPRING, U/O F-6 MD-1 FEED VALVE, PART# 760533.	NYAB	738135		0	0
18-62-9539	ELEMENT, FILTER, USED ON 1/4" IN-LINE FILTER	NYAB GM FLUID POWER PRODUCTS PARKER	764194 EK-504Y EK-504Y		111	50

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 52
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
18-62-9561	VALVE ASSEMBLY, INLET, USED ON REDUCING VALVE, PART #759170	NYAB	760466	163	121
18-62-9597	TRIPCOCK, COMPLETE ASSEMBLY, NYAB TYPE D1A, U/O IRT DIVISION CARS. (INTERCHANGEABLE WITH 18-15-8225).	NYAB CO	705950	0	0
18-62-9621	VALVE, INLET AND EXHAUST, FOR LOAD SENSOR CONTROL PORTION	WABCO	591830	63	42
18-62-9624	PIN, CAM ROLLER FOR LOAD SENSOR CONTROL PORTION. F/R62 CARS.	WABCO	591796	80	420
18-62-9625	LEVER, FOR LOAD SENSOR CONTROL PORTION. F/R62 CARS.	WABCO	591824	0	0
18-62-9778	VALVE/SEAT COMBINATION, U/O FA MAGNET VALVE PORTION	WABCO	592571	0	0
18-62-9779	VALVE, SEAT COMBINATION, USED ON FB MAGNET VALVE PORTION	WABCO	592574	0	0
18-62-9978	KIT, TWIN TOWER AIR DRYER INSTALLATION, COMPLETE, USED ON D4S	GRAHAM WHITE	976-252	0	0
18-68-6029	TRIP COCK, COMPLETE ASSEMBLY, KNORR TYPE D-1, USED ON BMT/IND DIVISION CARS	KNORR BRAKE CORPORATION	705988	0	0
18-68-8036	SWITCH, PRESSURE, WITH VITON O-RING AND DIAPHRAGM 33-600 PSI ADJUSTABLE RANGE, 9.5-69 TYPICAL DEADBAND, 2500 MAX SYS. PRESSURE, 3000 PROOF PRESSURE USED ON ES-30 COMPRESSOR GOVERNOR	OMEGA	PSW-196	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
18-68-8426	LINK, PAWL, U/O OVERHAUL GR-90 F/R44, R62, R62A & NEW GR-90 F/R68A.	WABCO	671020	1880	260
18-68-8431	CRANK, BELL, USED ON OVERHAUL GR-90	WABCO	671025	962	49
18-68-8550	PORTION, ELECTRIC/PNEUMATIC, U/O ES-30 GOVERNOR & D4S COMPRESSOR	WABCO	671761	0	0
18-68-8896	PLUNGER, MOVEABLE CONTACT ASSEMBLY, COMPLETE, U/O ELECTRIC PORTION, CONSIST OF PLUNGER, PT NO 0524401; NUT PLUNGER, PT NO 0524402; BUSHING-INSULATION, PT NO 0672878; SPRING, PT NO 0543723	WABCO	673888	12	16
18-68-8929	KIT, HEAD GASKETS, USED ON WABCO D4/D4S COMPRESSORS, 2 LARGE (#569780) AND ONE SMALL (#569782)	WABCO	674693	7	4
18-68-8998	HANDLE, TRIP COCK, USED WITH WABCO TYPE ONLY (D1 & D-1-A), TRIP COCK.	WABCO	0534607	2191	1401
18-75-3072	VALVE, RELIEF, FOR WABCO TYPE 2CY3B COMPRESSOR	WABCO	0569165	0	0
18-77-6150	VALVE, INLET FOR ME42 BRAKE VALVE.	WABCO	538123	0	0
18-77-6200	VALVE, INLET COMPLETE, FOR ME-42 BRAKE VALVE	WABCO	538127	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
18-77-7211	COMPRESSOR, AIR, SINGLE ACTING, TWO STAGE, AIR COOLED, RECIPROCATING TYPE, GRAY CAST IRON CYLINDERS WITH DEEP COOLING FINS, DELIVERING 50 CFM OF AIR AT 125 PSIG., COMPRESSOR SPEED 200-1070 RPM, FOR DIESEL LOCOMOTIVE	QUINCY	073SSTA	0	0
18-88-1069	VALVE, HIGH PRESSURE INLET AND DISCHARGE STAINLESS STEEL, FOR D4S AND D4AS AIR COMPRESSOR	WABCO	0569781SS00	683	427
18-88-1070	VALVE, LOW PRESSURE INLET AND DISCHARGE STAINLESS STEEL, FOR D4S AND D4AS AIR COMPRESSOR	WABCO	0569784SS00	531	373
19-38-1505	PANEL, DOOR SENSOR ACTUATOR ASSEMBLY, LEFT HAND.	WESTCODE	WC15171/001	0	0
19-38-1506	PANEL, DOOR SENSOR ACTUATOR ASSEMBLY, RIGHT HAND.	WESTCODE	WC15170/001	0	0
19-38-8002	BEARING, BALL, SINGLE ROW RADIAL, EXTRA LIGHT, PLAIN, W/O SEALS OR SHIELDS, CONRAD TYPE SPECIAL, 1.1807 - 1.1811" X 2.1649 - 2.1654" O.D. X 0.5068 - 0.5088" WIDTH, F/VAPOR DOOR OPERATING AND CONTROL EQUIPMENT, GEAR HOUSING ASSY R.H. AND L.H. 58247253, 58247249 WITHOUT GREASE	VAPOR CORP.	56010126	220	0
19-42-4224	SUSPENSION, DOOR, RIGHT HAND	VAPOR CANADA INC.	98-3-123-01	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
19-42-4225	SUSPENSION, DOOR, LEFT HAND	VAPOR CANADA INC.	98-3-123-02		0		0
19-42-4476	CARRIAGE ASSEMBLY	VAPOR	983114		0		0
19-42-4508	HANGER, LEADING EDGE	VAPOR	982192		0		0
19-42-4509	HANGER, TRAILING EDGE, LEFT HAND	VAPOR	98423002		0		0
19-42-4510	HANGER, TRAILING EDGE, RIGHT HAND	VAPOR	98423001		0		0
19-42-4563	ROLLER ASSEMBLY	VAPOR	972409		1238		1387
19-42-4578	SHAFT, ROLLER	VAPOR	981028		39		6
19-42-4579	SHIM	VAPOR	991755		0		0
19-42-4584	SHIM, SERRATED	VAPOR	982441		0		0
19-42-4593	SPACER, ROLLER	VAPOR	981030		0		6
19-42-4603	STUD, THREADED, 3/8-24	VAPOR	981337		0		0

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 56
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
19-42-4609	TIE BAR	VAPOR	982210		0		0
19-42-4757	WASHER, SUPPORT	VAPOR	58320555-09		30		0
19-42-4833	DOOR HANGER ASSEMBLY, LH	VAPOR	59826026-01		14		2
19-42-4838	HANGER, LH	VAPOR	59826294-01		0		0
19-42-4851	DOOR HANGER ASSEMBLY, RH	VAPOR	59826026		11		3
19-42-4858	HANGER, RH	VAPOR	59826294		0		0
19-42-5005	SENSOR, DOOR PANEL, ASSEMBLY, L.H. CENTER, U/O DOOR MODIFICATION	WESTCODE	WD15221/001		0		0
19-42-5006	SENSOR, DOOR PANEL, ASSEMBLY, OPPOSITE CAB, U/O DOOR MODIFICATION.	WESTCODE	WD15221/002		0		0
19-42-5007	SENSOR, DOOR PANEL, ASSEMBLY, R.H. CENTER, U/O DOOR MODIFICATION.	WESTCODE	WD15222/001		0		0
19-42-5022	DOOR, MASTER, CONTROL ASSEMBLY, U/O DOOR MODIFICATION.	WESTCODE	WD15227/001		0		0
19-42-5023	DOOR, MASTER, CONTROL ASSEMBLY, U/O DOOR MODIFICATION.	WESTCODE	WD15225/001		0		0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
19-42-5042	ACTUATOR, ASSEMBLY - R.H., D.P.S.S., U/O DOOR MODIFICATION	WESTCODE	WC15291/002		0		0
19-42-5043	ACTUATOR ASSEMBLY - L.H., D.P.S.S., U/O DOOR MODIFICATION.	WESTCODE	WC15291/001		0		0
19-42-5044	SWITCH, ASSEMBLY L.H. U/O DOOR MODIFICATION.	WESTCODE	WB15277/001		0		0
19-42-5045	SWITCH, ASSEMBLY R.H. U/O DOOR MODIFICATION.	WESTCODE	WB15277/002		0		0
19-42-5389	DIODE, LIGHT EMITTING, RED CLUSTER OF 6, CONDUCTOR'S INDICATION FOR DOOR OPERATING SYSTEM, PACKAGED 25 UNITS IN A STATIC-PROOF BAG	VISUAL COMMUNICATIONS COMPANY	SP020620-R		876		345
19-42-5595	RETAINING RING, EXTERNAL	VAPOR	97920999-60		100		0
19-42-5720	CAM, ADJUSTING	VAPOR	59910756		0		0
19-42-7013	NUT, JAM HEX, 1/2-13, SST, FOR VAPOR DOOR SYSTEM. TO BE PACKAGED 100 PCS. PER PACK.	DELL FASTENER CORP VAPOR	050NJS 84260632		0		0
19-42-7014	WASHER, LOCK, 1/2, SPLIT, SST, FOR VAPOR DOOR SYSTEM	VAPOR	84259746		0		0
19-42-7016	WASHER, FLAT, 3/8 X 0.813 IN OD X 0.065 IN THK, SST, FOR VAPOR DOOR SYSTEM	VAPOR	84263009		0		0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
19-42-7018	SCREW, HEX SOC, NO 10-32 X 0.5 IN LG, FLH, SST, FOR VAPOR DOOR SYSTEM	VAPOR	84271426		0		0
19-42-7040	WASHER, LOCK, 5/16, SPLIT, SST (PACKAGED 100 PER BOX/BAG)	VAPOR	84259743		0		0
19-42-7041	WASHER, FLAT, 5/16, SST	VAPOR	84263008		0		0
19-42-7045	NUT, HEX, 5/16-18, SST	VAPOR	84260211		0		0
19-43-0311	BRACKET, ACTUATOR, PIN, RIGHT HAND	VAPOR CORP	59911026		4		0
19-43-0312	BRACKET, ACTUATOR, PIN, LEFT HAND	VAPOR CORP	5991102601		2		0
19-43-0320	HANGER KIT, DOOR, RIGHT HAND	VAPOR CORP	59920499		0		0
19-43-0321	HANGER KIT, DOOR, LEFT HAND	VAPOR CORP	59920500		0		0
19-43-0338	HANGER ASSEMBLY	VAPOR CORP	59921052		0		0
19-44-7198	RELAY, TAMPER PROOF, 36 VDC, 4 FORM C TYPE. FOR DOOR CONTROL RELAY PANEL AND MASTER DOOR CONTROLLER, WITH BRACKET WITH ONE MOUNTING NOTCH AT EACH END AND HARDWARE. (FOR RELAY WITHOUT BRACKET, REFER TO COMMODITY # 19-44-7374, PART # 3733540-71)	VAPOR CORP. LEACH INTERNATIONAL EUROPE SA	3733054070 RR470D		5348		2200

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
19-60-0025	BRACKET LOCK PIN, LEFT HAND, FOR VAPOR DOOR SYSTEM	VAPOR CORP.	200320845		0		0
19-60-0026	BRACKET LOCK PIN, RIGHT HAND, FOR VAPOR DOOR SYSTEM	VAPOR CORP.	200320844		0		0
19-60-0028	DOOR HANGER .1, RIGHT HAND, FOR FUJI DOOR SYSTEM	FUJI ELEC. CO.	R160DH1M01		2		0
19-60-0029	DOOR HANGER-2, RIGHT HAND FOR FIJI DOOR SYSTEM	FUJI ELEC. CO.	R160DH2M01		2		0
19-60-0031	DOOR HANGER .1, LEFT HAND, FOR FUJI DOOR SYSTEM	FUJI ELEC. CO.	R160DH1H01		0		0
19-60-0032	DOOR HANGER-2, LEFT HAND, FUJI DOOR SYSTEM	FUJI ELEC. CO.	R160DH2H01		1		0
19-60-0091	CAM	VAPOR	200320870		0		0
19-60-0135	HANGER ASSEMBLY, RH	VAPOR	20034038501		0		0
19-60-0136	HANGER, LH	VAPOR	20034038502		0		0
19-60-0137	HANGER, RH	VAPOR	20034038601		0		0
19-60-0227	PIN SPIRAL, .188 X .75 STD SS PASS OIL	VAPOR	84262538		0		0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
19-60-0244	RETAINING RING, EXT 15MM STL	VAPOR	99W895	0	0
19-60-0281	STUD-ROLLER ECCENTRIC	VAPOR	200320899	0	0
19-60-0459	BOLT	FUJI ELEC. CO.	SP552742-2	0	0
19-60-0473	NUT, HEX, 1/4"-20 UNC, STEEL	FUJI ELEC. CO.	SP552968-1	0	0
19-60-0474	BOLT, 5/16"-18 UNC * 0.75"	FUJI ELEC. CO.	SP553171-4	0	0
19-60-0476	BOLT, 5/19"-18UNC	FUJI ELEC. CO.	SA553171-2	0	0
19-60-0479	BRACKET, HANGER 1, LH	FUJI	SP448694-3	0	0
19-60-0480	BRACKET, HANGER 1, RH	FUJI	SP448696-3	0	0
19-60-0481	BRACKET, HANGER 2, LH	FUJI	SP448695-1	0	0
19-60-0482	BRACKET, HANGER 2, RH	FUJI	SP448697-1	0	0
19-60-0484	BRACKET, LOCK HOLE	FUJI	SP553035-4	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
19-60-0490	BUMPER	FUJI	SP553426-1		0		0
19-60-0525	ECCENTRIC SHAFT	FUJI ELEC. CO.	SP552291-2		0		0
19-60-0562	LOCK HOLE BRACKET (LH)	FUJI ELEC. CO.	SP448633-2		0		3
19-60-0564	LOCK HOLE BRACKET (RH)	FUJI ELEC. CO.	SP448634-2		0		3
19-60-0576	NUT	FUJI ELEC. CO.	SP552974-2		0		0
19-60-0601	RETAINING RING	FUJI ELEC. CO.	CE-SHAFT-10.JIS.STAINLESS		0		0
19-60-0602	RETAINING RING	FUJI ELEC. CO.	CE-SHAFT-15.JIS.STAINLESS		0		0
19-60-0604	ROLLER	FUJI ELEC. CO.	SP552111-1		2		0
19-60-0605	ROLLER, ECCENTRIC	FUJI ELEC. CO.	SP552167-1		1		0
19-60-0654	TWIN WASHER, MUST BE PACKAGED 100 PER BAG	FUJI ELEC. CO.	SP552192-3		499		3
19-60-0655	WASHER	FUJI ELEC. CO.	SP550962-1		0		0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
19-60-0656	WASHER, LOCK, MUST BE PACKAGED 100 PER BAG	FUJI ELEC. CO.	JEM 1301-8	0	0
19-60-0663	WASHER, SPECIAL, MUST BE PACKAGED 100 PER BAG	FUJI ELEC. CO.	SP552730-3	595	100
19-60-0665	WASHER, SPRING, SW-5/16", MUST BE PACKAGED 100 PER BAG	FUJI ELEC. CO.	SP553115-6	0	0
19-62-8304	RELAY, CRITICAL CIRCUIT, 6 POLE, USED ON RELAY PANELS #1 AND #2 CABS.	VAPOR CORP.	37330003-32	3	0
19-68-9950	KEY, CONDUCTOR'S, FOR MASTER DOOR CONTROLLER	VAPOR CORP.	5851650010 REV. A	2815	1678
33-05-1800	BATTERIES, LEAD ACID, SINGLE UNIT CELLS, 200 AMPERE HOUR, FLAME ARRESTOR VENT COVER, 2.15-2.25 VOLT/CELL 1.200-1.240 SPECIFIC GRAVITY AT 77F, LEAD -COPPER INTERCELL CONNECTOR, CLEAR STYRENE ACRYLONITRILE COPOLYMER CONTAINER, STAINLESS STEEL, CONNECTORS, DISCHARGE 290A/MINUTE-197A/15 MINUTE, 102A/HOUR, 59A/3 HOUR, 26/8 HOUR ALL AT 1.75 VOLT AND 77F. HYDROMETER KIT THREE YEAR GUARANTEED FOLLOWED BY 17 YEARS WARRANTY. ENVIRONMENTALLY SAFE RECYCLING PROGRAM.	ENERSYS INC. NYCTA	EA-5M 18J200, 11/25/15	0	0
35-13-1925	BRUSH, CARBON, WITH PIGTAIL, FOR TYPE 5GE763A2 TRACTION MOTOR, DIESEL ENGINE LOCOMOTIVE, SERRIAL #35769-35772	NATIONAL ELECTRICAL CARBON ACI	01-23047 GRADE EG-268 494A477P1 GRADE E37	812	604

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
35-13-2130	BRUSH, FRINGE FIBER	NATIONAL ELECTRICAL CARBON	01-24122 GRADE FF8		0		0
36-06-3625	BEARING, ROLLER, U/W GEAR UNIT, FOR G.E. DIESEL LOCOMOTIVE SER. NO. 33663 AND NO. 33664	PENN GENERAL ELECTRIC CO. SKF NTN BEARING CORP. OF AMERICA FAG	521493 8864951-P49 NU412ECMC5VA301 NU412G1C4 NU412MI.F1.T51F		15		30
36-06-3777	SHOE, BRAKE, COMPOSITION, LOW FRICTION, W/W675 MATERIAL FLANGED BACKING PLATE AND INSERTS, U/W LOCOMOTIVES	RAILROAD FRICTION	V577		0		0
36-06-3781	SPRING, OUTER, USED ON TRUCK FRAME EQUALIZER BAR FOR G.E. DIESEL LOCOMOTIVE	LOGAN CORP.	489A553P1		11		10
36-07-0316	BRUSH, CARBON, WITH PIGTAILS, FOR ALL DIESEL LOCOS, U/W MAIN GENERATORS, SET CONSISTS OF 12 BRUSHES IN A SEALED PLASTIC BAG 12 EA PER SET	NATIONAL ELECTRICAL CARBON CARBON PRODUCTS OPERATION	01-26377 GRADE MD-4 41A232600X01 (GRADE T-583)		44		28
36-37-0106	TRANSMISSION, USED WITH PROPULSION SYSTEM ON VACUUM TRAIN LOCOMOTIVE	VOITH TURBO POWER TRANSMISSION	L2R42SEU2		0		0
42-22-1703	BLADE, 16" DIAMETER, 1/8" THICK, 1" BORE, REINFORCED ABRASIVE, SHALL HAVE A RPM RATING RANGE OF 4800 TO 5400	HILTI GEISMAR HANDBOOK	436739 GSMTX - 16		3870		170
42-22-3730	BLADE, 4" LONG X 9/16" WIDE; FOR USE WITH LONG HANDLED SCRAPER AVAILABLE UNDER STOCK #42-97-6151; PACKAGED 5 BLADES PER PACKAGE	WARNER	695		2133		888

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
42-26-2600	KNIFE, PUTTY, STIFF, 1-1/4" WIDE STEEL BLADE, (MEASURED AT BLADE'S END); BLADE IS 3-1/2" TO 3-3/4" LONG, WOODEN HANDLE IS 3-1/8" TO 4-1/8" LONG, FULL TANG CONSTRUCTION (BLADE EXTENDS THROUGH ENTIRE LENGTH OF WOODEN HANDLE) **NYCTA MARKING SPECIFICATION: ITEM MUST BE STAMPED, ENGRAVED AND/OR INDELIBLY MARKED 'NYCTA'. HEIGHT OF LETTERING SHALL BE MAXIMUM PERMITTED BY SIZE OF ITEM; MINIMUM LETTERING HEIGHT 1/8 INCH. MARKED ITEMS ARE NOT TO BE SOLD OR GIVEN TO ANY PARTY OTHER THAN NEW YORK CITY TRANSIT.	RED DEVIL NYCTA	4101 NYCTA MARKING		685		505
42-26-2712	SCRAPER, RAZOR BLADE, METAL CONSTRUCTION WITH SINGLE EDGED 1-1/2" WIDE RAZOR BLADE, RAZOR BLADE IS RETRACTABLE, HAS A PUSH PULL BUTTON, SCRAPER IS NOMINALLY 4-1/2" IN LENGTH, USES REPLACEMENT BLADES OBTAINED UNDER STOCK NUMBER 42-22-3500.	HYDE	13000		3986		3217
42-26-2760	SCRAPER, STIFF, 3" WIDE STEEL BLADE. (MEASURED AT BLADE'S END), IS NOMINALLY 4-1/4" IN LENGTH, WOODEN HANDLE IS 3-1/2" TO 3-3/4" IN LENGTH, FULL TANG CONSTRUCTION BLADE EXTENDS ENTIRE LENGTH OF HANDLE **NYCTA MARKING SPECIFICATION: ITEM MUST BE STAMPED, ENGRAVED AND/OR INDELIBLY MARKED 'NYCTA'. HEIGHT OF LETTERING SHALL BE MAXIMUM PERMITTED BY SIZE OF ITEM; MINIMUM LETTERING HEIGHT 1/8 INCH. MARKED ITEMS ARE NOT TO BE SOLD OR GIVEN TO ANY PARTY OTHER THAN NEW YORK CITY TRANSIT.	RED DEVIL NYCTA	4109 NYCTA MARKING		1122		683

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
42-34-6426	BLADE, 4" LONG, SINGLE RAZOR EDGE, BLADE IS NOMINALLY 1/2" WIDE, WITH ONE NOMINAL 3/16" DIAMETER INDENTATION ON EACH SIDE; FOR USE WITH UNGER LONG HANDLED (4) SCRAPERS AVAILABLE UNDER STOCK #'S 42-34-6425 & 42-34-6427; PACKAGED 100 BLADES/CARTON 100 BLADES/CTN	UNGER	RB10C	4427	1914
50-62-1080	REGULATOR, OXYGEN, TWO STAGE, CHROME PLATED WITH STAINLESS STEEL DIAPHRAGM, METRIC AND AVOIRDUPOIS READINGS.	EUTECTIC CORP	6250000	33	24
59-10-0918	ADAPTER, FILL, FOR 2 1/2 LB FIRE EXTINGUISHER	AMEREX CORP.	1720	0	0
59-10-0920	ADAPTER, FILL, FOR 20 LB AND 10 LB FIRE EXTINGUISHER	AMEREX CORP.	2141	0	0
59-10-3205	CHAIN, NYLON FOR RING PIN, USED ON ALL SIZED FIRE EXTINGUISHERS	AMEREX CORP.	0532	216	674
59-10-6405	GAUGE, FOR 195 PSI, FOR USE WITH 2-1/2 LB AND 6 LB FIRE EXTINGUISHERS	AMEREX CORP.	3103	0	0
59-10-6407	GAUGE, FOR 195 PSI, FOR USE WITH 10 LB AND 20 LB FIRE EXTINGUISHERS	AMEREX CORP.	03965	1000	0
59-10-6982	HOSE AND ALUMINUM HORN ASSEMBLY, FOR USE WITH 10 LB FIRE EXTINGUISHER	AMEREX CORP.	5564	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
59-10-6984	HOSE AND HORN ASSEMBLY, FOR USE WITH 6 LB FIRE EXTINGUISHER	AMEREX CORP.	5248		0		0
59-10-6986	HOSE AND HORN ASSEMBLY, FOR USE WITH 20 LB FIRE EXTINGUISHER	AMEREX CORP.	3339		0		0
59-10-6987	HOSE AND HORN ASSEMBLY, FOR USE WITH 10 LB FIRE EXTINGUISHER	AMEREX CORP.	1178		0		0
59-10-7730	HANGER LOOP, WITH SCREW, USED ONLY FOR 20 LB FIRE EXTINGUISHER	AMEREX CORP.	15363		0		0
59-10-7805	NOZZLE, FOR 2-1/2 LB FIRE EXTINGUISHER	AMEREX CORP.	1926		0		0
59-10-8550	O-RING, COLLAR, FOR 20 LB FIRE EXTINGUISHER	AMEREX CORP.	5240		3474		0
59-10-8660	O-RING, HOSE GASKET, USED ONLY WITH 20 LB FIRE EXTINGUISHER	AMEREX CORP.	6978		0		0
59-10-8820	VALVE STEM O-RING, FOR USE WITH 2-1/2 LB FIR EXTINGUISHER	AMEREX CORP.	5235		0		0
59-10-8824	HOSE GASKET O RING, USED ONLY WITH 6 LB FIRE EXTINGUISHERS	AMEREX CORP.	1532		0		0
59-10-8920	DOWNTUBE AND RETAINER ASSEMBLY, FOR USE WITH 2-1/2 LB FIRE EXTINGUISHER	AMEREX CORP.	1075		0		0
59-10-8936	O-RING, COLLAR, FOR 2-1/2 LB FIRE EXTINGUISHER	AMEREX CORP.	5241		0		0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
59-10-8987	DOWNTUBE AND RETAINER ASSEMBLY, USED ONLY WITH THE 20 LB FIRE EXTINGUISHER	AMEREX CORP.	1667	0	0
59-10-8988	DOWNTUBE AND ALUMINUM RETAINER ASSEMBLY FOR USE WITH 10KB FIRE EXTINGUISHER	AMEREX CORP.	1519	0	0
59-10-8989	DOWNTUBE AND RETAINER ASSEMBLY, USED ONLY WITH THE 6 LB FIRE EXTINGUISHER	AMEREX CORP.	3397	0	0
59-10-9065	LOCK WIRE SEAL, TO BE USED ON ALL SIZE FIRE EXTINGUISHERS	AMEREX CORP.	1387	8251	1967
59-10-9310	SPRING, FOR 2-1/2 LB FIRE EXTINGUISHER	AMEREX CORP.	1074	0	0
59-10-9312	SPRING, FOR 20 LB AND 10 LB FIRE EXTINGUISHERS	AMEREX CORP.	0383	0	402
59-10-9540	STRAP AND HOSE CLIP ASSEMBLY, FOR 6 LB FIRE EXTINGUISHER	AMEREX CORP.	15747	0	0
59-10-9550	CLIP, STRAP AND HOSE, USED ONLY FOR THE 20 LB FIRE EXTINGUISHERS	AMEREX CORP.	14778	1037	31
59-10-9705	VALVE STEM ASSEMBLY, FOR USE WITH 2-1/2 LB FIRE EXTINGUISHER	AMEREX CORP.	6092	0	0
59-10-9707	VALVE ASSEMBLY, FOR USE WITH 2-1/2 LB AND 6 B FIRE EXTINGUISHERS ONLY	AMEREX CORP.	11823	0	0
59-10-9709	VALVE STEM ASSEMBLY, FOR USE WITH 10 LB AND 20 LB FIRE EXTINGUISHERS ONLY	AMEREX CORP.	6093	0	2016

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
59-10-9711	VALVE ASSEMBLY, FOR USE WITH 10 LB AND 20 LB FIRE EXTINGUISHERS	AMEREX CORP.	11952		0		0
61-50-1960	TAPE, REFLECTIVE, YELLOW COLOR, 4" WIDE X 50 YARD ROLL, FOR USE ON LOCOMOTIVES, FLATCARS, WORKCARS FOR ENHANCED VISIBILITY AND DETECTION. REFLECTIVE MARKING CONSISTS OF PRISMATIC LENSES THAT ARE FORMED IN A TRANSPARENT, SYNTHETIC RESIN, SEALED AND BACKED WITH A PRESSURE SENSITIVE ADHESIVE AND CLEAR POLY LINER. EACH LOT SHIPPED TO BE ACCOMPANIED BY MANUFACTURER STANDARD CERTIFICATION REQUEST COVERING THE DATE OF MANUFACTURE OF THE LOT; TAPE CANNOT BE MORE THAN 180 DAYS OLD WHEN DELIVERED	MINNESOTA, MINING & MANUFACTUR	SCOTCHLITE DIAMOND GR 983-71FR		4		0
61-50-2441	TAPE, MASKING; CREPED; PAPER; 1-1/2" WIDE IN 60 YARD LONG ROLLS; FOR USE IN SUBWAY CAR MASKING OPERATIONS AND ARCHITECTURAL APPLICATIONS; MUST BE IMPERVIOUS TO ENAMELS AND TWO-COMPONENTS POLYURETHANE PAINTS; TAPE MUST NOT LEAVE A MAJOR ADHESIVE FILM WHEN REMOVED FROM THE SURFACE; BULK PACKAGED IN CARTONS; DATE OF MANUFACTURER TO BE STAMPED ON CARTONS; TAPE CANNOT BE MORE THAN 60 DAYS OLD WHEN DELIVERED.	INTERTAPE POLYMER GROUP	PG-21		5		20
61-50-3080	TAPE, INSULATING, ELECTRICAL, WHITE GLASS CLOTH TAPE WITH SILICONE ADHESIVE; 4 INCH WIDE X 66 FEET LONG ROLL. MUST MEET MILITARY SPECIFICATION MIL-I-19166C AND HAVE UL "FLAME RETARDANT CLASSIFICATION".	MINNESOTA, MINING & MANUFACTUR MIL SPEC	SCOTCH 69 GLASS CLOTH ELECT TA MIL-I-19166C		0		0

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 69
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
61-50-3282	TAPE, LUMINOUS, 1 "WIDE X 10 YARD LONG ROLL, GLOW IN THE DARK BACKING, WITH PRESSURE SENSITIVE ADHESIVE, FOR MARKING JUMPER CABLES. MUST MEET FEDERAL RAILROAD ADMINISTRATION REQUIREMENTS REGARDING FLAMMABILITY PER ASTM E162 AND E662, 6 PER CASE	MINNESOTA, MINING & MANUFACTUR	SCOTCHCAL 6900(1" WIDE)		3		0
61-50-3285	TAPE, LUMINOUS, 3" WIDE X 10 YARD LONG ROLL, 2 PER CASE, GLOW-IN THE-DARK BACKING WITH PRESSURE SENSITIVE ADHESIVE, FOR MARKING JUMPER CABLES. MUST MEET FEDERAL RAILROAD ADMINISTRATION REQUIREMENTS REGARDING FLAMMABILITY PER ASTM E162 AND E662.	MINNESOTA, MINING & MANUFACTUR	SCOTCHCAL 6900 (3" WIDE)		10		0
61-50-3608	TAPE, MASKING, CREPED PAPER, 18 MM (.71") WIDE IN 55 M LONG ROLLS, FOR USE IN SUBWAY CAR MASKING OPERATIONS AND ARCHITECTURAL APPLICATIONS; MUST BE IMPERVIOUS TO ENAMELS AND TWO-COMPONENT POLYURETHANE PAINTS, TAPE MUST NOT LEAVE A MAJOR ADHESIVE FILM WHEN REMOVED FROM THE SURFACE; BULK PACKAGED IN CARTONS; DATE OF MANUFACTURER TO BE STAMPED ON CARTONS; TAPE CANNOT BE MORE THAN 110 DAYS OLD WHEN DELIVERED.	MINNESOTA, MINING & MANUFACTUR INTERTAPE POLYMER GROUP NYCTA	501+(7100086193) PG-21..178 PALLET SPEC		4		4
61-50-3625	TAPE, MASKING, CREPED PAPER, 24MM WIDE IN 60 YD(55M) LONG ROLLS; FOR USE IN SUBWAY CAR MASKING OPERATIONS AND ARCHITECTURAL APPLICATIONS, MUST BE IMPERVIOUS TO ENAMELS AND TWO-COMPONENT POLYURETHANE PAINTS, TAPE MUST NOT LEAVE A MAJOR ADHESIVE FILM WHEN REMOVED FROM THE SURFACE, BULK PACKAGED IN CARTONS; DATE OF MANUFACTURE TO BE STAMPED ON CARTONS; TAPE CANNOT BE MORE THAN 110 DAYS OLD WHEN DELIVERED.	MINNESOTA, MINING & MANUFACTUR INTERTAPE POLYMER GROUP NYCTA	501+(7100086194) PG21..179 PALLET SPEC		1115		499

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
61-50-3635	TAPE, MASKING, PAPER, 36MM (1.42") WIDE, 55M LONG ROLL, FOR USE IN SUBWAY CAR MASKING OPERATIONS AND ARCHITECTURAL APPLICATION ONLY. MUST BE IMPERVIOUS TO ENAMELS AND TWO-COMPONENT POLYURETHANE BASED PAINTS. TAPE NOT TO LEAVE MAJOR ADHESIVE RESIDUE ON SURFACE WHEN PEELED AFTER USE. BULK PACKED IN CARTONS. DATE OF MANUFACTURE TO BE STAMPED ON CARTONS. TAPE CANNOT BE MORE THAN 110 DAYS OLD WHEN DELIVERED. 60 YDS/ROL	MINNESOTA, MINING & MANUFACTUR INTERTAPE POLYMER GROUP NYCTA	501+(7100086190) PG-21..180 PALLET SPEC	6597	4321
61-50-3639	TAPE, MASKING, CREPED, 48 MM (1.89") WIDE X 55M LONG ROLLS, FOR USE IN SUBWAY CAR MASKING OPERATIONS AND ARCHITECTURAL APPLICATIONS ONLY, MUST BE IMPERVIOUS TO ENAMELS AND TWO-COMPONENT POLYURETHANE PAINTS, TAPE MUST NOT LEAVE A MAJOR ADHESIVE FILM WHEN REMOVED FROM THE SURFACE; BULK PACKED IN CARTONS, DATE OF MANUFACTURE TO BE STAMPED ON CARTONS, TAPE CANNOT BE MORE THAN 110 DAYS OLD WHEN DELIVERED.	MINNESOTA, MINING & MANUFACTUR INTERTAPE POLYMER GROUP	501+(7100086764) PG 21..181	10867	7481
61-50-5002	THREAD, BROOM, FOR HANDLE REPLACEMENT, PLASTIC CONSTRUCTION, FOR USE WITH 15/16" DIAMETER BROOM HANDLE AVAILABLE UNDER STOCK NUMBER 61-24-3215, CAN ALSO USED WITH 1-1/8" DIAMETER BROOM HANDLE AVAILABLE UNDER STOCK NUMBER 61-24-3205, BUT ONLY AFTER THE HANDLE HAS BEEN MODIFIED, THREAD FITS 3/4" DIAMETER THREADED HOLES ON BROOM HEADS WITH ABOVE-MENTIONED HANDLES.	EASY REACH INC	SF-2B	0	2

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 71
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
61-50-5812	WIPER, RAYON AND POLYESTER; WHITE; MUST MEET ALL REQUIREMENTS SET FORTH IN NYCT SPECIFICATION 7094-FACIL-99; EACH WIPER SHEET TO BE 13-1/2" X 15"; VENDOR TO SUPPLY CERTIFICATE OF ANALYSIS FOR EACH BATCH. NOTE: THE MATERIAL SAFETY DATA SHEETS (MSDS) REQUIREMENT OF INSPECTION NOTATION K IS NOT APPLICABLE 300 SHEETS/CASE	CHICOPEE NYCTA NYCTA	WORXWELL 8483 7094-FACIL-99 PALLET SPEC	25154	16728
68-10-0502	GLASS, SIDE WINDOW OPENABLE, LOWER PART. (10 EACH PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 301-7200 SHT. 493 3048-MATL-89 REV. E	0	0
68-10-0503	GLASS, SIDE WINDOW OPENABLE, UPPER PART. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 301-7200 SHET. 492 3048-MATL-89 REV. E	0	0
68-10-0504	GLASS, SIDE WINDOW, FIXED, LARGE. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST	NORTH AMERICAN SPECIALTY GLASS NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 301-7200 SHT. 490 3048-MATL-89 REV. E	0	0

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

CURRENT VERSION : 1.10.00

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
-----	-----	-----	-----	-----	-----	-----	-----
	BE SHRINK-WRAPPED OR BANDED.						

68-10-0505	GLASS, SIDE WINDOW FIXED, SMALL. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 301-7200 SHT. 491 3048-MATL-89 REV. E		0		0

68-10-0506	GLASS, CAB SIDE DROP WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 301-7200 SHT 494 3048-MATL-89 REV. E		0		0

68-10-0507	GLASS, END FIXED WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 301-7200 SHT. 496 3048-MATL-89 REV. E		0		0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-10-0508	GLASS, WINDSHIELD (L). (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** PPN10-0508 304-7004 REV. A 2032 PROD 80 REV. B		0		0
68-10-0509	GLASS, WINDSHIELD, (R). (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS PRELCO INCORPORATED NYCTA NYCTA	NYCT68100509 PPN10-0509 304-7004 REV. A 2032 PROD 80 REV. B		0		0
68-10-0510	GLASS, END DOOR WINDOW, LARGE. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 301-7200 SHT. 499 2032 PROD 80		0		0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-10-0511	GLASS, END SIGN. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS NYCTA NYCTA	**** PART NO. NOT AVAILABLE 301-7200 SHT. 503 3048-MATL-89 REV. E	**	0		0
68-10-0512	GLASS, SIDE DOOR WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS NYCTA NYCTA	**** PART NO. NOT AVAILABLE 301-7200 SHT. 497 3048-MATL-89 REV. E	**	0		0
68-10-0513	GLASS, END DOOR WINDOW, SMALL. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS NYCTA NYCTA	**** PART NO. NOT AVAILABLE 301-7200 SHT. 498 3048-MATL-89 REV. E	**	0		0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-10-0514	GLASS, CAB DOOR WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS NYCTA NYCTA	**** PART NO. NOT AVAILABLE 301-7200 SHT. 500 3048-MATL-89 REV. E	**	0		0
68-10-0515	GLASS, END PANEL WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	VIRACON, INC. NORTH AMERICAN SPECIALTY GLASS NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE 301-7200 SHT. 501 3048-MATL-89 REV. E	**	0		0
68-10-0516	GLASS, INTERIOR DESTINATION SIGN WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS NYCTA NYCTA	**** PART NO. NOT AVAILABLE 301-7200 SHT. 502 3048-MATL-89 REV. E	**	0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 76
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-10-0522	GLASS, WINDSCREEN	NORTH AMERICAN SPECIALTY GLASS NYCTA NYCTA	**** PART NO. NOT AVAILABLE 301-7200 SHT. 505 3048-MATL-89 REV. E	**	0		0
68-10-9502	GLASS, WINDOW, END DOOR, USED ON #1 END MOTOR CAR. (10 EACH PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NELSON-PALMER-NELSON NYCTA	RG5C0091 3048-MATL-89 REV. E		0		0
68-30-6176	GLAZING, 40.65" HIGH X WIDTH (SLOPED FROM 17.31" TO 20.92") X .238" THICK, LAMINATED SHEET GLASS, WITH FOUR ROUNDED EDGES, (1.90 R.), USED ON SLIDING SASH (#1) END, R40 SLOPED END CAR. 11 LTS. PER CONTAINER. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS PRELCO INCORPORATED NYCTA	**** PART NO. NOT AVAILABLE PPN30-6176 301-7200 SHEET 427 REV. A	**	0		0
68-32-1207	GLAZING, GLASS, 18-1/4" H X 26-5/16" W, HIGH STRENGTH SAFETY GLASS, USED ON SMALL SIDE WINDOW. (5 LIGHTS PER CONTAINER.) .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPE AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE 68321207 PPN32-1207 301-7200 SHEET 469 (REV. B) 3048-MATL-89 REV. E	**	0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 77
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
-----	-----	-----	-----	-----	-----	-----	-----
	NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.						
68-32-1208	GLAZING, GLASS, 57-3/16" W X 18-1/4" H, HIGH STRENGTH SAFETY GLASS, USED ON SIDE WINDOW, LARGE. (5 LIGHTS PER CONTAINER). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68321208 PPN32-1208 301-7200 SHEET 470 (REV. B) 3048-MATL-89 REV. E		7		0
68-32-1209	GLAZING, SIDE WINDOW, LARGE FOR R32 GE OVERHAULED CARS. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68321209 PPN32-1209 301-7200 SHEET #472 (REV. A) 3048-MATL-89 REV. E		0		0
68-32-1210	GLAZING, SIDE WINDOW, SMALL FOR R32 GE OVERHAULED CARS. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68321210 PPN32-1210 301-7200 SHEET 471 (REV. A) 3048-MATL-89 REV. E		0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 78
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-36-1001	GLASS, .350 TO .360" THICK, 24.94" X 14.94" X 2.65" RADIUS, HIGH STRENGTH SAFETY GLASS, USED ON SIDE DOOR. FIVE (5) LIGHTS PER CRATE. .625"-.75" WIDE X .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68361001 PPN36-1001 302-4018 DETAIL # 1, REV. A 3048-MATL-89 REV. E		0		0
68-36-1002	GLASS, .350 TO .360 INCH THICK, 26.84" X 14.97" X 2.65" RADIUS, HIGH STRENGTH SAFETY GLASS, USED ON SIDE DOOR ALL SHIPMENTS MUST BE PALLETIZED. (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68361002 PPN36-1002 302-4018 DETAIL # 2, REV. A 3048-MATL-89 REV. E		0		0
68-36-1003	GLASS, .350 TO .360 INCH THICK, 20.153" X 24.966". RADIUS 2.421". TOLERANCES: ALL OTHER +0/- .062", HIGH STRENGTH SAFETY GLASS, USED ON STORM DOORS, ALL SHIPMENTS MUST BE PALLETIZED. (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS) 625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68361003 PPN36-1003 302-4018 DETAIL #3 REV. A 3048-MATL-89 REV. E		0		0

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
	PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED						
68-36-1004	GLAZING, LAMINATED SAFETY GLASS, HIGH STRENGTH, SIDE WINDOW LOWER (5 LIGHTS PER CONTAINER). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68361004 PPN36-1004 301-7200 SHEET 489 3048-MATL-89 REV. E		0		0
68-36-1005	GLAZING, LAMINATED SAFETY GLASS, HIGH STRENGTH, SIDE WINDOW UPPER (5 LIGHTS PER CONTAINER). FIVE (5) LIGHTS PER CRATE. .625"-.75" W THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68361005 PPN36-1005 301-7200 SHEET 489 3048-MATL-89 REV. E		0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 80
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-38-1004	GLAZING, 69-9/16" X 18-9/16", HIGH IMPACT RESISTANT GLASS, USED ON SIDE WINDOW, LARGE. (5 LIGHTS PER CONTAINER). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68381004 PPN38-1004 301-7200 SHEET 476 (REV. A) 3048-MATL-89 REV. E		0		0
68-38-1005	GLAZING, GLASS, 18-9/16" X 34-11/16", HIGH IMPACT SAFETY GLASS, PICTURE WINDOW, SMALL. (5 LIGHTS PER CONTAINER). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: NEW. NO USED OR RECONDITIONED PALLETS PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68381005 PPN38-1005 301-7200 SHEET 475 (REV. A) 3048-MATL-89 REV. E		0		0
68-40-1609	GLAZING, GLASS, CLEAR, HIGH IMPACT SAFETY GLASS, SLANT CARS USED ON END DOOR (5 LIGHTS PER CONTAINER.) .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	68-40-1609 68401609 PPN40-1609 301-7200 SHEET 479 REVA 3048-MAT-89 REV. E		0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 81
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
-----	-----	-----	-----	-----	-----	-----	-----
	ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED						
68-40-1610	GLAZING, 52-1/8" WIDE X 22-13/16", HIGH STRENGTH SAFETY GLASS, USED ON SIDE DESTINATION WINDOW. (5 LIGHTS PER CONTAINER) .625"-75" WIDE X .017" THICKNESS. STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES, WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68401610 PPN40-1610 301-7200 SHEET 477 REVA 3048-MATL-89 REV. E		1		0
68-40-1611	GLAZING, SIDE WINDOW, LARGE R40 CARS. (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68401611 PPN40-1611 301-7200 SHEET #478 REVA 3048-MATL-89 REV. E		0		0
68-42-1009	GLAZING, LAMINATED, HIGH STRENGTH, SMALL SIDE WINDOW. (5 LIGHTS PER CONTAINER). .625"-75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68421009 PPN42-1009 301-7200 SHT 429B 3048-MATL-89 REV. E		2		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 82
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
68-42-1010	GLAZING, GLASS, 55"W X 21-11/16"H, SIDE VENT WINDOW, LARGE, HIGH IMPACT RESISTANCE, U/O R42 CARS. (5 LIGHTS PER CRATE). .625"-75" WIDE X .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR -WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLET S WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68421010 PPN42-1010 301-7200 SHEET 480 REVA 3048-MATL-89 REV. E	2	0
68-42-1011	GLAZING, CLEAR, 24-3/4" X 20-3/4", HIGH IMPACT RESISTANT, USED ON END DOOR. (5 LIGHTS PER CRATE.) .625"-75" WIDE X .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68421011 PPN42-1011 301-7200 SHEET 473 (REV. B) 3048-MATL-89 REV. E	11	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-42-1012	GLAZING, 26-7/8" HIGH X 14-7/8" WIDE, SIDE DOOR WINDOW, HIGH STRENGTH SAFETY GLASS. (5 LIGHTS PER CRATE.) .625"-75" WIDE X .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68421012 PPN42-1012 301-7200 SHEET 474 (REV. B) 3048-MATL-89 REV. E	**	16		5
68-42-1013	GLAZING, GLASS, 11-3/8" H X 55" W, HIGH STRENGTH SAFETY GLASS, U/O SIDE DESTINATION. (5 LIGHTS PER CRATE). .625"-75" WIDE X .017" THICKNES STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES, WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68421013 PPN42-1013 301-7200 SHEET 481 REVA 3048-MATL-89 REV. E	**	0		0
68-42-2073	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 BI-PARTING DOOR, 31.50"H X 7.88"W, SEMICIRCLE ENDS DIAMETER 7.88", STEPPED EDGE LOCATED ON LOWER RIGHT. 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2073 GS-40752-ML44 SCOTCHGUARD 100470-0063-3303-6		50		68

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 84
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
68-42-2074	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 UPPER VENT WINDOW, 7.95"H X 52.60"W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT RADIUS 3.250", LOWER RIGHT AND LOWER LEFT RADIUS 0.250", STEPPED EDGE LOCATED ON UPPER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2074 GS-40753-ML44 SCOTCHGUARD 100470-0004-6295-5	19	17
68-42-2075	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 LOWER VENT PICTURE WINDOW, 20.35"H X 53.80"W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT RADIUS 0.250", LOWER RIGHT AND LOWER LEFT RADIUS 4.000", STEPPED EDGE LOCATED ON LOWER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2075 GS-40737-ML44 SCOTCHGUARD 100470-0063-3309-3	116	155
68-42-2076	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 DISTINATION PICTURE WINDOW, 19.20"H X 53.80"W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT RADIUS 0.250", LOWER RIGHT AND LOWER LEFT RADIUS 4.000", STEPPED EDGE LOCATED ON LOWER RIGHT OR UPPER RIGHT, 20 SHIELDS PER CASE	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2076 GS-40453-ML44 SCOTCHGUARD 100470-0063-3310-1	95	115
68-42-2077	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 END WINDOW, 32.00" H X 14.90" W, ROUNDED EDGES, RADIUS 4.375", STEPPED EDGE LOCATED ON UPPER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2077 GS-40754-ML44 SCOTCHGUARD 100470-0063-3304-4	95	82
68-42-2078	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 MOTORMAN CAB DOOR WINDOW, 31.19" H X 18.13" W, ROUNDED EDGES, RADIUS 4.000", STEPPED EDGE LOCATED ON LOWER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2078 GS-40755-ML44 SCOTCHGUARD 100470-0063-3306-9	61	105

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 85
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-42-2079	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 FIXED SIDE SMALL WINDOW, 31.40" H X 19.50" W, ROUNDED EDGES, RADIUS 4.000", STEPPED EDGE LOCATED ON UPPER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2079 GS-40497-ML44 SCOTCHGUARD 100470-0063-3307-7		35		31
68-42-2080	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A SIDE DOOR WINDOW, 31.91" H X 15.88" W, ROUNDED EDGES, RADIUS 4.250", STEPPED EDGE LOCATED ON LOWER RIGHT OR TOP RIGHT. 20 SHIELDS PER CASE	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2080 GS-40745-ML44 SCOTCHGUARD 100470-0063-3282-2		472		295
68-42-2081	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A BI-PARTING DOOR, 31.96" H X 8.10" W, SEMICIRCLE ENDS DIAMETER 8.10", STEPPED EDGED LOCATED ON LOWER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2081 GS-40746-ML44 SCOTCHGUARD 100470-0063-3281-4		28		33
68-42-2082	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A UPPER VENT WINDOW, 7.61" H X 52.51" W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT RADIUS 3.250", LOWER RIGHT AND LOWER LEFT RADIUS 0.250", STEPPED EDGE LOCATED ON UPPER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2082 GS-40747-ML44 SCOTCHGUARD 100470-0063-3286-3		17		10
68-42-2083	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A LOWER VENT PICTURE WINDOW, 19.85" H X 53.36 W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT RADIUS 0.250", LOWER RIGHT AND LOWER LEFT 3.750", STEPPED EDGE LOCATED ON LOWER OR TOP RIGHT. 20 SHIELDS PER CASE	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2083 GS-40463-ML44 SCOTCHGUARD 100470-0063-3287-1		49		37

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-42-2084	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A DESTINATION PICTURE WINDOW, 20.68" H X 53.34" W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT RADIUS 0.250", LOWER RIGHT AND LOWER LEFT RADIUS 3.750", STEPPED EDGE LOCATED ON LOWER OR TOP RIGHT. 20 SHIELDS PER CASE	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2084 GS-40748-ML44 SCOTCHGUARD 100470-0063-3288-9			46	41
68-42-2085	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A END WINDOW, 31.66" H X 14.68" W, ROUNDED EDGES, RADIUS 4.125", STEPPED EDGE LOCATED ON UPPER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2085 GS-40749-ML44 SCOTCHGUARD 100470-0063-3283-0			43	25
68-42-2086	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A MOTORMAN CAB DOOR WINDOW, 31.44" H X 18.17" W, ROUNDED EDGES, RADIUS 4.125", STEPPED EDGE LOCATED ON LOWER OR TOP RIGHT, 20 SHIELDS PER CASE	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2086 GS-40750-ML44 SCOTCHGUARD 100470-0063-3284-8			15	30
68-42-2087	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A FIXED SIDE SMALL WINDOW, 30.97" H X 19.13" W, ROUNDED EDGES, RADIUS, 3.750", STEPPED EDGE LOCATED ON UPPER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2087 GS-40751-ML44 SCOTCHGUARD 100470-0063-3285-5			33	14
68-43-0021	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 END PARTITION PANEL, 32.10" H X 19.70" W, ROUNDED EDGES, RADIUS 3.900", STEPPED EDGE LOCATED ON UPPER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-43-0021 GS-40738-ML44 SCOTCHGUARD 100470-0063-3301-0			68	52

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 87
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
68-43-0022	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 END DOOR WINDOW, 34.02" H X 19.52" W, ROUNDED EDGES, RADIUS 2.100", STEPPED EDGE LOCATED ON LOWER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-43-0022 GS-40739-ML44 SCOTCHGUARD 100470-0063-3300-2	0	0
68-43-0023	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 SIDE DOOR WINDOW, 31.80" H X 13.81" W, ROUNDED EDGES, RADIUS 4.100", STEPPED EDGE LOCATED ON LOWER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-43-0023 GS-40740-ML44 SCOTCHGUARD 100470-0063-3302-8	370	46
68-43-0024	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 MOTORMAN CAB DOOR WINDOW, 31.60" H X 18.53" W, ROUNDED EDGES, RADIUS 4.000", STEPPED EDGE LOCATED ON LOWER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-43-0024 GS-40741-ML44 SCOTCHGUARD 100470-0063-3299-6	82	75
68-43-0025	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 UPPER VENT WINDOW, 7.24" H X 44.10" W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT RADIUS 2.900", LOWER RIGHT AND LOWER LEFT RADIUS 0.250" STEPPED EDGE LOCATED ON UPPER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-43-0025 GS-40742-ML44 SCOTCHGUARD 100470-0063-3298-8	23	12
68-43-0026	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 LOWER VENT PICTURE WINDOW, 19.90" H X 45.40" W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT RADIUS 0.250", LOWER RIGHT AND LOWER LEFT RADIUS 3.600" STEPPED EDGE LOCATED ON LOWER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-43-0026 GS-40743-ML44 SCOTCHGUARD 100470-0063-3297-0	94	76

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-43-0027	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 DESTINATION PICTURE WINDOW, 18.40" H X 45.33" W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT RADIUS 0.250", LOWER RIGHT AND LOWER LEFT RADIUS 3.600", STEPPED EDGE LOCATED ON LOWER RIGHT, 20 SHIELDS PER CASE.	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-43-0027 GS-40744-ML44 SCOTCHGUARD 100470-0063-3296-2		59		43
68-44-1050	GLAZING ASSEMBLY, COMPLETE, WITH OPTICAL FILTER (NOTE: 3M OPTICAL FILTER VIKUITI 98-0440-2657-7, LCF-P MAY BE USED) AND TWO PIECES GLAZING; USE COMMODITY NO. 68-44-1051 FOR GLAZING REPLACEMENT ONLY. SUBJECT TO FIRST ARTICLE APPROVAL. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	G. E. PLASTICS LAIRD PLASTICS DYNAMIC METALS LLC NYCTA	***PART NO. NOT AVAILABLE*** 68-44-1050 S13A00157 303-4010 REV. E		0		0
68-44-1051	GLAZING, CLEAR SCRATCH RESISTANT PANEL, 26-19/32" X 15-19/32" X 2-25/32", USED ON CAB DOOR GLAZING ASSEMBLY, COMMODITY NO. 68-44-1050. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	DYNAMIC METALS LLC G. E. PLASTICS NYCTA	***PART NO. NOT AVAILABLE*** ***PART NO. NOT AVAILABLE*** 303-4010 REV. E		0		1

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 89
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-44-1052	GLAZING, SUBWAY CAR, TRAPEZOID-SHAPED, 11-5/16" X 14-7/32" X 31-15/32" X .350 - .360" THK., USED ON WINDSCREEN. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68441052 PPN44-1052 301-7200, SHEET 459 REV. B 3048-MATL-89 REV. E	**	0		0
68-44-1053	GLAZING, 55-3/32" X 30-9/16", .350 TO .360" THICK, USED ON SIDE DESTINATION SIGN, SUBWAY CAR. (5 LIGHTS PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS). .625"-75" WIDE X .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48 " X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	****PART NO. NOT AVAILABLE**** 68441053 PPN44-1053 301-7200, SHEET 460, REV. B 3048-MATL-89 REV. E		14		31
68-44-1054	GLAZING, 55-3/32" X 20-11/32, .350 TO .360" THICK, USED ON LOWER SIDE VENT, SUBWAY CAR (5/LIGHTS PER CONTAINER) .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68441054 PPN44-1054 301-7200, SHEET 461 REV. B 3048-MATL-89 REV. E	**	22		42

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 90
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
-----	-----	-----	-----	-----	-----	-----	-----
	ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.						
68-44-1055	GLAZING, 54-5/8" X 7-13/16", .350 TO .360" THICK, USED ON SIDE VENT WINDOW UPPER, SUBWAY CAR (5 LIGHTS PER CRATE). .625"-75" WIDE X .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68441055 PPN44-1055 301-7200, SHEET 462, REV. B 3048-MATL-89 REV. E		1		1
68-44-1061	GLAZING, WINDSCREEN FIVE (5) LIGHTS PER CRATE. .625"-.75" W THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68441061 PPN44-1061 301-7200 SHT. 467A 3048-MATL-89 REV. E		0		0
68-46-1050	GLAZING ASSEMBLY, POLY CARBONATE, COMPLETE WITH OPTICAL FILTER (NOTE: 3M OPTICAL FILTER VIKUITI 98-0440-2657-7, LCF-P MAY BE USED) AND TWO PIECES GLAZING, USED COMMODITY NO. 68-46-1051 FOR GLAZING REPLACEMENT ONLY. (10 LIGHTSPER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO	LAIRD PLASTICS G. E. PLASTICS DYNAMIC METALS LLC NYCTA	**** PART NO. NOT AVAILABLE ** ***PART NO. NOT AVAILABLE*** S13A00156 303-4010 REV. E		26		32

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 91
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
68-46-1051	GLAZING, POLYCARBONATE 27-11/16" X 20-3/16" X 1/8" THICK, USED ON CAB DOOR GLAZING ASSEMBLY, COMMODITY NO. 68-46-1050. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	DYNAMIC METALS LLC G. E. PLASTICS NYCTA	***PART NO. NOT AVAILABLE*** ***PART NO. NOT AVAILABLE*** 303-4010 REV. E	4	57
68-62-1150	GLASS, SAFETY, HIGH STRENGTH, 15-23/32" X 29-1/16" X .350 - .360" THICK, MOTORMAN'S CAB, HORIZONTAL, R44 GOH, CAB, SLIDING WINDOWS (5 LTS PER CONTAINER). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE AC CEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68621150 PPN62-1150 301-7200 SHEET 464A 3048-MATL-89 REV. E	6	6

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 92
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-62-1205	GLASS, .350 TO .360" THICK, SIDE DOOR PANEL, "FRA TYPE II", (5 LIGHTS PER CONTAINER). 625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	***PART NO. NOT AVAILABLE*** 68621205 PPN62-1205 301-7200 SHEET-463 REV. B 3048-MATL-89 REV. E		51		50
68-62-1300	GLASS, SLOPED, MOTORMAN'S WINDSHIELD FOR R 40 CARS. (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	GLOBAL SECURITY GLAZING	RG4210900		0		0
68-62-1301	WINDSHIELD ASSEMBLY, MOTORMAN'S, COMPLETE WITH IMPACT RESISTANT GLASS, MOUNTING FRAME AND INSTALLATION HARDWARE FOR R10 CARS (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	ELLCON NATIONAL, INC. GRAHAM WHITE GLOBAL SECURITY GLAZING NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** 1149-C-80 R10-854 LAT. ISSUE		0		0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-62-1303	WINDSHIELD ASSEMBLY, MOTORMAN'S, COMPLETE WITH IMPACT RESISTANT GLASS, MOUNTING FRAME, AND INSTALLATION HARDWARE, FOR R33 & 36 CARS. "ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED."	ELLCON NATIONAL, INC. NYCTA NYCTA	**** PART NO. NOT AVAILABLE R33-717 LATEST SPEC #1149-C-80	**	0		2
68-62-1304	WINDSHIELD, SAFETY, MOTORMAN'S, 5 LIGHTS PER CONTAINER. "ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED."	ELLCON NATIONAL, INC. GLOBAL SECURITY GLAZING NORTH AMERICAN SPECIALTY GLASS PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE NYCT68621304 PPN62-1304 304-7004 REV. A 2032-PROD-80 REV. D	** **	6		0
68-62-1308	WINDSHIELD, SAFETY, MOTORMAN'S. "ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED."	ELLCON NATIONAL, INC. GLOBAL SECURITY GLAZING NORTH AMERICAN SPECIALTY GLASS PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE NYCT68621308 PPN62-1308 304-7004 REV. A 2032-PROD-80 REV. D	** **	0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 94
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-62-1310	WINDSHIELD, SAFETY, MOTORMAN'S. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	ELLCON NATIONAL, INC. GLOBAL SECURITY GLAZING NORTH AMERICAN SPECIALTY GLASS PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** NYCT68621310 PPN62-1310 304-7004 REV. A 2032-PROD-80 REV. D	**	0		0
68-62-1314	WINDSHIELD, SAFETY, MOTORMAN'S. "ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE . FULL PALLETS MUST BE SHRINK-WRAPPPED OR BANDED."	ELLCON NATIONAL, INC. GLOBAL SECURITY GLAZING NORTH AMERICAN SPECIALTY GLASS PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 916CRG1-1 NYCT-68621314 PPN62-1314 304-7004 REV. A 2032-PROD-80 REV. D	**	0		0
68-62-1316	WINDSHIELD, SAFETY MOTORMAN'S, PACKAGED 5 LGTS PER CRATE SHRINK-WRAPPED OR BANDED.	ELLCON NATIONAL, INC. NORTH AMERICAN SPECIALTY GLASS PRELCO INCORPORATED NYCTA NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** NYCT68621316 PPN62-1316 304-7004, REV. A 2032-PROD-80 REV. D PALLET SPEC.	**	19		3
68-62-1317	WINDSHIELD ASSEMBLY, MOTORMAN'S, COMPLETE WITH IMPACT RESISTANT GLASS, MOUNTING FRAME AND INSTALLATION HARDWARE, FOR R21, 22, 26, 28 AND 29 CARS. (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	ELLCON NATIONAL, INC. GLOBAL SECURITY GLAZING NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** 1149-C-80	**	0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 95
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-62-1325	WINDSHIELD ASSEMBLY, MOTORMAN'S COMPLETE WITH IMPACT RESISTANT GLASS, MOUNTING FRAME AND INSTALLATION HARDWARE, FOR R40 SLOPE END CARS. (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	ELLCON NATIONAL, INC. GLOBAL SECURITY GLAZING NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE 1149-C-80 R40-761, LATEST	**	0		0
68-62-1330	WINDSHIELD, SAFETY, MOTORMAN'S, (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	ELLCON NATIONAL, INC. GLOBAL SECURITY GLAZING NORTH AMERICAN SPECIALTY GLASS PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE NYCT68621330 PPN62-1330 304-7004 REV. A 2032-PROD-80 REV. D	**	29		12
68-62-1340	WINDSHIELD, MOTORMANS, 36.718" +.000"/-.062" LONG X 26.562" +.000"/-.062" SLOPED X 0.563" +.035"/-.035" THICK. FOR R40 O/H SLANT. CAR NUMBERS 4150-4449. ALL SHIPMENT MUST BE PALLETIZED. PALLET SPECIFICATIONS: ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	GLOBAL SECURITY GLAZING NORTH AMERICAN SPECIALTY GLASS PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE NYCT68621340 PPN62-1340 304-7004 REV. A 2032-PROD-80 REV. C	**	0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 96
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-62-1600	GLASS, 26.62" LONG X 19.12" WIDE X .350 TO .360" THICK, 2.25" RADIUS, CLEAR LAMINATE, FRA TYPE II, USED ON END DOOR WINDOW ASSEMBLY. (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. E PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE 68621600 PPN62-1600 301-7200 SHEET 458 REV. B 3048-MATL-89 REV. E	**	57		66
68-62-1601	GLASS, WINDOW, 53.764" X 8.976", .350 TO .360" THICK, 3.76" RADIUS, HIGH STRENGTH LAMINATED SAFETY. (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET ALL SHIPMENTS MUST BE PALLETIZED. SED PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE 68621601 PPN62-1601 301-7200 SHEET 454 REV. B 3048-MATL-89 REV. E	**	36		5
68-62-1602	GLASS, 54.945" X 21.441" X .350 TO .360" THICK, 4.35" RADIUS, HIGH STRENGTH LAMINATED SAFETY GLASS, FIXED BOTTOM, (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE 68621602 PPN62-1602 301-7200 SHEET 455 REV. B 3048-MATL-89 REV. E	**	64		53

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 97
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED				
68-62-1603	GLASS WINDOW, 31.910" X 14.53 X .350 TO .360" THICK, 3.23" RADIUS, SIDE DOOR, HIGH STRENGTH LAMINATED SAFETY. (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS) .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. ST PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NASG HOLDING CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	68-62-1603 68621603 PPN62-1603 301-7200 SHEET 456 REV. C 3048-MATL-89 REV. E	276	197
68-62-1604	GLASS, 54.945" LONG X 32.583" WIDE X .350 TO .360" THICK, 4.35" RADIUS, FOR SIDE FIXED WINDOW, HIGH STRENGTH LAMINATED SAFETY. (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68621604 PPN62-1604 301-7200 SHEET 457 REV. C 3048-MATL-89 REV. E	87	72

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-62-1605	GLASS, SAFETY, HIGH STRENGTH, 0.350"-360" THICK, USED ON R62 & R62A CAB PARTITION WINDOW. ***ALL SHIPMENTS MUST BE PALLETIZED. PALLET (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS), SPECIFICAIONS ARE AS FOLLOWS: PALLETS, 48" X 40", WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	****PART NO. NOT AVAILABLE**** 68621605 PPN62-1605 301-7200 SHT. 466A 3048-MATL-89 REV. E		0		0
68-68-1004	WINDSHIELD, SAFETY, MOTORMAN'S. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE . FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED..	ELLCON NATIONAL, INC. NORTH AMERICAN SPECIALTY GLASS PRELCO INCORPORATED NYCTA NYCTA	12658 NYCT68681004 PPN68-1004 304-7004 REV. A 2032-PROD-80 REV. D		4		6
68-68-1030	GLAZING_ASSEMBLY,_COMPLETE,_WITH OPTICAL FILTER (NOTE: 3M OPTICALFILTER VIKUTI 98-0440-2657-7, LCF-P MAY BE USED) AND TWO PIECES GLAZING; USE COMMODITY NO. 68-68-1051 FOR GLAZING REPLACEMENT ONLY. SUBJECT TO FIRST ARTICLE APPROVAL. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	LAIRD PLASTICS G. E. PLASTICS DYNAMIC METALS LLC NYCTA	**** PART NO. NOT AVAILABLE ** ***PART NO. NOT AVAILABLE*** S13A00159 303-4010 REV. E		26		26

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 99
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
68-68-1035	GLAZING ASSEMBLY, COMPLETE, WITH OPTICAL FILTER (NOTE: 3M OPTICAL FILTER VIKUTI 98-0440-2657-7, LCF-P MAY BE USED) AND TWO PIECES GLAZING; USE COMMODITY NO. 68-68-1050 FOR GLAZING REPLACEMENT ONLY. SUBJECT TO FIRST ARTICLE FOR APPROVAL. (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	DYNAMIC METALS LLC G. E. PLASTICS LAIRD PLASTICS NORTH AMERICAN NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** 68-68-1035LP 68681035 303-4010 REV. E	**	4		9
68-68-1050	GLAZING, 36.15" X 19.93" X 2.65", CLEAR SCRATCH RESISTANT PANEL, USED ON CAB DOOR GLAZING ASSEMBLY, COMMODITY NO. 68-68-1035 (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	DYNAMIC METALS LLC G. E. PLASTICS NYCTA	***PART NO. NOT AVAILABLE*** ***PART NO. NOT AVAILABLE*** 303-4010 REV. E		0		1
68-68-1051	GLAZING, CLEAR SCRATCH RESISTANT PANEL, 31-11/16" X 18-3/4" X 3-5/32", USED ON CAB DOOR GLAZING ASSEMBLY, COMMODITY NO. 68-68-1030 (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	DYNAMIC METALS LLC G. E. PLASTICS NYCTA	***PART NO. NOT AVAILABLE*** ***PART NO. NOT AVAILABLE*** 303-4010 REV. E		1		2

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 100
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
-----	-----	-----	-----	-----	-----	-----	-----
68-68-1060	GLAZING, 57.940" WIDE X 20.560" HIGH, HIGH STRENGTH SAFETY GLASS, USED ON SIDE VENT WINDOW. (5 LIGHTS PER CONTAINER.) .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68681060 PPN68-1060 301-7200 SHEET 487 REVA 3048-MATL-89 REV. E		4		6
68-68-1061	GLAZING, 33.25" HIGH X 57.940" WIDE, HIGH STRENGTH SAFETY GLASS, USED ON SIDE DESTINATION. (5 LIGHTS PER CONTAINER.) .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68681061 PPN68-1061 301-7200 SHEET 488 REVA 3048-MATL-89 REV. E		5		5
68-68-1062	GLAZING, 32" HIGH X 14.593" WIDE, HIGH STRENGTH SAFETY GLASS, USED ON SIDE DOOR WINDOW. GLASS MUST BE CRATED, 5 EACH PER CRATE, WITH PROTECTIVE SHEET BETWEEN GLASS. .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. . PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68681062 PPN68-1062 301-7200 SHEET 485 REVA 3048-MATL-89 REV. E		0		0

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
-----	-----	-----	-----	-----	-----	-----	-----
	IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED						
-----	-----	-----	-----	-----	-----	-----	-----
68-68-1063	GLAZING, GLASS, 32.188" X 14.5" W, HIGH STRENGTH SAFETY GLASS, OPPOSITE CAB. (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68681063 PPN68-1063 301-7200 SHEET 486 REVA 3048-MATL-89 REV. E		2		3
-----	-----	-----	-----	-----	-----	-----	-----
68-68-1064	GLAZING, WINDOW, OPPOSITE #2 CAB FOR R68 CARS. (5 LIGHTS PER CONTAINER.) .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** 68681064 PPN68-1064 301-7200 SHEET #482 REVA 3048-MATL-89 REV. E		11		20

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
-----	-----	-----	-----	-----	-----	-----	-----
68-68-1065	GLAZING, SIDE DESTINATION, WINDOW, BOTTOM, R68 CARS (5 LIGHTS PER CONTAINER.) 625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE 68681065 PPN68-1065 301-7200 SHEET #483 REVA 3048-MATL-89 REV. E	**	24		14
68-68-1066	GLAZING, SIDE VENT, BOTTOM WINDOW FOR R68 CARS. FIVE (5) LIGHTS PER CRATE .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPEED AROUND EVERY THREE CRATES WITH BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO ACCOMMODATE MATERIAL. PALLETS MUST BE NEW. NO USED OR RECONDITIONED PALLETS WILL BE ACCEPTABLE. FULL PALLETS MUST BE SHRINK-WRAPPED OR BANDED.	NORTH AMERICAN SPECIALTY GLASS CUSTOM GLASS CO. PRELCO INCORPORATED NYCTA NYCTA	**** PART NO. NOT AVAILABLE 68681066 PPN68-1066 301-7200 SHEET #484 REVA 3048-MATL-89 REV. E	**	33		30
70-02-1020	ABSORBENT COMPOUND, FOR ABSORBING OIL, WATER AND CHEMICALS; COMPOSED OF NATURAL AND/OR RECYCLED ORGANIC MATERIALS; CELLULOSE PULP (98% MINIMUM); MUST ABSORB 0.65 ML/GM (MINIMUM) SAE #10 OIL AND 0.9 ML/GM (MINIMUM) WATER WHEN TESTED IN ACCORDANCE WITH METHODS GIVEN IN COMMERCIAL ITEM DESCRIPTION A-A-1979; PARTICLE SIZE SHALL BE AS FOLLOWS: MAXIMUM 18% RETAINED ON NO. 6 U.S. STANDARD SIEVE, MINIMUM 94% RETAINED ON NO. 60 US STANDARD SIEVE; APPARENT DENSITY: 25-30 LBS/CUBIC FOOT; LESS	XORB CORPORATION/DMS&D ASSOC. NYCTA NYCTA	SORBITAL GM CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S		0		0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	THAN 2% ASH; PRODUCT MUST BE EASY TO APPLY AND REMOVE (WITH BROOM OR SHOVEL); SHOULD ABSORB WATER, OILS AND ANTI-FREEZE QUICKLY WITHOUT BECOMING HARDENED, STICKY OR SLIPPERY; SHOULD NOT BE DUSTY OR SO LIGHT AS TO BLOW AROUND SHOP FLOORS WHEN APPLIED; PACKAGED IN 25 LB. PLASTIC BAGS, PALLETIZED 1800 LBS PER PALLET CERTIFICATE OF COMPLIANCE & CERTIFICATE OF ANALYSIS FOR EACH BATCH TO ACCOMPANY EACH SHIPMENT. 25 LB BAGS				
70-07-2011	ANTIFREEZE, COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG) IN NEW 55 GALLON DRUMS. MUST CONFORM TO NYCT S-79-18-07 REV. C 55 GAL DRM	OLD WORLD INDUSTRIES PRESTONE NYCTA NYCTA NYCTA	FLEET CHARGE COOLANT 50% PRESTONE COMMAND HD PRED 50/50 CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S S-79-18-07 REV. C	0	0
70-07-2012	ANTIFREEZE, COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG) IN BULK. MUST CONFORM TO NYCT S-79-18-07 REVISION C	OLD WORLD INDUSTRIES PRESTONE NYCTA NYCTA	FLEET CHARGE COOLANT 50% PRESTONE COMMAND HD PRED 50/50 CCSS-003 REV E 9/11/17 RESTR S S-79-18-07 REV. C	0	0
70-07-2013	ANTIFREEZE, COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG), PACKAGED IN A SINGLE WALL PLASTIC CUBE WITH METAL CAGE GUARD 275 GALLON RETURNABLE TOTE WITH 6 INCH OPENING, FREE FROM ANY CORROSION OR DAMAGE. THE VENDOR WILL SEAL EACH TOTE WITH A TAMPER PROOF SERIALIZED TIE MARKER, BETWEEN THE LIFTING LUG ON TOP OF THE TOTE AND THE TOTE LID. MUST CONFORM TO NYCT SPECIFICATION S-79-18-07 REV. C	OLD WORLD INDUSTRIES PRESTONE NYCTA NYCTA NYCTA	FLEET CHARGE COOLANT 50% PRESTONE COMMAND HD PRED 50/50 CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S S-79-18-07 REV. C	0	0
-----	-----	-----	-----	-----	-----

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
70-07-2015	ANTIFREEZE, EXTENDED LIFE COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG). NITRITE, SILICATE, BORATE, AND AMINE FREE ORGANIC ACID TECHNOLOGY (OAT). CONTAINS NO 2-ETHYL-HEXANOIC ACID. MUST CONFORM TO NYCT S-79-22-20 IN 55 GALLON DRUMS	KOST USA INC. OLD WORLD INDUSTRIES NYCTA NYCTA NYCTA	ES COMPLEAT EG PREMIX 50-50 FCGLOBAL 50/50 PREDILANTIFRZCO CCSS-001, REV 1, 3-9-11 LABEL CCSS-003 REV E 9/11/17 RESTR S S-79-22-20		0		0
70-07-2020	DEICER, PROPYLENE GLYCOL, INDUSTRIAL GRADE, SUPPLIED IN 55 GALLON PALLETIZED NON RETURNABLE PLASTIC DRUMS. DELIVERIES TO STOREROOMS 28,62,67 AND 69 SHALL BE MADE IN OPEN TOP TRUCKS 55 GAL DRMS	MIDWEST INDUSTRIAL SUPPLY, INC SILOGRAM LUBRICANT CORP. NYCTA NYCTA	ICE FREE SWITCH-PG SILOGRAM PROPYLENE GLYCOL CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S		0		0
70-07-2022	ANTIFREEZE, EXTENDED LIFE COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG). NITRATE, SILCATE, BORATE, AND AMINE: FREE ORGANIC ACID TECHNOLOGY (OAT). CONTAINS NO 2-ETHYL-HEXANOIC ACID. PACKAGED IN A SINGLE WALL PLASTIC CUBE WITH A METAL GUARD 275 GALLON RETURNABLE TOTE WITH A 6 INCH OPENING. FREE FROM ANY CORROSION OR DAMAGE. THE VENDOR WILL SEAL EACH TOTE WITH A TAMPER PROOF SERIALIZED TIE MARKER BETWEEN THE LIFTING LUGON TOP OF THE TOTE AND TOTE LID. MUST CONFORM TO NYCT SPECIFICATION S-79-22-20	OLD WORLD INDUSTRIES NYCTA NYCTA NYCTA	FCGLOBAL 50/50 PREDILANTIFRZCO CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S S-79-22-20		0		0
70-07-2023	ANTIFREEZE, EXTENDED LIFE COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG). NITRITE, SILICATE, BORATE AND AMINE FREE ORGANIC ACID TECHNOLOGY (OAT). CONTAINS NO 2-ETHYL-HEXANOIC ACID, IN BULK. MUST CONFORM TO NYCT S-79-22-20	OLD WORLD INDUSTRIES NYCTA NYCTA NYCTA	FCGLOBAL 50/50 PREDILANTIFRZCO CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S S-79-22-20		0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 105
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
70-15-1251	ALCOHOL, PROPRIETARY SOLVENT; MUST NOT CONTAIN MORE THAN 0.2% WATER; MUST MEET THE REQUIREMENTS OF TITLE 27 CODE OF FEDERAL REGULATIONS SECTION 20.113 AND BE SPECIALLY DENATURED ALCOHOL FORMULA 1 (TITLE 27 CFR SECTION 21.32) BASED; PACKAGED IN 55-GALLON DRUMS; CERTIFICATE OF ANALYSIS MUST ACCOMPANY EACH SHIPMENT	EQUISTAR LYONDELL COMPANY NYCTA NYCTA FEDERAL FEDERAL	PROPSOLVE I-1/200PF/174001 CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S TITLE 27 CFR SEC 20.113 TITLE 27 CFR SEC 21.32		0		0
70-17-0504	CLEANER, DEGREASER, ALL PURPOSE, NON-TOXIC, BIODEGRADABLE, NON-BUTYL. NON-PHOSPHATE, NON-FLAMMABLE, NON-ABRASIVE WATER-BASED, CONTAINS NO HAZARDOUS INGREDIENTS AS DEFINED BY 29 CFR 1900.1200 OR 40 CFR PART 216 UNDER RCRA, MAY BE USED BY HAND, THROUGH STEAM OR PRESSURE CLEANING EQUIPMENT. DELIVERED IN RETURNABLE 275 GAL. TOTE TANK. GUARANTEED SHELF LIFE 2 YEARS	CORCRAFT/DEPT. OF CORRECT.SERV COSCO ENTERPRISES, INC. DIAMOND CHEMICAL NATIONAL CHEMICAL LAB OF PA. GRIGNARD COMPANY ZEP MANUFACTURING COMPANY NYCTA NYCTA	CORCRAFT U01GRNCL 160 ENVIROSOLV 2192 ENVIROSOLV 2192 NCL160 PURE CLEAN 3000 Z-GREEN 1848 CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S		0		0
70-17-0525	CLEANER, DEGREASER, 1 GALLON CONAINER, ALL PURPOSE NON-TOXIC, BIODEGRADABLE, NO COLOR OR SCENT ADDED, NON FLAMMABLE, NON CORROSIVE, DILUTION RATE 15 PARTS WATER TO ONE PART SOLUTION. 6 CONTAINERS PER BOX	SUNSHINE MAKERS, INC. NYCTA NYCTA	043318000188 CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S		0		0
70-17-0803	CLEANER, EXTERIOR RAILCAR, SPECIFIC FOR IRON OXIDE OR BROWN STAIN REMOVAL FROM RAILCARS. FOR USE IN CAR WASHERS. TO CLEAN AND BRIGHTEN THE EXTERIOR STEEL, STAINLESS STEEL AND ALUMINUM SURFACES OF RAILCARS. DELIVERED IN BULK QUANTITIES (RANGING FROM 250 TO 3000 GALLONS) IN TANK TRUCK. VENDOR TO SUPPLY CERTIFICATE OF ANALYSIS (C OF A) AND CERTIFICATE OF CONFORMANCE/COMPLIANCE (C OF C) FOR EACH BATCH TO NYCT MANAGER OF INSPECTIONS AND TESTING PRIOR TO SHIPPING MATERIAL. CERTIFICATE OF ANALYSIS TO INCLUDE BATCH #, SIZE OF BATCH, DATE OF MANUFACTURE, APPEARANCE, ODOR, SPECIFIC GRAVITY AT 25 DEGREES C, PH OF CONCENTRATE, TOTAL SOLIDS (16	COSCO ENTERPRISES, INC. DIAMOND CHEMICAL GRIGNARD COMPANY NATIONWIDE CHEMICAL CO., INC. NYCTA NYCTA	FO 479C FO 479C GRIGNARD PCTW TRAIN WASH X561A RAILCAR CLEANER 1207-C-84-REV. C, APRIL 1987 CCSS-003 REV E 9/11/17 RESTR S		0		0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
	HOURS AT 50 DEGREES C). % ACID ACTIVITY. UPON DELIVERY TO EACH LOCATION, VENDOR TO SUPPLY TO CAR EQUIPMENT PERSONNEL AT THE CAR WASHER A ONE-GALLON SAMPLE OF PRODUCT TAKEN FROM THE TANK TRUCK ALONG WITH A COPY OF C OF A, C OF C AND RELEASE NOTICE FOR THAT BATCH. [NOTE: PH REQUIREMENT OF NYCT SPECIFICATION CCSS-003(RESTRICTED CHEMICALS) IS NOT APPLICABLE.] MUST MEET THE REQUIREMENTS OF NYCT SPEC. 1207-C-84 REV. C. EXCEPT THAT BULK SHIPMENTS MAY BE 250 TO 3000 GALLONS AS REQUIRED				
70-17-0820	CLEANER, INTERIOR RAILCAR CLEANER, POWDER, IN A 4-OZ. COLD WATER SOLUBLE PVA POLYMER PACKET. USED AT A NOMINAL DILUTION RATIO OF ONE 4-OZ. PACKET TO 320-OZ. (CA 2.5 GALLONS) OF WATER. COMPOSITION ACCORDING TO REFERENCED SPECIFICATION. PH=10-10.5 MAXIMUM WHEN DILUTED. MUST MEET ALL REQUIREMENTS OF NYCT SPECIFICATION 3062-MATL-93, REV. B WITH THE EXCEPTION OF PH WHICH MUST BE AS LISTED ABOVE. SHIPPED 72 FOUR-OZ. PACKETS PER CASE. EACH PACKET TO BE SCREEN PRINTED. PACKED IN PLASTIC LINED CARTONS. CERTIFICATE OF ANALYSIS (C OF A) AND CERTIFICATE OF CONFORMANCE/COMPLIANCE(C OF C) FOR EACH BATCH TO BE SUPPLIED WITH EACH SHIPMENT. CERTIFICATE OF ANALYSIS TO INCLUDE BATCH #, SIZE OF BATCH, DATE OF MANUFACTURE, PH, % ACTIVE INGREDIENT CONTENT	COSCO ENTERPRISES, INC. DIAMOND CHEMICAL NYCTA NYCTA NYCTA	MEGAPOWER REDI-KLEEN #11 MOD MEGAPOWER REDI-KLEEN #11 MOD 3062-MATL-93 REV. B CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S	0	0
70-17-1020	CLEANER, STEAM CLEANING SOLUTION, NON-EMULSIFYING FORMULA (RUN OFF WATER SOLUTION MUST SEPARATE INTO TWO PHASES WITHIN MINUTES), FOR CLEANING ENGINES AND OTHER ITEMS WITH PRESSURE WASHING EQUIPMENT, PACKAGED IN 55 GALLON DRUMS	DIAMOND CHEMICAL COSCO ENTERPRISES, INC. GRIGNARD COMPANY NYCTA NYCTA	MEGAPOWER 2289 MEGAPOWER 2289 PURESAFE CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
-----	-----	-----	-----	-----	-----	-----	-----
70-17-1185	CLEANER, MOTOR AND MOTOR PARTS, LIQUID, MUST CONTAIN A MINIMUM ACTIVE INGREDIENT CONTENT OF 15%; PH OF CONCENTRATE MUST BE BETWEEN 7.0-10.0, MUST BE FREE FROM SILICATES AND PHOSPHATES & HAVE LOW FOAM ; MUST NOT HAVE ANY EFFECT ON SOFT METAL (COPPER & ALUMINUM); PACKAGED IN 55 GALLON DRUMS; USED IN SPRAYWASH TANKS AND STEAM CLEANERS; MUST CLEAN EFFECTIVELY AT 1% CONCENTRATION. CERTIFICATE OF ANALYSES TO INCLUDE PH AND ACTIVE INGREDIENT CONTENT & CERTIFICATE OF CONFORMANCE MUST BE PROVIDED FOR EACH BATCH SHIPPED.	COMSTAR INTERNATIONAL INC. NATIONWIDE CHEMICAL CO., INC. U.S. POLYCHEMICAL CORPORATION NATIONAL CHEMICAL LAB OF PA. NYCTA NYCTA	MO-CLEAN TA512 BRITE GLO TMC1185 TRACTION MOTOR CLEANER 216 CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S			0	0

70-17-1315	CLEANER, ALKALINE LIQUID EMULSIFYING CONCENTRATE, COLORLESS, MILD SOAPY ODOR, IN FIVE GALLON PLASTIC CONTAINERS, WITH METAL SWING HANDLE AND FULL PLASTIC LID WITH SPOUT, PRODUCT TO BE USED AT A DILUTION RATE OF TEN PARTS WATER TO ONE PART CLEANER CONCENTRATE, USED TO CLEAN AND BRIGHTEN CONCRETE PLATFORMS AND TILE SURFACES ON STATIONS, APPLIED WITH COARSE BRUSH AND USED WITH HIGH PRESSURE (3000 PSI), HOT WATER (180 DEGREES) CLEANING SYSTEM. PH BELOW 12 AT 10%. MUST NOT CONTAIN BUTYL CELLOSOLVE OR ANY PROHIBITED SOLVENTS. MINIMUM FLASH POINT 120 DEGREES F. ASTM D-56 TAG CLOSED CUP MUST NOT CONTAIN CAUSTTICS.	NATIONAL CHEMS COMSTAR INTERNATIONAL INC. COSCO ENTERPRISES, INC. DIAMOND CHEMICAL ARROW CHEMICAL CORP. NYCTA NYCTA	463 KYMKARE BIO-CLEANER MEGAPOWER 3IN1 SUPER CONCENTRA MEGAPOWER 3IN1 SUPER CONCENTRA MUNICIPAL CONCRETE CLEANER CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S			0	0

70-17-1327	CLEANER, ALL PURPOSE, COLLOIDAL. SUPPLIED IN 5-GALLON CONTAINERS. TO BE USED ON TILE AND CONCRETE SURFACES. ALSO SAFE FOR USE ON COPPER COMPONENTS. TO BE USED TO CLEAN RAILCAR A/C COILS, CONDENSERS, EVAPORATORS. NON-TOXIC, NON-FLAMMABLE, NON-CAUSTIC, BIODEGRADABLE. PH IN THE 9.9 TO 10.9 RANGE AND SPECIFIC GRAVITY OF 1.001 - 1.02. IT MUST NOT HAVE A FLASH POINT AND MUST NOT CONTAIN PHOSPHATES, PETROLEUM DISTILLATES, GLYCOL ETHERS,	NATIONAL CHEMICAL LAB OF PA. GEMTEK PRODUCTS NYCTA NYCTA	COLLOIDAL CLEANER #5222 SC-1000 CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S			0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	TERPENES. VENDOR TO SUPPLY CERTIFICATE OF ANALYSIS (WHICH INCLUDES SPECIFIC GRAVITY & PH) AND CERTIFICATE OF CONFORMANCE/COMPLIANCE FOR EACH BATCH				
70-17-1400	CLEANER, SOAP, LIQUID, ALKALINE. FOR BUS EXTERIOR WASH. TO BE USED ON THE FIRST ARCH OF BUS WASH SYSTEM WITH A DILUTION RATIO OF 1 PART CLEANER TO 100 PARTS FRESH WATER. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPEC S-70-01-04 REV F (OR THE LATEST REVISION). PRIOR TO DELIVERY, PROVIDED IN 55 GALLON NON-RETURNABLE DRUMS. FREE FROM ANY CORROSION OR DAMAGE.	DIAMOND CHEMICAL COSCO ENTERPRISES, INC. CORCRAFT/DEPT. OF CORRECT.SERV GRIGNARD COMPANY WEST PENETONE NYCTA NYCTA NYCTA	F03022 BUS WASH F03022 BUS WASH GRIGNARD BWC-BUS WASH CLEANER GRIGNARD-BWC-BUS WASH CLEANER PENTRANS 1503C CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S S-70-01-04 REV. F	0	0
70-17-1405	CLEANER, SOAP, LIQUID, ALKALINE, FOR BUS EXTERIOR WASH. TO BE USED ON THE FIRST ARCH OF BUS WASH SYSTEM WITH A DILUTION RATIO OF 1 PART CLEANER TO 100 PARTS FRESH WATER. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPEC S-70-01-04 REV F (OR THE LATEST REVISION) PRIOR TO DELIVERY. PROVIDED IN 275 GALLON RETURNABLE TOTES. FREE FROM ANY CORROSION OR DAMAGE.	DIAMOND CHEMICAL COSCO ENTERPRISES, INC. CORCRAFT/DEPT. OF CORRECT.SERV GRIGNARD COMPANY WEST PENETONE NYCTA NYCTA NYCTA NYCTA	F03022 BUS WASH F03022 BUS WASH GRIGNARD BWC-BUS WASH CLEANER GRIGNARD BWC-BUS WASH CLEANER PENTRANS1503C CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S S-70-01-04 REV. F TOTE SPEC	0	0
70-17-1410	CLEANER, SOAP, LIQUID, ALKALINE. FOR BUS EXTERIOR WASH. TO BE USED ON THE FIRST ARCH OF BUS WASH SYSTEM WITH A DILUTION RATIO OF 1 PART CLEANER TO 100 PARTS FRESH WATER. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPEC S-70-01-04 REV F (OR LATEST REVISION) PRIOR TO DELIVERY. PROVIDED IN BULK THROUGH A DESIGNATED TRUCK TANK DELIVERY. FREE FROM ANY CORROSION OR DAMAGE.	DIAMOND CHEMICAL COSCO ENTERPRISES, INC. CORCRAFT/DEPT. OF CORRECT.SERV GRIGNARD COMPANY WEST PENETONE NYCTA NYCTA NYCTA	F03022 BUS WASH F03022 BUS WASH GRIGNARD BWC-BUS WASH CLEANER GRIGNARD BWC-BUS WASH CLEANER PENTRANS 1503C CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S S-70-01-04 REV. F	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
70-17-1415	CLEANER, SOAP, ALKALINE, FOR BUS EXTERIOR WASH. APPLIED THROUGH FIRST ARCH OF BUS WASH WITH FRESH WATER AT A DILUTION RATIO OF 1:200. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPECIFICATIONS S-70-01-04 REVISION G(OR THE LATEST REVISION) PRIOR TO DELIVERY. MATERIAL TO BE SUPPLIED IN RETURNABLE 275 GALLON TOTES FREE FROM ANY CORROSION OR DAMAGE	GRIGNARD COMPANY GRIGNARD COMPANY ZEP MANUFACTURING COMPANY COSCO ENTERPRISES, INC. NYCTA NYCTA NYCTA	DIRRECT POWER BLUE DIRRECT POWER BLUE 200 ENVIROEDGE TRUCK WASH FO 3058 BUS WASH CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S S-70-01-04-REV. G			0	0
70-17-1416	CLEANER, SOAP, ALKALINE, FOR BUS EXTERIOR WASH. APPLIED THROUGH FIRST ARCH OF BUS WASH WITH FRESH WATER AT A DILUTION RATIO OF 1:200. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPECIFICATION S-70-01-04 REVISION G(OR THE LATEST REVISION)PRIOR TO DELIVERY. MATERIAL TO BE SUPPLIED IN NON-RETURNABLE 55 GALLON DRUMS FREE FROM ANY CORROSION OR DAMAGE.	GRIGNARD COMPANY GRIGNARD COMPANY ZEP MANUFACTURING COMPANY COSCO ENTERPRISES, INC. NYCTA NYCTA NYCTA	DIRRECT POWER BLUE DIRRECT POWER BLUE 200 ENVIROEDGE TRUCK WASH FO 3058 BUS WASH CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S S-70-01-04, REV. G			0	0
70-17-1417	CLEANER, SOAP, ALKALINE, FOR BUS EXTERIOR WASH. APPLIED THROUGH FIRST ARCH OF BUS WASH WITH FRESH WATER AT A DILUTION RATIO OF 1:200. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPECIFICATION S-70-01-04 REVISION G(OR THE LATEST REVISION) PRIOR TO DELIVERY. MATERIAL TO BE SUPPLIED IN BULK THROUGH A DESIGNATED TRUCK TANK DELIVERY FREE FROM ANY CORROSION AND DAMAGE	GRIGNARD COMPANY GRIGNARD COMPANY ZEP MANUFACTURING COMPANY COSCO ENTERPRISES, INC. NYCTA NYCTA NYCTA	DIRRECT POWER BLUE DIRRECT POWER BLUE 200 ENVIROEDGE TRUCK WASH FO 3058 BUS WASH CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S S-70-01-04, REV. G			0	0
70-17-1420	TRACTION, COMPOUND, GEL; CONTAINS A MIXTURE OF SAND (25-55%), SUSPENSION AGENTS AND WATER; PH IS 7 TO 10; SPECIFIC GRAVITY IS 1.25 TO 1.35; FOR USE AS A TRACTION ENHANCER ON RAILS DURING THE FALL SEASON WHEN LEAVES ACCUMULATE ON TRACKS; PACKAGED IN 265 GALLON CONTAINERS	BASF CORPORATION NYCTA NYCTA	TRACTION GEL PLUS CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S			0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
70-17-1465	CLEANER/DEGREASER, USED FOR GRAFFITI REMOVAL ON HARD SURFACES. NON-PETROLEUM NON-CHLORINATED, NON-BUTYL, BIODEGRADABLE, TEST PATCH ALL SURFACES BEFORE GENERAL USE. MAY DAMAGE SOME PLASTIC AND/OR PAINTED SURFACES, GUARANTEED SHELF LIFE 2 YRS., IN 55 GALLON NON-RETURNABLE DRUMS.	ZEP MANUFACTURING COMPANY MICROBLEND LLC. COSCO ENTERPRISES, INC. DIAMOND CHEMICAL NYCTA NYCTA	BIG ORANGE - E 485 CITRI-CLENZ ENVIROSOLV ORANGE ENVIROSOLV ORANGE CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S		0		0
70-17-1469	CLEANER, INTERIOR RAILCAR, LIQUID, ALKALINE, PH=10-10.5 MAXIMUM (UNDILUTED), MINIMUM ACTIVE INGREDIENT CONTENT=13%, LOW FOAMING, COMPLETELY SOLUBLE IN WATER, MUST NOT LEAVE RESIDUE ON SURFACE WHEN USED AT SPECIFIED DILUTION RATIO. PRODUCT WILL BE USED AT A DILUTION RATE OF 10 PARTS WATER TO 1 PART CLEANER FOR CLEANING FLOORS AND AT 20 PARTS WATER TO 1 PART CLEANER FOR CLEANING ALL OTHER INTERIOR SURFACES. SUPPLIED IN 55 GALLON DRUMS. MUST MEET ALL REQUIREMENTS OF NYCT SPECIFICATION 3020-MATL-83, REV. E WITH THE EXCEPTION OF PH WHICH MUST BE AS LISTED ABOVE. CERTIFICATE OF ANALYSIS (C OF A) AND CERTIFICATE OF CONFORMANCE/COMPLIANCE (C OF C) FOR EACH BATCH TO BE SUPPLIED WITH EACH SHIPMENT. CERTIFICATE OF ANALYSIS TO INCLUDE BATCH #, SIZE OF BATCH, DATE OF MANUFACTURE, PH, % ACTIVE INGREDIENT CONTENT	COSCO ENTERPRISES, INC. DIAMOND CHEMICAL NATIONWIDE CHEMICAL CO., INC. NYCTA NYCTA	FO 1101 MOD FO 1101 MOD TA222 TUFF GUY 222 3020-MATL-83, REV E CCSS-003 REV E 9/11/17 RESTR S		0		0
70-17-1472	CLEANER, GRAFFITI REMOVER, VISCOUS, IN FIVE GALLON PLASTIC CONTAINERS TO BE USED BY DIVISION OF STATIONS' HIGH PRESSURE CLEANING SYSTEM. PRODUCT APPLIED TO SURFACE BY BRUSH UTILIZING HOT WATER THROUGH PRESSURE WASHER. GRAFFITI SHOULD BE REMOVED FROM POROUS (BRICK AND CONCRETE) SURFACES WITHOUT LEAVING SHADOW. PRODUCT SHOULD NOT HAVE TO SIT ON SURFACE MORE THAN 10-15 MINUTES AND NOT NEED TO BE AGITATED. PRODUCT MUST NOT CONTAIN ANY CHEMICALS PROHIBITED BY THE NEW YORK CITY TRANSIT AUTHORITY SYSTEM SAFETY DIVISION AND	DIAMOND CHEMICAL NATIONAL CHEMICAL LAB OF PA. NYCTA NYCTA	FO 2104 NCL 234 GRAFFITI REMOVER CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S		0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 111
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	SHOULD NOT HAVE A PH OF HIGHER THAN 12 AT ANY POINT.				

70-17-1640	CLEANER, FOR METAL PARTS, (STEEL PARTS ONLY-NOT FOR USE WITH ALUMINUM, BRASS OR COPPER), LIQUID, ALKALINE SOLUTION, IN 55 GALLON DRUMS. USED IN DIP/AGITATING CLEANING TANKS AND SPRAY WASH TANKS, HEATED TO 160 DEGREES F. MUST BE CAPABLE OF REMOVING HEAVY DIRT, GREASE AND OIL FROM METAL PARTS. MUST CONTAIN A MINIMUM ACTIVE INGREDIENT CONTENT OF 35% INCLUDING BUT NOT LIMITED TO CAUSTIC ALKALIES (POTASSIUM OR SODIUM HYDROXIDE), SODIUM GLUCONATE, SODIUM GLUCOHEPTONATE, LOW FOAMING SURFACTANTS. MUST BE FREE RINSING. MUST NOT CONTAIN PHOSPHATES, ETHERS, AMINES, TERPENES. SUBSTANCES SUCH AS WATER, SALT, UREA, OR SUGAR ARE NOT CONSIDERED TO BE ACTIVE INGREDIENTS. CERTIFICATE OF ANALYSIS (C OF A) AND CERTIFICATE OF CONFORMANCE/COMPLIANCE (C OF C) FOR EACH BATCH TO BE SUPPLIED WITH EACH SHIPMENT. CERTIFICATE OF ANALYSIS TO INCLUDE BATCH #, SIZE OF BATCH, DATE OF MANUFACTURE, PH, % ACTIVE INGREDIENT CONTENT. (NOTE: PH REQUIREMENT OF NYCT SPEC. CCSS-003 RESTRICTED CHEMICALS IS NOT APPLICABLE)	CHEMETALL USA, INC. DIAMOND CHEMICAL COSCO ENTERPRISES, INC. NYCTA NYCTA	LOW HEAT CLEANER #3 ZZ STRIP LF ZZ STRIP LF CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S	0	0

70-17-3500	CLEANER, METAL PARTS (STEEL, ALUMINUM), ODORLESS, CRYSTALLINE POWDER, IN 55 LB. PAIL. MUST CONTAIN 100% ACTIVE INGREDIENTS WITH A MINIMUM OF 10% SURFACTANTS. MUST BE 100% SOLUBLE IN WATER, DISSOLVE READILY AND NOT FORM LUMPS. FOR USE IN HEATED DIP/AGITATING AND SPRAY WASH TANKS. MUST NOT FOAM WHEN USED IN SPRAY WASH OR AGITATING/TURBULATING TANK HEATED TO 140-180F. MUST NOT LEAVE A RESIDUE ON PARTS. MUST NOT CONTAIN; CAUSTICS, ETHERS, PHOSPHATES, TERPENES, CHELATING AGENTS. PH SHOULD BE BELOW 12.5	GREEN POWER CHEM SCIENCES NYCTA NYCTA	GREEN POWER NO FOAM NC CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S	0	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 112
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
70-18-1635	CLEANER, CONCENTRATED FOR GLASS, WINDOWS, POLYCARBONATE, PLASTIC, STAINLESS STEEL SURFACES. GREEN SEAL CERTIFIED. TWENTY OR THIRTY GALLON DRUMS. MUST BE DILUTED WITH WATER FOR USE ACCORDING TO LABEL INSTRUCTIONS. REMOVES DIRT, SMUDGES AND FINGERPRINTS WITHOUT ANY STREAKS OR HAZE. DOES NOT CONTAIN AMMONIA OR ALCOHOL. FLASH POINT ABOVE 150F. AMERICAN CLEANING SOLUTIONS FOCUS GC 55 GLASS & WINDOW CLEANER IN 30-GALLON DRUMS. USE DILUTION 1:64 = 1 OUNCE OF CLEANER TO 64 OUNCES OF WATER, 1/2 OUNCE PER QUART OR 2 OUNCES PER GALLON. ZEP GREEN LINK CONCENTRATED GLASS CLEANER 103623 IN 20-GALLON DRUMS. USE DILUTION 1:32 = 1 OUNCE OF CLEANER TO 32 OUNCES OF WATER, 1 OUNCE PER QUART OR 4 OUNCES PER GALLON.	ZEP MANUFACTURING COMPANY AMERICAN CLEANING SOLUTIONS NYCTA NYCTA NY STATE	103649 GREEN LINK CONC GLASS C FOCUS GC 55 GLASS CLNR #2102 CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S EXECORDER 134 NY STATE COMPLIA	0	0
70-21-1030	DEODORANT, WATER BASED, LEMON FRAGRANCE THAT COVERS AND ELIMINATES UNPLEASANT ODORS FROM A VARIETY OF SOURCES, GUARANTEED SHELF LIFE 2 YRS, IN 55 GAL NON-RETURNABLE DRUMS.	ZEP MANUFACTURING COMPANY ALPHA CHEMICAL SERVICES POSITIVE ATTITUDE NYCTA NYCTA	1621 LEMON DEORDORANT 5528 LEMON-ODOR COUNTERACTANT 145 CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S	0	0
70-23-1305	BIOCIDAL COMPOUND, FOR TREATING DIESEL FUEL TANKS. ELIMINATES FUNGUS, BACTERIA, MICROORGANISMS. SUPPLIED IN ONE GALLON CONTAINERS. NON-FLAMMABLE, BIODEGRADABLE. TREATMENT RATIO IS 1 GALLON OF BIOCIDAL PER 10,000 GALLONS OF FUEL. (5 OUNCES/400 GALLONS; 6.5 OUNCES/500 GALLONS; 13 OUNCES/1000 GALLONS; 26 OUNCES/2000 GALLONS; ONE QUART/2500 GALLONS; 38 OUNCES/3000 GALLONS; 51 OUNCES/4000 GALLONS) ADD BIOCIDAL COMPOUND TO TANKS BEFORE FUEL DELIVERY. ALLOW AT LEAST 12 HOURS FOR THE BIOCIDAL COMPOUND TO SOAK IN TANKS. ONLY USE IN WELL VENTILATED AREAS. PPE REQUIRED: CHEMICAL SPLASH GOGGLES, NEOPRENE APRON, NITRILE GLOVES.	FUEL QUALITY SERVICES INC DOW CHEMICAL CO. NYCTA NYCTA	FQS 1.5 MICROBIOCIDAL KATHON FP 1.5 MICROBIOCIDAL CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S	0	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 113
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
70-42-1025	VARNISH, INSULATING, TWO-COMPONENT POLYESTER; FOR VACUUM PRESSURE IMPREGNATION AND DIP APPLICATION ON SUBWAY CAR MOTORS, ARMATURES AND ELECTRIC PARTS. MEETS THE REQUIREMENTS OF NYCT 7142-FACIL-02 SPECIFICATION: EACH KIT TO CONSIST OF TWO PARTS: PART A-RESIN (100% REACTIVE, SEMI-FLEXIBLE SOLVENTLESS POLYESTER RESIN) IS 54 GALLONS IN A 55-GALLON NON-RETURNABLE DRUM, AND PART B-CATALYST(DICUMYL PEROXIDE) IS IN ONE-GALLON CONTAINER. CERTIFICATE OF ANALYSIS AND/OR CERTIFICATE OF CONFORMANCE TO BE PROVIDED FOR EACH BATCH AND TO INCLUDE VISCOSITY. MUST COMPLY WITH THE VOC LIMIT FOR NYSDEC REGULATION 6NYCRR PART 228-SURFACE COATING PROCESSES: COATING LINES FOR MISCELLANEOUS METAL PARTS AND PRODUCTS FOR EXTREME PERFORMANCE COATINGS WITH MAXIMUM VOC OF 3.5 LB/GAL(419.39 GM/LITER).	ELANTAS PDG., INC. NYCTA NYCTA NYCTA	RANVAR B7-373VT/ELAN-PLUS DCP-7142-FACIL-02 CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S			0	0
70-44-1500	LIQUID, FRICTION MODIFIER, USED TO MODIFY FRICTION BETWEEN TRAIN WHEELS AND RAILS THEREBY MINIMIZING SLIPPAGE. SUPPLIED IN 5 GALLON PAILS. DELIVERY TO BE MADE ON OPEN TOP EQUIPMENT ON TUESDAYS, WEDNESDAYS AND THURSDAYS BETWEEN 8:00 AM AND 3:00 PM ONLY MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT IS 9 MONTHS.	KELSAN TECHNOLOGIES CORP. NYCTA NYCTA	KELTRACK TRACKSIDE TRANSIT CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S			0	0
70-48-1000	NEUTRALIZER, LIQUID, HOMOGENEOUS ALKALINE SOLUTION FOR NEUTRALIZATION OF ACIDIC CAR WASH EFFLUENTS. PRODUCT MUST CONTAIN A MINIMUM OF 7% ALKALINE SALTS. PRODUCT MUST NOT CONTAIN PHOSPHATES, SILICATES, FREE CAUSTIC OR ANY SUSPENDED MATTER. DELIVERED IN BULK QUANTITIES IN TANK TRUCK. VENDOR TO SUPPLY CERTIFICATE OF ANALYSIS (C OF A) AND CERTIFICATE OF COMPLIANCE (C OF C) FOR EACH BATCH TO NYCT MANAGER OF INSPECTIONS AND TESTING PRIOR TO SHIPPING MATERIAL. CERTIFICATE OF ANALYSIS TO INCLUDE BATCH #, SIZE OF	DIAMOND CHEMICAL COSCO ENTERPRISES, INC. NATIONAL CHEMICAL LAB OF PA. PENETONE CORP NATIONWIDE CHEMICAL CO., INC. NYCTA NYCTA	FO 1142 FO 1142 NEUTRALIZER #4138 NEUTRALIZER C TA X494 NEUTRALIZER DF 1302-C-88 CCSS-003 REV E 9/11/17 RESTR S			0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	BATCH, DATE OF MANUFACTURE, PH, % ACTIVE INGREDIENTS, % SODIUM CARBONATE/SODIUM SESQUICARBONATE. UPON DELIVERY TO EACH LOCATION, VENDOR TO SUPPLY TO CAR EQUIPMENT PERSONNEL AT THE CAR WASHER A ONE-GALLON SAMPLE OF PRODUCT TAKEN FROM THE TANK TRUCK ALONG WITH A COPY OF THE C OF A, C OF C AND RELEASE NOTICE FOR THAT BATCH				
-----	-----	-----	-----	-----	-----
70-48-1010	NEUTRALIZER, ALKALINE LIQUID, FOR NEUTRALIZING ACIDIC BASED CAR WASHER SOLUTIONS. DELIVERED IN 2000-3000 GALLON WATER TANKER TRUCK SHIPMENTS FOR PUMPING INTO CAR WASHER BULK STORAGE TANKS. PH BETWEEN 11.0 AND 12.0. CAPABLE OF NEUTRALIZING OXALIC ACID BASED CAR CLEANER SOLUTION TO BRING PH WITHIN SEWER DISCHARGE LIMIT OF 5.0 AND 11.0. A CERTIFICATE OF ANALYSIS THAT INCLUDES PH AND % ACTIVE INGREDIENT CONTENT MUST BE PROVIDED FOR EACH BATCH AND MUST BE SENT TO NYCT MANAGER OF TESTING & ANALYSIS FOR APPROVAL IN ORDER FOR MATERIAL TO BE RELEASED FOR SHIPMENT.	COSCO ENTERPRISES, INC. DIAMOND CHEMICAL NYCTA	F03027 F03027 CCSS-003 REV E 9/11/17 RESTR S	0	0
-----	-----	-----	-----	-----	-----
71-10-1242	PAINT, ACRYLIC GLOSS, COLOR: FEDERAL BLUE. IN FIVE GALLON CAN, PER NYCT SPEC STA-1242-0119	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA NYCTA NYCTA NYCTA	B66LB332 DTM71101242 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-1242-0119	0	0
-----	-----	-----	-----	-----	-----
71-10-1257	PAINT, ACRYLIC GLOSS, COLOR: EBONY BLACK, IN FIVE GALLON CAN. PER NYCT SPEC STA-1257-0119	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA NYCTA NYCTA NYCTA	B66BB330 DTM71101257 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-1257-0119	0	0
-----	-----	-----	-----	-----	-----

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
71-10-1277	PAINT, ACRYLIC GLOSS, COLOR: LIDO BEIGE, IN FIVE GALLON CAN. PER NYCT SPEC STA-1277-0119	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA NYCTA NYCTA NYCTA	B66HB331 DTM71101277 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-1277-0119	0	0
71-10-1316	PAINT, ACRYLIC GLOSS, COLOR: SILVER FERN. IN FIVE GALLON CAN. PER NYCT SPEC STA-1316-0119	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA NYCTA NYCTA NYCTA	B66GB330 DTM71101316 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-1316-0119	0	0
71-10-1322	PAINT, ACRYLIC GLOSS, COLOR: SILVER WHITE, IN FIVE GALLON CAN. PER NYCT SPEC STA-1322-0119	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA NYCTA NYCTA NYCTA	B66WB331 DTM71101322 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-1322-0119	0	0
71-10-1332	PAINT, ACRYLIC GLOSS, COLOR: TURKISH TILE, IN FIVE GALLON CAN. PER NYCT SPEC STA-1332-0119	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA NYCTA NYCTA NYCTA	B66RB333 DTM71101332 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-1332-0119	0	0
71-10-1337	PAINT, ACRYLIC GLOSS, COLOR: WEIMER GRAY, IN FIVE GALLON CAN. PER NYCT SPEC STA-1337-0119	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA NYCTA NYCTA NYCTA	B66AB330 DTM71101337 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-1337-0119	0	0
71-10-1340	PAINT, OIL BASED, COLOR: WOODLAND NIGHT, IN FIVE GALLON CAN. PER NYCT SPEC STA-1340-1110	MERCURY PAINT CO. SHERWIN WILLIAMS NYCTA NYCTA NYCTA	71-10-1340 MP B54GZ0432 CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S STA-1340-1110	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
71-10-1345	PAINT, OIL BASED, COLOR, SAFETY RED, IN FIVE GALLON CAN, PER NYCT SPEC STA-1345-1110	MERCURY PAINT CO. SHERWIN WILLIAMS NYCTA NYCTA NYCTA ASTM NYCTA NYCTA FEDERAL FEDERAL	71-10-1345-MP B54RZ0431 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R.PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S D 476 NYCTA MARKING STA-1345-1110 TT-E 489J TT-E 506K			0	0
71-10-1355	PAINT, OIL BASED, COLOR: COSMOS BLUE. IN FIVE GALLON CAN, PER NYCT SPEC STA-1355-0418	MERCURY PAINT CO. NYCTA NYCTA ASTM NYCTA FEDERAL FEDERAL	IMCM12COSMOSBLUE71101355 CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR S D476 STA-1355-0418 TT-E 489J TT-E 506K			0	0
71-10-1360	PAINT, OIL BASED, COLOR: EMBER RED, IN FIVE GALLON CAN, PER NYCT SPEC STA-1360-1110	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA NYCTA NYCTA ASTM NYCTA FEDERAL	B54RZ0432 NYCTA IMCM12 EMBERRED 71-10-13 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S D476 STA-1360-1110 TT-E 506K			0	0
71-10-1367	PAINT, ACRYLIC GLOSS, COLOR: FOREST SHADE. IN FIVE GALLON CAN. PER NYCT SPEC STA-1367-0119	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA NYCTA NYCTA NYCTA	B66GB333 DTM71101367 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-1367-0119			0	0
71-10-1372	PAINT, ACRYLIC GLOSS, COLOR: GINGER TAN. IN FIVE GALLON CAN. PER NYCT SPEC STA-1372-0119	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA NYCTA NYCTA NYCTA	B66YB330 DTM71101372 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-1372-0119			0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
71-10-1375	PAINT, OIL BASED, COLOR: BLACK, IN FIVE GALLON CAN, PER NYCT SPEC STA-1375-0111	MERCURY PAINT CO. SHERWIN WILLIAMS NYCTA NYCTA NYCTA NYCTA FEDERAL ANSI	71-10-1375-MP B54BZ0431 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R.PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-1375-0111 TT.P-0061E Z34.2	0	0
71-10-1380	PAINT, OIL BASED, COLOR: SAFETY YELLOW, IN FIVE GALLON CAN, PER NYCT SPEC STA-1380-1010	MERCURY PAINT CO. SHERWIN WILLIAMS NYCTA NYCTA NYCTA ASTM NYCTA ANSI	71-10-1380-MP B54YZ0431 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R.PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S D476 STA-1380-1010 Z34.2	0	0
71-10-1703	PAINT, ACRYLIC GLOSS, COLOR: EARTHEN GOLD. IN FIVE GALLON CAN, PER NYCT SPEC STA-1703-0119	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA NYCTA NYCTA NYCTA	B66YB332 DTM71101703 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-1703-0119	0	0
71-10-1709	PAINT, ACRYLIC GLOSS, COLOR: NEWPORT GREEN, IN FIVE GALLON CAN. PER NYCT SPEC STA-1709-0119	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA NYCTA NYCTA NYCTA	B66GB331 DTM71101709 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-1709-0119	0	0
71-10-1711	PAINT, ACRYLIC GLOSS, COLOR: PURPLE GRAPE. IN FIVE GALLON CAN. PER NYCT SPEC STA-1711-0119	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA NYCTA NYCTA NYCTA	B66LB333 DTM7110711 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-1711-0119	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
71-10-1716	PAINT, ACRYLIC GLOSS COLOR: GARNET. IN FIVE GALLON CAN. PER NYCT SPEC STA-1716-0119	SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA NYCTA NYCTA NYCTA	B66RB330 DTM71101716 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-1716-0119	0	0
71-10-1800	PAINT, WATER BASE, COLOR: LATEX GUN METAL GREY, IN FIVE GALLON CAN. PER NYCT SPEC STA-1800-0920	MERCURY PAINT CO. NYCTA	DTM ACRYLIC GLOSS GUN METAL GR STA-1800-0920	0	0
71-10-1805	PAINT, WATER BASE, COLOR: LATEX DARK SHADOW, IN FIVE GALLON CAN. PER NYCT SPEC STA-1805-0920	MERCURY PAINT CO. NYCTA	DTM ACRYLIC GLOSS DARK SHADOW STA-1805-0920	0	0
71-10-6032	PAINT, WATER BASE, COLOR: LATEX GARDENIA WHITE, IN FIVE GALLON CAN. PER NYCT SPEC STA-6032-0921	MERCURY PAINT CO. NYCTA NYCTA NYCTA NYCTA	LTX SG GARDENIA/71106032 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R.PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-6032-0921	0	0
71-10-6060	PAINT, WATER BASE, COLOR: CELEST BLUE. IN FIVE GALLON CAN. PER NYCT SPEC STA-6060-0612	MERCURY PAINT CORP/AMSTERDAM M NYCTA NYCTA NYCTA NYCTA	71-10-6060 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R.PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-6060-0919	0	0
71-10-6062	PAINT, WATER BASE, COLOR: LATEX GRAY. IN FIVE GALLON CAN, PER NYCT SPEC. STA-6062-0612	MERCURY PAINT CORP/AMSTERDAM M NYCTA NYCTA NYCTA NYCTA	71-10-6062 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R.PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-6062-0919	0	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 119
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
71-10-6064	PAINT, WATER BASE, COLOR: LATEX SEED PEARL. IN FIVE GALLON CAN.	MERCURY PAINT CO. BENJAMIN MOORE NYCTA NYCTA NYCTA NYCTA	71-10-6064 G233912GC CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R.PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-6064-0512	0	0
71-10-7033	PAINT, LATEX, COLOR: EXTERIOR LATEX GLOSS SAFETY ORANGE, IN FIVE GALLON CAN PER NYCT SPEC STA-7033-0709	MERCURY PAINT CORP/AMSTERDAM M NYCTA NYCTA NYCTA NYCTA	LATEX-GLOSS SAFETY ORANGE CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R.PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-7033-0709	0	0
71-22-0013	PAINT KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT, FOR BRUSH, ROLLER & SPRAY APPLICATION. COLOR: NYCT POLY STAINLESS STEEL (TRISTIMULUS VALUES: L*66.60, A* -0.62, B* -1.24, DELTA E=1.70), SPECULAR GLOSS OF 90 MINIMUM. BASED ON MOMBAY "DESMODUR" ALIPHATIC POLYURETHANE RESIN SYSTEM OR EQUIVALENT. EACH PAINT KIT IS TO BE PACKAGED INDIVIDUALLY. GALLON SIZE PAINT KIT CONSISTS OF TWO PARTS; 3 QUARTS OF PART A RESIN IN A 1 GALLON CAN AND 1 QUART OF PART B CATALYST IN A 1 QUART CAN. PART A AND PART B COMBINE TO MAKE 1 GALLON OF PAINT. DENSITY OF PART A IS 9.2+/-0.3 LBS/GAL, DENSITY OF PART B IS 9.4+/-0.3 LBS/GAL. VISCOSITY OF PART A AND PART B COMBINED(MIXED 3 TO 1 BY VOLUME)IS 30 TO 50 SECONDS AS MEASURED BY #3 ZAHN CUP. VENDOR TO SUPPLY MANUFACTURER'S CERTIFICATE OF ANALYSIS FOR EACH BATCH SHOWING THE DENSITY(OF PART A AND OF PART B). VISCOSITY(MIXED), GLOSS VOC WITH EACH SHIPMENT. MUST COMPLY WITH NYSDEC REGULATION 6NYCRR PART 228 SURFACE COATINGS: COATING LINES FOR MISCELLANEOUS METAL PARTS AND PRODUCTS: EXTREME PERFORMANCE COATINGS WITH MAXIMUM VOC OF 3.5 LB/GAL(419.39 G/L)	SHERWIN-WILLIAMS NYCTA NYCTA NYCTA NYCTA	POLY-LON 516-87 SIMULATE 1075-C-86 REV.J, MAR. 1990 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R.PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
71-22-0066	PAINT, KIT, PRIMER, TWO COMPONENT URETHANE, FOR BUS EXTERIOR GLOSS TOPCOAT. EACH INDIVIDUAL KIT SHALL CONTAIN 3 QUARTS OF BASE IN A ONE GALLON CAN(PART A) AND A 1 QUART CAN OF ACTIVATOR(PART B)IN A SEPARATE CONTAINER, VOC OF SPRAYABLE MIXTURE IS 0.00 LBS PER GALLON MAX, (FOR INSPECTIONS AND TESTING PURPOSES. THE LAB TEST LIMIT SHOULD BE A MAXIMUM OF 50 GRAMS PER LITER) THIS PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENTS OF CCSS-002 REV. E AND HAS BEEN APPROVED BY OSS FOR USE IN DESIGNATED PAINT BOOTH AREAS. THE PAINT MUST BE RELEASED WITHIN 12 MONTHS OF THE DATE OF MANUFACTURE. THIRD PARTY ANALYSIS LIMITS SHALL BE USED WHEN INSPECTING THE FOLLOWING PROPERTIES: WEIGHT PER GALLON (MIXED) ASTM D-1475, PERCENT WEIGHT SOLID (MIXED) ASTM D-2369. DRY TO TAPE TIME (TAPE TIME) MIL-PRF-58285D, WEIGHT PER GALLON (BASE ONLY) ASTM D-1475 AND PERCENT WEIGHT SOLID (BASE ONLY) ASTM D-2369	PPG INDUSTRIES ALBERT KEMPERLE, INC. NYCTA NYCTA NYCTA	GRAY 09GY007E-K/36X194CAT ULTLOVOCSE02SEALER/AKZSE02VOCA CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S	0	0
71-22-0071	PAINT, KIT, BLUE, TWO COMPONENT URETHANE, BUS EXTERIOR GLOSS TOPCOAT, GRAFFITI REMOVER RESISTANT, FOR SPRAY APPLICATION. EACH INDIVIDUAL KIT SHALL CONTAIN 1-1/2 PINTS OF BASE (PART A) IN A ONE QUART CAN AND 8 OZ. OF ACTIVATOR (PART B), IN A SEPARATE CONTAINER, VOC OF SPRAYABLE MIXTURE IS 0.00 LBS PER GALLON MAX (FOR INSPECTIONS AND TESTING PURPOSES, THE LAB TEST LIMIT SHOULD BE A MAXIMUM OF 50 GRAMS PER LITER) THIS PRODUCT IS EXEMPT FROM THE FLASH PAINT REQUIREMENT OF CCSS-002 REV. E AND HAS BEEN APPROVED BY OSS FOR USE IN DESIGNATED PAINT BOOTH AREAS. THE PAINT MUST BE RELEASED WITHIN 12 MONTHS OF THE DATE OF MANUFACTURE. THIRD PARTY ANALYSIS LIMITS SHALL BE USED WHEN INSPECTING THE FOLLOWING PROPERTIES: WEIGHT PER GALLON (MIXED) ASTM D-1475, PERCENT WEIGHT SOLID (MIXED) ASTM D-2369. DRY TO TAPE TIME (TAPE TIME)	PPG INDUSTRIES NYCTA NYCTA NYCTA	BLUE 36BL015E-K/36X194CAT CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S	0	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 121
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	MIL-PRF-85285D. WEIGHT PER GALLON (BASE ONLY) ASTM D-1475 AND PERCENT WEIGHT SOLID (BASE ONLY) ASTM D-2369				

71-22-0073	PAINT, KIT, BLACK, TWO COMPONENT URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION, EACH KIT SHALL CONTAIN 1-1/2 PINTS OF BASE(PART A) IN A ONE QUART CAN AND 8 OZ. OF ACTIVATOR (PART B) IN A SEPARATE CONTAINER, VOC OF SPRAYABLE MIXTURE IS 0.00 LBS PER GALLON MAX (FOR INSPECTIONS AND TESTING PURPOSES, THE LAB TEST LIMIT SHOULD BE A MAXIMUM OF 50 GRAMS PER LITER) THIS PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENT OF CCSS-002 REV. E AND HAS BEEN APPROVED BY OSS FOR USE IN DESIGNATED PAINT BOOTH AREAS. THE PAINT MUST BE RELEASED WITHIN 12 MONTHS OF THE DATE OF MANUFACTURE. THIRD PARTY ANALYSIS LIMITS SHALL BE USED WHEN INSPECTING THE FOLLOWING PROPERTIES: WEIGHT PER GALLON (MIXED) ASTM D-1475, PERCENT WEIGHT SOLID (MIXED) ASTM D-2369. DRY TO TAPE TIME (TAPE TIME) MIL-PRF-85285D. WEIGHT PER GALLON (BASE ONLY) ASTM D-1475 AND PERCENT WEIGHT SOLID (BASE ONLY) ASTM D-2369	PPG INDUSTRIES NYCTA NYCTA NYCTA	BLACK 36BK001E-K/36X194CAT CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S	0	0

71-22-0075	PAINT, KIT, WHITE, TWO COMPONENT URETHANE, BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, FOR SPRAY APPLICATION. EACH INDIVIDUAL KIT SHALL CONTAIN 3 QUARTS OF BASE IN A ONE GALLON CAN(PART A) AND 1 QUART CAN OF ACTIVATOR (PART B) IN A SEPARATE CONTAINER, VOC OF SPRAYABLE MIXTURE IS 0.00LBS PER GALLON MAX. (FOR INSPECTIONS AND TESTING PURPOSES, THE LAB TEST LIMIT SHOULD BE A MAXIMUM OF 50 GRAMS PER LITER) THIS PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENTS OF CCSS-002 REV. E AND HAS BEEN APPROVED BY OSS FOR USE IN DESIGNATED PAINT BOOTH AREAS. THE PAINT	PPG INDUSTRIES NYCTA NYCTA NYCTA	WHITE 36W021E-K/36X194CAT CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	MUST BE RELEASED WITHIN 12 MONTHS OF THE DATE OF MANUFACTURE. THIRD PARTY ANALYSIS LIMITS SHALL BE USED WHEN INSPECTING THE FOLLOWING PROPERTIES: WEIGHT PER GALLON (MIXED) ASTM D-1475, PERCENT WEIGHT SOLID (MIXED) ASTM D-2369, DRY TO TAPE TIME (TAPE TIME) MIL-PRF-85285D, WEIGHT PER GALLON (BASE ONLY) ASTM D-1475 AND PERCENT WEIGHT SOLID (BASE ONLY) ASTM D-2369				
-----	-----	-----	-----	-----	-----
71-22-0077	PAINT, KIT, BLUE THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT. SPRAY APPLICATION, EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE, A ONE PINT CAN OF ACTIVATOR, AND A ONE PINT CAN OF HARDENER IN SEPARATE CONTAINERS, VOC IF SPRAYABLE MIXTURE IS 2.80 LBS PER GALLON MAX (FOR INSPECTION AND TESTING PURPOSES. THE LAB TEST LIMIT SHOULD BE A MAXIMUM OF 335 GRAMS PER LITER). THE PRODUCT IS EXEMPT FROM THE FLASHPOINT REQUIREMENT OF CCSS-002 REV E AND HAS BEEN APPROVED BY OSS FOR USE IN DESIGNATED PAINT BOOTH AREAS. THE PAINT MUST BE RELEASED WITHING 12 MONTHS OF THE DATE OF MANUFACTURE. THIRE PARTY ANALYSIS LIMITS SHALL BE USED WHEN INSPECTING TH FOLLOWING PROPERTIES, WEIGHT PER GALLON (MIXED) ASTM D-1475, PERCENT WEIGHT SOLID (MIXED) ASTM D-2369, DRY TO TAPE TIME (TAPE TIME) MIL-PRF-58285D, WEIGHT PER GALLON (BASE ONLY) ASTM D-1475 AND PERCENT WEIGHT SOLID (BASE ONLY) ASTM D-2369	PPG INDUSTRIES NYCTA NYCTA NYCTA	BLUE/ESSS989436/ESX520/ESH200 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 9/21 G.R. PAINTS REV CCSS-003 REV E 9/11/17 RESTR S	0	0
-----	-----	-----	-----	-----	-----

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
71-22-0130	PAINT, KIT, LIGHT BLUE, TWO COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT, GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION, EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE (PART A) AND ONE QUART CAN OF ACTIVATOR (PART B) IN A SEPARATE CONTAINER. VOC IF SPRAYABLE MIXTURE IS 0.00 LBS PER GALLON MAX (FOR INSPECTION AND TESTING PURPOSES. THE LAB TEST LIMIT SHOULD BE A MAXIMUM OF 50 GRAMS PER LITER). THE PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENT OF CCSS-002 REV E AND HAS BEEN APPROVED BY OSS FOR USE IN DESIGNATED PAINT BOOTH AREAS. THE PAINT MUST BE RELEASED WITHIN 12 MONTHS OF THE DATE OF MANUFACTURE. THIRD PARTY ANALYSIS LIMITS SHALL BE USED WHEN INSPECTING THE FOLLOWING PROPERTIES. WEIGHT PER GALLON (MIXED) ASTM D-1475. PERCENT WEIGHT SOLID (MIXED)ASTM D-2369. DRY TO TAPE TIME (TAPE TIME)MIL-PRF-58285D. WEIGHT PER GALLON (BASE ONLY) ASTM D-1475 AND PERCENT WEIGHT SOLID (BASE ONLY) ASTM D-2369	PPG INDUSTRIES NYCTA NYCTA NYCTA	36BL031E-K/36X194CAT CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S	0	0
71-22-0132	PAINT, KIT, MEDIUM BLUE TWO COMPONENT, URETHANE BUS EXTERIOR GLOSS TOP COAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 QUART OF BASE (PART A) AND A 1/2 PINT CAN OF ACTIVATOR (PART B) IN A SEPARATE CONTAINER, VOC IF SPRAYABLE MIXTURE IS 0.00 LBS. PER GALLON MAX (FOR INSPECTION AND TESTING PURPOSES. THE LAB TEST LIMIT SHOULD BE A MAXIMUM OF 50 GRAMS PER LITER). THE PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENT OF CCSS-002 REV. E AND HAS BEEN APPROVED BY OSS FOR USE IN DESIGNATED PAINT BOOTH AREAS. THE PAINT MUST BE RELEASED WITHIN 12 MONTHS OF THE DATE OF MANUFACTURE. THIRD PARTY ANALYSIS LIMITS SHALL BE USED WHEN INSPECTING THE FOLLOWING PROPERTIES, WEIGHT PER GALLON (MIXED) ASTM D-1475. PERCENT WEIGHT SOLID (MIXED)ASTM D-2369. DRY TO TAPE TIME (TAPE TIME) MIL-PRF-58285D.	PPG INDUSTRIES NYCTA NYCTA NYCTA	36BL019E-K/36X194CAT CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	WEIGHT PER GALLON (BASE ONLY) ASTM D-1475 AND PERCENT WEIGHT SOLID (BASE ONLY) ASTM D-2369				

71-22-0134	PAINT, KIT, DARK BLUE TWO COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE (PART A)AND A ONE QUART CAN OF ACTIVATOR (PART B) IN A SEPARATE CONTAINER, VOC IF SPRAYABLE MIXTURE IS 0.00 LBS PER GALLON MAX (FOR INSPECTION AND TESTING PURPOSES. THE LAB TEST LIMIT SHOULD BE A MAXIMUM OF 50 GRAMS PER LITER). THE PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENT OF CCSS-002 REV E AND HAS BEEN APPROVED BY OSS FOR USE IN DESIGNATED PAINT BOOTH AREAS. THE PAINT MUST BE RELEASED WITHIN 12 MONTHS OF THE DATE OF MANUFACTURE. THIRD PARTY ANALYSIS LIMITS SHALL BE USED WHEN INSPECTING THE FOLLOWING PROPERTIES, WEIGHT PER GALLON (MIXED) ASTM D-1475, PERCENT WEIGHT SOLID (MIXED)ASTM D-2369, DRY TO TAPE TIME (TAPE TIME) MIL-PRF-58285D. WEIGHT PER GALLON (BASE ONLY) ASTM D-1475 AND PERCENT WEIGHT SOLID (BASE ONLY) ASTM D-2369	PPG INDUSTRIES NYCTA NYCTA NYCTA	36BL018E-K/36X194CAT CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S	0	0

71-22-0136	PAINT, KIT, YELLOW TWO COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT. SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 QUART OF BASE (PART A) AND A 1/2 PINT CAN OF ACTIVATOR (PART B) IN A SEPARATE CONTAINER. VOC IF SPRAYABLE MIXTURE IS 0.00 LBS PER GALLON MAX (FOR INSPECTION AND TESTING PURPOSES. THE LAB TEST LIMIT SHOULD BE A MAXIMUM OF 50 GRAMS PER LITER). THE PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENT OF CCSS-002 REV E AND HAS BEEN APPROVED BY OSS FOR USE IN DESIGNATED PAINT BOOTH AREAS. THE PAINT MUST BE RELEASED WITHIN 12 MONTHS OF THE DATE OF MANUFACTURE.	PPG INDUSTRIES NYCTA NYCTA NYCTA	36Y210E-K/36X194CAT CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S	0	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 125
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	THIRD PARTY ANALYSIS LIMITS SHALL BE USED WHEN INSPECTING THE FOLLOWING PROPERTIES. WEIGHT PER GALLON (MIXED)ASTM D-1475. PERCENT WEIGHT SOLID (MIXED) ASTM D-2369. DRY TO TAPE TIME (TAPE TIME) MIL-PRF-58285D. WEIGHT PER GALLON (BASE ONLY) ASTM D-1475 AND PERCENT WEIGHT SOLID (BASE ONLY) ASTM D-2369				
71-22-0160	PAINT, KIT, DARK BLUE, THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE. A ONE PINT CAN OF ACTIVATOR AND A ONE PINT CAN OF HARDENER IN SEPARATE CONTAINERS. VOC IF SPRAYABLE MIXTURE IS 2.80 LBS PER GALLON MAX (FOR INSPECTION AND TESTING PURPOSES. THE LAB TEST LIMIT SHOULD BE A MAXIMUM OF 335 GRAMS PER LITER). THE PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENT OF CCSS-002 REV F AND HAS BEEN APPROVED BY OSS FOR USE IN DESIGNATED PAINT BOOTH AREAS. THE PAINT MUST BE RELEASED WITHIN 12 MONTHS OF THE DATE OF MANUFACTURE. THIRD PARTY ANALYSIS LIMITS SHALL BE USED WHEN INSPECTING THE FOLLOWING PROPERTIES. WEIGHT PER GALLON (MIXED) ASTM D-1475, PERCENT WEIGHT SOLID (MIXED) ASTM D-2369, DRY TO TAPE TIME (TAPE TIME) MIL-PRF-58285D. WEIGHT PER GALLON (BASE ONLY) ASTM D-1475 AND PERCENT WEIGHT SOLID (BASE ONLY) ASTM D-2369	PPG INDUSTRIES NYCTA NYCTA NYCTA	DKBLUE/ESSS989431/ESX520/ESH20 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 9/21 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S	0	0
71-22-0162	PAINT, KIT, LIGHT BLUE THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT, GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE, AS ONE PINT CAN OF ACTIVATOR, AND ONE PINT CAN OF HARDENER IN SEPARATE CONTAINERS. VOC IF SPRAYABLE MIXTURE IS 2.80 LBS PER GALLON MAX (FOR INSPECTION AND TESTING PURPOSES. THE LAB TEST LIMIT SHOULD BE	PPG INDUSTRIES NYCTA NYCTA NYCTA	LTGBLUE/ESSS989432/ESX520/ESH2 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 9/21 G.R. PAINTS REV CCSS-003 REV E 9/11/17 RESTR S	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	A MAXIMUM OF 335 GRAMS PER LITER). THE PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENT OF CCSS-002, REV. F AND HAS BEEN APPROVED BY OSS FOR USE IN DESIGNATED PAINT BOOTH AREAS. THE PAINT MUST BE RELEASED WITHIN 12 MONTHS OF THE DATE OF MANUFACTURE. THIRD PARTY ANAYLSIS LIMITS SHALL BE USED WHEN INSPECTING THE FOLLOWING PROPERTIES. WEIGHT PER GALLON (MIXED) ASTM D-1475. PERCENT WEIGHT SOLID (MIXED) ASTM D-2369, DRY TO TAPE TIME (TAPE TIME) MIL-PRF-58285D. WEIGHT PER GALLON (BASE ONLY) ASTM D-1475 AND PERCENT WEIGHT SOLID (BASE ONLY) ASTM D-2369.				
71-22-0164	PAINT, KIT, BLACK THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE, A ONE PINT CAN OF ACTIVATOR, AND A ONE PINT CAN OF HARDENER IN SEPARATE CONTAINERS. VOC IF SPRAYABLE MIXTURE IS 2.80 LBS PER GALLON MAX (FOR INSPECTION AND TESTING PURPOSES.THE LAB TEST LIMIT SHOULD BE A MAXIMUM OF 335 GRAMS PER LITER). THE PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENT OF CCSS-002 REV F AND HAS BEEN APPROVED BY OSS FOR USE IN DESIGNATED PAINT BOOTH AREAS. THE PAINT MUST BE RELEASED WITHIN 12 MONTHS OF THE DATE OF MANUFACTURE. THIRD PARTY ANALYSIS LIMITS SHALL BE USED WHEN INSPECTING THE FOLLOWING PROPERTIES, WEIGHT PER GALLON (MIXED) ASTM D-1475, PERCENT WEIGHT SOLID (MIXED) ASTM D-2369, DRY TO TAPE TIME (TAPE TIME) MIL-PRF-58285D. WEIGHT PER GALLON (BASE ONLY) ASTM D-1475 AND PERCENT, WEIGHT SOLID (BASE ONLY) ASTM D-2369	PPG INDUSTRIES NYCTA NYCTA NYCTA	BLACK/ESSS989435/ESX520/ESH200 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 9/21 G.R. PAINTS REV CCSS-003 REV E 9/11/17 RESTR S	0	0
-----	-----	-----	-----	-----	-----

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 127
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
71-22-0166	PAINT, KIT, WHITE, THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT. SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE, A ONE PINT CAN OF ACTIVATOR, AND ONE PINT CAN OF HARDENER IN SEPARATE CONTAINERS. VOC IF SPRAYABLE MIXTURE IS 2.80 LBS PER GALLON MAX (FOR INSPECTION AND TESTING PURPOSES. THE LAB TEST LIMIT SHOULD BE A MAXIMUM OF 335 GRAM PER LITER). THE PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENT OF CCSS-002 REV F AND HAS BEEN APPROVED BY OSS FOR USE IN DESIGNATED PAINT BOOTH AREAS. THE PAINT MUST BE RELEASED WITHIN 12 MONTHS OF THE DATE OF MANUFACTURE THIRD PARTY ANALYSIS LIMITS SHALL BE USED WHEN INSPECTING THE FOLLOWING PROPERTIES, WEIGHT PER GALLON (MIXED) ASTM D-1475, PERCENT WEIGHT SOLID (MIXED) ASTM D-2369, DRY TO TAPE TIME (TAPE TIME) MIL-PRF-58285D. WEIGHT PER GALLON (BASE ONLY) ASTM D-1475 AND PERCENT WEIGHT SOLID (BASE ONLY) ASTM D-2369.	PPG INDUSTRIES NYCTA NYCTA NYCTA	WHITE/ESSS989434/ESX520/ESH200 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 9/21 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S	0	0
71-22-0168	PAINT, KIT, YELLOW, THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT, GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE, A ONE PINT CAN OF ACTIVATOR, AND A ONE PINT CAN OF HARDENER IN SEPARATE CONTAINERS, VOC IF SPRAYABLE MIXTURE IS 2.80 LBS PER GALLON MAX (FOR INSPECTION AND TESTING PURPOSES. THE LAB TEST LIMIT SHOULD BE A MAXIMUM OF 335 GRAMS PER LITER). THE PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENT OF CCSS-002 REV F AND HAS BEEN APPROVED BY OSS FOR USE IN DESIGNATED PAINT BOOTH AREAS. THE PAINT MUST BE RELEASED WITHIN 12 MONTHS OF THE DATE OF MANUFACTURE, THIRD PARTY ANALYSIS LIMITS SHALL BE USED WHEN INSPECTING THE FOLLOWING PROPERTIES, WEIGHT PER GALLON (MIXED) ASTM D-1475, PERCENT WEIGHT SOLID (MIXED) ASTM D-2369, DRY TO TAPE TIME (TAPE TIME)	PPG INDUSTRIES NYCTA NYCTA NYCTA	YELLOW/ESSS989433/ESX520/ESH20 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 9/21 G.R. PAINTS REV CCSS-003 REV E 9/11/17 RESTR S	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
-----	-----	-----	-----	-----	-----
	MIL-PRF-58285D, WEIGHT PER GALLON (BASE ONLY) ASTM D-1475 AND PERCENT WEIGHT SOLID (BASE ONLY) ASTM D-2369				

71-22-6045	PAINT, KIT, PRIMER THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL CONTAIN 3/4 GALLON OF BASE. A ONE PINT CAN OF ACTIVATOR AND A ONE PINT CAN OF HARDENER IN SEPARATE CONTAINERS. VOC IF SPRAYABLE MIXTURE IS 2.80 LBS PER GALLON MAX (FOR INSPECTION AND TESTING PURPOSES. THE LAB TEST LIMIT SHOULD BE A MAXIMUM OF 335 GRAMS PER LITER). THE PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENT OF CCSS-002 REV F AND HAS BEEN APPROVED BY OSS FOR USE IN DESIGNATED PAINT BOOTH AREAS. THE PAINT MUST BE RELEASED WITHIN 12 MONTHS OF THE DATE OF MANUFACTURE. THIRD PARTY ANALYSIS LIMITS SHALL BE USED WHEN INSPECTING THE FOLLOWING PROPERTIES, WEIGHT PER GALLON (MIXED) ASTM D-1475, PERCENT WEIGHT SOLID (MIXED) ASTM D-2369, DRY TO TAPE TIME (TAPE TIME) MIL-PRF-58285D, WEIGHT PER GALLON (BASE ONLY) ASTM D-1475 AND PERCENT WEIGHT SOLID (BASE ONLY) ASTM D-2369	PPG INDUSTRIES NYCTA NYCTA NYCTA	09GY051/80X040/DS-300 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 9/21 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S	0	0

71-34-2060	PAINT, WATER BASED, WHITE PRIMER FOR METAL/WOOD IN FIVE GALLON CAN	SHERWIN-WILLIAMS BENJAMIN MOORE MERCURY NYCTA NYCTA NYCTA NYCTA	B51W00450 GT10110GC TTP-650 LATEX PRIMER WHITE CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S STA-2060-0815	0	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 129
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
71-65-0927	CATALYST, PAINT ACTIVATOR, ONE GALLON CAN, FOR USE WITH ZERO VOC DEFT PAINTS	DEFT NYCTA NYCTA NYCTA	80-X-022 CCSS-001, REV I, 3-9-11, LABEL CCSS-002 1/05 G.R. PAINTS REV. CCSS-003 REV E 9/11/17 RESTR S	0	0
83-32-7127	WASHER, CARBON, USED ON CARRIER COMPRESSOR 5D SERIES (HVAC)	CARRIER STONE SAFETY SERVICE CORP.	17-44131-01 T-11793	0	0
83-32-7131	OIL PUMP AND BEARING HEAD ASSEMBLY - CARRIER A/C 05D SERIES	CARRIER	17-40200-02	0	0
83-32-7143	PISTON AND PIN, STANDARD, CARRIER A/C, 05D COMPRESSOR	CARRIER	17-44045-01	527	706
83-32-7149	CRANKSHAFT ASSEMBLY, CARRIER A/C, 05D COMPRESSOR, R42 CARS	CARRIER ALBERTINI MFG STONE AIR NYCTA	17-40326 CSF-326 T-11511-1 PALLET SPEC.	138	76
83-36-9505	BRUSH, CARBON, FOR A/C COMPRESSOR MOTOR	NATIONAL ELECTRICAL CARBON NATIONAL CARBON STONE SAFETY SERVICE CORP.	01-23963 GRADE EG-801 GRADE DE 2 T-19286	0	0
83-36-9578	TIP, CONTACT, MAIN MOVABLE, USED WITH SAFETY CONTACTOR #T-16093-4, & G.E. CONTACTOR #IC 28001607AD55Z8, MUST BE CADMIUM FREE. FOR R33, 36 CARS	GENERAL ELECTRIC CO. CONTACTOR MANUFACTURING CO. STONE SAFETY SERVICE CORP. HOYT	6974772G1 MEI-107 S-7564-23 Z607	0	0
83-36-9710	BRUSH, FRINGE, FIBRE GRADE IM-26 USED WITH FAN MOTOR, OVERHEAD	MORGANITE STONE SAFETY SERVICE CORP.	01-23788 T-19289-1	0	0
83-38-0326	CONTACT, MOVABLE, FOR TYPE MC-2 & MC-3 CONTACTOR, R40 CARS	HOYT	R490	0	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 130
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
83-38-0612	CYLINDER HEAD, CENTER BANK, A/C-05D COMPRESSOR	CARRIER SAFETY EQUIP. CO.	17-40016 T-9256	0	0
83-38-0617	OIL RELIEF VALVE, FOR A/C COMPRESSOR	CARRIER STONE SAFETY SERVICE CORP.	17-44011 T-9262	50	100
83-38-0619	ASSEMBLY, OIL LEVEL SIGHT GLASS FOR T-11 490-1 CRANKCASE ASSEMBLY	CARRIER SAFETY CORP.	17-10218 T-13004	0	0
83-38-0622	OIL RETURN CHECK VALVE ASSEMBLY-CARRIER A/C 05D COMPRESSOR	CARRIER STONE SAFETY SERVICE CORP.	17-40320 T-11520	0	0
83-38-0651	RING, COMPRESSION, FOR SAFETY EQUIP. AIR COND. COMPRESSORS, MODEL #T-14721	CARRIER SAFETY EQUIP. CO.	17-40055 T-9288	300	600
83-38-0652	CONNECTING ROD & CAP ASSEMBLY, STANDARD A/C-05D COMPRESSOR	CARRIER MOBILE CLIMATE CONTROL INC. STONE SAFETY SERVICE CORP.	17-40056-02 17-40056-02 T-11492	494	741
83-38-0660	VALVE, CAPACITY CONTROL, FOR PURCHASING PURPOSES ONLY. (THE FOLLOWING INFORMATION IS FOR NYCT USE ONLY: USE 83-38-3006 FOR FIRST STAGE UNLOADING, COLOR CODED BLUE, PRE-SET. USE 83-38-3007 FOR SECOND STAGE UNLOADING, COLOR CODED RED, PRE-SET).	STONE SAFETY SERVICE CORP. CARRIER FLXIBLE ORION STONE SAFETY SERVICE CORP.	**** PART NO. NOT AVAILABLE ** 17-10363-00 97-4732-151 E1349549JZ T-14246D	1485	1173
83-38-0670	BEARING, HEAD & OIL PUMP PACKAGE, FOR SAFETY EQUIPMENT AIR COND. COMPRESSOR MODEL T-147 21	CARRIER SAFETY EQUIP. CO.	17-40200 T-1148-4	0	0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 131
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
83-38-0690	VALVE PLATE ASSEMBLY, INCLUDING VALVE PLATE & SUCTION VALVE, POSITIONING SPRING, SUCTION VALVE, FOR SAFETY B-2694-1 CONDENSER AND COMPRESSOR, R38-40-42 CARS, P.I.P. COMMITTEE	CARRIER STONE SAFETY SERVICE CORP.	17-44106-00 T-9422	84	29
83-38-0699	VALVE PLATE, CENTER BANK, FOR SAFETY EQUIPMENT AIR CONDITIONER COMPRESSORS MODEL T-9421	CARRIER SAFETY EQUIP. CO.	17-44107-00 T-9421	20	20
83-38-3001	FILTER, A/C, NOMINAL SIZE 18-1/8" X 13-3/8" X 1-3/4" USED ON OVERHEAD FRAME ASSEMBLY, 6 PER CAR. THE CONTRACTOR IS RESPONSIBLE FOR INSPECTING ALL MATERIALS FURNISHED IN ACCORDANCE WITH THE REQUIREMENTS OF THIS SPECIFICATION. ACCEPTANCE BY THE NYCTA OF MATERIALS FURNISHED BY THE CONTRACTOR, IS SUBJECT TO INSPECTION VERIFICATION AND APPROVAL OR DISAPPROVAL BY THE NYCTA	TRI-DIM FILTER CORP. FARR INC CLARK FILTER CLARK FILTER PUROLATOR NYCTA NYCTA	23213CE18AE208Q 97515-011-R40XL DP40-NYC-2 DP8-NYC-2 FME-40-L 2061-PROD-89, REV. F PALLET SPEC.	72	51
83-38-7026	GASKET, COVER PLATE, FOR SAFETY #B-2694-1 CONDENSER AND COMPRESSOR	CARRIER STONE SAFETY SERVICE CORP.	17-44004 T-11519	0	0
83-40-0807	BRUSH, CONTURED, COMPLETE, FOR COMPRESSOR MOTOR # T-8179-1, R38, R40, R42, R44 CARS	NATIONAL ELECTRICAL CARBON STONE SAFETY SERVICE CORP.	01-22123 GRADE EG-801 T-11539-2	40	25
83-42-0973	CONTACT, STATIONARY, FOR BLOWER FAN CONTACTOR SAFETY #T-14582-2 & G.E.# IC28001617P2, USED ON MOTOR START AND CONTROL PANEL SAFETY #B-3426-1, MUST BE CADMIUM FREE.	GENERAL ELECTRIC CO. NYAB CONTACTOR MANUFACTURING CO. HOYT STONE SAFETY SERVICE CORP.	6973075G1 758566 MEI-09 R337 S-6795-25	6	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
83-42-0978	FINGER, MOVABLE CONTACT, FOR SAFETY MOTOR START CONTROL PANEL #B-3246-1, #B-3247-1, #M-4608-1 & G.E. BLOWER FAN CONTACTOR #1C2800-1617	NYAB HORNE GENERAL ELECTRIC CO. BRM INDUSTRIES INC. HOYT STONE SAFETY SERVICE CORP.	758567 806 8067076G1 8067076G1 R340 S-6795-31		0		0
83-42-1098	BRUSH, ASSEMBLY, GROUNDING, USED ON COMPRESSOR/CONDENSOR MOTOR. NOTE: "EACH ASSEMBLY MUST BE PACKAGED INDIVIDUALLY".	GENERAL ELECTRIC CO.	36A291177ABG01		0		0
83-42-1232	CONTACTOR MC1 FOR MOTOR CONTROL CIRCUIT, THERMOKING A/C CONTROLS	THERMO KING VAPOR	1309030606 3603000210		0		0
83-42-1301	CONTACTOR, LC, USED ON HVAC SYSTEM	STONE SAFETY CORPORATION	S-11862-5		0		0
83-42-1302	CONTACTOR, AC, USED ON HVAC SYSTEM	STONE SAFETY CORPORATION	S-11862-4		0		0
83-42-1314	RESISTOR, 20 OHMS, A/C MOTOR CONTROL CIRCUIT, (BBR & BSCR2), USED WITH HVAC AND CONTROL SYSTEM	STONE SAFETY SERVICE CORP.	S-12582-3		0		0
83-42-1315	RESISTOR, 25 OHMS., A/C MOTOR CONTROL CIRCUIT, (BSCRI), USED WITH HVAC AND CONTROL SYSTEM	STONE SAFETY SERVICE CORP.	S-12582-6		0		0
83-42-1325	SWITCH ASSEMBLY, THERMAL, U/W R42 HVAC SYSTEM.	STONE SAFETY SERVICE CORP.	S-9805-5		0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 133
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
83-42-1370	VALVE, LINE SOLENOID, U/W R42 HVAC SYSTEM.	STONE SAFETY SERVICE CORP.	S-11841-10	0	0
83-42-1379	RESISTOR ASSEMBLY, U/W R42 HVAC SYSTEM.	STONE SAFETY SERVICE CORP.	B-6510-1	0	0
83-42-1526	MOTOR, BLOWER, HVAC	AMETEK ROTRON	640210	0	0
83-42-2100	FILTER, AIR, FRESH, NOMINAL SIZE 6" X 21" X 1-3/4"	TRI-DIM FILTER CORP. FARR INC PUROLATOR CLARK FILTER NYCTA	23206E21E208Q 400814-001 DMK80-6 X 21 X 2 DP-NYC-5 2061-PROD-89 REV. F	41616	23300
83-42-2101	FILTER, AIR MIXED, NOMINAL SIZE: 9" X 21-1/2" X 1-3/4"	TRI-DIM FILTER CORP. FARR INC PUROLATOR CLARK FILTER NYCTA	23209E21DE208Q 400814-002 DMK80-9 X 21-1/2 X 2 DP-NYC-6 2061-PROD-89 REV. F	42312	23228
83-42-2117	FILTER, RETURN AIR, NOMINAL SIZE: 12-1/4" X 15-3/8" X 1-3/4"; USED WITH HVAC	TRI-DIM FILTER CORP. FARR INC PUROLATOR CLARK FILTER NYCTA	23212BE15CE208Q 402129-001 DMK80-12-1/4 X 15-3/8 X 2 DP-NYC-7 2061-PROD-89 REV. F	39164	23312
83-42-2118	FILTER, FRESH AIR, NOMINAL SIZE: 6-3/8" X 20-3/8" X 7/8"; USED WITH HVAC	TRI-DIM FILTER CORP. FARR INC PUROLATOR CLARK FILTER NYCTA	23206CE20CE108Q 402135-001 DMK80-6.38 X 20.38 X 1 DP-NYC-8 2061-PROD-89 REV. F	26660	15296
83-42-2123	COMPRESSOR, 6.5 TON	HARTFORD COMPRESSORS	75PHFSE16730EMAN30	0	0

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
83-42-2180	BLOWER MOTOR, EVAPORATOR, INCLUDING JUNCTION BOX ASSEMBLY	MELCO WESTCODE	EY255257G01 EY311295H01		6		0
83-42-2181	HVAC CONTROL UNIT	MELCO	C6G7672		0		8
83-42-2182	INVERTER, FOR HVAC	MITSUBISHI	CJ51503G01		8		2
83-42-2238	CAPACITOR, 400V 10000MFD, USED ON INVERTER MODULE ASSEMBLY, LVPS	EPCOS TOSHIBA	B43456S9109M002 PC42003P003		1618		1673
83-42-2244	HVAC UNIT, ROOF MOUNTED FOR R142A/R188 CONVERTED CARS(MODEL NO. EU 72). REFRIGERANT USED IS R22	MELCO	EY201846G01		122		88
83-42-2245	EVAPORATOR BLOWER ASSEMBLIES	MELCO	EY204427G01		0		0
83-42-2246	COMPRESSOR U/W HVAC SYSTEM	MELCO	RCS3001K27		0		0
83-42-2248	CONTACTOR, SD-2XN35WY, 35 AMP	MELCO	C6H9221H02		0		0
83-42-2257	INSULATOR, VIBRATION	MELCO	CY19166H03		912		956
83-42-2258	VIBRATION ELIMINATORS (LOWER)	MELCO	CX22439H01		812		928

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
83-42-2269	EVAPORATOR COIL ASSEMBLIES	MELCO	EY205665G01	0	5
83-42-2277	PRINTED CIRCUIT BOARD (M-NCP01A)	MELCO	CJ51504H16	0	0
83-42-2278	PRINTED CIRCUIT BOARD (M-LON0-1-1), IN ABSENCE OF STOCKS, IS INTERCHANGEABLE AND INTEROPERABLE WITH M-LON01A (EY104092H17- 14-60-0051)OR M-LON01-2 (EY102081H17- 83-43-5035).	MELCO	CJ51504H17	0	0
83-42-2279	PRINTED CIRCUIT BOARD (CDV01B)	MELCO	CJ51482H26	1	1
83-42-2280	BOARD, PRINTED CIRCUIT (R-DCD01)	MELCO	EY107543H27	0	0
83-42-2281	PRINTED CIRCUIT BOARD (T-POW05A)	MELCO	EY107543H28	5	0
83-42-2282	PRINTED CIRCUIT BOARD (T-POW15B)	MITSUBISHI MELCO	EY104199H30 EY107543H29	23	24
83-42-2283	PRINTED CIRCUIT BOARD (T-POW6A-S1)	MITSUBISHI MELCO	EY104199H29 EY107543H30	19-	20-
83-42-2557	CAPACITOR, FILTER, 8200UF, 450V (C1 TO C 6)	EPCOS	B43456-S5828-M004	60	76
83-42-2582	PRINTED CIRCUIT BOARD (POW16B)	MELCO	EY107543H31	5	2

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
83-42-2666	CIRCUIT BREAKER, MODEL # NF63-SV, 3P, 50A, AC, 600V	MELCO	C6H9222H07		0		0
83-42-2675	CAPACITOR, 450 VOLTS D.C, 8200 MICROFARAD	EPCOS WESTCODE NICHICON	B43564-S5828-M001 C6H9220H07 LNXYZW822MSMAML		0		0
83-42-2695	CONDENSER COIL #1 ASSEMBLY	WESTCODE MELCO	EY201642H01 EY201642H01		4		0
83-42-2696	CONDENSER COIL #2 ASSEMBLY	WESTCODE MELCO	EY201642H02 EY201642H02		4		0
83-42-2708	CONTACTOR	WESTCODE MELCO	C6H9222H06 C6H9222H06		2		0
83-42-2756	POWER SUPPLY RECEIVES THE 37.5 VOLTS SUPPLY FROM THE TRAINLINE BATTERIES AND CONVERTS INTO APPROPRIATE DC AND AC VOLTAGE TO OPERATE THE INTERNAL COMPONENTS OF THE HVAC TEMPERATURE CONTROLLER.	WESTCODE MELCO	CJ51504H15 CJ51504H15		0		1
83-42-2889	MODULE, POWER SUPPLY	MELCO	EY107543H18		0		4
83-42-2891	MOTOR, CONDENSER FAN (WESTCODE)	MELCO WESTCODE	EY250033H01 WC14079		414		239
83-42-3598	CONDENSER FAN ASSEMBLY, STAINLESS STEEL	MELCO WESTCODE	EY226128G03 WB24940/001		0		0

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 137
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
83-43-5001	FILTER, RETURN AIR, NOMINAL SIZE: 19-1/2" X 14-1/2" X 1-3/4", USED WITH HVAC	TRI-DIM FILTER CORP. FARR INC PUROLATOR CLARK FILTER MELCO NYCTA	23214DE19DE208Q 49880-011 DMK80-19-1/2X14-1/2X2 DP-NYC-9 EY320550H01 2061-PROD-89 REV. F	60835	36000
83-43-5002	FILTER, FRESH AIR, NOMINAL SIZE: 19-1/2" X 9-1/2" X 1-3/4", USED WITH HVAC	TRI-DIM FILTER CORP. FARR INC PUROLATOR CLARK FILTER MELCO NYCTA	23209DE19DE208Q 49880-008 DMK80-19-1/2 X 9-1/2 X 2 DP-NYC-10 EY320417H01 2061-PROD-89 REV. F	47932	29337
83-44-0681	BEARING, CRANK END, FOR SAFETY A/C COMPRESSOR #T-15347, R44 CARS	CARRIER STONE SAFETY SERVICE CORP.	17-40025 T-23409	0	0
83-46-0475	BRUSH, CARBON, 8 X 10 X 32	NATIONAL ELECTRICAL CARBON MERSEN USA BN CORP	01-24914 GRADE IM-26 E-KSR-2 GRADE BG540	0	0
83-46-0483	BRUSH, 12.5 X 25 X 48 U/W COMPRESSOR MOTOR GS 2007, FOR R46 CARS.	KAISER MERSEN USA BN CORP	BG-540 E-KSR-1 GRADE BG540	0	0
83-46-0625	FILTER, A/C, NOMINAL SIZE 44-3/4" X 17-3/4" X 1-3/4", USED ON OVERHEAD FRAME ASSEMBLY, 2 PER CAR. THE CONTRACTOR IS RESPONSIBLE FOR INSPECTING ALL MATERIALS FURNISHED IN ACCORDANCE WITH THE REQUIREMENTS OF THIS SPECIFICATION. ACCEPTANCE BY THE NYCTA OF MATERIALS FURNISHED BY THE CONTRACTOR, IS SUBJECT TO INSPECTION VERIFICATION AND APPROVAL OR DISAPPROVAL BY THE NYCTA	FARR INC TRI-DIM FILTER CORP. CLARK FILTER CLARK FILTER PUROLATOR NYCTA NYCTA	110126-001 23217GE44GE208Q DP40-NYC-3 DP8-NYC-3 FME-40 G 2061-PROD-89 REV. F PALLET SPEC	9732	7500

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
83-46-1382	MOTOR, BLOWER, SHAFTS ARE EQUAL LENGTH, USED WITH HVAC SYSTEM, FOR EMERGENCY, USE 83-46-1386	BALDOR ROTRON INC.	35S771R559G1 641405000		0		7
83-46-1509	CONNECTOR, 1" LIQUID TIGHT FLEXIBLE METAL STRAIGHT INSULATED FOR R46 SMS PROJECT.	T & B	5334-TB		0		0
83-46-1510	CONNECTOR, 1" 45 DEGREE LIQUID TIGHT, R46 SMS PROJECT (SEPSA MODIFICATION).	T & B	5344		0		0
83-46-1511	CONNECTOR, 1" 90 DEGREE LIQUID TIGHT, R46 SMS PROJECT (SEPSA MODIFICATION)	T & B	5354		0		0
83-46-1512	SINGLE GANG DEEP WEATHER PROOF BOX. USED FOR R46 SMS (SEPSA MODIFICATION)	T & B	IHD3-3		0		0
83-46-1513	EXTENSION, USED ON SINGLE GANG (IHD3-3) BOX. USED FOR R46 SMS	T & B	IHE		0		0
83-46-1514	COVER, USED ON SINGLE GANG WEATHER PROOF BOX (IHD3-3). USED FOR R46 SMS MODIFICATION	T & B	DCCB		0		0
83-46-4000	COMPRESSOR, HVAC, R46	HARTFORD COMPRESSORS	1520SE16970EM0010		0		0
83-60-0002	AIR CONDITIONING UNIT, ROOF MOUNTED, EU73 7.5 TON	MITSUBISHI	EY209782G01		149		55

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 139
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
83-62-0805	BRUSH, COMPRESSOR MOTOR, FOR SAFETY ELECTRIC COMPRESSOR & BLOWER MOTORS	NATIONAL ELECTRICAL CARBON STONE SAFETY SERVICE CORP.	01-24285 T-23166-1	0	0
83-62-0968	BUFFER RESISTOR, USED WITH SAFETY MOTOR CONTROL BOX, R62 CARS	STONE SAFETY SERVICE CORP.	S-11382-1	2	0
83-62-1225	TIP ASSEMBLY, STATIONARY, USED WITH CONTACTOR DC SIZE 2	GENERAL ELECTRIC CO. CONTACTOR MANUFACTURING CO. BRM INDUSTRIES INC. STONE SAFETY SERVICE CORP. HOYT	259A5615G1 MEI-30 P259A5615G1 S-11725-10 Z630	0	0
83-62-1340	BRUSH, BLOWER MOTOR, PACKAGED 1000 EACH PER CARTON.	NATIONAL ELECTRICAL CARBON MERSEN USA BN CORP STONE SAFETY SERVICE CORP.	01-2428-1 10804-10126-00 20267-5	0	0
83-62-1410	FILTER, A/C USED WITH R62 AND R62A NOMINAL SIZE R40XL 20-1/4" X 14" X 2". CONTRACTOR IS RESPONSIBLE FOR INSPECTING ALL MATERIALS FURNISHED IN ACCORDANCE WITH THE REQUIREMENTS OF THIS SPECIFICATION. ACCEPTANCE BY NYCT OF MATERIALS FURNISHED BY MANUFACTURER IS SUBJECT TO INSPECTION.	TRIDIM FILTER CORP. FARR INC PUROLATOR CLARK FILTER CLARK FILTER NYCTA	23214E20BE208Q 403366001 DMK80-20-1/4X14X2 DP40-NYC-1 DP8-NYC-1 2061-PROD-89 REV. F	33775	27772
83-62-3000	MOTOR, BLOWER, AC, 3 PHASE, 230V, 76 HZ, 1950 RPM MAX., AMB: 60 DEGREES CENTIGRADE, ROTRON MODEL #LZ2C-230-S-3405J7-CCW	ROTRON INC. ABC ELECTRIC	350212 ABC01	118	10
83-62-4000	COMPRESSOR, HVAC, R62	HARTFORD COMPRESSORS	2280SE16970EM0010	0	0
83-62-4132	CAPACITOR, 15000 UF, 400V	EPCOS	B43456-S9159-M003	1419	460

USER-ID : RJR
PROG-ID : JSBYRALL

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

DATE 08/25/2022 PAGE : 140
CURRENT VERSION : 1.10.00

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
83-62-4179	MOTOR, HVAC ALTERNATING CURRENT, FOR HVAC COMPRESSOR	SEPSA SISTEMAS ELECTRICOS LETAG S.A.	562012 BGKMH-200LEB	175	76
83-68-0654	CONTACTOR, BLOWER FAN, USED WITH HEATING AND AIR CONDITIONING.	STONE SAFETY SERVICE CORP.	S-11860-1	0	0
83-68-0655	CONTACTOR, BLOWER FAN, USED WITH HEATING AND AIR CONDITIONING.	STONE SAFETY SERVICE CORP.	S-11860-4	0	0
83-68-0656	CONTACTOR, LC, LINE, U/W HEATING AND AIR CONDITIONING.	STONE SAFETY SERVICE CORP.	S11862-2	0	0
83-68-0872	FILTER, A/C, NOMINAL SIZE: 19-1/2 X 13-1/2" X 1-3/4" FOR R62 AND R62A USE 83-62-1410 USED ON OVERHEAD FRAME ASSEMBLY, 6 PER CAR. THE CONTRACTOR IS RESPONSIBLE FOR INSPECTING ALL MATERIALS FURNISHED IN ACCORDANCE WITH THE REQUIREMENTS OF THIS SPECIFICATION. ACCEPTANCE BY THE NYCTA OF MATERIALS FURNISHED BY THE CONTRACTOR, IS SUBJECT TO INSPECTION VERIFICATION AND APPROVAL OR DISAPPROVAL BY THE NYCTA	TRIDIM FILTER CORP. FARR INC CLARK FILTER CLARK FILTER NYCTA NYCTA	23213DE19DE208Q 97515-004 DP40-NYC-4 DP8-NYC-4 2061-PROD-89 REV. F PALLET SPEC	37756	26364
83-68-0894	MOTOR, ALTERNATING CURRENT, FOR HVAC COMPRESSOR	SEPSA SISTEMAS ELECTRICOS	562019	1	2
83-68-1001	SHAFT SEAL PACKAGE, ZINC PLATED, GOLD CO LOR, FOR 05D CARRIER COMPRESSOR ASSEMBLY	CARRIER	17-57025-00Z	29	59
83-68-2001	MOTOR, BLOWER, HVAC	AMETEK ROTRON	350297	0	0

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

QUALIFIED PRODUCTS LISTING

CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
-----	-----	-----	-----	-----	-----	-----	-----
83-78-0072	FILTER, A/C, RETURN AIR, ACTUAL SIZE: 19-1/2" X 15-1/2" X 1-3/4". 2 PER HVAC UNIT. THE CONTRACTOR IS RESPONSIBLE FOR INSPECTING ALL MATERIALS FURNISHED IN ACCORDANCE WITH THE REQUIREMENTS OF SPEC. # 2061-PROD-89 (LATEST REV.). ACCEPTANCE BY THE NYCT OF MATERIALS FURNISHED BY THE CONTRACTOR IS SUBJECT TO INSPECTION, VERIFICATION AND APPROVAL OR DISAPPROVAL BY NYCTA.	CAMFIL FARR NYCTA	049880-001 2061-PROD-89 LATEST REV.		7173		4759

98-46-1516	REFURBISHED, ALTERNATING CURRENT MOTOR, FOR R46 HVAC COMPRESSOR. NOTE: FOR NEW UNIT USE 83-46-1516	SEPSA SISTEMAS ELECTRICOS K&G POWER SYSTEMS SHERWOOD ELECTROMOTION INC WALCO	562023-R 562023-R 562023-R 562023-R		0		0

98-62-4179	REFURBISHED, ALTERNATING CURRENT MOTOR FOR R62/R62A HVAC COMPRESSOR NOTE: FOR NEW UNIT USE 83-62-4179	SEPSA SISTEMAS ELECTRICOS K&G POWER SYSTEMS SHERWOOD ELECTROMOTION INC WALCO	562012-R 562012-R 562012-R 562012-R		0		0

98-68-0894	REFURBISHED, ALTERNATING CURRENT MOTOR, FOR R68/R68A HVAC COMPRESSOR NOTE: FOR NEW UNIT USE 83-68-0894	SEPSA SISTEMAS ELECTRICOS K&G POWER SYSTEMS SHERWOOD ELECTROMOTION INC WALCO	562019-R 562019-R 562019-R 562019-R		0		0